

# [Silver(I)(Pyridine-Containing Ligand)] complexes as unusual catalysts for A<sup>3</sup>-coupling reactions

Michael Trose,<sup>a,b</sup> Monica Dell'Acqua,<sup>a</sup> Tommaso Pedrazzini,<sup>b</sup> Valentina Pirovano,<sup>a</sup>  
Emma Gallo,<sup>b</sup> Elisabetta Rossi,<sup>a</sup> Alessandro Caselli<sup>b\*</sup> and Giorgio Abbiati<sup>a\*</sup>



<sup>a</sup> Dipartimento di Scienze Farmaceutiche, Sezione di Chimica Generale e Organica "A. Marchesini",  
Università degli Studi di Milano, Via Venezian, 21, 20133 Milano, Italy



<sup>b</sup> Dipartimento di Chimica, Università degli Studi di Milano,  
and CNR – Istituto di Scienze e Tecnologie Molecolari, via Golgi 19, 20133 Milano, Italy

Corresponding authors: e-mail: [giorgio.abbiati@unimi.it](mailto:giorgio.abbiati@unimi.it)  
e-mail: [alessandro.caselli@unimi.it](mailto:alessandro.caselli@unimi.it)


## SUPPORTING INFORMATION



<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of ligand <b>1</b> .	p. S2
<sup>1</sup> H and <sup>13</sup> C NMR spectra of complex <b>2a</b> .	p. S3
HOESY spectra of complex <b>2a</b> .	p. S4
<sup>1</sup> H and <sup>13</sup> C spectra of complex <b>2b</b> .	p. S5
HSQC NMR experiments for the free ligand <b>1</b> and complex <b>2b</b> .	p. S6
<sup>1</sup> H spectrum of propargylamine <b>6a</b> .	p. S6
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6b</b> .	p. S7
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6c</b> .	p. S8
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6d</b> .	p. S9
<sup>1</sup> H spectrum of propargylamine <b>6e</b> .	p. S10
<sup>1</sup> H spectrum of propargylamine <b>6g</b> .	p. S10
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6f</b> .	p. S11
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6h</b> .	p. S12
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6i</b> .	p. S13
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6j</b> .	p. S14
<sup>1</sup> H spectrum of propargylamine <b>6k</b> .	p. S15
<sup>1</sup> H spectrum of propargylamine <b>6l</b> .	p. S15
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6m</b> .	p. S16
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>6n</b> .	p. S17
<sup>1</sup> H spectrum of propargylamine <b>6o</b> .	p. S18
<sup>1</sup> H spectrum of propargylamine <b>6p</b> with internal standard.	p. S18
<sup>1</sup> H and <sup>13</sup> C spectra of propargylamine <b>9a</b> .	p. S19












$^1\text{H}-^{19}\text{F}$  HOESY




















































CDCl<sub>3</sub>, 200 MHz



Reaction with aniline

