provided by AIR Universita degli studi di Milan



SCIENTIFIC OPINION

ADOPTED: 20 October 2016 doi: 10.2903/j.efsa.2016.4627

Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories

EFSA Panel on Additives and Products or Substances used in Animal Feed (FEEDAP), Guido Rychen, Gabriele Aquilina, Giovanna Azimonti, Vasileios Bampidis, Maria de Lourdes Bastos, Georges Bories, Pier Sandro Cocconcelli, Gerhard Flachowsky, Jürgen Gropp, Boris Kolar, Maryline Kouba, Secundino López Puente, Marta López-Alonso, Alberto Mantovani, Baltasar Mayo, Fernando Ramos, Maria Saarela, Roberto Edoardo Villa, Robert John Wallace, Pieter Wester, Paul Brantom, Birgit Dusemund, Christer Hogstrand, Patrick Van Beelen, Johannes Westendorf, Paola Manini and Andrew Chesson

Abstract

Following a request from the European Commission, the Panel on Additives and Products or Substances used in Animal Feed (FEEDAP) was asked to deliver a scientific opinion on the safety and efficacy of dry grape extract when added to water for drinking for all animal species and categories. The additive under assessment (dry grape extract) is a mixture of two extracts from the seeds and skin of Vitis vinifera subsp. vinifera. The FEEDAP Panel has previously issued an opinion on the safety and efficacy of this dry grape extract when added to feed. It was concluded that the additive is safe at the maximum proposed use level (100 mg/kg complete feed) for all animal species except dogs, for which no safe dietary concentration could be established. The FEEDAP Panel also concluded that there were no concerns for consumer safety and that no risks for the environment were to be expected and could not conclude on the safety for the user. Since consumer, user and environmental safety are independent of the mode of delivery of the additive, the conclusions reached in the previous opinion also apply to use in water. For a number of target species, the established safe concentration in feed could be exceeded if a maximum proposed dose in water (100 mg/L) was applied. Considering the margin of safety identified in the previous assessment, a maximum concentration of 50 mg/L water for drinking is considered safe for all animal species except dogs. Since the major component of the additive, the proanthocyanidin-rich seed extract, is recognised to provide flavour in food and its function in water for drinking for animals would be essentially the same, no demonstration of efficacy is considered necessary.

© 2016 European Food Safety Authority. *EFSA Journal* published by John Wiley and Sons Ltd on behalf of European Food Safety Authority.

Keywords: sensory additives, feed flavourings, dry grape extract, polyphenols, proanthocyanidins, anthocyanins, safety

Requestor: European Commission

Question number: EFSA-Q-2016-00342 **Correspondence:** feedap@efsa.europa.eu



Panel members: Gabriele Aquilina, Giovanna Azimonti, Vasileios Bampidis, Maria de Lourdes Bastos, Georges Bories, Andrew Chesson, Pier Sandro Cocconcelli, Gerhard Flachowsky, Jürgen Gropp, Boris Kolar, Maryline Kouba, Secundino López Puente, Marta López-Alonso, Alberto Mantovani, Baltasar Mayo, Fernando Ramos, Guido Rychen, Maria Saarela, Roberto Edoardo Villa, Robert John Wallace and Pieter Wester.

Note: The full opinion will be published in accordance with Article 8(6) of Regulation (EC) No 1831/2003 once the decision on confidentiality, in line with Article 18(2) of the Regulation, will be received from the European Commission.

Suggested citation: EFSA FEEDAP Panel (EFSA Panel on Additives and Products or Substances used in Animal Feed), Rychen G, Aquilina G, Azimonti G, Bampidis V, de Lourdes Bastos M, Bories G, Cocconcelli PS, Flachowsky G, Gropp J, Kolar B, Kouba M, López Puente S, López-Alonso M, Mantovani A, Mayo B, Ramos F, Saarela M, Villa RE, Wallace RJ, Wester P, Brantom P, Dusemund B, Hogstrand C, Van Beelen P, Westendorf J, Manini P and Chesson A, 2016. Scientific opinion on the safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. EFSA Journal 2016;14(12):4627, 2 pp. doi:10.2903/j.efsa.2016.4627

ISSN: 1831-4732

© 2016 European Food Safety Authority. *EFSA Journal* published by John Wiley and Sons Ltd on behalf of European Food Safety Authority.

This is an open access article under the terms of the Creative Commons Attribution-NoDerivs License, which permits use and distribution in any medium, provided the original work is properly cited and no modifications or adaptations are made.



The EFSA Journal is a publication of the European Food Safety Authority, an agency of the European Union.

