

# Using Automated Reasoning Tools in GeoGebra in the Teaching and Learning of Proving in Geometry

By Zoltán Kovács<sup>1</sup>, Tomás Recio<sup>2</sup> and M. Pilar Vélez<sup>3</sup>

<sup>1</sup>Private Pädagogische Hochschule der Diözese Linz. Salesianumweg 3, 4020 Linz, Austria  
zoltan@geogebra.org

<sup>2</sup>Departamento de Matemáticas, Estadística y Computación. Facultad de Ciencias, Universidad de Cantabria. Avenida de los Castros, s/n, 39071 Santander, Spain  
tomas.recio@unican.es

<sup>3</sup>Departamento de Ingeniería Industrial, Escuela Politécnica Superior, Universidad Antonio de Nebrija. c/ Pirineos, 55, 28040 Madrid, Spain  
pvelez@nebrija.es

Received: 22 March 2018

Revised: 7 June 2018

DOI: 10.1564/tme\_v25.2.03

*This document introduces, describes and exemplifies the technical features of some recently implemented automated reasoning tools in the dynamic mathematics software GeoGebra. The new tools are based on symbolic computation algorithms, allowing the automatic and rigorous proving and discovery of theorems on constructed geometric figures. Some examples of the use in the classroom of such commands are provided, including one describing how intuitive handling of GeoGebra automated reasoning tools may result in unexpected outputs. In all cases the emphasis is made in the potential utility of these tools as a guiding stick to foster student activities (exploration, reasoning) in the learning of elementary geometry. Moreover, a collection of appendices describing other, more sophisticated, low-level GeoGebra tools (Prove, ProveDetails), as well as instructions on how to obtain the translation of GeoGebra commands into other languages, and details about debugging, are included.*

## 1 INTRODUCTION

The software tool GeoGebra (<http://www.geogebra.org>) can support the teaching of Euclidean plane geometry theorems in various ways. In this article we focus on some new features, based on symbolic computations, allowing the automatic proving and discovery of theorems on geometric figures constructed with GeoGebra.

This novel technology attempts to address recent challenges in mathematics education (Howson and Wilson, 1986; Davis, 1995; Sinclair et al., 2016; Richard, Oller and Meanvilla, 2016; Quaresma, 2017). It is however still in an experimental phase in the classroom (Kovács, Recio, Richard and Vélez, 2017; Kovács, 2017). This document summarizes its technical possibilities and describes in detail how to use them through some examples. It is aimed at users who already have some basic knowledge on GeoGebra and want to learn about the recently implemented automated reasoning commands.

The next Section 2 provides a brief introduction to GeoGebra, as the host software for the automated reasoning package. Section 3, after a global introduction to these tools,

describes in detail, through examples, the characteristics of the Relation, LocusEquation and Envelope commands, considered as the most immediate and useful for the classroom context. It is appended with some technical remarks, providing some hints about cases of possible strange behaviour of these commands (for instance, that automatic reasoning is not yet possible for figures that include arbitrary degree curves).

Section 4 presents two detailed teaching scenarios that could be approached with the automated reasoning tools, involving, respectively, Thales' circle and the midline theorems. Further examples are summarily mentioned in 4.3. On the other hand, Thales' circle theorem is also addressed in Section 5, calling the reader to be beware of some common misinterpretations in using automated reasoning tools that may result in unexpected outputs.

The paper ends with some general conclusions and a collection of three appendices: one, that describes other, relatively sophisticated for just classroom use, automated reasoning commands (Prove, ProveDetails, etc.); a second appendix that explains how to get the translation of the commands to different languages; and, finally, a short note on how to get debug messages to allow a technical user to have further information about the performed computations.

## 2 USING GEOGEBRA ON DIFFERENT PLATFORMS

GeoGebra is available on many platforms, including desktop or laptop computers with various operating systems installed, tablets, and phones. Moreover, embedded GeoGebra applets are accessible on web pages, such as those within the GeoGebra Materials (<https://www.geogebra.org/materials>) collection, with millions of freely available teaching materials.

Some specific GeoGebra tools could however differ on the different platforms. Also, the user experience on the various platforms may be different: the required symbolic computations may need a high amount of calculations and the

underlying hardware or software components could or could not support some steps completely.

The recommended platform for classroom use can vary. The fastest results can be obtained by fast desktop (or laptop) computers, but in this case the software must be downloaded and installed by the user. Some examples in this document will work only in the “desktop” version (which is created for Microsoft Windows, Apple Macintosh and Linux desktop and laptop computers). On the other hand, the “web” version does not require installation by the user: it will run in a modern web browser, and the teacher is able to prepare a list of examples as GeoGebra applets in advance before the classroom use of GeoGebra Materials, for example. The “web” version is however usually slower than the desktop one: the symbolic computations may be slower by a magnitude.

Since recently, GeoGebra also runs on tablets and smartphones. In some cases, these platforms provide faster user experience than the web version does, but the smaller screen size could prevent the users from investigating geometry theorems in details. It is encouraged that teachers do experiments by using these modern devices, but their use for automated reasoning is still considered as experimental.

There is a continuous workflow improving GeoGebra’s automated reasoning tools. Thus, the best practice is to always use the latest version. A weekly update is usually performed for all versions, excluding the Mac App Store version which is updated about monthly. The list of newest changes can be found at <http://dev.geogebra.org/trac/timeline> - although this piece of information is intended only for advanced users and developers.

### 3 AUTOMATED REASONING TOOLS

Automated reasoning tools are a collection of GeoGebra features and commands that allow to conjecture, discover, adjust and prove geometric statements in a dynamic geometric construction.

To start with, the user needs to draw a geometric figure by using certain tools listed by default on top of the main window in GeoGebra. After constructing the figure, GeoGebra has many ways to promote investigating geometrical properties of a figure, through various tools and settings:

- 1 By *dragging the free objects*, the behaviour of their dependent objects can be visually investigated.
- 2 The Relation tool helps comparing objects and obtaining relations among them.
- 3 By setting on/off the trace of a constructed object, the movement of a “descendant” object will be visualized when its “parent” objects are changing.
- 4 The Locus tool shows the trace of an object for all possible positions of a parent object moving on a certain path.
- 5 By typing the Relation or Locus command in GeoGebra’s Input Bar more refined information can be obtained.

These methods are usually well known by the GeoGebra community, and therefore they are well documented, and many examples can be found on them at GeoGebra Materials (<https://www.geogebra.org/materials>). On the other hand, GeoGebra also offers symbolic automated reasoning tools for generalizing some observed/conjectured geometric properties:

- 6 The Relation tool and command can be used to recompute the numerical results symbolically.
- 7 The LocusEquation command refines the result of the Locus command by displaying the algebraic equation of the graphical output (see Section 3.3 for a list of possible limitations).
- 8 The LocusEquation command can investigate implicit loci.
- 9 The Envelope command computes the equation of a curve which is tangent to a family of objects while a certain parent of the family moves on a path.

#### 3.1 High and low-level tools

GeoGebra provides the above high-level methods to promote investigating geometry theorems. These are considered as “high level” tools because of the simplicity of their format; and, thus, they are intended to be directly used in classrooms. There are also other, more complicated, ways to learn more on the mathematical background of a given statement or just to help in troubleshooting. Those “low level” methods are listed in Section 7, and therefore not suggested for direct use among students.

Obviously, some of the listed methods are easier, and others are more difficult. For instance, using the command line in the *Input Bar* in GeoGebra can be considered as a more difficult task for most users than using the *Toolbar*. Thus, it can be suggested that a teacher first shows the students how to deal with the easier methods, and later demonstrates the more demanding ways, when the students have enough experiments done and are a little bit more acquainted with the reasoning tools.

#### 3.2 Tools with symbolic support

As mentioned above some automated reasoning tools are provided with symbolic support. This feature allows to verify in a mathematically rigorous way general statements of Elementary Geometry that have been conjectured by the user.

A general hint is that the user should start GeoGebra on start-up in the “graphing calculator” mode. This turns on showing the labels on each newly added object - this can be crucial for the Relation tool and command when reporting on various relations.

In most cases, however, the axes are not necessary to be shown: they can be switched off when the *Move* tool is active (it is the leftmost icon showing an arrow cursor) by right-click in the *Graphics View* and de-selecting the *Axes* setting.

In some cases, the *Algebra View* is not needed to be displayed - unless the equations of the implicit curves are to be investigated in detail. This can, however, be done also by changing the object's label to contain its value, too. (To do so, by right-clicking on the object, choosing *Object Properties*, the user needs to set *Show Label* to *Value* on the *Basic* tab.)

GeoGebra applets can be used conveniently if they are uploaded to GeoGebra Materials. If the *Algebra View* is used, it may be a good idea to increase its width before uploading an applet to GeoGebra Materials. Otherwise it will be not comfortable for the user to type the appropriate command. After uploading, in GeoGebra Materials it is suggested that for the applet at *Advanced Settings*, the *Show Toolbar* and *Show Input Bar* options are checked. Also setting an appropriate size is mandatory.

### 3.2.1 The Relation tool and command

GeoGebra's *Relation tool* and command shows a message box that gives the user information about the relation between two or more objects. This command allows the user to find out numerically (that is, for the drawn construction with precisely assigned coordinates to each point) whether:

- two lines are perpendicular,
- two lines are parallel,
- two (or more) objects (points, segment lengths, polygon areas) are equal,
- a point lies on a line or conic,
- a line is tangent or a passing line to a conic,
- three points are collinear,
- three lines are concurrent (or parallel),
- four points are concyclic (or collinear).

Some of these checks can also be performed symbolically, that is, the statement can be verified rigorously for the general case (with arbitrary coordinates) and not only for the displayed concrete geometric construction.

When using the *Relation tool*, the user points to two objects and gets a message box as shown in the figure below.




Figure 1 Thales' circle theorem

- 1 By using the *Segment tool*, construct  $AB$ .
- 2 By choosing the *Semicircle through 2 Points* tool, create arc  $c$ .
- 3 Put point  $C$  on  $c$ , by using *Point on Object*.
- 4 Create segments  $AC$  and  $BC$  and denote them by  $g$  and  $h$ , respectively.
- 5 Compare  $g$  and  $h$  by using the *Relation tool* and pointing on  $g$  and  $h$  by the mouse, or type  $\text{Relation}[g,h]$  in the *Input Bar*. The following message will be shown (Figure 2):

Alternatively, two, three or four objects can be selected by the selection rectangle to invoke the message box. To prevent the user to select unneeded objects in the applet it is also possible to disallow selection of unnecessary objects by right clicking on the object, selecting *Object properties*, choosing the *Advanced* tab and unchecking *Selection allowed*.

When using the *Relation command*, the user types one of the following formulas in the *Input Bar*:

- $\text{Relation}[\langle \text{Object} \rangle, \langle \text{Object} \rangle]$
- $\text{Relation}[\{ \langle \text{Object} \rangle, \langle \text{Object} \rangle \}]$
- $\text{Relation}[\{ \langle \text{Object} \rangle, \langle \text{Object} \rangle, \langle \text{Object} \rangle \}]$
- $\text{Relation}[\{ \langle \text{Object} \rangle, \langle \text{Object} \rangle, \langle \text{Object} \rangle, \langle \text{Object} \rangle \}]$

When the message box is shown with one or more true numerical statements on the objects, there may be a button "More..." shown if there is symbolic support for the given statement. When clicking "More...", shortly the numerical statement will be updated to a more general symbolic one, stating or denying the validity of the *Relation* for arbitrary instances of the given construction (i.e. if some two lines were perpendicular just in the precisely given position or if they are perpendicular in general, etc.).

In some GeoGebra installations the message box on using the *Relation tool* or command is shown behind the main GeoGebra window and seems hidden for the user. This is considered as an installation issue and GeoGebra should be updated to a newer version.

We remark that in the newest GeoGebra versions *brackets* in all commands will be converted to *parentheses*. That is, for instance, both of the syntaxes  $\text{Relation}[\langle \text{Object} \rangle, \langle \text{Object} \rangle]$  and  $\text{Relation}(\langle \text{Object} \rangle, \langle \text{Object} \rangle)$  are allowed to use, but GeoGebra will always display the second form. In this paper, however, we still use the first form that is the only allowed method in former GeoGebra versions.

**Example** (Thales' circle theorem) Here we want to explore the possible perpendicularity of segments  $AC$  and  $BC$ , where  $C$  is a point on a circle, while  $AB$  is a diameter thereof. We can proceed as follows (Figure 1):




Figure 2 Numerical comparison of two segments

- 6 Click “More...” - the message will be changed as follows (Figure 3):




Figure 3 Symbolic comparison of two segments

Remark that Relation (step 5) looks for relations between  $g$  and  $h$  from the coordinates and equations assigned to the drawn construction. However, by clicking “More...” (step 6) we verify that  $g$  and  $h$  are perpendicular for any points  $A$  and  $B$  we can choose at step 1.

Sometimes, the relationship among certain objects holds only under certain conditions, that is, not necessarily “always”. In such cases, if possible, some sufficient conditions would be displayed by the Relation tool. Otherwise GeoGebra just remarks that the statement is “true if non-degenerate”. This must be interpreted as meaning that the statement is “generally true”, but in some side cases (which are ‘a small number of cases’ compared to the general case) the statement may fail.

The symbolic result of Relation can be negative as well, even if the numerical check is positive. For example, by defining two points  $P=(0,0)$  and  $Q=(0,0)$  Relation compares them numerically, but the symbolic check will result in “ $P$  and  $Q$  are equal (false in general)”, because the two given points are considered, in the general symbolic approach, as two free points, with arbitrary coordinates.

A complete overview of the various results of Relation can be found in Section 7.1.3.

### 3.2.2 The LocusEquation command

This command calculates the equation of a locus and plots it as an implicit curve. There are two kinds of usages: i) Explicit locus and ii) Implicit locus:

- i) **Explicit locus.** Consider an input point  $I$  on a path  $P$ , some construction steps, and an output point  $O$ . The task is to determine the equation  $E$  of the locus of  $O$  while  $I$  is moving on  $P$ , and then plot  $E$ . Point  $I$  is usually called *mover*,  $O$  is the *tracer*.  $E$  is called the *locus equation*, and its graphical visualization is the *locus*.

The syntax of the command is

LocusEquation[ <Point Tracer>, <Point Mover> ].

**Example:** Let us present the second kind of usage through an example of the construction of the symmetric of a segment with respect to a point. This construction is developed here in particular way, intended just to exemplify better some of the benefits and problems of the *LocusEquation* command (Figure 4).




Figure 4 A basic example on locus equation

- 1 By using the *Segment* tool, construct  $AB$ . This automatically creates segment  $f$ .
- 2 Put point  $C$  on  $f$ .
- 3 Create point  $D$  by using the *Point* tool.
- 4 By using the *Reflect about Point* tool, reflect  $C$  about  $D$ . This defines  $C'$ .
- 5 Type `LocusEquation[C',C]` in the Input Bar. Now the implicit curve  $a$  will be computed and plotted. This should be a segment (the mirror image of  $f$  about  $D$ ), but GeoGebra needs - and automatically does - to handle  $f$  as a line instead of a segment (for algebraic geometric reasons regarding the involved symbolic computation algorithms), thus its mirror image is also a line.
- 6 Try dragging each draggable objects. It can be visually concluded that the mirror image of a segment about a point is always parallel to the preimage.

ii) **Implicit locus.** Consider a given input point  $I$ , either as a free point, or on a path  $P$ . Moreover, assume some construction steps are also given. The user claims a Boolean condition  $C$  holds on some objects of the construction. The task is to determine an equation  $E$  such that for all points  $I'$  of it, if  $I=I'$ , then  $C$  holds. Again,  $E$  is called locus equation, and its graphical representation is the locus.

The syntax of the command is

LocusEquation[ <Boolean Expression>, <Point> ].

**Example:** Given a triangle  $ABC$ , and the circle having  $AB$  as diameter, find the locus of  $C$  such that  $AC^2 + BC^2 = AB^2$  (a converse of Pythagoras' Theorem, Figure 5).




Figure 5 A converse of Pythagoras' Theorem

- 1 By using the *Polygon* tool, construct triangle  $ABC$ . Now segments  $a$ ,  $b$  and  $c$  will be automatically introduced by GeoGebra.
- 2 Type `LocusEquation[a^2+b^2==c^2,C]` in the *Input Bar*. Now the implicit curve  $d$  will be computed and plotted, which seems to be a circle. Note that *two* equal signs must be entered; another possibility is to use  $\hat{=}$  (by clicking the  $\hat{=}$  icon or inserting this symbol from an external application by using *Copy* and *Paste*).
- 3 Try dragging each draggable objects. It can be visually concluded that if  $C$  lies on a circle whose diameter is  $AB$ , then - because of the right property of the triangle -  $a^2+b^2 = c^2$  indeed follows.

A Boolean expression can be:

- An *algebraic* equation of labels of segments, e.g.  $a^2+b^2=c^2$ .
- An equality of two geometric objects, e.g.  $A=B$ . Again, note that *two* equal signs must be entered; other possibilities are to use
  - $\cong$  (by clicking the  $\cong$  icon, or inserting this symbol from an external application by using Copy and Paste), or
  - alternatively, `AreEqual[A,B]` for the complete Boolean expression.
- A check if two geometric objects are congruent, e.g. `AreCongruent[c,d]`.
- A check if a point is on a path, for example, on a line or circle, e.g.  $A \in c$ .
- A check if two lines or segments are parallel, e.g.  $p \parallel q$ . Here also `AreParallel[p,q]` can be used.
- A check if two lines or segments are perpendicular, e.g.  $p \perp q$ . Here also `ArePerpendicular[p,q]` can be used.
- `AreCollinear[A,B,C]` checks if points  $A$ ,  $B$  and  $C$  are collinear.
- `AreConcurrent[d,e,f]` checks if lines  $d$ ,  $e$  and  $f$  are concurrent.
- `AreConcyclic[A,B,C,D]` checks if points  $A$ ,  $B$ ,  $C$  and  $D$  are concyclic.

Symbols like  $\in$ ,  $\perp$  and  $\cong$  can be inserted by clicking the  $\cong$  icon, or from an external application by using Copy and Paste.

In many cases it may be useful to change the colour and the line thickness of the resulting curves, and also to increase their layer number to ensure that other objects do not hide them. These settings can be changed in the Object properties window.

Further information and references can be found in Abánades et al. (2016).

### 3.2.3 The Envelope command

This command computes the equation of a curve which is tangent to a family of objects while a certain “parent” of the objects in the family moves on a path (Botana and Recio, 2017).

More precisely, given an input point  $I$  on a path  $P$ , some construction steps, and an output path  $O$ , either a line or a circle, the task is to determine the equation  $E$  of a curve  $C$  which is tangent to  $O$ , while  $I$  is moving on  $P$ . Then finally plot  $E$ .  $I$  is called the mover.  $E$  is called the *envelope equation*, and its graphical visualization is the *envelope*.

**Example** A well-known way to define an ellipse as an envelope of lines is as follows: Given a circle and an internal point of it. The curve which is tangent to the family of the perpendicular bisectors of a moving circumpoint of the circle and its internal point, is an ellipse (Figure 6).




Figure 6 Definition of an ellipse as envelope

- 1 By using the *Circle with Center through Point* tool, construct circle  $c$  with centre  $A$  and circumpoint  $B$ .
- 2 Put point  $C$  on  $c$ .
- 3 Create an arbitrary point  $D$  inside  $c$ .
- 4 Construct the *Perpendicular Bisector*  $f$  of segment  $CD$  by using its endpoints.
- 5 Type `Envelope[f,C]` in the *Input Bar*. Now the implicit curve  $a$  will be computed and plotted - the equation of the envelope is given in the Algebra Window and it is easily seen as the equation of a conic section. In the Geometry Window an ellipse is shown, the graphical representation of the computed algebraic equation.



### 3.3 Technical notes

The following notes describe some situations that might occur when one of the previously described automated reasoning tools in GeoGebra uses symbolic computations:

- Not all GeoGebra tools and construction steps are supported.
- The supported tools work only for a restricted set of geometric objects, i.e. using points, lines, circles, conics, but not for arbitrary curves.
- Rays and line segments will be treated as infinite lines. Circle arcs will be treated as circles.
- Computations of too complicated loci or envelopes may return 'undefined' in the Algebra View, meaning, for example, that the computation has not been achieved within the allowed time limit.
- Relationship proofs which yield too complicated computations will display the message "checked numerically". This must be interpreted as follows: GeoGebra was unable to decide if the relationship is valid in general, but the numerical results promise optimism. That is, the relationship can be false in general in this case, too (or not!).

- If there is no locus or envelope associated to a construction, then the output yields the empty implicit curve  $0 = 1$ . Example: for an arbitrary point  $P$

`LocusEquation[false,P]`

returns the empty set.

- In some cases, all points of the plane fulfil the input requirements. For instance, the command

`LocusEquation[true,P]`

refers to all points  $P$  in the plane. In such cases the output of the command is the equation  $0 = 0$ .

- Sometimes, the output can include extra branches of the curve that are traditionally not considered to belong to the locus or envelope. For example, let points  $A$  and  $B$  be given, and a third point  $C$  on the circle  $c$  with centre  $A$  and circumpoint  $B$ . Now let us consider the orthocenter  $D$  of triangle  $ABC$ . Then the command `LocusEquation[D,C]` results in a strophoid curve plus a line - here the line corresponds to a degenerate case of the triangle when  $B = C$ , but the line is actually not a part of the geometric locus (Figure 7).




Figure 7 A strophoid

By dragging point  $C$  on the circle, one can find that the output contains an extra branch here. In general, to exclude all points that do not play a geometric role, one may need further investigations that are not supported by GeoGebra ART now. See Botana and Recio (2017) for some further details.

- The graph of the implicit curve may be inaccurate in some cases.

## 4 CLASSROOM USES: CONJECTURE, PROOF AND GENERALIZATION

Technically speaking, the easiest symbolic tool is the *Relation tool* in the list above. On the other hand, some teaching scenarios may require different tools to consider, or

more than one tool, but in a different order than the one listed above.

### 4.1 Thales' Circle Theorem

In many traditional maths classes, Thales' circle theorem is stated in an explicit form: if  $C$  is on a semicircle, the segments  $g$  and  $h$  are perpendicular (see Section 3.2.1). Obviously, the truth of such statement can be easily verified through the Relation and/or Prove commands. In this way, GeoGebra automated reasoning tools simply act here as a kind of encyclopaedic geometry coach, as a kind of "omniscient" teacher. But, we think it is far more interesting to approach this statement in a quite different way, formulating it as an open - ended question (Figure 8): *Let  $ABC$  be an arbitrary*

triangle. What is the geometric locus of  $C$  if the angle at  $C$  is to be right? (See also Artigue (2012) for a similar approach.)




Figure 8 Initial setup for an open-ended question

In this approach it may make more sense to use the technically more difficult `LocusEquation[g⊥h,C]` command first, than finishing the construction and use the *Relation tool* or command directly. Moreover, the output of the `LocusEquation` command can suggest a conjecture for the students, namely that the locus curve is something like a circle passing through  $A$  and  $B$ . (Actually, the locus is a circle *without* points  $A$  and  $B$ .) The Algebra View shows the equation of the computed locus, this can be however difficult for younger learners to identify.

$g \perp h$ , but that the angle between them equals to a fixed one. GeoGebra currently supports entering this kind of investigation with the syntax

$$\text{LocusEquation}[\text{AreCongruent}[\alpha,\beta],C]$$

where  $\alpha$  is a fixed angle,  $A$  and  $B$  are fixed points and  $\beta = \angle ACB$ , where  $\angle ACB$  is the angle of the segments  $AC, BC$ , with vertex at  $C$ . The result, as it is well known, is a circle going through  $A$  and  $B$ , so that all points  $C$  in that circle “look” at segment  $AB$  with the same amplitude. In fact, because of algebraic reasons, two circles will be shown in GeoGebra in general, one for  $\alpha$  and another one for  $180^\circ - \alpha$  (see Figure 10).

Finally, Thales’ circle theorem can be generalized towards the theorem of the inscribed angle in a circle, that is, the angle does not change as its vertex is moved to different positions on the circle. In this case the condition is no longer




Figure 9 A generalization of Thales’ circle theorem

To summarize this approach:

- step 1: an implicit locus is computed with GeoGebra,
- step 2: a conjecture for the output curve is made by the student,
- step 3: the conjecture is checked by the Relation tool or command in GeoGebra,
- step 4: the proof can be optionally worked out by paper and pencil by the student,
- step 5: the theorem can be generalized by plotting further implicit loci with GeoGebra - as further experiments for the student.

#### 4.2 A worked-out example: the midline theorem

Here step-by-step instructions are provided on a possible way to investigate the midline theorem (stating that the line through the midpoints of two sides of a triangle is parallel to the third side) by using GeoGebra’s automated reasoning tools. The midline theorem states that in a triangle, the segment joining the midpoints of any two sides will be parallel to the third side and half its length. Here we provide step-by-step instructions to formalize this theorem with GeoGebra.



Step 1 (Figure 10).




Figure 10 The midline theorem (step 1)

- 1 By using the *Polygon* tool, construct triangle  $ABC$ . This will automatically create segments  $a$ ,  $b$  and  $c$ .
- 2 By using the *Midpoint or Center* tool, create the midpoint  $D$  of  $a$ .
- 3 Put point  $E$  on  $b$ .
- 4 Create line  $f$  which joins  $D$  and  $E$ .
- 5 Ask GeoGebra on the requirement for  $E$  in order to have  $f$  parallel to  $c$ : type `LocusEquation[c|f,E]` in the *Input Bar*. Now the implicit curve  $d$  will be computed and plotted, and it seems to be a single point. Note: it may be useful to change the colour and the line thickness of the implicit curve  $d$ , and also to increase its layer number to ensure that other objects do not hide it. Both settings can be changed in the Object properties window.

Step 2 (Figure 11)




Figure 11 The midline theorem (step 2)

- 6 Drag the free objects and conjecture that  $E$  must be the midpoint of  $b$ .
- 7 To confirm this conjecture, create midpoint  $F$  of segment  $b$  (and align labels of  $d$  and  $F$  to avoid overlapping). Drag the free objects again.

Step 3 (Figure 12)




Figure 12 The midline theorem (step 3)

- 8 Make the objects  $E$ ,  $f$  and  $d$  invisible by hiding them.
- 9 Join  $D$  and  $F$  by segment  $g$ .
- 10 Use the *Relation* tool to compare  $c$  and  $g$ . They seem to be parallel.
- 11 Click "More..." in the popup window and check symbolically that they are indeed parallel (Figure 13).




Figure 13 Symbolic comparison of two segments

The students may continue with a next step 4, for instance, looking for an elegant way to prove this statement, or just stop here if there is no time for further work in the classroom.

Moreover, a further step 5 could be included after obtaining the classical proof, by considering related questions such as: it is true that  $c$  and  $g$  do not have the same length - but can  $g$  be computed by using the length of  $c$ ? Maybe  $c = 1.5 \cdot g$ , or maybe more? The GeoGebra command `Relation[c,1.5g]` will answer that  $c$  and  $1.5g$  are not equal, but maybe there is a constant other than 1.5 which could yield a positive answer... Even if there is no time for further work in the classroom, some students may find these questions interesting to work on their own and they can continue thinking on them alone or in groups - but in some sense *independently*, using the computer as an expert system.

### 4.3 Further examples

The traditional triangle inequality can be translated into an equation, which can be subject to an investigation of degenerated triangles. As a generalization, the synthetic definition of the ellipse can be discovered. Recall the triangle inequality, concerning a triangle of sides  $a, b, c$  states that  $a + b > c$ . Now, by using GeoGebra ART and the command `LocusEquation[a+b==c,C]`, the output will be the line  $AB$ , which describes all degenerate triangles. On the other hand, by issuing `LocusEquation[a+b==2c,C]`, an ellipse will be drawn with foci  $A$  and  $B$ , focal distance  $c/2$ , semi-major axis  $c$  and eccentricity  $1/2$  (Figure 14). Similar investigations can be performed when using different ratios between  $a + b$  and  $c$ .




Figure 14 A generalization of the triangle inequality

Another application, in a triangle  $ABC$ , is to derive the locus equation of  $C$  with the condition  $a = b$  (step 1). Clearly,  $C$  must lie on the bisector of segment  $AB$  (step 2). As by explicitly putting  $C$  on the bisector, GeoGebra confirms that  $AC = BC$  when starting the Relation tool's symbolic

machinery (step 3). After proving the statement by traditional means (step 4), a generalization can be obtained by typing e.g. `LocusEquation[a==2b,C]`: this can be an interesting experiment for advanced learners too (step 5, Figure 15).




Figure 15 A generalization of the bisector

See Kovács (2017) for additional examples.

## 5 LIMITATIONS: A CASE STUDY OF THALES' CIRCLE THEOREM

Intuitive use of GeoGebra automated reasoning tools may result in unexpected outputs in some cases. This subsection explains some common mistakes during their use, exemplified through an investigation on Thales' circle theorem (see Section 3.2.1), as follows (Figure 16):




Figure 16 Another approach for Thales' circle theorem

- 1 Create points  $A$ ,  $B$  and  $C$ .
- 2 Create lines  $f = AC$ ,  $g = BC$ .
- 3 Check the result of the command `Relation[f,g]`: “ $f$  intersects with  $g$ ”.
- 4 Ask GeoGebra about geometric prerequisites of  $f \perp g$ :

`LocusEquation[f⊥g,C]`.

An implicit curve  $a$  which seems to be a circle will be shown. The equation of the circle is given in the Algebra Window.

- 5 Move  $C$  in the neighbourhood of the implicit curve as close as possible. Now `Relation[f,g]` may still report that “ $f$  intersects with  $g$ ”. Why? Because the point  $C$  may be not lying accurately enough on the circle. Depending on the adjusted rounding precision (see the *Options* menu) we might need to exactly state that it is on the circle to get the perpendicularity condition.
  - a. Try attaching point  $C$  on the obtained implicit curve  $a$  by using the *Attach / Detach Point* tool. In fact, this is not allowed in GeoGebra, because by definition,  $a$  depends on  $C$ , and a circular dependency would occur when attaching  $C$  on  $a$  (i.e.  $a$  will depend on  $C$  and  $C$  will depend on  $a$ ), and this would make no sense.
  - b. Instead, create a new point  $D$  by putting it on the implicit curve  $a$ . This is allowed in GeoGebra. Create also lines  $h = AD$ ,  $i = BD$  (Figure 17).




Figure 17 Attaching a point to an implicit curve

- c. Check the result of the command `Relation[h,i]`: “*h* and *i* are perpendicular” when checked numerically. By clicking “More...” the result is however “checked numerically”. Why? Because GeoGebra interprets the underlying implicit curve as the result of a particular setup of the construction. In other words: in GeoGebra this implicit curve is a numerical object, it does not have a symbolic representation, as the result of a construction in terms of the given free points *A, B, C*. GeoGebra does not “know” that *c* is a circle with diameter *AB* going through *C*. That is, symbolic checks based on using an implicit curve as one element of the construction are not possible.
- d. The proper way to finalize the steps in this approach is to create the circle with diameter *AB* with a Circle tool, for example by using the *Semicircle through 2 Points* tool, after detaching *D* from *a* and making *a* invisible. Now *D* can be attached to the semicircle (Figure 18).




Figure 18 A point attached to a semicircle

(Optionally the implicit curve can be set to visible by displaying it with a different style. In this example another style was used for the semicircle as well.) Finally `Relation[h,i]` will now yield the correct outputs, both numerically and symbolically.

## 6 CONCLUSIONS

It is well known that GeoGebra, as any other dynamic geometry system, can be a helpful tool to allow students the construction, the exploration and the visual confirmation of Euclidean plane geometry theorems. In this paper we have presented and detailed some further features that have been recently added to GeoGebra, allowing the automatic and mathematically rigorous verification (mainly through the Relation tool) and discovery (through the LocusEquation command) of general statements on geometric figures built on GeoGebra.

This novel technology, already imagined in the 80’s and 90’s (Howson and Wilson, 1986; Davis, 1995), attempts to address old, but still active, challenges in mathematics education (Sinclair et al., 2016). However, these new tools are still in an experimental phase regarding its use in the classroom, see Kovács, Recio, Richard and Vélez (2017) and Kovács (2017) for some pioneer references.

In this paper, besides describing in detail the role and characteristics of the different automated reasoning commands that have been added to GeoGebra, we have developed some examples on the design of academic tasks, profiting on the new features, that could guide the student to enhance investigating, conjecturing and discovering geometric properties on a given construction.

In fact, by developing these automated reasoning tools, our final goal is not to endow the student with a *black box* that will simply provide a true or false answer to some conjectured property, but to favour the use of these automated reasoning features as a guiding stick in the context of a geometry

classroom, facilitating, through this human-machine interaction, the achievement of intellectually rich activities (exploration, arguing) even when he or she is mainly trying to find a geometric formal proof of some given statement. That is, we would like to consider our contribution as one providing a substantial complement to the traditional methodology, by fostering a student inquiry-based approach to the learning of elementary geometry.

## 7 APPENDIX

### 7.1 Low-level GeoGebra tools

Automated reasoning tools in GeoGebra are completed by some low-level tools, prepared for learning more, and in a more accurate way, about geometric properties.

#### 7.1.1 The Prove command

The Prove command decides if a geometric statement is true in general. It has three possible outputs:

- *true* means that the statement is always true, or true under some non-degeneracy (Chou, 1987; Cox, Little and O'Shea, 2015; Recio and Vélez, 1999) or essential (Kovács, Recio and Sólyom-Gecse, 2016) conditions, or true on parts, false on parts (Botana and Recio, 2016; Kovács, Recio and Vélez, 2018).
- *false* means that the statement is false in general.
- *undefined* means that GeoGebra cannot decide because of some reason:
  - The statement cannot be translated into a model which can be further investigated. This usually means that algebraization of the statement failed because of
    - o theoretical impossibility (e.g. using a transcendent function as a construction step, for example, sine of  $x$ ),
    - o missing implementation in GeoGebra.
  - The translated statement in algebraic geometry is too difficult to solve. This means that either there are too many variables, or the equations are hard to handle by the solver algorithm. This results in either a timeout or an out of memory error.
  - The solver algorithm was able to investigate the situation, but the result is ambiguous: either the statement is false, or it is true under certain conditions - but the algorithm was not able to decide which case is present.
  - There was an internal error in GeoGebra during the computations.

**Example** In a triangle a segment joining the midpoints of two sides is parallel to the third side and half its length (Figure 19).




Figure 19 The midline theorem (another approach)

- 1 Construct the triangle  $ABC$  by using the *Polygon* tool.
- 2 Construct the midpoints  $D$  and  $E$  of sides  $a$  and  $b$ , respectively, by using the *Midpoint or Center* tool.
- 3 By using the *Segment* tool, create  $f$  by joining  $D$  and  $E$ .
- 4 Type `Prove[f||c]` to obtain *true* in the Algebra View as Boolean Value  $d$ . Note that the parallel sign must be entered by using either
  - the list of the mathematical symbols by clicking the  $\square$  icon in the Input Bar, or
  - inserting this symbol externally by using Copy and Paste.
  - Alternatively, `f||c` can be substituted by `AreParallel[f,c]` also.
- 5 Type `Prove[c==3f]`. Now the answer is *undefined*, because GeoGebra cannot decide if the statement is false or it is true under certain conditions. In such cases the *ProveDetails* command can help (see below). Note that *two* equal signs must be entered; other possibilities are to use
  - `Prove[c≐3f]`, or
  - `Prove[AreEqual[c,3f]]`.

#### 7.1.2 The ProveDetails command

The *ProveDetails* command has as similar behavior as the *Prove* command, but it may use different algorithms in the decision process and may provide more information on the results. It has three possible outputs:

- `{true}` means that the statement is always true.
- `{true, {...}}` if the statement is true under some non-degeneracy (Chou, 1987; Recio and Vélez, 1999) or essential (Kovács, Recio and Sólyom-Gecse, 2016) conditions, or true on parts, false on parts (Botana and Recio, 2016; Kovács, Recio and Vélez, 2018): these conditions are listed in the internal braces. (If the list remains "...", it means that no synthetic translation could be found.) If the conjunction of the negated conditions holds, then the statement should be true.
- `{false}` means that the statement is false in general.

**Example** (continued)

- 6 Type `ProveDetails[c==3f]`. Now the answer is `{false}`.
- 7 Type `ProveDetails[c==2f]`. Now the answer is `{true}`.




Figure 20 A property of the midline

- 8 Now let  $F$  be the midpoint of  $c$ , and let us denote segment  $CF$  by  $g$ . Let  $G$  be the intersection point of  $f$  and  $g$ . Finally, let us denote segments  $CG$  and  $FG$  by  $h$  and  $i$ , respectively (Figure 20). In this case `ProveDetails[h==i]` returns `{true, {"AreCollinear[A,B,C]"}}` which means that if  $A, B$  and  $C$  are not collinear, then  $h = i$ .

**Another example** Note that segments may be identified as lines which contain the given segment. If a point is placed on a segment, GeoGebra may not distinguish if it is inside or outside of the segment (Figure 21), but finally there may be a warning shown related to the general position of the point.




Figure 21 Point  $C$  is attached to segment  $f$ , but GeoGebra interprets it as an element of line  $AB$

- 1 Let  $AB$  a segment, denoted by  $f$ .
- 2 Let  $C$  be a point on  $f$ .
- 3 Let us denote segments  $AC$  and  $BC$  by  $g$  and  $h$ , respectively.
- 4 Type `ProveDetails[f==g+h]`. Now the answer is `{true, {"g+f=h", "h+f=g"}}` which means that if  $g+f \neq h$  and  $h+f \neq g$ , then  $f = g+h$ .

**7.1.3 A comparison of Prove, ProveDetails and Relation**

**Error! Reference source not found.** explains in a concise way the meanings of the outputs of the commands `Prove`, `ProveDetails` and `Relation`. We recall that the `Prove` command uses faster and weaker algorithms than the other two, therefore its output is usually simpler. On the other hand, it may also be undefined, hence the expected output could be determined by using better algorithms that are implemented in the `ProveDetails` and `Relation` commands. The outputs of these three commands should never be contradictory but complimentary. For most users, however, the use of the `Relation` command is suggested.

The `Relation` window usually reports the results in a more geometrically readable form than the `ProveDetails` command, but with an equivalent meaning. For further details see Kovács (2015) and Botana et al. (2015)



GeoGebra outputs			Conclusion
Prove	ProveDetails	Relation's symbolic window	
True	{true}	always true	The statement is true.
	{true,{conditions}}	generally true under conjunction of the negations of the specified conditions	The statement is true if none of the specified <i>conditions</i> hold. These negated conditions are sufficient, but maybe not necessary. There may be other sufficient conditions to make the statement true.
	{true,{...}}	generally true if non-degenerate	The statement is true if certain equations hold. These equations have no visually clear geometric meanings for GeoGebra.
	{true,{conditions},"c"}	true on parts, false on parts under conjunction of the negations of the specified conditions	The statement is true on parts, false on parts if none of the specified <i>conditions</i> hold. These negated conditions are sufficient, but maybe not necessary. There may be other sufficient conditions to make the statement true.
	{}	generally true or true on parts, false on parts	The statement is true if certain conditions hold. GeoGebra was unable to find these conditions due to computational difficulties.
False	{false}	false in general	The statement is false.
	{}	false in general	The statement is false.
undefined	{true}	always true	The statement is true.
	{true,{conditions}}	generally true under conjunction of the negations of the specified conditions	The statement is true if none of the specified <i>conditions</i> hold. These negated conditions are sufficient, but maybe not necessary. There may be other sufficient conditions to make the statement true.
	{true,{...}}	generally true if non-degenerate	The statement is true if certain conditions hold. These equations have no visually clear geometric meanings for GeoGebra.
	{true,{conditions},"c"}	true on parts, false on parts under conjunction of the negations of the specified conditions	The statement is true on parts, false on parts if none of the specified <i>conditions</i> hold. These negated conditions are sufficient, but maybe not necessary. There may be other sufficient conditions to make the statement true.
	{false}	false in general	The statement is false.
	{}	checked numerically	GeoGebra was unable to decide if the statement is true or false. The numerical check confirms the truth, but the symbolic check was unsuccessful due to computational difficulties, or the symbolic check for the given statement is not yet implemented in GeoGebra.

Table 1 A comparison of Prove, ProveDetails and Relation

## 7.2 Translation of GeoGebra commands

The names of GeoGebra automated reasoning tools may need to be translated to other languages. For example, the German translation of Prove can be Prüfe. To learn the translated command names the following steps are recommended:

- 1 Create a GeoGebra file which contains the required commands in the Algebra View.
- 2 Change the language in GeoGebra in the Options menu by choosing Language.
- 3 The command names will be automatically changed in the Algebra View.
- 4 Move the mouse over a command in the Algebra View and read its translated name off.

## 7.3 Debugging

Starting GeoGebra via command line there are more possibilities to investigate the results. Here the method on a typical Linux installation is demonstrated.

The user needs to start GeoGebra by the following command:

```
geogebra --logfile=/dev/stdout \
--logshowcaller=false --logshowtime=false \
--logshowlevel=false
```

A typical output looks like as follows on the next page

```

Using AUTO
Using BOTANAS_PROVER
A = (3.42, 1.86) /* free point */
// Free point A(v1,v2)
B = (10.48, 3.1) /* free point */
// Free point B(v3,v4)
f = Segment[A, B] /* Segment [A, B] */
C = Point[f] /* Point on f */
// Constrained point C(v5,v6) Hypotheses:
1. -v5*v4+v6*v3+v5*v2-v3*v2-v6*v1+v4*v1
g = Segment[A, C] /* Segment [A, C] */
h = Segment[C, B] /* Segment [C, B] */
Processing numerical object
Hypotheses have been processed.
giac evalRaw input: evalfa(expand(ggbtmpvarf)) giac evalRaw output: ggbtmpvarf input = expand(ggbtmpvarf)
result = ggbtmpvarf
eliminate([ggbtmpvarf-((ggbtmpvarg)+(ggbtmpvarh))=0,ggbtmpvarh^2=v11^2,ggbtmpvarg^2=v12^2,ggbtmpvarf^2=v13^2],
[ggbtmpvarh,ggbtmpvarg,ggbtmpvarf])
giac evalRaw input: evalfa(eliminate([ggbtmpvarf-((ggbtmpvarg)+(ggbtmpvarh))=0,ggbtmpvarh^2=v11^2,ggbtmpvarg^2=v12^2,
ggbtmpvarf^2=v13^2],[ggbtmpvarh,ggbtmpvarg,ggbtmpvarf]))
Running a probabilistic check for the reconstructed Groebner basis. If successful, error probability is less than 1e-07 and is estimated to be less than 10^-18. Use
proba_epsilon:=0 to certify (this takes more time).
// Groebner basis computation time 0.000448 Memory -1e-06M
giac evalRaw output: {v11^4-2*v11^2*v12^2+v12^4-2*v11^2*v13^2-2*v12^2*v13^2+v13^4}
input = eliminate([ggbtmpvarf-((ggbtmpvarg)+(ggbtmpvarh))=0,ggbtmpvarh^2=v11^2,ggbtmpvarg^2=v12^2,ggbtmpvarf^2=v13^2],
[ggbtmpvarh,ggbtmpvarg,ggbtmpvarf])
result = {v11^4-2*v11^2*v12^2+v12^4-2*v11^2*v13^2-2*v12^2*v13^2+v13^4}
giac evalRaw input: evalfa(eliminate([ggbtmpvarf-((ggbtmpvarg)+(ggbtmpvarh))=0,ggbtmpvarh=v11,ggbtmpvarg=v12,ggbtmpvarf=v13],
[ggbtmpvarh,ggbtmpvarg,ggbtmpvarf]))
// Groebner basis computation time 0.000592 Memory -1e-06M
giac evalRaw output: {v11+v12-v13}
input = eliminate([ggbtmpvarf-((ggbtmpvarg)+(ggbtmpvarh))=0,ggbtmpvarh=v11,ggbtmpvarg=v12,ggbtmpvarf=v13],[ggbtmpvarh, ggbtmpvarg,ggbtmpvarf])
result = {v11+v12-v13}
giac evalRaw input: evalfa(simplify({v11^4-2*v11^2*v12^2+v12^4-2*v11^2*v13^2-2*v12^2*v13^2+v13^4}/{v11+v12-v13}))
giac evalRaw output: {v11^3-v11^2*v12+v11^2*v13-v11*v12^2-2*v11*v12*v13-v11*v13^2+v12^3+v12^2*v13-v12*v13^2-v13^3}
input = simplify([v11^4-2*v11^2*v12^2+v12^4-2*v11^2*v13^2-2*v12^2*v13^2+v13^4]{v11+v12-v13})
result = {v11^3-v11^2*v12+v11^2*v13-v11*v12^2-2*v11*v12*v13-v11*v13^2+v12^3+v12^2*v13-v12*v13^2-v13^3}
giac evalRaw input: evalfa(factor(v11^3-v11^2*v12+v11^2*v13-v11*v12^2-2*v11*v12*v13-v11*v13^2+v12^3+v12^2*v13-v12*v13^2-v13^3))
giac evalRaw output: (v11-v12-v13)*(v11-v12+v13)*(v11+v12+v13)
input = factor(v11^3-v11^2*v12+v11^2*v13-v11*v12^2-2*v11*v12*v13-v11*v13^2+v12^3+v12^2*v13-v12*v13^2-v13^3)
result = (v11-v12-v13)*(v11-v12+v13)*(v11+v12+v13)
Trying to detect polynomial -v13-v12+v11
-v13-v12+v11 means h = f + g
Trying to detect polynomial v13-v12+v11
v13-v12+v11 means f + h = g
Trying to detect polynomial v13+v12+v11
v13+v12+v11 means f + g + h = 0, uninteresting
Thesis equations (non-denied ones):
2. v11^2-v6^2-v5^2+2*v6*v4-v4^2+2*v5*v3-v3^2
3. v12^2-v6^2-v5^2+2*v6*v2-v2^2+2*v5*v1-v1^2
4. v13^2-v4^2-v3^2+2*v4*v2-v2^2+2*v3*v1-v1^2
Thesis reductio ad absurdum (denied statement), product of factors:
(v13^4-2*v13^2*v12^2+v12^4-2*v13^2*v11^2-2*v12^2*v11^2+v11^4)*v14-1 that is,
5. -1+v14*v13^4-2*v14*v13^2*v12^2+v14*v12^4-2*v14*v13^2*v11^2-2*v14*v12^2*v11^2+v14*v11^4
substitutions: {v1=0, v2=0}
Eliminating system in 8 variables (5 dependent)
giac evalRaw input: evalfa([ff:="\",][aa:=eliminate2([v12^2-v6^2-v5^2,v11^2-v6^2-v5^2+2*v6*v4-v4^2+2*v5*v3-v3^2,-1+v14*v13^4-
2*v14*v13^2*v12^2+v14*v12^4-2*v14*v13^2*v11^2-2*v14*v12^2*v11^2+v14*v11^4,v13^2-v4^2-v3^2,-v5*v4+v6*v3],
revlist([v6,v11,v12,v13,v14])),[bb:=size(aa)],[for ii from 0 to bb-1 do ff+="{\"+(ii+1)+"\"}:[1]: unicode95uicocode91u1]=1\"),cc:=factors(aa[ii]);dd:=size(cc);for jj from 0
to dd-1 by 2 do ff+="{\"+(jj/2+1)+"\"}+cc[jj]); od; ff+="{\": [2]: \"+cc[1]);for kk from 1 to dd-1 by 2 do ff+="{\"+cc[kk];od;od],[if(ff=="") begin ff:={0} end],[ff][5])
unicode95uicocode91u1]+(jj/2+1)+"\"}+cc[jj]); od; ff+="{\": [2]: \"+cc[1]);for kk from 1 to dd-1 by 2 do ff+="{\"+cc[kk];od;od],[if(ff=="") begin ff:={0} end],[ff][5])

// Groebner basis computation time 0.000249 Memory -1e-06M
giac evalRaw output: "[1]: [1]: unicode95uicocode91u1]=1 unicode95uicocode91u2]=1 [2]: 1,1"
Considering NDG 1...
Found a better NDG score (0.0) than Infinity
Statement is GENERALLY TRUE
Benchmarking: 38 ms
STATEMENT IS TRUE (yes/no: TRUE)
OUTPUT for ProveDetails: null = {true, {"f + h = g", "h = f + g"}}

```

Figure 22 A typical output in GeoGebra when debugging Automated Reasoning Tools

There is intentionally no easier way to show the users this type of output. However, the last few lines of the debug information are available in GeoGebra in the *Help* menu, by choosing *About/License*, and clicking *System Information* -

this copies the latest debug messages into the clipboard. Choosing *About/License*, and clicking *System Information* - this copies the latest debug messages into the clipboard.

## ACKNOWLEDGMENTS

Authors would like to express their gratitude to Prof. T. Dana-Picard, for his careful reading and many suggestions to improve earlier versions of this manuscript. We would like also to thank the anonymous referees for valuable comments and hints.

This submission is a modified version of the March 21, 2018, version of “GeoGebra Automated Reasoning Tools: A Tutorial” available at <https://github.com/kovzol/gg-art-doc/blob/master/pdf/english.pdf>.

Work partially supported by the grant MTM2017-88796-P from the Spanish MINECO and the ERDF (European Regional Development Fund).

## REFERENCES

- Artigue, M. (2012) What is inquiry-based mathematics education (IBME)?, in Artigue, M. and Baptist, P. (eds.), *Inquiry in mathematics education*. Fibonacci project, 3–13.
- Abánades, M.A., Botana, F., Kovács, Z., Recio, T. and Sólyom-Gecse, C. (2016) Development of automatic reasoning tools in GeoGebra, *ACM Communications in Computer Algebra* **50**(3), 85–88.
- Botana, F., Hohenwarter, M., Janicic, Kovács, Z., Petrovic, I., Recio, T. and Weitzhofer, S. (2015) Automated Theorem Proving in GeoGebra: Current Achievements, *Journal of Automated Reasoning* **55**(1), 39–59.
- Botana, F. and Recio, T. (2016) On the Unavoidable Uncertainty of Truth in Dynamic Geometry Proving, *Mathematics in Computer Science* **10**(1), 5–25.
- Botana, F. and Recio, T. (2017) Computing envelopes in dynamic geometry environments, *Annals of Mathematics and Artificial Intelligence* **80**(1), 3–20.
- Chou, S.-C. (1987) *Mechanical geometry theorem proving*. Kluwer Academic Publishers, Norwell, MA, USA.
- Cox, D.A., Little, J. and O’Shea, D. (2015) *Ideals, varieties, and algorithms. An introduction computational algebraic geometry and commutative algebra*, 4th revised ed. Undergraduate Texts in Mathematics, Springer, Cham.
- Davis, P. (1995) The rise, fall, and possible transfiguration of triangle geometry: a mini-history, *The American Mathematical Monthly* **102**(3), 204–214.
- Howson, G. and Wilson, B. (1986) *ICMI Study series: School mathematics in the 1990’s*. Kuwait: Cambridge University Press.
- Kovács, Z. (2015) *Computer Based Conjectures and Proofs in Teaching Euclidean Geometry*, PhD thesis, Johannes Kepler University, Linz.
- Kovács, Z. (2017) Automated reasoning Tools in GeoGebra: A new approach for experiments in planar geometry, *South Bohemia Mathematical Letters* **25**(1), 48–65. <http://home.pf.jcu.cz/~sbml/wp-content/uploads/Kovacs.pdf>.
- Kovács, Z., Recio, T. and Vélez, M.P. (2018) Detecting truth on components, arXiv:1802.05875 [cs.AI].
- Kovács, Z., Recio, T., Richard, P.R. and Vélez, M.P. (2017) GeoGebra Automated Reasoning Tools: A Tutorial with Examples, in Aldon, G. and Trgalova, J. (eds.), *Proceedings of the 13th International Conference on Technology in Mathematics Teaching*. <https://hal.archives-ouvertes.fr/hal-01632970>.
- Kovács, Z., Recio, T. and Sólyom-Gecse, C. (2016) Automatic Rewrites of Input Expressions in Complex Algebraic Geometry Provers, in Narboux, J., Schreck, P. and Streinu, E. (eds.), *Proceedings of ADG 2016*, 137–143.
- Quaresma, P. (2017) Towards an Intelligent and Dynamic Geometry Book, *Mathematics in Computer Science* **11**, 427–437.
- Recio, T. and Vélez, M.P. (1999) Automatic discovery of theorems in elementary geometry, *Journal of Automated Reasoning* **23**, 63–82.
- Richard, P.R., Oller, A.M. and Meavilla, V. (2016) The Concept of Proof in the Light of Mathematical Work, *ZDM – The International Journal on Mathematics Education* **48**(6), 843–859.
- Sinclair, N., Bartolini Bussi, M.G., de Villiers, M., Jones, K., Kortenkamp, U., Leung, A. and Owens, K. (2016) Recent research on geometry education: An ICME-13 survey team report, *ZDM Mathematics Education* **48**(5), 691–719.

## BIOGRAPHICAL NOTES

Zoltán Kovács is an assistant professor at The Private University College of Education of the Diocese of Linz, Institute of Initial Teacher Training (Austria), since 2015. Team member of Center of Mathematics Education of Linz at University of Linz, Department of Mathematics Education. Core developer at GeoGebra, since 2010. Author of over fifty published scientific papers and hundred scientific communications (including various software packages) in different international journals and conferences. Topics: Mathematics Education, Automated Reasoning in Dynamic Geometry, Computer Algebra.

Tomás Recio is a professor of algebra at the Universidad de Cantabria (Santander, Spain), since 1982. Founder and Chair of the Institute GeoGebra of Cantabria. Author of over hundred seventy published scientific papers and three hundred fifty scientific communications in different international journals and conferences. Topics: Real Algebraic Geometry, CAD, Robotics, Computer Algebra and Geometry, Automatic Reasoning in Dynamic Geometry, Mathematics Education.

M. Pilar Vélez is a professor of applied mathematics at the Universidad Antonio de Nebrija (Madrid, Spain), since 1997. Rector of Universidad Antonio de Nebrija from 2010 to 2014. Author of several scientific papers and scientific

communications in different international journals and conferences. Topics: Real Algebraic Geometry, Computer Algebra, Automatic Reasoning in Dynamic Geometry, Mathematics Education