

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

2008 Bird Strike Committee USA/Canada, 10th
Annual Meeting, Orlando, Florida

Bird Strike Committee Proceedings

8-2008

Capture, Color-Marking and Translocation of Resident and Non-Resident Red-Tailed Hawks (*Buteo jamaicensis*) at Portland International Airport 1999-2007: Overview and Evaluation of an Innovative Program

Carol E. Hallett
Pacific Habitat Services

Nick Atwell
Port of Portland, Aviation Wildlife Manager, 7000 NE Airport Way, Portland, OR 97218 USA

Follow this and additional works at: <https://digitalcommons.unl.edu/birdstrike2008>

 Part of the [Environmental Health and Protection Commons](#)

Hallett, Carol E. and Atwell, Nick, "Capture, Color-Marking and Translocation of Resident and Non-Resident Red-Tailed Hawks (*Buteo jamaicensis*) at Portland International Airport 1999-2007: Overview and Evaluation of an Innovative Program" (2008). *2008 Bird Strike Committee USA/Canada, 10th Annual Meeting, Orlando, Florida*. 29.
<https://digitalcommons.unl.edu/birdstrike2008/29>

This Article is brought to you for free and open access by the Bird Strike Committee Proceedings at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in 2008 Bird Strike Committee USA/Canada, 10th Annual Meeting, Orlando, Florida by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Capture, Color-Marking and Translocation of
Resident and Non-Resident Red-Tailed Hawks
(*Buteo jamaicensis*) at Portland International Airport
1999-2007: Overview and Evaluation of an
Innovative Program

Carole E. Hallett

Pacific Habitat Services, 9450 SW Commerce Circle, Suite 180, Wilsonville,
OR 97070 USA

Nick Atwell

Port of Portland, Aviation Wildlife Manager, 7000 NE Airport Way,
Portland, OR 97218 USA

Pacific Habitat Services began trapping, color marking and translocation of Red-tailed Hawks at Portland International Airport (PDX) in October 1999 in response to a high number of red-tail bird strikes. Initially, all red-tails were targeted for capture and translocation. Subsequent observations of returning birds led to the current practice of identifying and leaving resident adults and focused trapping efforts on non-resident, transient and migratory hawks. PDX strike data strongly supports the assumption that resident adults are less likely to be struck than non-residents. The data also suggests that residents with more experience are less likely to be struck than those with less experience and that the location of some territories may make them more hazardous than others. Of 70 confirmed red-tail strikes occurring January 2000 - December 2007 only three were of resident breeding adult red-tails. We suggest that leaving airport savvy hawks on territory as placeholders reduces the likelihood that inexperienced birds will move in to occupy that territory. In addition, resident adults actively chase non-resident and inexperienced hawks away from the airfield further reducing the number of higher risk hawks and the associated potential bird strikes. At present, PDX manages seven pairs of resident Red-tailed Hawks. To date, over 600 red-tails have been captured at PDX. Trapping and translocation

Abstract of paper presented at Bird Strike Committee USA/Canada Meeting, Lake Mary and Sanford, Florida, August 18-21, 2008.

is not a standalone method; it is used along with nest intervention, habitat modification, prey base management and hazing to reduce the likelihood of red-tail bird strikes.