

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Insecta Mundi

Center for Systematic Entomology, Gainesville,
Florida

March 2006

Preliminary checklist of Bolivian Cerambycidae (Coleoptera)

James E. Wappes

American Coleoptera Museum

Roy F. Morris II

Lakeland, FL

Eugenio H. Nearns

University of Florida, Gainesville, FL

Michael C. Thomas

*Florida State Collection of Arthropods, Florida Department of Agriculture and Consumer Services,
Gainesville, FL*

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>



Part of the Entomology Commons

Wappes, James E.; Morris, Roy F. II; Nearns, Eugenio H.; and Thomas, Michael C., "Preliminary checklist of Bolivian Cerambycidae (Coleoptera)" (2006). *Insecta Mundi*. 113.

<https://digitalcommons.unl.edu/insectamundi/113>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Preliminary checklist of Bolivian Cerambycidae (Coleoptera)

James E. Wappes
 American Coleoptera Museum
 8734 Paisano Pass
 San Antonio, TX 78255
 (wappes@earthlink.net)

Roy F. Morris II
 2635 Ewell Road
 Lakeland, FL 33811
 (catchbugs@aol.com)

Eugenio H. Nearns
 Department of Entomology and Nematology
 University of Florida
 Gainesville, FL 32611
 (gnearns@ufl.edu)

Michael C. Thomas
 Florida State Collection of Arthropods
 Florida Department of Agriculture and Consumer Services
 P. O. Box 147100
 Gainesville, FL 32614-7100
 (thomasm@doacs.state.fl.us)

Abstract. A list of the Cerambycidae of Bolivia is presented. It totals 1,259 species including 496 new country records. When available the known geographical distribution by department is shown for each species.

Keywords. Coleoptera, Cerambycidae, checklist, Bolivia, faunal survey, new country records.

Resumen. Se presenta una lista de los Cerambycidae de Bolivia. En total son 1.259 especies incluyendo 496 que son nuevas para el país. En los casos que ha sido posible, la distribución departamental se presenta para cada especie.

Palabras clave. Coleoptera, Cerambycidae, inventario, Bolivia, estudio faunístico, nuevos registros para el país.

Introduction

This checklist records many of the species collected by the authors and others who are participating in the "Bolivian Cerambycid Project" a cooperative program among the Museo de Historia Natural "Noel Kempff Mercado" (MNKM), Santa Cruz de la Sierra, Bolivia, Florida State Collection of Arthropods (FSCA), Gainesville, FL and the American Coleoptera Museum (ACMT), San Antonio, TX. This long-term program was initiated in 2000 with the primary objective to conduct a survey of the Bolivian cerambycid fauna. All holotypes described from collected specimens, and a significant portion of all other collected specimens, are being deposited in the MNKM. The FSCA is

serving as the primary depository in the U.S. with a synoptic working collection maintained in the ACMT.

Bolivia is politically divided into nine departments as shown in Fig. 1. Species records for departments are shown as specimen data allows. No effort has been made to research existing literature records prior to 2000 to obtain additional department data. Abbreviations used in the checklist are: BO = Bolivia (country record only); PN = Pando; BN = Beni; SC = Santa Cruz; CO = Cochabamba; LP = La Paz; OR = Oruro; PT = Potosí; CQ = Chuquisaca; TR = Tarija.

Bolivia is a landlocked country in central South America of 1,098,579 sq km, or about three times the area of Montana. It exhibits tremendous geographical, floral, and faunal diversity. To the north is the

southern extension of the Amazon Basin, with extensive lowland rain forests and savanahs (*llanos*); to the southeast are dry scrub and thorn forests (*chaco*). Cloud forests (*yungas*) cloak the shoulders of the Andes, which dominate the southeastern third of the country. Above the *yungas* are wet grasslands called the *puna*. Between the two ridges of the Andes lies the *altiplano*, a high, dry plateau.

Where these different habitats meet and intergrade can be areas of dramatic faunal and floral diversity, such as in the eastern part of the Department of Santa Cruz. For example, Amboró Protected Area, in which 830 species of birds have been recorded, contains 11 Holdridge Life Zones, the same as the entire country of Costa Rica (Clark Gemuseus and Sagot 1996). Similar numbers of cerambycid species have been collected nearby in the vicinity of Buena Vista.

The checklist includes higher taxonomic classifications and generally follows the arrangement of Monné and Giesbert (1995). Within tribes, genera are listed alphabetically as are the species within the genera.

Discussion

The checklist includes 1,259 cerambycid species with 496 (40 per cent) newly recorded for Bolivia. Among the nine cerambycid subfamilies in the western hemisphere all but Asemiinae and Spondylinae are recorded from Bolivia. Additionally, 30 of the 123 western hemisphere tribes (24 per cent) are found there with seven newly recorded. Among the 501 genera in the checklist, 137 (28 per cent) represent new country records. Some 928 of the species (74 per cent) are recorded from Santa Cruz Department. To a great extent this reflects collecting bias by the authors and others. Although not included in the checklist, more than 300 additional, but as yet undetermined, species have been collected by project participants. About one-third of these are acanthocinines with the remainder scattered across 40 additional tribes. The scarcity of collections from departments other than Santa Cruz and the amount of undetermined material on hand explains the "preliminary" nature of this checklist. New country records for tribes, genera and species are in **bold** face type.

Acknowledgments

The authors wish to acknowledge and thank the numerous individuals and institutions who have contributed to this checklist. We are especially grate-

ful to our Bolivian cooperators Julieta Ledezma Arias, Chief, Department of Entomology, and José Luis Aramayo, Research Associate, Museo de Historia Natural "Noel Kempff Mercado," Santa Cruz de la Sierra, Bolivia for authorizing and supporting our activities in Bolivia. For access to institutional collections in their care we are indebted to: Jaime Sarmiento, Colección Boliviana de Fauna del Museo de Historia Natural, La Paz, Bolivia; Julieta Ledezma Arias, Museo de Historia Natural "Noel Kempff Mercado", Santa Cruz de la Sierra, Bolivia; John Rawlins, Robert Davis, and Bob Androw, Carnegie Museum, Pittsburgh, PA.; Steven Lingafelter, US Natural History Museum, Washington, DC; Paul Skelley, Florida State Collection of Arthropods, Gainesville, FL; Ubirajara Martins, Museu de Zoologia, Universidade de São Paulo, São Paulo, Brazil and Miguel Monné, Museu Nacional, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. We also greatly appreciate the following participants in the Bolivian Cerambycid Project and for their sharing collected specimens and data: Robin Clark, Andrew Cline, Byrd Dozier, Charyn Michel, and Norm Woodley. For the loan of specimens or supplying data from their collections we thank Fray Andres Langer, Joe Eger, Martin Hauser, and Stewart Peck.

This checklist would not have been possible without the hundreds of species identifications provided by Ubirajara Martins and Miguel Monné. Additionally, Maria Helena Galileo, José Giorgi, Steven Lingafelter, Paulo Magno, José Mermudes, Marcela Monné, Dilma Solange Napp, Antonio Santos-Silva, Gérard Tavakilian, and Frank Hovore contributed to this process. Our heartfelt thanks to all of them for their timely and willing assistance in this regard.

Special thanks and recognition to Miguel Monné and Frank Hovore for their continuing work to provide timely updates to the original "Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere" by Monné and Giesbert (1993). Their regular and comprehensive updates have proved to be an invaluable resource in preparing this checklist. We extend a special thanks to Ubirajara Martins in recognition of his many contributions to the project. We especially appreciate his helpfulness in responding to a constant flow of queries and his willingness to interrupt his own projects, time after time, to help with ours. Frank Hovore and Antonio Santos-Silva carefully reviewed the manuscript and greatly contributed to its final quality.

Finally, our acknowledgments would not be complete without a bow to the late Ed Giesbert. It was his enthusiastic accounts that first sparked our interest in the Buena Vista area.




Figure 1. Outline map of Bolivia showing departments and the abbreviations used in the checklist. BO = Bolivia (country record only); PN = Pando; BN = Beni; SC = Santa Cruz; CO = Cochabamba; LP = La Paz; OR = Oruro; PT = Potosí; CQ = Chuquisaca; TR = Tarija.

Checklist of Bolivian Cerambycidae

Subfamily Parandrinae

Tribe Parandrini

<i>Hesperandra</i> (<i>Hesperandra</i>)		
<i>conspicua</i> (Tippmann)		BO
<i>Hesperandra</i> (<i>Tavandra</i>)		
<i>longicollis</i> (Thomson)		SC
<i>polita</i> (Say)		BO
<i>Hesperandra</i> (<i>Zikandra</i>)		
<i>glabra</i> (Degeer)		SC
<i>thomasi</i> Santos-Silva		SC
<i>Parandra</i> (<i>Biranda</i>)		
<i>silvaini</i> Tavakilian		CO, SC

Subfamily Anoplodermatinae

Tribe Anoplodermatini

<i>Anoploderma</i>		
<i>bicolor</i> Guérin-Méneville		BO
<i>breueri</i> Lameere		SC
	Tribe Mysteriini	
<i>Pathocerus</i>		
<i>wagneri</i> Waterhouse		SC

Subfamily Prioninae

Tribe Macrotomini

<i>Mallodon</i>		
<i>dasystomus baiulus</i> (Erichson)		LP, SC
<i>spinibarbis</i> (Linnaeus)		PN, SC
<i>Nothopleurus</i>		
<i>santacruzensis</i> Hovore and Santos-Silva		SC
<i>Physopleurus</i>		
<i>amazonicus</i> (Fragoso and Monné)		SC
<i>exiguus</i> Santos-Silva and Martins		SC
<i>longiscapus</i> Lameere		CO

<i>Strongylaspis</i>		
<i>boliviensis</i> Monné and Santos-Silva		LP
<i>christiana</i> Monné and Santos-Silva		SC

Tribe Callipogonini

<i>Callipogon</i> (<i>Enoplocerus</i>)		
<i>armillatum</i> (Linnaeus)		SC
<i>Callipogon</i> (<i>Orthomegas</i>)		
<i>cinnamomeum</i> (Linnaeus)		BN, SC

<i>Ctenoscelis</i>		
<i>coeus</i> (Perty)		BO
<i>Spiloprionus</i>		
<i>serviceomaculatus</i> Aurivillius		BO
	Tribe Macrodontini	
<i>Macrodontia</i>		
<i>cervicornis</i> (Linnaeus)		BN, SC
<i>crenata</i> (Olivier)		CO, SC
<i>dejeani</i> Gory		BO
<i>zischkai</i> Tippmann		BO
	Tribe Calocomini	
<i>Calocomus</i>		
<i>desmarestii</i> (Guérin-Méneville)		SC
<i>morosus</i> White		SC
<i>rodingeri</i> Tippmann		BO
	Tribe Mallaspini	
<i>Charmallaspis</i>		
<i>pulcherrimus</i> (Perty)		SC
<i>Hileolaspis</i>		
<i>auratus</i> (Linnaeus)		CO, LP, SC
<i>Mallaspis</i>		
<i>scutellaris</i> (Olivier)		SC
<i>Poecilopyrodes</i>		
<i>pictus</i> (Perty)		BO
	Tribe Prionini	
<i>Psalidognathus</i>		
<i>friendii</i> Gray		BO
	Tribe Meroscelisini	
<i>Andinotrichoderes</i>		
<i>pellitus</i> Tippmann		BO
<i>Sarifer</i>		
<i>flavirameus</i> Kirsch		CO
	Tribe Anacolini	
<i>Myzomorphus</i>		
<i>amabilis</i> (Tippmann)		BO
	Subfamily Cerambycinae	
	Tribe Erlandiini	
<i>Erlandia</i>		
<i>inopinata</i> Aurivillius		SC

Tribe Smodicini

<i>Smodicum</i>		
<i>angusticolle</i> Aurivillius	SC	
<i>longicorne</i> Martins	SC	
<i>semipubescens</i> Gounelle	SC	

Tribe Oemini

<i>Atenizus</i>		
<i>plaumanni</i> Tippmann	SC	

<i>Astroeme</i>		
<i>gentilis</i> (Gounelle)	SC	

<i>Macroeme</i>		
<i>priapica</i> (Thomson)	SC	

<i>Malacopterus</i>		
<i>tenellus</i> (Fabricius)	LP, SC	

<i>Martinsia</i>		
<i>scabrosa</i> Chemsak and Linsley	SC	

<i>Neoeme</i>		
<i>annulicornis</i> (Buquet)	SC	
<i>bouvieri</i> Gounelle	SC	
<i>hudepohli</i> (Martins and Monné)	SC	

<i>Paramartinsia</i>		
<i>quadrimaculata</i> Martins and Galileo	SC	

<i>Sepaicutea</i>		
<i>costata</i> Martins and Galileo	SC	

<i>Sphagoeme</i>		
<i>nigrotibialis</i> Martins	SC	
<i>sahlbergi</i> Aurivillius	SC	

<i>Temnopsis</i>		
<i>castanea</i> Martins	SC	
<i>latifascia</i> Martins and Monné	SC	
<i>oculata</i> Zajciw	SC	

Tribe Sydacini

<i>Sydex</i>		
<i>stramineus</i> Lacordaire	SC	

Tribe Achrysonini

<i>Achryson</i>		
<i>immaculipenne</i> Gounelle	BN, SC	
<i>lineolatum</i> Erichson	CO	
<i>lutarium</i> Burmeister	CO	
<i>maculatum</i> Burmeister	SC	
<i>maculipenne</i> (Lacordaire)	SC	
<i>pictum</i> Bates	SC	
<i>surinamum</i> (Linnaeus)	BN, PN, SC, TR	
<i>unicolor</i> Bruch	SC	
<i>undulatum</i> Burmeister	SC	
<i>uniforme</i> Martins and Monné	SC	

Tribe Pleiarthrocerini

<i>Pleiarthrocerus</i>		
<i>opacus</i> Bruch		SC

Tribe Ectenessini

<i>Bomarion</i>		
<i>achrostum</i> Napp and Martins		SC
<i>aureolatum</i> Martins		SC
<i>carenatum</i> Martins		SC

<i>Ectenessa</i>		
<i>ornatipennis</i> Tippmann		BO
<i>quadriguttata</i> (Burmeister)		SC
<i>spinipennis</i> (Buquet)		BN, SC
<i>villardi</i> Belon		SC

<i>Ectenessidia</i>		
<i>nigriventris</i> (Belon)		SC
<i>varians</i> (Gounelle)		SC

<i>Eurymerus</i>		
<i>eburooides</i> Audinet-Serville		SC

<i>Meryeurus</i>		
<i>servillei</i> Martins		SC

<i>Tricheurymerus</i>		
<i>quadristigma</i> (Gounelle)		SC

Tribe Cerambycini
Subtribe Cerambycina

<i>Hirtobrasilianus</i>		
<i>matogrossensis</i> (Fragoso)		CO

<i>Juiaparus</i>		
<i>batus batus</i> (Linnaeus)		CO, SC
<i>lasiocerus</i> (Gahan)		CO
<i>mexicanus</i> (Thomson)		LP

<i>Jupoata</i>		
<i>rufipennis</i> (Gory)		CO, LP, SC

<i>Plocaederus</i>		
<i>bipartitus</i> (Buquet)		SC
<i>confusus</i> Martins and Monné		SC
<i>fasciatus</i> (Martins and Monné)		SC
<i>glabricollis</i> (Bates)		SC
<i>plicatus</i> (Olivier)		SC
<i>rusticus</i> (Gounelle)		SC

Subtribe Sphallotrichina

<i>Amphelictus</i>		
<i>castaneus</i> Chemsak and Linsley		BO
<i>hispidus</i> Martins and Monné		LP
<i>scabrosus</i> Eya and Chemsak		CO
<i>secus</i> Martins and Monné		CO, LP, SC

<i>Cevaeria</i>		
<i>estebani</i> Tavakilian		SC
<i>Coleoxestia</i>		
<i>atrata</i> (Gounelle)		SC
<i>corvina</i> Germar		SC
<i>ebenina</i> Melzer		SC
<i>errata</i> Martins and Monné		SC
<i>femorata</i> (Gounelle)		SC
<i>glabripennis</i> Bates		SC
<i>nigripes</i> Martins and Monné		SC
<i>olivieri</i> Fragoso		SC
<i>rufosemivittata</i> Tippmann		SC
<i>vittata</i> (Thomson)		SC
<i>waterhousei</i> (Gounelle)		SC
<i>Criodion</i>		
<i>cinereum</i> (Oliver)		SC
<i>torticolle</i> Bates		SC
<i>Metacriodion</i>		
<i>pictum</i> (Waterhouse)		BO
<i>Poeciloxestia</i>		
<i>hirsutiventris</i> Fragoso		SC
<i>lanei</i> Fragoso		SC
<i>lateralis</i> (Erichson)		SC
<i>melzeri</i> Lane		BO
<i>sagittaria</i> (Bates)		SC
<i>suturalis</i> (Perty)		SC
<i>Sphallotrichus</i>		
<i>bidens</i> (Fabricius)		SC
<i>sericeotomentosus</i> Fragoso		SC
<i>Xestiodion</i>		
<i>annulipes</i> (Buquet)		SC
	Tribe Diorini	
<i>Diorus</i>		
<i>biapiculatus</i> White		SC
	Tribe Eburiini	
<i>Beraba</i>		
<i>cheilaria</i> (Martins)		CO, SC
<i>limpida</i> Martins		SC
<i>Cupanoscelis</i>		
<i>clavipes</i> Gounelle		SC
<i>heteroclita</i> Gounelle		SC
<i>Eburella</i>		
<i>longicollis</i> Martins and Galileo		SC
<i>pinima</i> Martins		SC
<i>pumicosa</i> Monné and Martins		SC
<i>Eburia</i>		
<i>pilosa</i> (Erichson)		BO
<i>Eburodacrys</i>		
<i>apua</i> Martins and Galileo		SC

<i>assimilis</i>	Gounelle	SC
<i>campestris</i>	Gounelle	BN, SC
<i>crassimana</i>	Gounelle	SC
<i>curialis</i>	Gounelle	SC
<i>dubitata</i>	White	SC
<i>elegantula</i>	Gounelle	SC
<i>flexuosa</i>	Gounelle	SC
<i>fortunata</i>	Lameere	BO
<i>gaucha</i>	Galileo and Martins	SC
<i>granipennis</i>	Gounelle	BN, SC
<i>havanensis</i>	Chevrolat	BN, SC
<i>lanei</i>	Zajciw	SC
<i>lepidia</i>	Martins	SC
<i>lugubris</i>	Gounelle	SC
<i>nemorivaga</i>	Gounelle	SC
<i>notula</i>	Gounelle	BO
<i>pumila</i>	Monné and Martins	SC
<i>quadridenta</i>	(Fabricius)	BN, SC
<i>rariplata</i>	Bates	SC
<i>rufispinis</i>	Bates	BO
<i>sanguinipes</i>	Gounelle	BN, SC
<i>seabrai</i>	Zajciw	SC
<i>sexguttata</i>	Lameere	BO
<i>stahli</i>	Aurivillius	SC
<i>sulfurifera</i>	Gounelle	BO
<i>sulphureosignata</i>	(Erichson)	BN, SC
<i>superba</i>	Napp and Martins	BN, LP, SC
<i>truncata</i>	Fuchs	SC
<i>vittata</i>	(Blanchard)	SC
<i>xirica</i>	Martins and Galileo	SC
<i>Erosida</i>		
<i>formosa</i>	(Blanchard)	LP, SC
<i>Pantomallus</i>		
<i>proletarius</i>	(Erichson)	SC
<i>reclusus</i>	(Martins)	LP, SC
<i>rugosus</i>	Martins and Galileo	SC
<i>titinea</i>	Galileo and Martins	SC
<i>tristis</i>	Blanchard	SC
<i>Pronuba</i>		
<i>dorilis</i>	(Bates)	CO
<i>lenkoi</i>	Monné and Martins	SC
<i>Solangella</i>		
<i>lachrymosa</i>	(Martins and Monné)	SC
<i>Styliceps</i>		
<i>striatus</i>	(Voet)	CO, SC
<i>Susuacanga</i>		
<i>octoguttata</i>	(Germar)	BN, PN, SC
<i>unicolor</i>	(Bates)	BO
<i>Uncieburia</i>		
<i>nigricans</i>	(Gounelle)	SC
<i>rogersi</i>	(Bates)	SC
Tribe Hesperophanini		
<i>Alastos</i>		
<i>pascoei</i>	Martins and Galileo	LP

<i>Anoplomerus</i>		
<i>rotundicollis</i> Guérin-Méneville		SC
<i>Eusapia</i>		
<i>amazonica</i> (White)		LP, SC
<i>Zathecus</i>		
<i>graphites</i> Bates		SC
	Tribe Elaphidionini	
<i>Aetheibidion</i>		
<i>hirtellum</i> (Gounelle)		SC
<i>Ambonus</i>		
<i>distinctus</i> (Newman)	BN, LP, SC	
<i>electus</i> (Gahan)	SC	
<i>interrogationis</i> (Blanchard)	BN, SC	
<i>lippus</i> (Germar)	SC	
<i>Amethysphaerion</i>		
<i>nigripes</i> Martins and Monné		SC
<i>Amorupi</i>		
<i>huedepohli</i> (Martins)		SC
<i>Anelaphus</i>		
<i>souzai</i> (Zajciw)		SC
<i>Aphosphaerion</i>		
<i>punctulatum</i> Martins and Napp	SC	
<i>unicolor</i> (White)	SC	
<i>Appula</i>		
<i>aliena</i> Martins	SC	
<i>argenteoapicalis</i> Fuchs	BN, CO, LP, SC	
<i>diamantinensis</i> Franceschini	SC	
<i>melancholica</i> Gounelle	CO, SC	
<i>nigripes</i> Bates	LP, SC	
<i>Atharsus</i>		
<i>nigricauda</i> Bates		SC
<i>Centrocerum</i>		
<i>elegans</i> Chevrolat		SC
<i>Curtomerus</i>		
<i>purus</i> Martins		SC
<i>Etymosphaerion</i>		
<i>unicolor</i> Martins and Monné		SC
<i>Eurysthea</i>		
<i>hirca</i> (Berg)	SC	
<i>magnifica</i> Martins	BO	
<i>martinsi</i> (Fonseca-Gessner)	CO	
<i>nicolai</i> (Aurivillius)	BN, SC	
<i>sordida</i> (Erichson)	SC	
<i>subandina</i> (Fonseca-Gessner)	BO	
<i>Ironeus</i>		
<i>pulcher</i> Bates		SC

<i>Iuaca</i>	<i>nigromaculata</i> Galileo and Martins	SC
<i>Lanephus</i>	<i>njumanii</i> (Haldeman)	SC
<i>Mallocera</i>		
	<i>amazonica</i> Bates	PN, SC
	<i>ramosa</i> Gounelle	SC
	<i>umbrosa</i> Gounelle	SC
<i>Mephritis</i>		
	<i>blandus</i> (Newman)	LP, SC
	<i>quadrimaculatus</i> Martins and Napp	CO
<i>Micropsyrassa</i>		
	<i>meridionalis</i> Martins	SC
<i>Minipsyrassa</i>		
	<i>bicolor</i> Martins	LP, SC
<i>Nephalius</i>		
	<i>spiniger</i> (Blanchard)	SC, TR
<i>Nyssicostylus</i>		
	<i>paraba</i> Martins	SC
<i>Nyssicus</i>		
	<i>contaminatus</i> Martins	CO
	<i>rosalesi</i> Joly and Martinez	BO
<i>Pantonyssus</i>		
	<i>bitinctus</i> Gounelle	SC
	<i>nigriceps</i> Bates	SC
<i>Paranyssicus</i>		
	<i>conspicillatus</i> (Erichson)	BO
<i>Periboeum</i>		
	<i>aduncum</i> Napp and Martins	SC
	<i>bolivianum</i> Martins and Monné	SC
	<i>obscuricornis</i> Martins and Monné	LP, SC
	<i>ocellatum</i> Gounelle	SC
	<i>piliferum</i> (Erichson)	SC
	<i>pubescens</i> (Olivier)	BO
	<i>terminatum</i> (Perroud)	LP
	<i>umbrosum</i> Gounelle	SC
<i>Piezophidion</i>		
	<i>intricatum</i> Galileo and Martins	SC
	<i>punctatum</i> Martins	SC
<i>Protomallocera</i>		
	<i>hilairei</i> (Gounelle)	SC
<i>Protosphaerion</i>		
	<i>pictum</i> Martins	SC
	<i>punctatum</i> Martins	SC
	<i>signatipenne</i> Gounelle	SC
	<i>variabile</i> Gounelle	SC
<i>Rhomboidederes</i>		
	<i>minutus</i> Napp and Martins	SC

<i>Sphaerion</i>		
<i>cyanipenne</i> Audinet-Serville		SC
<i>inerme</i> White	BN, SC	
<i>lentiginosum</i> Berg	SC	
<i>sladeni</i> Gahan	SC	
<i>Stizocera</i>		
<i>boyi</i> Melzer	BO	
<i>consobrina</i> Gounelle	SC	
<i>delicata</i> Lingafelter	SC	
<i>fragilis</i> (Bates)	SC	
<i>ichilo</i> Lingafelter	SC	
<i>lissonota</i> (Bates)	BN, SC	
<i>meinerti</i> (Aurivillius)	SC	
<i>plicicollis</i> (Germar)	SC	
<i>plumbea</i> Gounelle	SC	
<i>poeyi</i> (Guerin-Menville)	SC	
<i>sublaevigata</i> Zajciw	SC	
<i>tristis</i> (Guérin-Méneville)	SC	
<i>Terpnissa</i>		
<i>listropterina</i> Bates	BN, LP, SC	
Tribe Phoracanthini		
<i>Phoracantha</i>		
<i>semipunctata</i> (Fabricius)	SC	
Tribe Oxycoleini		
<i>Oxycoleus</i>		
<i>cyaneus</i> Martins and Galileo	CO	
Tribe Piezocerini		
<i>Gorybia</i>		
<i>adiaphora</i> Martins	SC	
<i>instita</i> Martins	SC	
<i>invicta</i> Martins	SC	
<i>picturata</i> Martins	SC	
<i>suturella</i> Martins	SC	
<i>tibialis</i> Martins	BO	
<i>veneficella</i> Martins	SC	
<i>Haruspex</i>		
<i>bivittis</i> (White)	SC	
<i>lineolatus</i> Bates	SC	
<i>mentitus</i> Martins	LP, SC	
<i>Hemilissa</i>		
<i>cornuta</i> Bates	SC	
<i>emblema</i> Martins	SC	
<i>gummosa</i> (Perty)	SC	
<i>quadrispinosa</i> Gounelle	BN, SC	
<i>sulcicollis</i> Bates	BN, SC	
<i>Pharcidodes</i>		
<i>suturalis</i> (Gounelle)	SC	
<i>Piezarina</i>		
<i>smaragdina</i> Martins	SC	

<i>Piezasteria</i>		
<i>sternalis</i> Martins		SC
<i>Piezocera</i>		
<i>ataxia</i> Martins	SC	
<i>flavipennis</i> (Zajciw)	SC	
<i>Thyellocerus</i>		
<i>fulgidipennis</i> (Gounelle)	SC	
Tribe Ibridionini		
Division I		
<i>Ctenoplon</i>		
<i>x-littera</i> (Thomson)	SC	
<i>Epacroplon</i>		
<i>armatipes</i> (Martins)	SC	
<i>Glyptoscapus</i>		
<i>vanettii</i> Martins	SC	
<i>Gnomidolon</i>		
<i>bipartitum</i> Gounelle	SC	
<i>bonsae</i> Martins	SC	
<i>conjugatum</i> (White)	SC	
<i>cruciferum</i> (Gounelle)	SC	
<i>fuchsi</i> Martins	SC	
<i>grantsaui</i> Martins	SC	
<i>melanosomum</i> Bates	SC	
<i>musivum</i> (Erichson)	SC	
<i>nanum</i> Martins	SC	
<i>pallidicauda</i> Gounelle	BN, SC	
<i>picipes</i> Bates	BO	
<i>pictum</i> (Audinet-Serville)	SC	
<i>proseni</i> Martins	SC	
<i>proximum</i> Martins	SC	
<i>rubricolor</i> Bates	SC	
<i>subfasciatum</i> Martins	SC	
<i>varians</i> varians Gounelle	BO	
<i>Hexoplton</i>		
<i>carissimum</i> (White)	SC	
<i>integrum</i> Tippmann	SC	
<i>juno</i> Thomson	SC	
<i>speciosum speciosum</i> Fisher	BO	
<i>uncinatum</i> Gounelle	SC	
<i>Isostenygra</i>		
<i>monnei</i> Martins and Galileo	SC	
<i>Notosphaeridion</i>		
<i>scabrosum</i> (Gounelle)	SC	
<i>Ophthalmoplton</i>		
<i>inerme</i> Martins	SC	
<i>Pronoplton</i>		
<i>rubriceps</i> (Gounelle)	SC	
<i>Stenygra</i>		
<i>cosmocera</i> White	PN, SC	

<i>setigera</i> (Germar)	SC
<i>Tapuruia</i> <i>felisbertoi</i> Lane	SC
<i>Tetraibidion</i> <i>aurivillii</i> (Gounelle)	SC
<i>Tetroplon</i> <i>caudatum caudatum</i> Aurivillius <i>caudatum nigricornis</i> Bruch	SC BO
Division II (Moved to the Elaphidionini by Martins 2005)	
Division III	
<i>Gnomibidion</i> <i>digramnum</i> (Bates) <i>fulvipes</i> (Thomson) <i>translucidum</i> (Martins)	SC SC SC
<i>Megapedion</i> <i>lefebvrei</i> (Gounelle)	SC
<i>Minibidion</i> <i>argentum</i> Martins and Napp <i>minimum</i> Martins and Napp	SC SC
<i>Neotropidion</i> <i>nodicolle nodicolle</i> (Dalman)	BN, SC
<i>Perissomerus</i> <i>hilairei hilairei</i> Gounelle	SC
<i>Phocibidion</i> <i>erythrocephalum</i> (White) <i>pulcherrimum</i> (Martins)	BO BN
<i>Psiloibidion</i> <i>leucogramma</i> (Perty)	BN, SC
<i>Thoracibidion</i> <i>fasciiferum</i> (Berg) <i>flavopictum</i> (Perty) <i>insigne</i> Martins <i>striatocolle</i> (White)	SC SC LP SC
<i>Tropidion</i> <i>castaneum</i> Martins <i>contortum</i> Martins <i>elegans</i> (Gounelle) <i>epaphum</i> (Berg) <i>erythrurum</i> (Martins) <i>fairmairei</i> (Gounelle) <i>festivum</i> (Martins) <i>flavipes</i> (Thomson) <i>flavum</i> (Martins) <i>fuscipenne</i> (Gounelle) <i>lepidum</i> Martins <i>personatum</i> (Gounelle) <i>pictipenne</i> (Martins) <i>praecipuum</i> Martins <i>pusillum</i> (Martins)	BO SC SC SC SC SC SC SC BO SC SC SC SC SC BO BO BO SC

<i>rubricatum</i> (Gounelle)	BO
<i>signatum punctatum</i> Martins	BO
<i>sipolisi</i> (Gounelle)	SC
<i>subcruciatum</i> (White)	SC
<i>supernotatum</i> (Gounelle)	BO
<i>validum</i> (Martins)	SC
<i>zonapterum</i> (Martins)	SC

Division IV

Compsibidion

<i>callispilum</i> (Bates)	BO
<i>campestre</i> (Gounelle)	SC
<i>circumflexum</i> Martins	SC
<i>fairmairei</i> (Thomson)	SC
<i>graphicum</i> (Thomson)	BN, SC
<i>ilium</i> (Thomson)	SC
<i>maronicum</i> (Thomson)	SC
<i>reichardti</i> (Martins)	SC
<i>sommeri</i> (Thomson)	BO
<i>thoracicum</i> (White)	BN, SC
<i>truncatum</i> (Thomson)	SC
<i>vanum</i> (Thomson)	SC

Cycnidolon

<i>binodosum</i> Bates	SC
<i>gounellei</i> Bruch	SC
<i>immaculatum</i> Galileo and Martins	LP
<i>obliquum</i> Martins	SC
<i>sericeum</i> Martins	SC

Ophthalmibidion

<i>tetrops</i> (Bates)	SC
------------------------	----

Palpibidion

<i>minimum</i> Martins and Galileo	SC
------------------------------------	----

Prothoracibidion

<i>xanthopterum</i> Martins	SC
-----------------------------	----

Rhysium

<i>bimaculatum</i> Pascoe	SC
---------------------------	----

Tetraopidion

<i>geminatum</i> Martins	SC
--------------------------	----

Division V

Compsa

<i>amoena</i> Fisher	SC
<i>latifascia</i> Martins	BO
<i>multiguttata</i> Melzer	SC
<i>nebulosa</i> Martins	SC
<i>quadriguttata</i> (White)	BN, CO, LP, SC

Corimbion

<i>nigroapicatum</i> Martins	SC
------------------------------	----

Engyum

<i>quadrinotatum</i> Thomson	SC
<i>virgulatum</i> (Bates)	SC

<i>Hadroibidion</i>		
<i>nanum</i> (Gounelle)		SC
<i>Heterachthes</i>		
<i>congener</i> Martins	BO	
<i>plagiatus</i> (Burmeister)	SC	
<i>sejunctus</i> Gounelle	SC	
<i>similis</i> Martins	BO	
<i>tenellus</i> (Burmeister)	SC	
<i>unituberosus</i> Martins and Galileo	BO	
<i>xyleus</i> Martins	BO	
<i>Heterocompsa</i>		
<i>eburata</i> Martins	SC	
<i>Microibidion</i>		
<i>micum</i> Martins	SC	
<i>Neocompsa</i>		
<i>albopilosa</i> (Martins)	SC	
<i>lenticula</i> Martins	SC	
<i>lineolata</i> (Bates)	SC	
<i>mimosa</i> Martins	SC	
<i>vogti</i> Martins	SC	
<i>Opsibidion</i>		
<i>albinum</i> (Bates)	SC	
<i>Pygmodeon</i>		
<i>involutum</i> (Bates)	SC	
<i>m-littera</i> (Martins)	SC	
<i>Stenoidion</i>		
<i>apicatum</i> (Martins)	SC	
<i>corallinum</i> (Bates)	SC	
Tribe Neocorini		
<i>Aleiphaquilon</i>		
<i>rugosum</i> Martins and Galileo	SC	
<i>tricolor</i> Martins	SC	
<i>Neocorus</i>		
<i>diversipennis</i> Belon	BO	
<i>ibidionoides</i> (Audinet-Serville)	SC	
Tribe Graciliini		
<i>Parommidion</i>		
<i>extricatum</i> Martins	SC	
Tribe Obriini		
<i>Obrium</i>		
<i>cicatricosum</i> Gounelle	SC	
<i>trifasciatum</i> Bosq	SC	
<i>vicinum</i> Gounelle	SC	
Tribe Necydalopsini		
<i>Ozodes</i>		
<i>infuscatus</i> Bates	SC	
<i>malthinoides</i> Bates	SC	

<i>Sthelenus</i>		
<i>ichneumoneus</i> Buquet		BO
	Tribe Rhinotragini	
<i>Acorethra</i>		
<i>zischkai</i> Tippmann		BO
<i>Acyphoderes</i>		
<i>abdominalis</i> (Olivier)		SC
<i>aurulenta</i> (Kirby)		BO
<i>carinicollis</i> Bates		SC
<i>crinita</i> (Klug)		BO
<i>rubrohirsutotibialis</i> Tippmann		BO
<i>Aechmutes</i>		
<i>lycooides</i> Bates		SC
<i>Epimelitta</i>		
<i>barbicrus</i> (Kirby)		SC
<i>manni</i> (Fisher)		BN
<i>Erythropplatys</i>		
<i>corallifer</i> White		SC
<i>simulator</i> Gounelle		SC
<i>Isthmiade</i>		
<i>ichneumoniformis</i> Bates		BO
<i>laevicollis</i> Tippmann		SC
<i>Monneus</i>		
<i>longiventris</i> Magno		BO
<i>Odontocera</i>		
<i>auropilosa</i> Tippmann		SC
<i>baeri</i> (Gounelle)		BO
<i>chrysostetha</i> Bates		CO
<i>compressipes</i> White		SC
<i>fasciata</i> (Olivier)		CO, SC
<i>globicollis</i> Zajciw		BO
<i>hilaris</i> Bates		BO
<i>mellea</i> White		BO
<i>Ommata (Ommata)</i>		
<i>elegans</i> White		SC
<i>Ommata (Agaone)</i>		
<i>peruviensis</i> Fisher		SC
<i>viridis</i> Gounelle		SC
<i>Ommata (Chrysaethe)</i>		
<i>aurata</i> Bates		SC
<i>ochraceicollis</i> Zajciw		BO
<i>Ommata (Eclipta)</i>		
<i>discolor</i> Gounelle		BO
<i>kawensis</i> Peñaherrera-Leiva and Tavakilian		SC
<i>Ommata (Rhopalessa)</i>		
<i>rubroscutellaris</i> Tippmann		BO
<i>Ornistomus</i>		
<i>bicinctus</i> Thomson		SC

<i>Phygopoda</i>		
<i>albitarsis</i> (Klug)		BO
<i>Pseudagaone</i>		
<i>suturafissa</i> Tippmann		BO
<i>Rhinotragus</i>		
<i>apicalis</i> Guérin-Méneville		BO
<i>bizonatus</i> Gounelle		BO
<i>dorsiger</i> Germar		BO
<i>lucasii</i> Thomson		BO
<i>Sphecomorpha</i>		
<i>murina</i> (Klug)		SC
<i>rufa</i> Gounelle		BO
<i>Tomopterus</i>		
<i>basimaculatus</i> Zajciw		BO
<i>consobrinus</i> Gounelle		BO
<i>similis</i> Fisher		BO
<i>staphylinus</i> Audinet-Serville		SC
Tribe Callichromatini		
<i>Callichroma</i>		
<i>nigricans</i> Aurivillius		BO
<i>sericeum</i> (Fabricius)		LP, SC
<i>Cnemidochroma</i>		
<i>buckleyi</i> (Bates)		SC
<i>Mionochroma</i>		
<i>rufitarsis</i> (Schwarzer)		BO
<i>subauropus</i> (Zajciw)		LP, SC
Tribe Compsocerini		
<i>Aglaoschema</i>		
<i>haemorrhoidale</i> (Germar)		SC
<i>Chlorethe</i>		
<i>ingae</i> Bates		LP, SC
<i>Compsocerus</i>		
<i>proximus</i> Napp		BO
<i>Dilocerus</i>		
<i>marinonii</i> Napp		SC
<i>Ethemon</i>		
<i>basale</i> (Burmeister)		SC
<i>imbasale</i> Tippmann		LP, SC
<i>Orthostoma</i>		
<i>abdominale</i> (Gyllenhal)		SC
<i>Rierguscha</i>		
<i>bicolor</i> Viana		SC
Tribe Clytini		
<i>Mecometopus</i>		
<i>boliviensis</i> Belon		SC
<i>femoralis</i> Fuchs		SC

<i>granulipennis</i> Zajciw	CO, LP
<i>nubicollis</i> Zajciw	CO
<i>purus</i> Bates	LP
<i>tumulifer</i> Aurivillius	BO
<i>wallacei</i> (White)	SC
<i>Megacyllene</i> (<i>Megacyllene</i>)	
<i>acuta</i> (Germar)	SC
<i>amazonica</i> (Bates)	BO
<i>angulata</i> (Fabricius)	BN, SC
<i>magna</i> Di Iorio	BO
<i>mellyi</i> (Chevrolat)	CO, SC
<i>multiguttata</i> (Burmeister)	BO
<i>neblinosa</i> Di Iorio	SC
<i>proxima</i> (Laporte and Gory)	SC
<i>spinifera</i> (Newman)	BO
<i>Megacyllene</i> (<i>Sierracyllene</i>)	
<i>abnormis</i> (Aurivillius)	BO
<i>horioni</i> Tippmann	BO
<i>quinquefasciata</i> (Melzer)	LP
<i>Neoclytus</i>	
<i>armaticollis</i> Zajciw	SC
<i>pusillus</i> (Laporte and Gory)	LP, SC
<i>sobrinus</i> (Laporte and Gory)	SC
<i>stillatus</i> Aurivillius	SC
Tribe Tillomorphini	
<i>Euderces</i>	
<i>dilutus</i> Martins	SC
Tribe Rhopalophorini	
<i>Argyrodines</i>	
<i>aurivillii</i> (Gounelle)	SC
<i>Closteropus</i>	
<i>herteli</i> Tippmann	SC
<i>Coremia</i>	
<i>plumipes</i> (Pallas)	BO
<i>Cosmisoma</i>	
<i>ammiralis</i> (Linnaeus)	BO
<i>ochraceum</i> (Perty)	BO
<i>Dihammaphora</i>	
<i>auricollis</i> Martins	BO
<i>gracicollis</i> Chevrolat	BO
<i>peruviana</i> Martins	SC
<i>Dirocoremia</i>	
<i>simplices</i> (Gounelle)	BO
<i>Haenkea</i>	
<i>zischkai</i> Tippmann	SC
<i>Ischionodonta</i>	
<i>serratula</i> Napp and Marques	SC
<i>versicolor</i> Chevrolat	SC

<i>Listroptera</i>		
<i>carbonaria</i> Chevrolat		SC
<i>tenebricosa</i> (Olivier)		SC
<i>Rhopalophora</i>		
<i>collaris</i> (Germar)		SC
	Tribe Heteropsini	
<i>Callideriphus</i>		
<i>grossipes grossipes</i> Blanchard		SC
<i>Chrysoprasis</i>		
<i>airi</i> Napp and Martins		CQ
<i>aurigena</i> (Germar)		SC
<i>basalis</i> Chevrolat		SC
<i>concolor</i> Redtenbacher		SC
<i>festiva</i> Audinet-Serville		SC
<i>hypocrita</i> Erichson		CO, LP, SC
<i>sapphirina</i> Gounelle		CQ
<i>sobrina</i> Bates		CO
<i>tobiuna</i> Napp and Martins		SC
<i>tybyra</i> Napp and Martins		SC
<i>valida</i> Bates		CQ
<i>Erythropterus</i>		
<i>urucuri</i> Martins and Galileo		SC
<i>Eupempelus</i>		
<i>illuminus</i> Mermudes and Napp		LP, SC
<i>Mallosoma</i>		
<i>zonatum</i> (Sahlberg)		SC
<i>Tobipuranga</i>		
<i>ruficoxis</i> (Bates)		LP, SC
	Tribe Pteroplatini	
<i>Cosmoplatidius</i>		
<i>annulipes</i> (Blanchard)		SC
<i>mandibularis</i> (Gounelle)		BO
<i>Cosmoplatus</i>		
<i>peruvianus</i> Aurivillius		SC
<i>Deltosoma</i>		
<i>xerophila</i> Di Iorio		SC
<i>Pteroplatus</i>		
<i>anchorae</i> Belon		SC
<i>simulans</i> Bates		SC
	Tribe Lissonotini	
<i>Lissonotus</i>		
<i>fallax</i> Bates		SC
<i>flabellicornis</i> (Germar)		SC
<i>flavocinctus</i> <i>flavocinctus</i> Dupont		BO
<i>princeps</i> Bates		BO
<i>unifasciatus</i> Gory		LP, SC

Tribe Torneutini

<i>Diploschema</i>		
<i>klagesi</i> Lane	SC	
<i>mandibulare</i> Fuchs	SC	
<i>Dragomiris</i>		
<i>quadricornutus</i> Gounelle	SC	
<i>Dragoneutes</i>		
<i>baculus</i> (Gounelle)	BO	
<i>Gigantotrichoderes</i>		
<i>conicicollis</i> Tippmann	SC	
<i>Praxitheia</i>		
<i>deroureri</i> (Chabrilac)	SC	
<i>fabricii</i> (Audinet-Serville)	SC	
<i>travassosi</i> Lane	BO	
<i>Psygmatocerus</i>		
<i>wagleri</i> Perty	BO	
<i>Torneutes</i>		
<i>pallidipennis</i> Reich	SC	
<i>Xenambyx</i>		
<i>lansbergei</i> (Thomson)	SC	

Tribe Bothriospilini

<i>Chlorida</i>		
<i>festiva</i> (Linnaeus)	BN, CO, LP, PN, SC	
<i>spinosa</i> Aurivillius	SC	

<i>Coccoderus</i>		
<i>biguttatus</i> Martins	BO	

<i>Scapanopygus</i>		
<i>cinereus</i> Gounelle	SC	

Tribe Trachyderini
Subtribe Ancylocerina

<i>Callancyla</i>		
<i>croceicollis</i> (White)	SC	

<i>Ceralocyna</i>		
<i>margaretae</i> Martins and Galileo	SC	

<i>Exallancyla</i>		
<i>tuberculicollis</i> Aurivillius	SC	

Subtribe Trachyderina

<i>Ancylosternus</i>		
<i>morio albicornis</i> Erichson	SC	

<i>Andraegoidus</i>		
<i>rufipes rufipes</i> (Fabricius)	LP, SC	
<i>rufipes fabricii</i> (Dupont)	SC	
<i>rufipes richteri</i> (Bruch)	SC	
<i>variegatus</i> (Perty)	SC	

<i>Batus</i>	<i>barbicornis</i> (Linnaeus)	PN, SC
<i>Ceragenia</i>	<i>bicornis</i> (Fabricius)	SC
<i>Chevrolatella</i>	<i>tripunctata</i> (Chevrolat)	BO
<i>Chydarteres</i>	<i>dimidiatus dimidiatus</i> (Fabricius)	SC
	<i>striatus schaeferi</i> (Bosq)	BO
<i>Dicranoderes</i>		SC
	<i>annulatus</i> DuPont	
<i>Dorcadocerus</i>		SC
	<i>barbatus</i> (Olivier)	
<i>Drychateres</i>		SC
	<i>bilineatus</i> (Olivier)	
<i>Eriocharis</i>		BO
	<i>lanaris</i> (Blanchard)	
<i>Eriphus</i>		BO
	<i>clarkei</i> Tippmann	SC
	<i>dimidiatus</i> White	BO
	<i>haematoderus</i> Chevrolat	BO
	<i>longicollis</i> Zajciw	BO
<i>Martinsellus</i>		SC
	<i>signatus</i> (Gyllenhal in Schoenherr)	
<i>Megaderus</i>		BN, SC
	<i>stigma</i> (Linnaeus)	
<i>Monneellus</i>		SC
	<i>rhodopus</i> (Bates)	
<i>Neochrysoprasis</i>		BO
	<i>zajciwi</i> Franz	
<i>Nothoprodontia</i>		CO
	<i>boliviana</i> Monné and Monné	
<i>Oxymerus</i>		SC
	<i>aculeatus meridionalis</i> Hüdepohl	SC
	<i>basalis</i> (Dalman)	SC
	<i>chevrolatii</i> Dupont	SC
	<i>luteus occidentalis</i> Hüdepohl	BO
<i>Phaedinus</i>		BO
	<i>hirtipes</i> Tippmann	BO
	<i>pictus</i> White	
<i>Phoenidnus</i>		SC
	<i>lissonotoides</i> Pascoe	
<i>Poecilopeplus</i>		SC
	<i>intricatus</i> (Blanchard)	
<i>Polyschisis</i>		BO
	<i>rufitarsalis</i> Waterhouse	

<i>Retrachydes</i>		
<i>thoracicus thoracicus</i> (Olivier)	BO	
<i>thoracicus densepilosus</i> Hüdepohl	SC	
<i>thoracicus sulcatus</i> (Burmeister)	BO	
<i>Stenaspis</i>		
<i>superba</i> Aurivillius	BO	
<i>Sternacanthus</i>		
<i>picticornis</i> Pascoe	PN	
<i>Streptolabis</i>		
<i>hispoides</i> Bates	SC	
<i>Trachelissa</i>		
<i>maculicollis</i> (Audinet-Serville)	SC	
<i>Trachydermophra</i>		
<i>notabilis</i> Tippmann	BO	
<i>Trachyderes</i> (<i>Trachyderes</i>)		
<i>cingulatus</i> Klug	SC	
<i>distinctus</i> Bosq	BO	
<i>leptomerus boliviensis</i> Aurivillius	SC	
<i>succinctus succinctus</i> (Linnaeus)	BN, LP, SC	
	no tribal placement	
<i>Dolichopterus</i>		
<i>bucki</i> Lane	SC	
	Subfamily Lepturinae	
	Tribe Holopterini	
<i>Stenophantes</i>		
<i>longipes</i> Burmeister	BO	
	Tribe Lepturini	
<i>Lycochoriolaus</i>		
<i>angustisternis</i> (Gounelle)	CO	
<i>Strangalia</i>		
<i>albicollis</i> (Pascoe)	SC	
<i>bivittata</i> (Bates)	CO	
<i>rubiginosa</i> (Gounelle)	CO	
<i>rubricollis</i> (Bates)	CO	
<i>suavis</i> (Melzer)	BO	
	Subfamily Lamiinae	
	Tribe Lamiini	
<i>Plagiohammus</i>		
<i>confusor</i> Dillon and Dillon	SC	
<i>Pseudotaeniotes</i>		
<i>mimus</i> (Dillon and Dillon)	BO	

Taeniotes

<i>amazonum</i> Thomson	BN, SC
<i>boliviensis</i> Dillon and Dillon	BN, SC
<i>chapini</i> Dillon and Dillon	BO
<i>dentatus</i> Dillon and Dillon	SC
<i>farinosus</i> (Linnaeus)	LP, SC
<i>orbignyi</i> Guérin-Méneville	BN, LP, PN, SC
<i>parafarinosus</i> Breuning	BN, LP, SC

Tribe Tapeinini

Tapeina

<i>melzeri</i> Zajciw	SC
<i>paulista</i> Marinoni	SC
<i>rubronigra</i> Marinoni	SC
<i>rudifrons</i> Marinoni	SC

Tribe Apomecynini

Adetus

<i>abruptus</i> Belon	SC
<i>analis</i> (Haldeman)	SC
<i>atomarius atomarius</i> Belon	BO
<i>bacillarius</i> Bates	SC
<i>cacapira</i> Martins and Galileo	SC
<i>cecamirim</i> Martins and Galileo	SC
<i>cylindricus</i> (Bates)	SC
<i>fuscoapicalis</i> Breuning	SC
<i>inca</i> Martins and Galileo	SC
<i>latericius</i> Belon	BO
<i>marmoratus</i> Breuning	SC
<i>praeustus</i> (Thomson)	SC
<i>pulchellus</i> (Thomson)	BN, SC
<i>punctatus</i> (Thomson)	BN, LP, SC
<i>similis</i> Bruch	BO
<i>spinipennis</i> Breuning	SC

Amphicnæia

<i>flavofemorata</i> Breuning	SC
<i>lineata</i> Bates	BO

Bebelis

<i>acuta acuta</i> Pascoe	SC
<i>aurulenta</i> (Belon)	BO
<i>cuprina</i> (Belon)	SC
<i>laetabilis</i> (Belon)	BO
<i>lignosa</i> Thomson	BO
<i>modesta</i> (Belon)	BO
<i>occulta</i> (Bates)	SC
<i>picta</i> Pascoe	SC

Bisaltes

<i>bimaculatus</i> Aurivillius	SC
<i>brevicornis</i> Breuning	BO
<i>buquetii</i> Thomson	BO
<i>flaviceps</i> Breuning	BO
<i>monticola</i> Tippmann	BO
<i>picticornis</i> Galileo and Martins	SC
<i>spiegazzinii</i> Bruch	BO
<i>stramentosus</i> Breuning	BO
<i>subreticulatus</i> Aurivillius	SC

<i>Dolichosybra</i>		
<i>tubericollis</i> Breuning		SC
<i>Dorcasta</i>		
<i>dasycera</i> (Erichson)		SC
<i>implicata</i> Melzer		SC
<i>Euteleuta</i>		
<i>fimbriata</i> Bates		SC
<i>Ischioloncha</i>		
<i>lanei</i> (Prosen)		BO
<i>strandieilla</i> Breuning		BO
<i>Orteguaza</i>		
<i>funeraria</i> Lane		BO
<i>Parmenonta</i>		
<i>maculata</i> Martins and Galileo		SC
<i>punctigera</i> (Germar)		SC
<i>Ptericopthus</i>		
<i>dorsalis</i> Audinet-Serville		SC
<i>reductus</i> Breuning		SC
<i>Rosalba</i>		
<i>consobrina</i> (Melzer)		SC
<i>dissimilis</i> (Belon)		BO
<i>fimbriata</i> (Belon)		BO
<i>inscripta</i> (Bates)		SC
<i>pulchella</i> (Belon)		BO
Tribe Apapanthiini		
<i>Grammopsis</i>		
<i>clavigera</i> (Bates)		SC
<i>Helvina</i>		
<i>strandi</i> (Breuning)		CO, SC
<i>Hippopsis</i>		
<i>apicalis</i> (Bates)		BO
<i>fractilinea</i> Bates		SC
<i>lemniscata</i> (Fabricius)		BO
<i>nigroapicalis</i> Martins and Galileo		CO, SC
<i>ocularis</i> Galileo and Martins		SC
<i>pubiventris</i> Galileo and Martins		SC
<i>solangeae</i> Carvalho		SC
<i>tuberculata</i> Galileo and Martins		SC
<i>Neoamphion</i>		
<i>triangulifer</i> (Aurivillius)		BO
<i>Pachypeza</i>		
<i>joda</i> Dillon and Dillon		BN, SC
<i>Trichohippopsis</i>		
<i>magna</i> Martins and Carvalho		SC
<i>suturalis</i> Martins and Carvalho		SC

Tribe Onciderini

<i>Cacostola</i>		
sulcipennis Melzer	SC	
<i>volvula</i> (Fabricius)	BN, SC	
<i>zanoa</i> Dillon and Dillon	SC	
<i>Charoides</i>		
<i>litura</i> Dillon and Dillon	BO	
lycimnia Dillon and Dillon	SC	
<i>pagana</i> (Pascoe)	SC	
pallida Dillon and Dillon	BO	
<i>pepoata</i> Martins and Galileo	BO	
<i>pigra</i> Martins and Galileo	BN, SC	
<i>pulla</i> Dillon and Dillon	BO	
<i>Cherentes</i>		
<i>niveilateris</i> (Thomson)	SC	
<i>Cicatrodera</i>		
<i>monima</i> Dillon and Dillon	SC	
<i>Cipriscola</i>		
<i>fasciata</i> (Thomson)	SC	
<i>Clavidesmus</i>		
heterocerus (Buquet)	SC	
<i>metallicus</i> (Thomson)	SC	
<i>Cylicasta</i>		
<i>parallela</i> (Melzer)	SC	
<i>Eudesmus</i>		
ferrugineus (Thomson)	SC	
<i>grisescens</i> Audinet-Serville	SC	
<i>Euthima</i>		
<i>rodena</i> (Bates)	BN, LP, SC	
<i>variegata</i> (Aurivillius)	LP	
<i>Furona</i>		
<i>degenera</i> (Bates)	SC	
<i>Hesychotypa</i>		
<i>aeropa</i> Dillon and Dillon	BO	
<i>lirissa</i> Dillon and Dillon	SC	
<i>maculosa</i> (Bates)	SC	
<i>Hypselomus</i>		
<i>cristatus</i> Perty	BO	
<i>Hypsioma</i>		
gibbera Audinet-Serville	SC	
<i>steinbachi</i> Dillon and Dillon	SC	
<i>Jamesia</i>		
<i>globifera</i> (Fabricius)	LP, SC	
<i>Leus</i>		
<i>ramuli</i> (Bates)	SC	
<i>Lochmaeocles</i>		
callidryas (Bates)	LP, SC	

<i>consobrinus bolivianus</i> Dillon and Dillon	SC
<i>Lydipta conspersa</i> (Aurivillius)	SC
<i>senicula</i> (Bates)	SC
<i>Midamiella hecabe</i> (Dillon and Dillon)	BN, SC
<i>Neocherentes dilloniorum</i> Tippmann	BO
<i>Neolampedusa obliquator</i> (Fabricius)	SC
<i>Oncideres aragua</i> Martins and Galileo	SC
<i>boliviiana</i> Heyrovsky	SC
<i>colombiana</i> Dillon and Dillon	CO, SC
<i>diringsi</i> Martins and Galileo	SC
<i>fabricii</i> Thomson	SC
<i>fulva</i> Bates	SC
<i>gutturator</i> (Fabricius)	SC
<i>minuta</i> Thomson	SC
<i>multicincta</i> Dillon and Dillon	SC
<i>saga</i> (Dalman)	SC
<i>satyra</i> Bates	SC
<i>stillata</i> Aurivillius	BO
<i>ulcerosa</i> (Germar)	SC
<i>vitiliga</i> Martins	SC
<i>wappesi</i> Martins and Galileo	SC
<i>Peritrox denticollis</i> Bates	BN, SC
<i>nigromaculatus</i> Aurivillius	SC
<i>Plerodia singularis</i> Thomson	SC
<i>Proplerodia goyana</i> Martins and Galileo	SC
<i>Pseudobeta seabrai</i> Monné and Fragoso	SC
<i>Sternycha clivosa</i> Martins and Galileo	LP, SC
<i>diasi</i> Martins and Galileo	SC
<i>Trachysomus arriagadai</i> Galileo and Martins	BO
<i>cavigibba</i> Martins	SC
<i>Trestoncideres albiventris</i> Martins and Galileo	SC
<i>Trestonia frontalis</i> (Erichson)	CO, SC
<i>morrissi</i> Martins and Galileo	SC
<i>turbula</i> Monné and Fragoso	BN, SC
<i>Tybalmia orbis</i> Dillon and Dillon	BO

Tribe Laticraniini

<i>Laticranium</i>		
<i>mandibulare</i> Lane		SC

Tribe Pteropliini

<i>Anobrium</i>		
<i>fasciatum</i> Galileo and Martins		SC
<i>oberthuri</i> Belon		SC
<i>rugosicollis</i> Galileo and Martins		SC

<i>Ataxia</i>		
<i>linearis</i> (Bates)		SC
<i>lineata</i> (Fabricius)		SC
<i>luteifrons</i> (Bruch)		SC
<i>obtusa</i> (Bates)		SC

<i>Catafimbria</i>		
<i>boliviiana</i> (Belon)		BO

<i>Cryptocranium</i>		
<i>cazieri</i> Lane		SC
<i>laterale</i> Audinet-Serville		BO

<i>Epectasis</i>		
<i>juncea</i> (Newman)		SC

<i>Esthlogena</i> (<i>Esthlogena</i>)		
<i>foveolata</i> Aurivillius		SC

<i>Esthlogenopsis</i>		
<i>ochreoscutellaris</i> Breuning		BN, SC

<i>Parepectasoides</i>		
<i>boliviiana</i> (Breuning)		SC

Tribe Pogonocherini

<i>Lysimena</i>		
<i>nodipennis</i> (Burmeister)		SC

Tribe Compsosomatini

<i>Aerenea</i>		
<i>bimaculata</i> (Brèthes)		BO
<i>brunnea</i> Thomson		BN, CO, LP, SC
<i>flavolineata</i> Melzer		SC
<i>quadriplagiata</i> (Bohemian)		SC
<i>tuberculata</i> Monné		SC

<i>Antennaearenae</i>		
<i>niveosignata</i> Breuning		SC

<i>Compsosoma</i>		
<i>monnei</i> Martins and Galileo		SC
<i>nubilum</i> Gounelle		SC

<i>Eusphaerium</i>		
<i>purpureum</i> Newman		SC

Tribe Phacellini

<i>Neobrachychilus</i>		
<i>consobrinus</i> (Lane)		SC

<i>Piola</i>		
<i>quiabentiae</i> Marinoni		SC
<i>rubra</i> Martins and Galileo		SC

Tribe Desmiphorini

<i>Acaua</i>		
<i>exotica</i> Martins and Galileo		BN, SC

<i>Blabia</i>		
<i>galba</i> Martins and Galileo		SC
<i>similis</i> (Breuning)		SC

<i>Ceiupaba</i>		
<i>bella</i> Galileo and Martins		BO
<i>capixaba</i> Martins and Galileo		SC

<i>Cicatrisestola</i>		
<i>flavicans</i> Breuning		SC
<i>humeralis</i> Martins and Galileo		SC

<i>Cicuiara</i>		
<i>nitidula</i> (Bates)		SC
<i>striata</i> (Bates)		BO

<i>Curuapira</i>		
<i>apyama</i> Martins and Galileo		SC

<i>Desmiphora</i>		
<i>apicata</i> (Thomson)		SC
<i>barbata</i> Martins and Galileo		SC
<i>boliviiana</i> Breuning		SC
<i>cirrosa</i> Erichson		SC
<i>compacta</i> Breuning		BN, SC
<i>compta</i> Martins and Galileo		SC
<i>decora</i> (Melzer)		SC
<i>fasciculata</i> (Olivier)		SC
<i>fasciola</i> Martins and Galileo		SC
<i>hirticollis</i> (Olivier)		SC
<i>intonsa</i> (Germar)		LP
<i>lateralis</i> Thomson		SC
<i>pallida</i> Bates		SC
<i>senicula</i> Bates		SC

<i>Dolichestola</i>		
<i>densepunctata</i> Breuning		SC
<i>nigricornis</i> Breuning		SC

<i>Estola</i>		
<i>albicans</i> Breuning		SC
<i>basiflava</i> Breuning		SC
<i>boliviiana</i> Breuning		BO
<i>cinerea</i> Breuning		SC
<i>cuneata</i> Breuning		SC
<i>daidalea</i> Martins and Galileo		BO
<i>flavolineata</i> Breuning		BO
<i>fuscodorsalis</i> Breuning		SC
<i>fuscomarmorata</i> Breuning		SC

<i>fuscopunctata</i>	Breuning	BO
<i>marmorata</i>	Breuning	SC
<i>nodicollis</i>	Breuning	BN, LP, SC
<i>subannulicornis</i>	Breuning	SC
<i>Estolomimus</i>		
<i>abjunctus</i>	Martins and Galileo	BO
<i>Euestola</i>		
<i>obliqua</i>	Martins and Galileo	SC
<i>Eupogonius</i>		
<i>nigrinus</i>	(Bates)	SC
<i>yeiuba</i>	Martins and Galileo	SC
<i>Ischnolea</i>		
<i>bimaculata</i>	Chevrolat	SC
<i>flavinota</i>	Galileo and Martins	SC
<i>modesta</i>	Galileo and Martins	SC
<i>piim</i>	Galileo and Martins	SC
<i>singularis</i>	Galileo and Martins	SC
<i>Ischnoleomimus</i>		
<i>excavatus</i>	Breuning	SC
<i>foveatus</i>	Galileo and Martins	BO
<i>Malthonea</i>		
<i>albomaculata</i>	(Breuning)	BO
<i>ruficornis</i>	Belon	BO
<i>Mimasyngenes</i>		
<i>lineatipennis</i>	Breuning	SC
<i>ytu</i>	Galileo and Martins	SC
<i>Panegyrites</i>		
<i>apicale</i>	Martins and Galileo	SC
<i>bifasciatus</i>	Breuning	SC
<i>delicatus</i>	Galileo and Martins	SC
<i>lactescens</i>	Thomson	SC
<i>varicornis</i>	Breuning	SC
<i>Paradesmiphora</i>		
<i>amazonica</i>	Galileo and Martins	SC
<i>Parischnolea</i>		
<i>excavata</i>	Breuning	SC
<i>jatai</i>	Martins and Galileo	SC
<i>Pseudestola</i>		
<i>densepunctata</i>	Breuning	SC
<i>Stereomerus</i>		
<i>lineatus</i>	(Breuning)	SC
<i>Unelcus</i>		
<i>boliviensis</i>	Breuning	BO
<i>lineatus</i>	Bates	SC
	Tribe Mauesini	
<i>Coroicoia</i>		
<i>ligata</i>	(Schwarzer)	BO

<i>Taurolema</i>			
<i>flavocincta</i> Gounelle			SC
	Tribe Anisocerini		
<i>Anisocerus</i>			
<i>stellatus</i> Guérin-Méneville			BN, PN
<i>Caciomorpha</i>			
<i>genalis</i> Aurivillius			BO
<i>Chapareia</i>			
<i>pinima</i> Lane			BO
<i>Cyclopeplus</i>			
<i>lacordairei</i> Thomson			BO
<i>Gounellea</i>			
<i>bruchi</i> (Gounelle)			BO
<i>Hoplistocerus</i>			
<i>dichrous</i> Gounelle			BO
<i>dives</i> Bates			SC
<i>refulgens</i> Blanchard			BO
<i>Onychocerus</i>			
<i>aculeicornis</i> (Kirby)			BO
<i>albitarsis</i> Pascoe			SC
<i>crassus</i> (Voet)			BN, SC
	Tribe Polyrhaphidini		
<i>Polyrhaphis</i>			
<i>argentina</i> Lane			BO
<i>gracilis</i> Bates			SC
<i>paraensis</i> Bates			LP, SC
<i>pilosa</i> Lane			BO
<i>spinosa</i> (Drury)			SC
	Tribe Acrocinini		
<i>Acrocinus</i>			
<i>longimanus</i> (Linnaeus)			LP, SC
	Tribe Xenofreini		
<i>Itajutinga</i>			
<i>difficilis</i> Martins			BO
<i>Xenofrea</i>			
<i>camixaima</i> Galileo and Martins			SC
<i>clarkei</i> Galileo and Martins			SC
<i>fasciolata</i> Galileo and Martins			SC
<i>nana</i> Galileo and Martins			SC
<i>obscura</i> Galileo and Martins			SC
<i>punctata</i> Galileo and Martins			SC
<i>puma</i> Néouze and Tavakilian			BO
<i>trigonalis</i> Bates			SC
	Tribe Acanthoderini		
<i>Acanthoderes</i> (<i>Acanthoderes</i>)			
<i>rufofemorata</i> Aurivillius			BO
<i>thammi</i> Bates			BN, SC

<i>uyapensis</i> Martins and Galileo	BO
<i>zischkai</i> Tippmann	SC
<i>Acanthoderes (Symperasmus)</i>	
<i>thoracica</i> White	BO
<i>Aegoschema</i>	
<i>moniliferum</i> (White)	PN, SC
<i>Alphus</i>	
<i>similis</i> Martins	SC
<i>tuberosus</i> (Germar)	SC
<i>Ateralphus</i>	
<i>senilis</i> (Bates)	SC
<i>subsellatus</i> (White)	SC
<i>variegatus</i> (Mendes)	SC
<i>Dryoctenes</i>	
<i>scrupulosus</i> (Germar)	BN, SC
<i>Dufauxia</i>	
<i>guaicurana</i> Lane	BN, SC
<i>Eupromerella</i>	
<i>clavator</i> (Fabricius)	LP, SC
<i>orbifera</i> (Aurivillius)	SC
<i>propinqua</i> (Melzer)	SC
<i>Exalphus</i>	
<i>biannulatus</i> Aurivillius	BN, SC
<i>foveatus</i> (Marinoni and Martins)	SC
<i>gounellei</i> (Lane)	BN, SC
<i>guaraniticus</i> (Lane)	SC
<i>malleri</i> (Lane)	SC
<i>Macronemus</i>	
<i>asperulus</i> White	SC
<i>Macropophora</i>	
<i>accentifer</i> (Olivier)	SC
<i>lacordairei</i> Lepesme	CO, SC
<i>trochlearis</i> (Linnaeus)	BN, PN, SC
<i>Melzerus</i>	
<i>difficilis</i> (Melzer)	BN, SC
<i>Myoxinus</i>	
<i>pictus</i> (Erichson)	BN, SC
<i>Myoxomorpha</i>	
<i>funesta</i> (Erichson)	PN, SC
<i>Nesozineus</i>	
<i>apharus</i> Galileo and Martins	SC
<i>bucki</i> (Breuning)	BN, SC
<i>julinensis</i> (Lane)	SC
<i>triviale</i> Galileo and Martins	SC
<i>Octotapnia</i>	
<i>ceiaca</i> Galileo and Martins	SC
<i>exotica</i> Galileo and Martins	SC

Oreodera

<i>aerumnosa</i> Erichson	BN, LP, SC
<i>basipenicillata</i> Tippmann	SC
<i>bituberculata</i> Bates	BN, CO, SC
<i>boliviana</i> Tippmann	SC
<i>cretata</i> Bates	SC
<i>ferruginea</i> Fuchs	BO
<i>fluctuosa</i> Bates	PN, SC
<i>forsteri</i> Tippmann	BO
<i>glaucha glauca</i> (Linnaeus)	LP, SC
<i>occulta</i> Monné and Fragoso	SC
<i>ohausi</i> Melzer	SC
<i>olivaceotincta</i> Tippmann	BO
<i>paulista</i> Tippmann	SC
<i>quinquetuberculata</i> (Drapiez)	SC
<i>semiporosa</i> Tippmann	SC

Penaherreraus

<i>centroleatus</i> (Bates)	SC
<i>pubicornis</i> (Audinet-Serville)	SC

Psapharochrus

<i>alboguttatus</i> (Melzer)	SC
<i>albomaculatus</i> (Fuchs)	BO
<i>albonigrus</i> (Bates)	SC
<i>atrosignatus</i> (Melzer)	SC
<i>bialbomaculatus</i> (Zajciw)	SC
<i>bimaculatus</i> (Fuchs)	BO
<i>bivittus</i> (White)	LP, SC
<i>comptus</i> (Marinoni and Martins)	SC
<i>corticarius</i> (Tippmann)	BN, SC
<i>fuscofasciatus</i> (Bates)	SC
<i>flavitaris</i> (Fuchs)	SC
<i>hassenteufeli</i> (Fuchs)	BO
<i>homonymus</i> (Blackwelder)	CO, SC
<i>jaspideus</i> (Germar)	SC
<i>laeticicus</i> (Bates)	SC
<i>lanei</i> (Marinoni and Martins)	SC
<i>lateralis</i> (Bates)	SC
<i>latevittatus</i> (Aurivillius)	BO
<i>maculatissimus</i> (Bates)	SC
<i>magnus</i> (Marinoni and Martins)	SC
<i>meleagris</i> (Bates)	SC
<i>minutus</i> (Fuchs)	BO
<i>nigricans</i> (Lameere)	LP, SC
<i>nigroocellatus</i> (Tippmann)	BN, SC
<i>nigropunctatus</i> (Tippmann)	SC
<i>phasianus</i> (Bates)	SC
<i>plaumani</i> (Fuchs)	SC
<i>pseudopropinquus</i> (Fuchs)	SC
<i>satellinus</i> (Erichson)	SC

Pseudaethomerus

<i>maximus</i> Tippmann	BO
-------------------------	----

Scleronotus

<i>angulatus</i> Aurivillius	BO
------------------------------	----

Steirastoma

<i>aethiops</i> Bates	BN, SC
<i>breve</i> (Sulzer)	BN, LP, PN, SC
<i>coenosa</i> Bates	BO
<i>genisspina</i> Schwarzer	SC

<i>stellio</i> Pascoe	SC
<i>zischkai</i> Prosen	BO
<i>Zikanita</i>	
<i>biocellata</i> (Tippmann)	SC
Tribe Acanthocinini	
<i>Alcidion</i>	
<i>humeralis</i> (Perty)	LP, SC
<i>sulphurifer</i> (White)	CO, SC
<i>Amniscites</i>	
<i>pictipes</i> (Bates)	SC
<i>Anisopodus</i>	
<i>affinis</i> Martins	BO
<i>batesi</i> Gilmour	SC
<i>conspersus</i> Aurivillius	SC
<i>elongatus</i> Bates	BO
<i>humeralis</i> Bates	SC
<i>ligneus</i> Bates	SC
<i>lignicola</i> Bates	SC
<i>macropus</i> Bates	SC
<i>melzeri</i> Gilmour	SC
<i>phalangodes</i> (Erichson)	BN, CO, SC
<i>prolixus</i> (Erichson)	SC
<i>punctipennis</i> Monné and Martins	SC
<i>strigosus</i> (Erichson)	SC
<i>Atrypanius</i>	
<i>ambiguus</i> Melzer	SC
<i>conspersus</i> (Germar)	BN, SC
<i>implexus</i> (Erichson)	SC
<i>remissus</i> (Erichson)	BN, LP, SC
<i>scitulus</i> (Germar)	SC
<i>Baryssinus</i>	
<i>huedepohli</i> Monné and Martins	SC
<i>modestus</i> Monné	SC
<i>silviae</i> Martins and Monné	SC
<i>Brevoxathres</i>	
<i>x-littera</i> (Melzer)	BO
<i>Caphrina</i>	
<i>petulans</i> Kirsch	SC
<i>Carphonotes</i>	
<i>posticalis</i> Bates	SC
<i>Cleodoxus</i>	
<i>carinatus</i> (White)	LP, SC
<i>Cobelura</i>	
<i>peruviana</i> (Aurivillius)	SC
<i>Cosmotoma</i>	
<i>adjuncta</i> (Thomson)	SC
<i>suturalis</i> Gilmour	BO
<i>Erphaea</i>	
<i>pumicosa</i> Erichson	BO

<i>Eucharitulus</i>		
<i>geometricus</i> (Tippmann)		SC
<i>Eutrypanus</i>		
<i>dorsalis</i> (Germar)		SC
<i>triangulifer</i> Erichson		BN, SC
<i>Granastyochus</i>		
<i>elegantissimus</i> (Tippmann)		BO
<i>Hamatastus</i>		
<i>lemniscatus</i> Monné		BO
<i>Hylettus</i>		
<i>coenobita</i> (Erichson)		BN, SC
<i>eremita</i> (Erichson)		SC
<i>excelsus</i> (Bates)		SC
<i>seniculus</i> (Germar)		BN, CO, SC
<i>Lagocheirus</i>		
<i>plantaris plantaris</i> Erichson		SC
<i>Leiopus</i>		
<i>pleuriticus</i> White		SC
<i>Leptostylus</i>		
<i>armatus</i> Monné and Hoffmann		SC
<i>cretatellus</i> Bates		SC
<i>gnomus</i> Monné and Hoffmann		SC
<i>ovalis</i> Bates		SC
<i>paraleucus</i> Monné and Hoffmann		SC
<i>perniciosus</i> Monné and Hoffmann		SC
<i>saxuosus</i> Tippmann		BO
<i>Lepturdrys</i>		
<i>novemlineata</i> Gilmour		SC
<i>Lepturges</i> (<i>Lepturges</i>)		
<i>callinus</i> Bates		SC
<i>canocinctus</i> Gilmour		SC
<i>complanatus</i> Bates		BO
<i>comptus</i> Melzer		BN, LP, SC
<i>curvilinea</i> Gilmour		SC
<i>elegantulus</i> Bates		SC
<i>eurynota</i> Tippmann		SC
<i>fasciculatoides</i> Gilmour		LP, SC
<i>fischeri</i> Melzer		BN, SC
<i>insignis</i> Melzer		BO
<i>limpidus</i> Bates		BN, SC
<i>linearis</i> Bates		SC
<i>malkini</i> Monné		SC
<i>unicolor</i> Gilmour		SC
<i>virgatus</i> Monné		SC
<i>zonula</i> Monné		SC
<i>Lepturges</i> (<i>Chaeturges</i>)		
<i>epagogus</i> Monné		SC
<i>griseostriatus</i> (Bates)		SC
<i>villiersi</i> Gilmour		SC
<i>Lithargyrus</i>		
<i>melzeri</i> Martins and Monné		SC

<i>Lophopoeum</i>		
<i>carinatum</i> Bates		SC
<i>forsteri</i> Tippmann		BO
<i>freudei</i> (Gilmour)		SC
<i>Nealcidion</i>		
<i>armatum</i> Monné and Delfino	CO	
<i>badium</i> Monné and Delfino	CO	
<i>cristulatum</i> Monné and Delfino	CO	
<i>deletum</i> (Bates)	LP, SC	
<i>emeritum</i> (Erichson)	SC	
<i>hylaeicum</i> (Monné and Martins)	SC	
<i>laetulum</i> (Bates)	BO	
<i>quinquemaculatum</i> (Tippmann)	SC	
<i>sexguttatum</i> Monné and Delfino	BO	
<i>singulare</i> Monné	BO	
<i>Neoeutrypanus</i>		
<i>generosus</i> (Monné and Martins)	BO	
<i>Nyssocarinus</i>		
<i>humeralis</i> Monné	SC	
<i>Nyssodrysina</i>		
<i>infima</i> (Bates)	BN, SC	
<i>lineatocollis</i> (Bates)	SC	
<i>scutellata</i> (Bates)	SC	
<i>spreta</i> (Bates)	BN, SC	
<i>Nyssodrystemum</i>		
<i>caudatum</i> (Bates)	BO	
<i>conspicillare</i> (Erichson)	BN, SC	
<i>cretatum</i> Monné	SC	
<i>diopticum</i> (Bates)	SC	
<i>lemniscatum</i> Monné	BN	
<i>ocellatum</i> (Bates)	BN, CO	
<i>poriferum</i> (Bates)	SC	
<i>ptericoptum</i> (Bates)	SC	
<i>rubiginosum</i> Monné	BN, SC	
<i>serpentinum</i> (Erichson)	BN, SC	
<i>signiferum</i> (Bates)	BN, SC	
<i>striatellum</i> (Tippmann)	SC	
<i>taeniatum</i> Monné	BO	
<i>Oedopeza</i>		
<i>apicale</i> (Gilmour)	SC	
<i>costulata</i> (Gilmour)	SC	
<i>cryptica</i> Monné	SC	
<i>flavosparsa</i> Monné	BO	
<i>maculatissima</i> Monné and Martins	SC	
<i>ocellator</i> Fabricius	BN, SC	
<i>Onalcidion</i>		
<i>fibrosum</i> Monné and Martins	BO	
<i>Oxathres</i>		
<i>navicula</i> Bates	LP, SC	
<i>ornata</i> Monné	CO	
<i>Ozineus</i>		
<i>nyssodroides</i> Tippmann	SC	
<i>orbiculus</i> Monné and Martins	SC	
<i>strigosus</i> Bates	LP, SC	

<i>Paratenthras</i>		
<i>martinsi</i> Monné		SC
<i>Paroecus</i>		
<i>rigidus</i> Bates		SC
<i>Pattalinus</i> (<i>Pattalinus</i>)		
<i>griseolus</i> Monné		BN, SC
<i>lineatus</i> Monné and Martins		SC
<i>strigosus</i> Monné		SC
<i>Sciadosurus</i>		
<i>albobrunneus</i> Gilmour		BN, SC
<i>Sporetus</i>		
<i>seminalis</i> Bates		SC
<i>Stenopsilus</i>		
<i>bimaculatus</i> Gilmour		CO, SC
<i>Sympagus</i>		
<i>buckleyi</i> (Bates)		BO
<i>favorabilis</i> Tippmann		SC
<i>Tenthras</i>		
<i>obliteratus</i> Thomson		SC
<i>Tithonus</i>		
<i>acutispinus</i> (Bates)		SC
<i>Trichotithonus</i>		
<i>tenebrosus</i> Monné		BO
<i>Tropanisopodus</i>		
<i>andinus</i> Tippmann		BO
<i>Tropidozineus</i>		
<i>fulveolus</i> (Lameere)		SC
<i>vicinus</i> (Melzer)		SC
<i>Trypanidius</i>		
<i>andicola</i> Blanchard		SC
<i>apicalis</i> Aurivillius		SC
<i>notatus</i> (Fabricius)		BN, CO, SC
<i>Urgleptes</i>		
<i>dorcadioides</i> (White)		SC
<i>trilineatus</i> Gilmour		SC
<i>Xylergates</i>		
<i>lacteus</i> Bates		SC
<i>picturatus</i> Lane		BN
Tribe Colobotheini		
<i>Carneades</i>		
<i>nigrosignata</i> Aurivillius		BO
<i>vittata</i> Gahan		LP, SC
<i>Carterica</i>		
<i>mima</i> Belon		SC
<i>mucronata</i> (Olivier)		SC
<i>soror</i> Belon		BO
<i>tricuspidis</i> Belon		SC

<i>Colobothea</i>		
<i>appendiculata</i> Aurivillius	SC	
<i>bicuspidata</i> (Latreille)	BN, LP, PN, SC	
<i>bisignata</i> Bates	CO, SC	
<i>brullei</i> Gahan	BN, SC	
<i>declivis</i> Aurivillius	SC	
<i>emarginata</i> (Olivier)	SC	
<i>hirtipes</i> (Degeer)	BO	
<i>lunulata</i> Lucas	SC	
<i>macularis</i> (Olivier)	SC	
<i>meleagrina</i> Erichson	SC	
<i>naevigera</i> Bates	SC	
<i>passerina</i> Erichson	SC	
<i>pictilis</i> Bates	SC	
<i>plagiata</i> Aurivillius	SC	
<i>plebeja</i> Aurivillius	BN, LP, SC	
<i>rubroornata</i> Zajciw	SC	
<i>simillima</i> Aurivillius	SC	
<i>sordida</i> Aurivillius	CO	
<i>sublunulata</i> Zajciw	SC	
<i>varia</i> (Fabricius)	BN, SC	
<i>Priscilla</i>		
<i>hypsiomoides</i> Thomson	SC	
<i>Sangaris</i>		
<i>cancellata</i> (Bates)	BO	
<i>Sparna</i>		
<i>bosqi</i> Gilmour	BO	
<i>lycoides</i> Thomson	BO	
Tribe Aerenicini		
<i>Aerenica</i>		
<i>canescens</i> (Klug)	SC	
<i>Aerenicopsis</i>		
<i>angaibara</i> Martins and Galileo	SC	
<i>malleri</i> Lane	SC	
<i>perforata</i> Lane	BO	
<i>rufoantennata</i> (Breuning)	SC	
<i>singularis</i> Martins and Galileo	SC	
<i>Aerenomera</i>		
<i>boliviensis</i> Gilmour	SC	
<i>Antodice</i>		
<i>abstrusa</i> Lane	SC	
<i>neivai</i> Lane	SC	
<i>opena</i> Martins and Galileo	SC	
<i>tricolor</i> Martins and Galileo	SC	
<i>venustula</i> Lane	SC	
<i>Antodilanea</i>		
<i>auana</i> Martins and Galileo	SC	
<i>Aphilesthes</i>		
<i>rustica</i> Bates	SC	
<i>Apoaerenica</i>		
<i>martinsi</i> (Monné)	SC	

<i>Calliphaula</i>			
<i>leucippe</i> (Bates)			SC
<i>Eponina</i>			
<i>breyeri</i> (Prosen)			SC
<i>Holoaerencia</i>			
<i>bistriata</i> Lane			BO
<i>punctata</i> (Gilmour)			SC
<i>Hoplistonychus</i>			
<i>bondari</i> Melzer			SC
<i>Hydraschema</i>			
<i>leptostyla</i> Lane			SC
<i>obliquevittata</i> (Lane)			SC
<i>petila</i> Martins and Galileo			SC
<i>Melzerella</i>			
<i>huedepohli</i> Monné			SC
<i>Phaula</i>			
<i>lichenigera</i> (Perty)			SC
<i>splendida</i> (Galileo and Martins)			BO
<i>thomsoni</i> Lacordaire			SC
<i>Pseudomecas</i>			
<i>femoralis</i> Aurivillius			SC
<i>Pseudophaula</i>			
<i>porosa</i> (Bates)			BO
<i>strigulata</i> Lane			SC
<i>Recchia</i>			
<i>acutipennis</i> Gahan			BO
<i>albicans</i> (Guerin-Menville)			SC
<i>boliviana</i> Martins and Galileo			SC
<i>distincta</i> (Lane)			SC
<i>gemignanii</i> (Lane)			SC
<i>goiana</i> Martins and Galileo			SC
<i>gracilis</i> Martins and Galileo			SC
<i>parvula</i> (Lane)			SC
<i>procera</i> Martins and Galileo			SC
<i>Rumacon</i>			
<i>canescens</i> (Bruch)			SC
<i>Suipinima</i>			
<i>marginalis</i> Martins and Galileo			SC
<i>pitanga</i> Martins and Galileo			SC
<i>suturalis</i> Martins and Galileo			SC
<i>una</i> Martins and Galileo			SC
Tribe Hemilophini			
<i>Adesmus</i>			
<i>charis</i> (Bates)			BO
<i>divus</i> (Chabriac)			SC
<i>nevisi</i> (Gounelle)			SC
<i>temporalis</i> (Aurivillius)			BO
<i>tribalteatus</i> (Bates)			SC

<i>Apagomera</i>	<i>aereiventris</i> (Tippmann)	BO
<i>Callanga</i>	<i>trichocera</i> Lane	BN
<i>Canarana</i>		
	<i>affinis</i> (Aurivillius)	LP
	<i>brachialis</i> (Guérin-Méneville)	SC
	<i>marceloi</i> Martins and Galileo	SC
	<i>roseicollis</i> Galileo and Martins	SC
	<i>seminigra</i> (Bates)	BN
<i>Cuicirama</i>	<i>spectabilis</i> (Blanchard)	LP, SC
<i>Egalicia</i>		
	<i>testacea</i> (Bates)	SC
<i>Eranina</i>		
	<i>humeralis</i> (Martins and Galileo)	SC
<i>Fredlanea</i>		
	<i>calliste</i> (Bates)	BO
<i>Gagarinia</i>		
	<i>melasma</i> Galileo and Martins	SC
<i>Hemiloapis</i>		
	<i>yandaira</i> Galileo and Martins	SC
	<i>ybyra</i> Galileo and Martins	SC
<i>Iarucanga</i>		
	<i>mimica</i> (Bates)	BO
<i>Icimauna</i>		
	<i>saraauaia</i> Martins and Galileo	CO, SC
<i>Isomerida</i>		
	<i>albicollis</i> (Laporte)	SC
	<i>lineata</i> Bates	SC
<i>Ites</i>		
	<i>chaparensis</i> Tippmann	BO
<i>Lapazina</i>		
	<i>fuscipennis</i> (Bates)	BO
<i>Lycidola</i>		
	<i>flavofasciata</i> Waterhouse	BO
	<i>simulatrix</i> Bates	SC
<i>Malacoscyllus</i>		
	<i>auricomus</i> Bates	BO
	<i>cinctulus</i> Bates	CO
	<i>lanei</i> Martins and Galileo	SC
<i>Mariliana</i>		
	<i>cicadellida</i> Galileo and Martins	SC
<i>Murupeaca</i>		
	<i>pinimatinga</i> Martins and Galileo	SC

<i>Olivensa</i>		
<i>megacephala</i> (Bates)		SC
<i>Phoebe</i>		
<i>alba</i> Martins and Galileo	SC	
<i>bicornis</i> (Olivier)	BO	
<i>concinna</i> White	SC	
<i>ornator</i> (Tippmann)	SC	
<i>spegazzinii</i> Bruch	SC	
<i>subalbaria</i> Belon	BO	
<i>Phoebemima</i>		
<i>ensifera</i> Tippmann	SC	
<i>Piampatara</i>		
<i>proseni</i> Martins and Galileo	BO	
<i>Porangonycha</i>		
<i>princeps</i> (Bates)	SC	
<i>Poticuara</i>		
<i>exilis</i> (Bates)	BO	
<i>Purusia</i>		
<i>acreana</i> Lane	SC	
<i>wappesi</i> Martins and Galileo	SC	
<i>Tyrinthia</i>		
<i>capillata</i> Bates	BO	
<i>Zeale</i>		
<i>dubia</i> Galileo and Martins	CO	
<i>nigromaculata</i> (Klug)	SC	
Tribe Eupromerini		
<i>Iquaratecima</i>		
<i>tuberosa</i> (Belon)	SC	
<i>Pibanga</i>		
<i>costulata</i> (Belon)	SC	
<i>jacareacanga</i> Galileo and Martins	SC	
<i>ochropyga</i> (Belon)	BN, SC	
<i>Puanama</i>		
<i>sara</i> Galileo and Martins	SC	
Tribe Falsamblesthiini		
<i>Bactriola</i>		
<i>maculata</i> Martins and Galileo	SC	
<i>paupercula</i> Bates	SC	
<i>vittulata</i> Bates	SC	
<i>Falsamblesthis</i>		
<i>taeniata</i> (Belon)	BO	
<i>unguicularis</i> (Tippmann)	SC	
<i>Nyctonympha</i>		
<i>andersoni</i> Martins and Galileo	BO	
<i>annulipes</i> (Belon)	BO	
<i>carioca</i> Galileo and Martins	CO	
<i>flavipes</i> Aurivillius	SC	

<i>punctata</i>	Martins and Galileo	SC
<i>Obereoides</i>		
<i>antennatus</i>	Martins and Galileo	BO
<i>Pseudogisostola</i>		
<i>reichardti</i>	Fontes and Martins	SC
	Tribe Calliini	
<i>Callia</i>		
<i>argodi</i>	Belon	BO
<i>boliviana</i>	Belon	SC
<i>fulvocincta</i>	Bates	BN, SC
<i>pulchra</i>	Melzer	BO
<i>rubristerna</i>	Galileo and Martins	SC
<i>tristis</i>	Galileo and Martins	BO
<i>Callisema</i>		
<i>rufipes</i>	Martins and Galileo	SC
<i>Drycothaea</i>		
<i>anteochracea</i>	(Breuning)	SC
<i>brasiliensis</i>	(Breuning)	BN, SC
<i>maculata</i>	Martins and Galileo	SC
<i>Eumimesis</i>		
<i>trilineata</i>	Magno and Monné	SC
<i>Graminea</i>		
<i>annulata</i>	Galileo and Martins	SC
<i>Harringtonia</i>		
<i>myia</i>	(Dillon and Dillon)	BO
<i>Hemicladus</i>		
<i>decoratus</i>	Fuchs	CO
<i>thomsonii</i>	Buquet	SC
<i>Mimolaia</i>		
<i>buckleyi</i>	(Bates)	BO
<i>variicornis</i>	Belon	SC
<i>Paracallia</i>		
<i>bonaldoi</i>	Galileo and Martins	SC
<i>Parasemolea</i>		
<i>boliviana</i>	Martins and Galileo	BO
<i>Xenocallia</i>		
<i>punctatissima</i>	Galileo and Martins	SC
	Subfamily Disteniinae	
	Tribe Disteniini	
<i>Cometes</i>		
<i>argodi</i>	Belon	BO
<i>soledari</i>	Martins and Galileo	SC

Distenia

<i>angustata</i> Bates	SC
<i>chaparensis</i> Tippmann	SC
<i>germaini</i> Villiers	BO
<i>lateralis</i> Fisher	SC
<i>pegnai</i> Hüdepohl	BO

References

- Breuning, S.** 1980. Revision de la tribu des Compso-somatini Thomson (Coleoptera, Cerambycidae). Venette, Compiegne, Editions Sciences Nat. pgs 1-32, 2 pls.
- Clark Gemuseus, R., and F. Sagot.** 1996. A guide to the world's best bird-watching place: Amboró Protected Area Bolivia. Armonia, Santa Cruz, Bolivia, iv + 98 pp.
- Chemsak, J. A., and F. A. Noguera.** 2003. New Species of *Anelaphus* Linsley from Mexico, Central America and South America. Pan-pacific Entomologist, 79(1): 58-65, 6 figs.
- Dillon L. S., and E. S. Dillon.** 1941. The tribe Monochamini in the Western Hemisphere (Coleoptera, Cerambycidae). Scientific Publications, Reading Public Museum, 1: 1-135, 5 pls.
- Dillon L. S., and E. S. Dillon.** 1945. The tribe Onciderini (Coleoptera, Cerambycidae). Part I. Scientific Publications, Reading Public Museum, 5: xv + 186 pp.
- Dillon L. S., and E. S. Dillon.** 1946. The tribe Onciderini (Coleoptera, Cerambycidae). Part II. Scientific Publications, Reading Public Museum, 6: 189-413, 17 pls.
- Eya, B. K., and J. A. Chemsak.** 2003. Review of the Genus *Amphilictus* Bates, Pts. 1 and 2. Les Cahiers Magellenes, No. 21: 1-24, 16 figs.; No. 22: 1-21, 14 figs.
- Franceschini, A. F.** 2002. Revisão do gênero *Appula* (Cerambycinae, Elaphidiini). Iheringia, Sér. Zool., 92(1): 5-40, 134 figs.
- Giorgi, J. A.** 1998. Duas novas espécies de *Clavidesmus* Dillon & Dillon, 1946 (Coleoptera, Cerambycidae, Lamiinae, Onciderini). Boletim do Museu Nacional, Zoologia, 394: 4 pp., 2 figs.
- Giorgi, J. A., and D. C. Corbett.** 2005. Sinopse do gênero *Xylergates* (Cerambycidae, Lamiinae, Acanthocinini). Iheringia, Sér. Zool., 95(1): 5-8, 1 fig.
- Galileo, M. H. M., and U. R. Martins.** 1999. O gênero *Adesmus* (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). Iheringia, Sér. Zool., 86: 77-116, 38 figs.
- Galileo, M. H. M., and U. R. Martins.** 1999. Novos táxons e novos combinação em Cerambycinae (Coleoptera) Sul-Americanos. Papéis Avulsos de Zoologia, 41(10): 155-172, 8 figs.
- Galileo, M. H. M., and U. R. Martins.** 2002. Gêneros de Pteropliini Semelhantes a *Trichepectasis* Breuning, 1940 (Coleoptera, Cerambycidae, Lamiinae). Papéis Avulsos de Zoologia, 42(2): 13-30, 14 figs.
- Galileo, M. H. M., and U. R. Martins.** 2002. Espécies novas e chave para as espécies de *Callia* (Coleoptera, Cerambycidae). Iheringia, Sér. Zool., 92(1): 41-52, 8 figs.
- Galileo, M. H. M., and U. R. Martins.** 2003. Notas e descrições em *Bisaltes* Thompson, 1868 e *Ptericopthus* Lepeletier and Audinet-Serville, 1830 (Lamiinae, Apomecynini). Revista Brasileira de Entomologia, 47(3): 379-383, 6 figs.
- Galileo, M. H. M., and U. R. Martins.** 2004. Novos táxons em Hemilophini (Coleoptera, Cerambycidae) com única carena elitral. Iheringia, Sér. Zool., 94(4): 381-388, 8 figs.
- Galileo, M. H. M., and U. R. Martins.** 2005. Novas espécies e novas ocorrências de *Xenofrea* (Coleoptera, Cerambycidae, Lamiinae). Iheringia, Sér. Zool., 95(4): 383-388, 7 figs.
- Hovore, F. T., and A. Santos-Silva.** 2004. Notes and descriptions of Neotropical Macrotomini (Prioninae). Revista Brasileira de Entomologia, 48(1): 49-54, 9 figs.
- Julio, C. E. A.** 1999. Revisão do gênero *Scleronotus* White, 1855 (Coleoptera, Cerambycidae, Lamiinae, Acanthoderini). Boletim do Museu Nacional Zoologia, 406, 35 pp., 121 figs.
- Julio, C. E. A.** 2003. Revalidação de Mauesini (Lamiinae), transferência de gêneros, sinonímias e novos táxons. Iheringia, Sér. Zool. (93): 49-58, 8 figs.
- Julio, C. E. A., and M. A. Monné.** 2001. *Onychocerus* Lepeletier and Audinet-Serville, 1830 (Coleoptera, Cerambycidae, Lamiinae, Anisocerini): espécies novas e chave para identificação. Boletim do Museu Nacional Zoologia, 443: 1-8, 8 figs.
- Lingafelter, S. W.** 2004. New species of *Stizocera* from Bolivia. Zootaxa, 498: 1-11, 7 figs.

- Martins, U. R.** 1967. Monografia da tribo Ibridionini (Coleoptera, Cerambycidae). Parte I. Arquivos De Zoologia, S. Paulo, 16(1): 1-320, 180 figs.
- Martins, U. R.** 1968. Monografia da tribo Ibridionini (Coleoptera, Cerambycidae). Parte II. Arquivos de Zoologia, S. Paulo, 16(2): 321-630, figs. 181-347.
- Martins, U. R.** 1969. Monografia da tribo Ibridionini (Coleoptera, Cerambycidae). Parte III. Arquivos de Zoologia, S. Paulo 16(3): 631-877, figs. 348-454.
- Martins, U. R.** 1970. Monografia da tribo Ibridionini (Coleoptera, Cerambycidae). Parte IV. Arquivos de Zoologia, S. Paulo, 16(4): 879-1149, figs. 455-586.
- Martins, U. R.** 1970. Monografia da tribo Ibridionini (Coleoptera, Cerambycidae). Parte V. Arquivos de Zoologia, S. Paulo, 16(5): 1151-1342, figs. 587-683.
- Martins, U. R.** 1971. Monografia da tribo Ibridionini (Coleoptera, Cerambycidae). Parte VI. Arquivos de Zoologia, S. Paulo, 16(6): 1343-1508, figs. 684-710.
- Martins, U. R.** 1975. A taxonomic revision of the world Smodicini (Coleoptera, Cerambycidae). Arquivos de Zoologia, S. Paulo, 26(4): 319-359, 69 figs.
- Martins, U. R.** 1997. Cerambycidae Sul-Americanos. Taxonomia, Vol. 1 Subfamília Cerambycinae: Oemini, Methiini, Dodecosini, Paraholopterini, trib. nov. Sociedade Brasileira de Entomologia, São Paulo. 217 pp., 170 figs.
- Martins, U. R.** 1998. Cerambycidae Sul-Americanos. Taxonomia, Vol. 2 Subfamília Cerambycinae: Phlyctaenodini, Holopterini, Uracanthini, Pleiarthrocerini, Ectenessini, trib. nov. Sociedade Brasileira de Entomologia, São Paulo. 195 pp., 216 figs.
- Martins, U. R.** 1999. Cerambycidae Sul-Americanos. Taxonomia, Vol. 3 Subfamília Cerambycinae: Hesperophanini, Eburiini, Diorini. Sociedade Brasileira de Entomologia, São Paulo. 418pp., 271 figs.
- Martins, U. R.** 2002. Cerambycidae Sul-Americanos. Taxonomia, Vol. 4 Subfamília Cerambycinae: Erlandiini (with M. H. M. Galileo), Achrysonini, Cerambycini (in part) (with M. A. Monné). Sociedade Brasileira de Entomologia, São Paulo. 265 pp., 287 figs.
- Martins, U. R.** 2003. Cerambycidae Sul-Americanos. Taxonomia, Vol. 6 Subfamília Cerambycinae: Obriini, Oxycoleini, Acanagasuini (with M. H. M. Galileo), Lucosmodicini, Psebiini, Piezocerini, Sydacini. Sociedade Brasileira de Entomologia, São Paulo. 232 pp., 261 figs.
- Martins, U. R.** 2005. Cerambycidae Sul-Americanos. Taxonomia, Vol. 7 Subfamília Cerambycinae: Elaphidionini. Sociedade Brasileira de Entomologia, São Paulo. 394 pp., 324 figs.
- Martins, U. R.** 2005. Cerambycidae Sul-Americanos. Taxonomia, Vol. 5 Subfamília Cerambycinae: Cerambycini, subtribo Sphallotrichina, subtribo nov., Callidiopini, Graciilini, Neocorini, trib. nov. Edusp - Editora da Universidade de São Paulo. 284 pp., 425 figs.
- Martins, U. R., and M. H. M. Galileo.** 1997. Remoção de espécies com duas carenas elitrerais do gênero *Adesmus* (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). Iheringia, Sér. Zool., 83: 45-64, 12 figs.
- Martins, U. R., and M. H. M. Galileo.** 2001. Novos táxons de Disteniidae (Coleoptera) Neotropicais. Iheringia, Sér. Zool., 90: 15-20, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2002. Espécies novas e chave para os espécies de *Callia* (Coleoptera, Cerambycidae). Iheringia, Sér. Zool., 92(1): 41-52, 8 figs.
- Martins, U. R., and M. H. M. Galileo.** 2002. Desmiphorini (Coleoptera, Cerambycidae): novas espécies, nova sinonímia e redescrição de *Inermestoloides praeapicealba* Breuning, 1942. Papéis Avulsos de Zoologia, 42(1): 1-12, 5 figs.
- Martins, U. R., and M. H. M. Galileo.** 2002. *Estolomimus* (Lamiinae: Desmiphorini): novas espécies e chave. Iheringia, Sér. Zool., 92(2): 21-28, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2003. Novas espécies e nota sobre Lamiinae (Coleoptera, Cerambycidae) neotropicais da coleção Arriagada, Santiago, Chile. Revista Brasileira de Entomologia, 47(4): 615-620, 7 figs.
- Martins, U. R., and M. H. M. Galileo.** 2004. Cerambycidae (Coleoptera) coletados na Venezuela na copa de *Matayba* (Sapindaceae) e *Vochysia* (Vochysiaceae). Revista Brasileira de Entomologia, 48(2): 229-232, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2004. Sobre Hemilophini (Coleoptera, Cerambycidae, Lamiinae) da região Neotropical: espécies novas e novos registros. Revista Brasileira de Zoologia, 21(3): 535-541, 8 figs.
- Martins, U. R., and M. H. M. Galileo.** 2004. Novos táxons de Aerenicini (Lamiinae) de Guatemala, Brasil e Bolívia. Iheringia, Sér. Zool., 94(4): 395-401, 8 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Novas espécies de *Adetus* (Coleoptera, Cerambycidae,

- Lamiinae, Apomecynini). *Iheringia*, Sér. Zool., 95(1): 25-28, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Novos táxons e notas sobre Cerambycinae (Coleoptera, Cerambycidae) de Regiao Neotropical. *Revista Brasileira de Zoologia*, 22(3): 764-770, 9 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Novos Onciderini (Coleoptera, Cerambycidae) da Bolívia. *Revista Brasileira de Entomologia*, 49(4): 459-461, 6 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Contribuição para o conhecimento dos Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) da Região Neotropical. *Papéis Avulsos de Zoologia*, 45(19), 243-248, 6 figs.
- Mermudes, J. R. M., and D. S. Napp.** 2004. Comparative morphological study of the Neotropical Cleomenini genera and their transfer to the tribes Rhopalophorini Blanchard and Rhinotragini Thomson (Cerambycinae). *Revista Brasileira de Entomologia*, 48(2): 251-272, 129 figs.
- Monné, M. A.** 2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part I. Subfamily Cerambycinae. *Zootaxa*, 946, 765 pp.
- Monné, M. A.** 2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. *Zootaxa*, 1023, 759 pp.
- Monné, M. A., and E. F. Giesbert.** 1995. Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere. Wolfsgarden Books, Burbank, CA, i-xiv + 410pp.
- Monné, M. A., and M. Hoffmann.** 1981. O gênero *Leptostylus* LeConte, 1852 na América do Sul (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). *Revista Brasileira de Entomologia* 25(4): 245-263, 14 figs.
- Monné, M. A., and F. T. Hovore.** 2005. Checklist of the Cerambycidae (Coleoptera) of the Western Hemisphere. Electronic version 2005 (updated through 01 January, 2006), (www.hovore.com).
- Monné, M. A., and P. R. Magno.** 1988. Gênero *Cosmisoma* Audinet-Serville, 1834: notas, novos taxa e chave para espécies sul-americanas (Coleoptera, Cerambycidae, Rhopalophorini). *Boletim do Museu Nacional* 319: 27 pp., 12 figs.
- Monné, M. L.** 2004. Revisão do gênero *Dragoneutes* Martins and Monné (Cerambycinae). *Revista Brasileira de Entomologia*, 48(2): 245-250, 20 figs.
- Monné, M. L.** 2005. Revisão, análise cladística e biogeografia de *Coccoderus* Buquet (Coleoptera, Cerambycidae). *Revista Brasileira de Entomologia*, 49(3): 369-391, 93 figs.
- Monné, M. L., and M. A. Monné.** 2005. O gênero *Strangalia* Audinet-Serville no Norte e Centro-Oeste do Brasil (Coleoptera, Cerambycidae, Lepurinae). *Revista Brasiliense de Entomologia*, 49(2): 228-236, 12 figs.
- Monné, M. L., and D. S. Napp.** 2001. Sinopse do gênero *Ancylocera* Audinet-Serville (Coleoptera, Cerambycidae, Trachyderini). *Revista Brasileira de Zoologia* 18(3): 989-1002, 13 figs.
- Monné, M. L., and D. S. Napp.** 2005. Cladistic analysis of the tribe Torneutini Thomson (Coleoptera: Cerambycidae: Cerambycinae: Trachyderoinia). *Zootaxa*, 1062: 1-56, 165 figs.
- Monné, M. L., and A. Santos-Silva.** 2003. Sinopse do gênero *Strongylaspis* Thompson, 1860 (Prioninae, Macrotomini). *Revista Brasileira de Entomologia*, 47(1): 31-47, 29 figs.
- Napp, D. S.** 1976. Revisão dos gêneros *Compsocerus* Lepeletier and Serville, 1830 e *Paromoeocerus* Gounelle, 1910 (Coleoptera, Cerambycidae). *Revista Brasileira de Entomologia*, 20(1): 1-64, 99 figs.
- Napp, D. S., and M. A. Monné.** 2005. Synopsis of the genus *Erythropterus* Melzer, 1934 (Coleoptera, Cerambycidae, Heteropsini). *Zootaxa*, 1088: 55-59, 4 figs.
- Néouze, G.-l., and G. L. Tavakilian.** 2003. Révision de *Macropophora* Thompson, 1864, et transfert du genre dans la Tribu des Acanthoderini (Lamiinae). *Coléoptères*, 9 (10): 109-126, 19 figs.
- Santos-Silva, A.** 2002. Nova espécie de *Hesperandra* Arigony da Bolívia (Parandrinae). *Revista Brasileira de Zoologia*, 19(4): 955-959, 12 figs.
- Santos-Silva, A., and U. R. Martins.** 2003. Revisão do gênero *Physopleurus* Lacordaire, 1869 e notas em Macrotomini (Prioninae). *Revista Brasileira de Entomologia*, 47(2): 245-265, 123 figs.
- Tavakilian, G. L.** 2004. Nouveaux Cerambycides de Guayane mimétiques de Chrysomelidae Hispinae. *Coléoptères*, 10(1): 1-11, 10 figs.
- Tavakilian, G. L., and M. L. Monné.** 2002. Torneutini de Guayane: nouvelles espèces et notes complémentaires (Coleoptera, Cerambycidae). *Coléoptères*, 8(2): 9-35, 51 figs.
- Tavakilian, G. L., and A. Y. Peñaherrera-Leiva.** 2003. Révision du genre *Pycnomorphus* Thomson, 1864. Systématique et phylogénie (Lamiiinae: Acanthoderini). *Ann. Entomol. Soc. France* (n.s.), 39(1): 3-24, 39 figs.