

University of Nebraska - Lincoln

## DigitalCommons@University of Nebraska - Lincoln

---

USDA National Wildlife Research Center - Staff  
Publications

U.S. Department of Agriculture: Animal and  
Plant Health Inspection Service

---

January 2003

### LEIOCEPHALUS CARNITUS ARMOURI (Little Bahama Curly-tailed lizard)

Christopher L. Dean

*Florida Department of Environmental Protection, Florida Park Service*

Henry T. Smith

*Florida Department of Environmental Protection, Florida Park Service*

Richard M. Engeman

*USDA-APHIS-Wildlife Services, s\_r100@yahoo.com*

Follow this and additional works at: [https://digitalcommons.unl.edu/icwdm\\_usdanwrc](https://digitalcommons.unl.edu/icwdm_usdanwrc)

 Part of the [Environmental Sciences Commons](#)

---

Dean, Christopher L.; Smith, Henry T.; and Engeman, Richard M., "LEIOCEPHALUS CARNITUS ARMOURI (Little Bahama Curly-tailed lizard)" (2003). *USDA National Wildlife Research Center - Staff Publications*. 90.

[https://digitalcommons.unl.edu/icwdm\\_usdanwrc/90](https://digitalcommons.unl.edu/icwdm_usdanwrc/90)

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Animal and Plant Health Inspection Service at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in USDA National Wildlife Research Center - Staff Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

***LEIOCEPHALUS CARINATUS ARMOURI*** (Little Bahama Curly-tailed Lizard). USA: FLORIDA: ST. LUCIE Co., NW side of intersection of U.S. Hwy 1 and Prima Vista Boulevard in the "St. Lucie Shopping Center" parking lot (27°19.601'N, 80°19.369'W), between the "Mobil" gas station and the "Prima Vista Professional Building." 4 October 2003. One individual (7.5 cm SVL male) observed 1456 h and collected 1507 h. C. L. Dean. Verified by Walter E. Meshaka, Jr. State Museum of Pennsylvania, Harrisburg (SMP-H2130). First record of this exotic species for St. Lucie County. Extends the range 23 km N of an allopatric population in Port Salerno, Martin County, discovered 31 August (SMP-H2108) (Dean et al. unpubl. rept.). Both of these sites are N of the previously known range that extends ca. 90 km along the Atlantic coastline extending from northern Broward County through Palm Beach County into southern Martin County (Smith et al. *In press*. Int. Biodet. Biodegrad.; Smith and Engeman, unpubl.). The U.S. Hwy 1 and Prima Vista Boulevard site likewise is ca. 113 km S of the most northern east coast of Florida population located in Cocoa Beach (Krysko and King 2002. *Herpetol. Rev.* 33:148); with no allopatric populations yet reported between these two locations.

Submitted by **CHRISTOPHER L. DEAN** and **HENRY T. SMITH**, Florida Department of Environmental Protection, Florida Park Service, 13798 S.E. Federal Highway, Hobe Sound, Florida 33455, USA, and **RICHARD M. ENGEMAN**, National Wildlife Research Center, 4101 LaPorte Ave., Fort Collins, Colorado 80521-2154, USA; e- mail: Richard.M.Engeman@aphis.usda.gov.

Herpetological Review 35(1), p. 82