University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

Publications from USDA-ARS / UNL Faculty

U.S. Department of Agriculture: Agricultural Research Service, Lincoln, Nebraska

11-2007

Convergence of Agriculture and Energy: II. Producing Cellulosic Biomass for Biofuels

Steven L. Fales Iowa State University

J. Richard Hess Idaho National Laboratory

Wallace Wilhelm University of Nebraska-Lincoln, wwilhelm1@unl.edu

Don Erbach USDA-ARS

William D. Provine DuPont Biofuels

See next page for additional authors

Follow this and additional works at: https://digitalcommons.unl.edu/usdaarsfacpub

Part of the Agricultural Science Commons

Fales, Steven L.; Hess, J. Richard; Wilhelm, Wallace; Erbach, Don; Provine, William D.; Vogel, Kenneth P.; Peterson, Todd A.; and Runge, Edward C. A., "Convergence of Agriculture and Energy: II. Producing Cellulosic Biomass for Biofuels" (2007). *Publications from USDA-ARS / UNL Faculty*. 291. https://digitalcommons.unl.edu/usdaarsfacpub/291

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Agricultural Research Service, Lincoln, Nebraska at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Publications from USDA-ARS / UNL Faculty by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

Steven L. Fales, J. Richard Hess, Wallace Wilhelm, Don Erbach, William D. Provine, Kenneth P. Vogel, Todd A. Peterson, and Edward C. A. Runge

CAST Commentary

QTA2007-2 November 2007



Convergence of Agriculture and Energy: II. Producing Cellulosic Biomass for Biofuels

Authors:	Steven L. Fales (Chair) Dept. of Agronomy Iowa State Univ. Ames, Iowa	J. Richard Hess Bioenergy Program Idaho National Laboratory Idaho Falls, Idaho	W. W. Wilhelm USDA–ARS Lincoln, Nebraska	
Reviewers:	Don Erbach USDA–ARS (Retired) Beltsville, Maryland	William D. Provine DuPont Central Res. & Dev. DuPont Biofuels Wilmington, Delaware	Kenneth Vogel USDA–ARS Lincoln, Nebraska	
CAST Liaisons:	Todd A. Peterson Emerging Technology Mgr. Pioneer Hi-Bred Int'l., Inc. Johnston, Iowa	Edward C. A. Runge Soil and Crop Sciences Dept. Texas A&M Univ. College Station, Texas	ices Dept.	

Increasing global demand for energy is leading the call for energy conservation and use of renewable fuels.

Current grain cropping systems are designed to optimize grain production, not cellulosecontaining biomass.

The President's "20 in 10 Plan" outlines a combination of technologies, processes, and practices for bio-based energy production. Global energy demand is increasing as known global petroleum supplies are decreasing. Calls to supplement or replace the current fossil-based energy system with new, environmentally and economically sustainable strategies continue to increase, especially in light of more expensive traditional energy sources. Various governmental agencies and working groups have set aggressive targets and timelines for decreasing fossil fuel consumption by substituting bio-based energy (Bush 2007; Foust et al. 2007; Perlack et al. 2005; Smith et al. 2004). The alignment and continuity of these goals is illustrated in Figure 1.

Introduction

Current biofuel production in the United States relies primarily on corn grain conversion to ethanol, but future systems are expected to depend more intensively on plant biomass than on grain as a feedstock for production of ethanol and other biofuels. In addition, current cropping systems generally are designed to optimize grain production and are not designed to harvest all the aboveground portion of the plant for cellulose-containing biomass. Significant, immediate national investments are needed, along with changes in policy, to address challenges limiting the sustainable production and efficient use of cellulosic biomass as a fuel feedstock to meet anticipated U.S. demand.

The Bush Administration outlined a portfolio of recommended technologies, processes, and practices for bio-based energy production that targets improved rates of feedstock conversion and greater efficiency in energy use. The plan also states that a significant portion of the nation's 2017 energy supply, especially transportation fuel, will come from conversion of biomass feedstock to liquid fuels. Considering just the biomass-derived fuels contribution,

This material is based upon work supported by the United States Department of Agriculture under Grant No. 2006-38902-03539 and Grant No. 2007-31100-06019/ISU Project No. 413-40-02. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the U.S. Department of Agriculture or Iowa State University.

, iexas




Figure 1. All reports conclude that the quantities of biomass required to achieve fueldisplacement goals are significantly greater than present amounts of biomass harvested for energy production.

roughly 250 million tons or more of grain and cellulosic biomass per year will be needed to reach the 10-year goal, and 650 to 700 million tons per year of biomass to reach the 2025 goal (Figure 1).

Grain ethanol produced from starch is the first step to introducing renewable energy into the fuel system. In a recent commentary paper, CAST (2006) summarized realities for grain ethanol production and listed research and policy needs for long-term success of the industry. A major concern is the impact current and planned grain ethanol production capacity will have on grain prices and availability of corn for traditional uses. Large-scale biofuel production will require much more feedstock than offered by corn grain alone, and ethanol from cellulosic feedstocks is projected to fill this gap (Perlack et al. 2005). The massive amounts of feedstock needed to accomplish these biofuel goals (Figure 1) currently are not being harvested for energy or simply are not available. Bold and optimistic assumptions in some reports indicate future production systems have the capacity to meet the projected feedstock demand (Perlack et al. 2005; Smith et al. 2004). Nevertheless, for the projections to become reality, production, harvest, and processing practices for cellulosic feedstock must be *sustainable* and *profitable* for the biomass producer and the biorefinery operator.

Biomass resource development, supply and conversion systems, crop genetics, and agronomic management practices must be improved to meet the challenge of an agricultural system that produces food, feed, fiber, *and* fuel. Near-term obstacles for the emerging cellulosic ethanol industry are the inefficiencies associated with immature feedstock production practices, marketing and logistics systems, and conversion processes. In other words, all aspects of the industry are new and inherently inefficient. If biofuels technology is not mature in all aspects from supply to end product distribution, it will be only partially able to accommodate the higher feedstock prices that are caused by supply/demand effects.

For both gasoline and grain ethanol, which are mature technologies, feedstocks comprise more than 50% of the cost of production (EIA 2006; Shapouri and Gallagher 2005). Because the biofuels technology is in its infancy, the first commercial cellulosic biorefineries

Large-scale biofuel production will require more feedstock than offered by corn grain alone; ethanol from cellulosic feedstocks is projected to fill this gap.

As the cellulosic ethanol industry emerges, all aspects of the production system are new and inherently inefficient and need to be improved simultaneously. will be able to devote only approximately 40% of the cost of producing a gallon of ethanol to feedstock input (Aden et al. 2002; Foust et al. 2007). This revenue limitation is made even more problematic because the industry depends on not only new conversion technologies but new feedstocks and delivery systems, as well. Currently, the estimated cost of producing and delivering large quantities of dedicated cellulosic biomass for ethanol production exceeds 40% of the estimated ethanol production cost (Kumara and Sokhansanj 2007). Cost reductions in feedstock production, supply-logistics technologies, and cellulosic conversion associated with industry maturation will improve the economic competitiveness of biofuels. Near term, however, policy solutions are needed if cellulosic biomass ethanol production is to be sufficiently profitable to become a major component of the transportation fuel system.

Research, Development, and Policy Needed to Achieve Goals

Achieving a sustainable energy future will require major new investments in research and development (R&D), as well as key policy initiatives to overcome existing technical, ideological, and economic obstacles. Table 1 shows several research, development, policy, and educational actions that are needed to grow, harvest, and deliver—in an economically and environmentally sustainable manner—the quantities of biomass needed to produce ethanol to achieve fuel-offset goals. Existing R&D efforts are spread across federal agencies, state governments, universities, and private industry. Developing a comprehensive, coordinated, widely accepted and publicized set of goals and completing an overall national strategic plan with realistic goals and assigned responsibilities may be the most important short-term actions needed. The coordinating efforts at the federal agency level, as summarized in the National Biofuels Action Plan (2006), are acknowledged, but broader integration and more specific delineation of responsibilities are necessary.

Actions are needed in several focus areas (Table 1) to ensure production and delivery of feedstock in the volumes needed to achieve established goals (Figure 1). Actions can be categorized as "immediate" (measures that are critical within the next 10 years to promote and foster development of biomass feedstock and ethanol production systems), and "continuing" (measures necessary to sustain a cellulosic bioeconomy and to achieve longer-term energy policy objectives).

Focus Area: Resource Assessment

The validity of estimates in the Billion Ton Vision has been discussed in the literature (Lal and Pimentel 2007), but the estimates need to be verified and regionalized. The biofuel industry will need reliable, realistic appraisals of current and future feedstock supplies in addition to evaluation of the supply stability. These assessments must occur at two levels. First, state- or region-specific inventories of current and projected feedstock production capacity are needed. Second, national crop yield databases must be expanded to include biomass yield data for all major and prospective cellulosic feedstock crops. Data should be reported on an agro-ecoregion/soil resource basis. Reliable biomass inventories and projections will aid business planning and policy development greatly.

Focus Area: Agronomic Systems

Research is needed to identify sustainable biomass feedstock production systems. These production practices must maintain or enhance soil fertility, productivity, and soil organic carbon (SOC) and must control erosion. Although both traditional and renovated versions of current production systems are needed to grow the massive amount of feedstock required, the ideal approach may involve cultivated perennial crops that decrease tillage frequency, increase biomass partitioned below ground, and exhibit beneficial ecosystem services such as improved wildlife habitat and enhanced air and water quality. To be a viable source of biomass, these production methods also must offer high yields and high efficiency of input use.

Develop a comprehensive, coordinated national plan advancing sustainable bioenergy production.

Refine and regionalize the Billion Ton Vision assessment of current biomass supply and future production capacities.

Expand the National Agricultural Statistics Service database to include biomass production by crop and county based on geospatial data.

Encourage sustainable feedstock production as a co-component of existing food, feed, and fiber production systems to provide biomass for early-generation cellulosic ethanol processors.

		Actions		
		Immediate (within 10 years—230 million tons/year)	Continuing (over the next 20 years—700 million tons/year)	
Research & Development/Policy Focus Areas to Achieve Goals	Resource Assessment	 Produce accessible state/regional inventories of current and projected cellulosic feedstocks. POLICY: Expand national crop yield databases (USDA–NASS) to include cellulosic feedstocks. 	• Expand the USDA–NASS database to include geospatial reports and crop model-based predictions for cellulosic biomass commodity production and futures trading.	
	Agronomic Systems	 Develop sustainable, site-specific guidelines and practices for crop residue removal that do not violate agronomic constraints or impair the environment. Develop agronomic systems that lower biomass production costs. POLICY: Vastly increase research investments to develop systems that maximize sustainable production of biomass feedstock. 	 Integrate new energy crops and management strategies into current cropping systems. Develop cropping systems to enhance annual capture of carbon on croplands and improve input use efficiency. POLICY: Develop conservation programs and rules that accommodate and encourage sustainable production of cellulosic feedstock. 	
	Crop Development	 Develop existing and new crops with enhanced cellulosic yield and ethanol conversion efficiencies. POLICY: Increase investment in development of germplasm for new or unconventional crops with feedstock production potential. 	 Deploy new high-yielding energy crops with significantly improved photosynthetic capacity and increased stress tolerance. POLICY: Implement policies and commodity programs that facilitate introduction and use of new cellulosic crops. 	
	Feedstock Supply Logistics	 Develop engineered supply system technologies that reduce feedstock supply logistics costs to no more than 25% of total ethanol production costs. POLICY: Implement financing, permitting, and regulatory programs and policies encouraging development of more efficient feedstock supply systems. 	• Develop a common commodity- scale feedstock supply system for all cellulosic biomass resources, geographic regions, and conversion technologies.	
	Educatlon and Extension	 Develop educational programs to train the professional work force needed for the bioeconomy. 	• Create educational programs to advance public understanding of the new bioeconomy and need for stricter energy conservation policies.	

 Table 1. The immediate and continuing actions needed to grow, harvest, and deliver the quantities of biomass necessary to produce ethanol to achieve fuel-offset goals

Expand crop production and management research for major agro-ecoregions to maintain soil organic carbon and sustain the soil resource. Agronomic systems will be location specific, but maximizing the efficient use of inputs (e.g., light, water, carbon dioxide $[CO_2]$, nutrients, and pesticides) will be common to all systems. Key to development of these systems will be the expansion of agronomic trials for each major agro-ecosystem and the creation of scientifically based modeling tools to predict the impact of management changes associated with bioenergy cropping systems. This major research investment is needed to develop (1) the baseline data and information to devise site-specific practices that optimize yields while controlling erosion and maintaining or improving SOC, and (2) the use of harvesting systems capable of collecting biomass at appropriate rates on sites with diverse characteristics.

Develop and deploy advanced energy crops with associated sustainable and profitable production systems.

Expand investment in breeding and genetic improvement of dedicated energy crops.

Develop supply systems to decrease feedstock logistics costs to less than 25% of ethanol production costs.

Focus Area: Crop Development

Although progress can be made by adapting current crop species and varieties to sustainable feedstock production systems, gains needed to produce the amounts of biomass, and in turn ethanol, targeted for the next 10 to 20 years (Figure 1) will require cultivars specifically designed for this purpose. Priority must be given to developing biomass crops with high yield, input use efficiency, and composition customized to the selected processing method. Any new plants identified for biomass production should pose little, if any, risk of becoming invasive (CAST 2007).

Because most plant breeding work during the past 50 years has focused on improved grain yield of commodity crops such as corn and soybean, there has been relatively little effort to improve or develop biomass energy crops—beyond comparatively minor efforts to enhance yield in forage crops (Traxler et al. 2005). Public support for improvement of "forage and minor crops" has essentially disappeared. For example, despite the U.S. government's championing switchgrass as a prominent biomass feedstock, the species has received relatively little support and attention by the plant breeding community because of inadequate funding. Lack of current support is not a reflection of limited potential for yield improvement (Hopkins et al. 1995), but simply a failure of public agencies to put forward a cohesive, coordinated interagency plan for addressing critical aspects of recent energy security plans or goals. In addition to increased yield and quality, improvement is needed in tolerance to stresses such as low soil fertility, low temperature, drought, and salinity.

Plant breeding is a long-term undertaking, frequently requiring 10 years (or longer for perennials) to bring a new variety to market. But increased knowledge of the genetic, physiological, and biochemical principles underlying specific traits, combined with new genetic enhancement tools such as marker-assisted breeding and quantitative trait loci mapping, has the potential to accelerate the breeding process. New biomass crop development is needed and must include a commitment to, and investment in, building scientific capacity in plant genetics, physiology, biochemistry, genomics, breeding, and production systems for these new or evolving crops.

Focus Area: Feedstock Supply Logistics

Feedstock supply-system logistics encompasses those operations necessary to move biomass from the land to the biorefinery. Collectively, these harvesting, transporting, and preprocessing activities represent one of the largest challenges to the success of this industry. Although actual costs depend on a host of factors, feedstock production and logistics currently constitute an estimated 35 to 65% of the total production costs of cellulosic ethanol, whereas logistics associated with moving the biomass from the land to the biorefinery can comprise an estimated 50 to 75% of those costs. If feedstock logistics costs exceed 25% of the total biomass ethanol production costs in the mature industry, very little margin remains in the system for biomass producers and biorefinery operators. Improvements in feedstock supply system equipment capacities, equipment efficiencies, and biomass quality will lead to enhanced conversion and, in turn, create revenue to be shared among the feedstock producer, supplier, and refiner.

Supply-logistics costs vary substantially among regions, depending on weather, cropping systems, transport load limits and other regulations, crop and feedstock type, and storage method. For example, regional differences in load limits can change supply-logistics costs by more than \$2.00 dry ton⁻¹. Improvements in feedstock density and flow characteristics are crucial to optimize collection and handling activities, decrease supply-system energy use, standardize biomass format, and maximize revenue in the biomass ethanol production system. Capital investments and policy/permitting issues for new biomass logistics equipment will rival the investment needed to construct biorefineries. Policy issues include financial programs, air quality, fire codes, road load limits, and many others.

Focus Area: Education and Extension

The public needs information to evaluate the benefits and costs associated with moving from a petroleum-based to a bio-based economy. Extension education programs on cropping options and practices for biofuels production and harvest will be essential components of a secure energy future. General educational programs should include all aspects of bioenergy, including "food and feed vs. fuel" issues, environmental considerations, and life-cycle net energy returns. In addition, the public needs to be educated on the carbon footprint of different transportation fuels, as well as the need for energy conservation as an essential component of a successful national energy strategy. It is critical that the public and policymakers understand, and accept, that working only on supply-side issues will not solve energy problems. Decreased demand through conservation and improved efficiency in energy-using systems also are needed.

A bio-based energy economy will require a workforce with skills and knowledge to operate equipment and processing plants designed to convert biomass to fuel. Scientists and engineers trained in plant biology, physiology, and breeding, as well as genomics, agronomy, soil science, and ecology will be needed to sustainably expand the feedstock supply. Public support for research in these fields must be expanded. As new crops and agronomic systems are developed, extension and outreach programs will be needed to educate farmers.

Summary

Demand for biofuel feedstock will dramatically increase the amount of crop dry matter required to satisfy both new and traditional uses for crop output. Simply adjusting the allocation of crop biomass among competing demands will not generate enough feedstock to achieve renewable energy goals. Policies and national goals must be set to address the root cause of the challenge, which is limited feedstock supply. Shifting focus and resources to a more productive end—increasing overall capacity of crop production systems—will increase the potential for dry matter demands to be met.

A new energy strategy must include maximizing the capture and use of light and CO_2 available on every unit of arable land and then using the dry matter in the most efficient manner. Increasing the efficient capture and use of solar radiation (Long et al. 2006) and all crop production inputs will increase the pool of biomass that can be allocated to competing demands (food, feed, fiber, and fuel). These advances must be accompanied by improved harvest, transport, and storage systems, which will be critical to the efficient use of the biomass produced.

Well-designed policy and educational efforts will foster rapid adoption of current agronomic knowledge to expand the productivity and efficiency of input use. New knowledge and technology will be needed to ensure that sustainable biomass production capacity will increase with the demand for feedstock as the industry expands. The simple objective must be to maintain a healthy, productive green canopy on the land at all times. To advance agro-ecosystem production beyond that achievable with existing practices, new knowledge, new systems, and new genetic resources must be created, and the environment for continued discovery must be ongoing.

Literature Cited

Aden, A., M. Ruth, K. Ibsen, J. Jechura, K. Neeves, J. Sheehan, B. Wallace, L. Montague, A. Slayton, and J. Lukas. 2002. Lignocellulosic Biomass to Ethanol Process Design and Economics Utilizing Co-Current Dilute Acid Prehydrolysis and Enzymatic Hydrolysis for Corn Stover. NREL/TP-510-32438. National Renewable Energy Laboratory, Golden, Colorado, http://www.nrel.gov/docs/fy02osti/32438.pdf (1 June 2007)

Create bioenergy and bioeconomy public education programs.

Establish programs to create a skilled workforce, including scientists and engineers, for the bioeconomy.

Create a research and discovery environment fostering development of innovative crops and cropping systems that maximize capture and use of solar radiation and other environmental and crop management inputs.

Institute mechanisms to continuously and adequately fund R&D to achieve bioenergy and renewable energy production-and-use goals and mandates.

- Bush, G. W. 2007. 2007 State of the Union Address. January 23, 2007, http://www.whitehouse.gov/stateoftheunion/2007/initiatives/sotu2007.pdf (30 May 2007)
- Council for Agricultural Science and Technology (CAST). 2006. Convergence of Agriculture and Energy: Implications for Research and Policy. Commentary QTA 2006-3. CAST, Ames, Iowa, http://www.cast-science.org/websiteUploads/publicationPDFs/ QTA2006-3.pdf (2 August 2007)
- Council for Agricultural Science and Technology (CAST). 2007. *Biofuel Feedstocks: The Risk of Future Invasions*. Commentary QTA 2007-1. CAST, Ames, Iowa.
- Energy Information Administration (EIA). 2006. *A Primer on Gasoline Prices*. National Energy Information Center, Washington, D.C., http://tonto.eia.doe.gov//reports/reportsA. asp?type=other (14 September 2007)
- Foust, T. D., R. Wooley, J. Sheehan, R. Wallace, K. Ibsen, D. Dayton, M. Himmel, J. Ashworth, R. McCormick, M. Melendez, J. R. Hess, K. Kenney, C. Wright, C. Radtke, R. Perlack, J. Mielenz, M. Wang, S. Synder, and T. Werpy. 2007. A National Laboratory Market and Technology Assessment of the 30 x 30 Scenario. NREL/TP-510-40942, draft publication, "Cellulosic Ethanol Production," Section 4, March, http://30x30workshop. biomass.govtools.us/documents/30x30Section4Only.PDF (2 July 2007)
- Hopkins, A. A., K. P. Vogel, K. J. Moore, K. D. Johnson, and I. T. Carlson. 1995. Genotypic variability and genotype×environment interactions among switchgrass accessions from the Midwestern USA. *Crop Sci* 35:565–571.
- Kumara, A. and S. Sokhansanj. 2007. Switchgrass (*Panicum vigratum* L.) delivery to a biorefinery using integrated biomass supply analysis and logistics (IBSAL) model. *Biore*source Technology 98:1033–1044.
- Lal, R. and D. Pimentel. 2007. Biofuels from crop residues. Soil Tillage Res 93:237–238.
- Long, S. P., X.-G. Zhu, S. L. Naidu, and D. R. Ort. 2006. Can improvement in photosynthesis increase crop yields? *Plant Cell Environ* 29:315–330.
- National Biofuels Action Plan. 2006. U.S. Department of Energy, http://www.biofuelspostureplan. govtools.us/default.aspx?menu=support (28 July 2007)
- Perlack, R. D., L. L. Wright, A. F. Turhollow, R. L. Graham, B. J. Stokes, and D. C. Erbach. 2005. Biomass as Feedstock for a Bioenergy and Bioproducts Industry: The Technical Feasibility of a Billion-Ton Annual Supply. Department of Energy/GO-102005-2135, April.
- Shapouri, H., and P. Gallagher. 2005. USDA's 2002 Ethanol Cost-of-Production Survey. U.S. Department of Agriculture, Office of Energy Policy and New Uses, Agricultural Economic Report Number 841.
- Smith, J. R., W. Richards, D. Acker, B. Flinchbaugh, R. Hahn, R. Heck, B. Horan, G. Keppy, A. Rider, D. Villwock, S. Wyant, and E. Shea. 2004. 25 x 25: Agriculture's Role in Ensuring U.S. Energy Independence—A Blueprint for Action, http://www.25x25.org/ storage/25x25/documents/Blueprint.pdf (6 June 2007)
- Traxler, G., A. K. A. Acquaye, K. Frey, and A. M. Thro. 2005. Public sector plant breeding resources in the US: Study results for the year 2001. USDA–Cooperative State Research, Education, and Extension Service, Washington, D.C., [verified 9 March 2006], www.csrees.usda.gov/nea/plants/pdfs/plant_report.pdf

The Council for Agricultural Science and Technology (CAST) assembles, interprets, and communicates credible science-based information regionally, nationally, and internationally to legislators, regulators, policymakers, the media, the private sector, and the public. For more information, call 515-292-2125, email cast@cast-science.org, or visit the website: www.cast-science.org



The Science Source for Food, Agricultural, and Environmental Issues

AACC International American Academy of Veterinary and Comparative Toxicology **American Agricultural Economics Association American Association for Agricultural Education American Association of Avian Pathologists American Association of Pesticide Safety Educators** American Bar Association, Section of Environment, Energy, and Resources, **Committee on Agricultural Management American Board of Veterinary Toxicology American Dairy Science Association** American Forage and Grassland Council **American Meat Science Association** American Meteorological Society Committee on Agricultural and Forest Meteorology **American Peanut Research and Education Society** American Phytopathological Society **American Society for Horticultural Science American Society for Nutrition** American Society of Agricultural and Biological Engineers **American Society of Agronomy American Society of Animal Science** American Society of Plant Biologists **American Veterinary Medical Association Aquatic Plant Management Society** Association for the Advancement of Industrial Crops Association of American Veterinary Medical Colleges **Council of Entomology Department Administrators Crop Science Society of America Institute of Food Technologists** North American Colleges and Teachers of Agriculture North Central Weed Science Society Northeastern Weed Science Society **Poultry Science Association Rural Sociological Society Citation:** Society for In Vitro Biology Council for Agricultural Science and Society of Nematologists Technology (CAST). 2007. Convergence **Soil Science Society of America** of Agriculture and Energy: II. Producing **Southern Weed Science Society** Cellulosic Biomass for Biofuels. CAST Commentary QTA2007-2. CAST, Ames, Weed Science Society of America Iowa. Western Society of Weed Science