

## RISK IN FIRE SERVICE OPERATIONS

### **Assessing risk in dynamic situations: lessons from fire service operations**

Patrick Tissington  
Aston University  
&  
Rhona Flin  
University of Aberdeen

Contact: Dr Patrick Tissington, Work and Organisational Psychology Group, Aston Business School, Aston University, Birmingham B4 7ET.  
[p.a.tissington@aston.ac.uk](mailto:p.a.tissington@aston.ac.uk)

**Assessing risk in dynamic situations: lessons from fire service operations.**

**Abstract**

Fire Service personnel face risk on a daily basis and frequently work in extremely dangerous conditions – and the severity of the danger faced can fluctuate rapidly. The Fire Service has therefore become extremely experienced at managing dynamic risks. The aim of this article is to review techniques used in the UK fire service to attenuate the effects of risk and to discuss these with respect to organisations which experience dynamic risk in other fields – even if in less dramatic conditions.

**Keywords: dynamic risk, fire, decision making**

## Introduction

Statistically the UK Fire Service incurs operational fatalities at an average of about one fire fighter a year (Office of the Deputy Prime Minister, 2004) which, given the inherent dangers of fire operations, frequency of exposure to risky situations and a fire fighter population of 50,000 would indicate that risk is generally managed well in this domain. Other researchers have begun to demonstrate links between the management structures employed by US fire departments at emergencies and those which could be used by businesses facing the rapid changes characteristic of today's commercial environment (Bigley & Roberts, 2001). The aim of this paper to show how UK fire brigades have developed risk management systems which enable them to operate safely in inherently dangerous and unpredictable environments and then to derive lessons for managers in other fields of work that require dynamic risk management. . To illustrate the nature of risk experienced in this environment, an example is given in Example 1.

### *Example 1 – fire in a terraced house*

(This example is taken from HSE (1997) contextualised by interviews carried out by the first author with a number of fire officers at the Fire Service College.)

A fire was reported at a terraced house in a small town and Fire Control initially dispatched one fire engine to the scene. This would be their normal procedure since the houses in this area are very small – sometimes called 'two up two down' - and the equipment and personnel carried on a single fire engine could be expected to deal with the incident. In fact it was regarded as inconceivable that more resources would be required because it would be difficult to physically accommodate any more than one pair of fire fighters in their equipment inside the house. Fire fighters never really know what to expect on arrival at the scene of an incident, but in this case they would have been confident that even the worst case scenario in this type of property would be a fire which would be extinguished with ease. On arrival, the fire fighters were confronted by a

building which was well alight and completely smoke logged. Two fire fighters had already rigged themselves with breathing apparatus on the short drive to the house and, as soon as they arrived, they dashed into the house. At once they found a child in the upstairs bedroom who they carried downstairs, out of the house and laid her on the ground outside. Without stopping, they turned and went back into the house to search for another child. They had only just got inside the front door when they were caught in an explosion known as a backdraught. The force of the explosion caused the front door - the only means of escape - to slam shut and then become jammed preventing the rescue of the fire fighters caught on the fire side of the door. Later it was calculated that the backdraught occurred than three minutes after the arrival at the scene. Both fire fighters and the child they had rescued, died.

A building on fire could never be said to be a safe place, but this situation seemed at the time to present a very limited risk to the fire fighters. They were equipped with breathing apparatus, fire resistant clothing and had carried hose-lines into the house. Tackling house fires, if not an everyday occurrence, is certainly one which is regularly trained for and would be considered at the centre of the role of the fire service. The backdraught had simply not been foreseen in these circumstances – in other words had not been perceived as a potential risk. The risk encountered was extremely dynamic as the incident - and associated dangers - unfolded rapidly, dramatically and with devastating consequences.

This incident in 1996 came as a great shock to the fire community and has been influential in bringing about a change of thinking about risk and training and has meant that risk became a more explicit theme of fire service thinking. The central guidance on fire service operations is based on the Safe Person Concept (Home Office, 1997), which recommended that all fire service operations should be based on

assessments of risk to personnel as the central factor. This has led to risk featuring prominently in operational training and fire officers becoming well versed in the language of risk. The official publication on incident command for UK fire brigades states that:

'All activities should be conducted so as to minimise the risks to operational personnel and the public. All tactical and operational deployments must be based on a risk assessment. Where a significant risk (e.g. a chemical hazard or a dangerous structure) is identified steps must be taken to manage that risk through the application of pre-planned standard operating procedures' (HM Fire Service Inspectorate, 1999b, p. 34).

The guidance also states that one of the key command competences applicable to all fireground roles is that of 'risk assessment' (ibid, p. 38). Finally, the central part of risk assessment in the process of risk management is officially laid out: '*Risk assessment is a powerful tool for informing, but not dictating, decisions on the management of risk*'. (HMSO, 1996, p. v). The implication is, that a fire commander having assessed that a particular course of action may involve exposure to risk, would not necessarily abandon a given course of action. As in many other industrial settings, some level of risk is accepted and has to be managed. Indeed, as will be seen later in this paper, more recent guidance specifically encourages controlled, deliberate risk taking in certain circumstances. However, before reviewing the ways in which dynamic risk is managed in the fire service, we shall first explore how the fire service uses formal risk assessments to inform dynamic risk assessment.

### **Longer term approaches to risk management in the Fire Service**

Formal risk assessments are carried out by fire brigades on a regular basis as illustrated by Example 2.

#### *Example 2 – long term risk management*

A fire station has a chemicals factory on its 'patch'. Fire Crews ensure that they are familiar with its layout and have knowledge about the chemicals used and the processes that are carried out there. Regular contact with the site keeps the fire crews informed of any changes at the factory – new plant or processes. This information is recorded and carried on the fire appliances (fire engines) so that in the event of a fire at this factory, the crews will have access to risk information which will inform the risk assessment of the officer in command. On a higher level, the brigade monitors building development to assess whether demographic shifts have brought about alterations to the nature and level of risk in a particular area so it can determine whether levels of cover were appropriate. This type of risk assessment is not dynamic since it only changes over a period of years and feeds into long term planning in terms of the number and staffing of fire stations and their locations. The difficulties posed by this type of risk assessment are to be found in the political implications of changes to fire cover which have played some part in the recent industrial dispute in the UK Fire Service.

Thus, in the event of an incident occurring at this particular plant, a dynamic risk assessment will be carried out which would be informed by knowledge of the formal risk assessment. Further long term approaches to risk are made by the continued study of fire behaviour and, with advances in understanding about the nature of fire, more informed assessment of risk posed by fire can be made (e.g. Grimwood, 1992; HM Fire Services Inspectorate, 1999a). This general knowledge about fire behaviour and specific information about the risks posed by specific buildings impacts on dynamic risk assessments made at fire incidents since this type of knowledge will reduce uncertainty and assists with the management of the dynamic risks experienced by the operational command commander.

### **The link between uncertainty and risk**

In Example 1, if the personnel concerned had been aware that backdraught conditions existed, they could have taken actions to prevent it happening. However, in practice it is impossible to eliminate uncertainty in fire operations. The investigation of a major fire at Kings Cross station in London (Fennel, 1988) directed the extensive resources of a full Public Enquiry into constructing a veridical account of events. In the report, it is acknowledged that several major anomalies about what actually happened remained even with this level of post-event data collection and analysis. In this incident, uncertainty contributed considerably to the level of complexity in managing the incident but since even a full Public Enquiry could not completely establish the facts, it is improbable that this would have been possible during the incident. In order to attenuate some of the effects of uncertainty, the fire service is able to take some steps to reducing uncertainty through formal risk assessment and planning which is illustrated in example 2 above

The type of intelligence gathering described in example 2 which occurs throughout the fire service is without doubt a valuable contribution to the management of risk. This approach is commonly found in other professions where formal risk assessments are carried out on equipment and working methods (see Fay & Tissington, 2004, for a review of theory and practise in this are). Notwithstanding the importance of these risk assessments, they suffer from two major limitations. First, it is unlikely that incidents will unfold in exactly the way foreseen in risk assessments and therefore control measures put in place at an incident as a result of risk assessment may be

inappropriate. Second, there is a danger that formal risk assessment might be regarded by fire fighters as an irritating encumbrance rather than as a way of preparing for incidents. Therefore the risk assessment may not be carried out thoroughly or kept up to date.

The remainder of this article will focus on dynamic risk as experienced and managed by the officer at the scene of an incident as this type of event has parallels to other situations where an individual is required to make on the spot decisions based on the management of risk in a rapidly changing situation. For example, acute medical teams (surgery, accident and emergency) regularly deal with patients with uncertain diagnoses and/ or rapidly changing conditions (Flin & Maran, in press); airline pilots may have to make rapid decisions when faced with a changing demands (Orasanu & Fisher, 1997), managers in industry may have to make production or safety decisions against a backdrop of fluctuating risks from production and economic conditions (Muhlemann *et al*, 1992).

Perhaps the most significant recent innovation in the management of risk at UK fire incidents has been the adoption of a model of Dynamic Risk Assessment which has features which could counter some of these drawbacks in that it institutionalises the concept of dynamic risk, differentiating this conceptually from the static type of risk which can be accurately calculated at leisure. This model and its role in risk management are now reviewed.



### **Model of Dynamic Risk Assessment**

Fire officers are taught to operate a process of Dynamic Risk Assessment (HM Fire Service Inspectorate, 1999b) whereby the risks they encounter must be continually assessed as the incident progresses. The process requires officers to carry out the following:

(1) Evaluate the situation, tasks and persons at risk; (2) select systems of work; (3) assess the chosen systems of work; (4) introduce additional controls if necessary; (5) re-assess systems of work and additional control measures. These elements are now described:

#### *Evaluate the situation, tasks and persons at risk*

This is the information gathering phase where an appraisal is made of what is happening and therefore what needs to be done. This leads to a view being formed of who is at risk and what these risks might be. The process whereby these conclusions are reached is via ‘...professional judgement’ (ibid) which is the result of direct experience of similar or analogous incidents or by means of indirect experience achieved through training and discussions with peers. In general terms, the need to make rapid assessments of a dynamic, hazardous situation is essential for a number of other professionals e.g. police, paramedics, pilots, surgeons. This element equates to the concept of Situation Awareness (SA) initially developed in aviation (e.g. Endsley, 1995) where the flight crew’s understanding of the situation and how it might develop have been shown to be directly linked to their ability to make the right decisions. SA has been found to be trainable and translatable to other domains (e.g. Banbury & Tremblay, 2004) and might be argued to be something the fire service has known

about for some time (albeit with less formal reference to the concept of risk) in the concept of 'size up' where the duty of the officer in command was described in terms of sizing up the situation and issuing the necessary orders (Home Office, 1981). More recent fire publications have included this concept (e.g. HM Fire Services Inspectorate, 1999b) and recent research into operational decision making has found SA at the centre of the decision making process (Tissington, 2004a) and to a degree in organisations termed 'High Reliability Industries' (Weick & Sutcliffe, 2001)

### *Select systems of work/Assess systems of work*

There are certain standard procedures for working at incidents which are a combination of technical procedures (e.g. number of personnel required to lift a piece of equipment) and normal ways of working (e.g. splitting crews between the front and back of a building). The assessment is whether the standard ways of working will achieve the objectives in hand and whether they will be safe in the particular circumstances of the specific incident. The strength of this assessment is that it acknowledges that the safety of a particular way of working is dependent on the current environmental context. This encourages the experienced fire officer to take a flexible approach to procedures depending on circumstances and to use his or her professional experience to assess the situation, possible ways of working, and standard procedures to make decisions about risk taking. The experience of the decision maker is a critical difference between the UK fire service and other occupations. A key feature of the UK fire service is that all officers enter the service at 'Fire Fighter' rank and, whilst there may be drawbacks to this single tier entry

system, its strength is that all officers have gained considerable experience before they are expected to command incidents. This is in contrast to, for example, the British Army where young officers with very limited experience are placed in authority over soldiers and Non Commissioned Officers who may have a great deal of experience. This results in a curious game playing for the early career of the young officer where they are essentially 'carried' by their soldiers. In these circumstances, it is unlikely that the officer is able to bring experience to bear in the way the UK fire service does – except in that the officer may defer to others who may have that experience for advice. This carries over to other occupations where for various reasons experience of dealing with dynamic high stakes risk is not acquired through experience. In these circumstances, the need for training and exercising is more pronounced than where expertise can be acquired over a long period of time.

*Are the risks proportional to the benefits?*

This stage of the model introduces a control on fire fighters who may in the heat of the moment become inclined to place themselves at risk needlessly. It is acknowledged that it may be necessary to take some risks if lives are in danger. The following heuristic has been offered as a structure for this assessment:

'Firefighters will take some risk to save saveable lives.

Firefighters will take a little risk to save saveable property

Firefighters will not take any risk at all to try to save lives or property that are already lost.' HM Fire Services Inspectorate, 1999b, p. 30.

The levels of risk are defined here as being 'some', 'a little' and 'no risk at all'. These quantities may be unsatisfactory to the empiricist, but are a useable framework for the operational fire commander. Clearly it is possible for the officer at the incident to pose the questions 'does this way of working pose some risk to personnel?' and 'would I be able to save any saveable lives with this way of working?'. The answers to these questions provide a clear answer to whether to proceed or not. This element of the model provides a pragmatic basis for checking excessive risk taking behaviour – historically regarded as a problem in the fire service. There is naturally a degree of subjectivity about this since the two factors are the nature of the situation and the interpretation placed upon it by the individual officer. However, the literature in the field of dynamic, high stakes decisions tells us that fire officers' decisions are made on the basis of expertise rather than the application of formal written procedures (Tissington, 2004b) and by its very nature this is unique to each individual fire officer and is accrued through direct experience of incidents reinforced by training and informal discussion of incidents with peers. Accordingly a heuristic of this type – offering broad indications as to the acceptableness of taking risk – is relevant and valuable to the fire officer.

So, the benefits referred to in the model are concerned with saving life and the preservation of property. If neither of these outcomes is probable, the emphasis is on safe ways of working. The precise level of risk which can be taken is not specified in the model which is consistent with the enormous range of situations the model is designed to apply to and therefore remains a matter of judgement of the individual

Incident Commander. The guidance would suggest that the first assessment is to the outcome of the candidate course of action – ‘if we do this, will we save the life/property’ – and the second to the level of risk to which personnel would be exposed.

*Can additional control measures be introduced?*

This is a checking loop where any possible additional safety systems can be introduced. This is not strictly control of risk as it would tend to be the addition of protective equipment or personnel with a view to protecting the safety of personnel rather than preventing the risky occurrence.

The concept of this model is to offer a structure by which the quality of dynamic risk assessment can be evaluated. It is not offered as a set of rules which commanders must follow nor even is it designed as an *aide memoire* such as might be kept in a pocket for quick reference. With the time frames available - especially in the early stages of incidents – it seems unlikely that there would be sufficient time to carry out a deliberate risk assessment and certainly not enough time to write down the answers to a series of questions posed. The model is therefore a descriptive one and shows the sequence of carrying out a risk assessment in a simple format. It informs the design of training in risk management throughout the fire service and might be used as the focus for debriefs after training sessions or after-action reviews of real incidents. It therefore has its limitations, and is not of itself intended as the sole basis for safety at fire incidents. Even allowing for this, it is possible to criticise the model.

### **Critical evaluation of the model**

Perhaps the most serious area of criticism of this model - or indeed any other description of risk assessment as a clear step by step process - is that dynamic risk assessment is inextricably linked with decision making, with risk assessment forming a key component of decision making (Tissington, 2004a). The literature on decision making in this type of environment shows that decisions tend not to follow a neat sequential procedure but to be characterised by apparently instinctive experience driven responses to the situation as it unfolds. Decision making research also shows that if a deliberate process of risk assessment were to be imposed, there would be a low take up rate in practice by fire officers (Samurçay & Rogalski, 1988). Finally, the model is the product of the expert view of a small number of fire officers which, given the expert nature of risk assessment, is on the face of it appropriate. However, no replicable methodology is reported for the origination of the model nor has it (to date) been tested empirically.

Despite the criticisms discussed above, the Model of Dynamic Risk Assessment has proved of value in promoting thinking about dynamic risk in the fire community and, whilst it has empirical limitations, the linkage between risk and decision making means that there is raised awareness of the cognitive processes involved in assessing risk in the environments experienced by fire commanders operationally. The model certainly offers a basis for learning and a structure for the debriefing of incidents and exercises where there is now a common language of risk. This is a key way in which

other occupations can benefit from the experience of the fire service in adopting the model as a structure for debrief and learning.

### **Transfer outside the fire domain**

This paper has set out the ways in which the fire service works to a set of heuristic principles concerning the circumstances and amount of risk which should be taken and how it has a model of risk assessment which informs training in risk assessment. So, how can this be applied elsewhere? With dynamic risk situations, and the experience of the fire service is that the prescriptive approach is not necessarily the most effective. Risk is now an intrinsic part of the way fire commanders organise their crews at emergency incidents and as such could be said to be part of the organisational culture – ‘the way we do things round here’. Much has been written about safety culture but the inclusion of *risk* in everyday decision making as shown in the fire service is a concept that organisations in other fields could benefit from. The model could be used as a structure and prompt for reflection during a work task on the situation evaluation, whether the systems of work selected were still safe, whether additional control measures could be introduced and whether these factors were reflected on during the incident. In many work domains, careful pre-job risk assessment is carried out which covers many if not all these factors but frequently the process is not continued once the task has started and the conditions begin to change. The real lesson of risk management in the fire service is that the management of risk needs to be something which is carried out instinctively during the task rather than being a formal procedure, completed before the task begins. This means that risk is

managed in these environments by experienced individuals drawing on their expertise to make judgements as the situation unfolds dynamically and this expertise is accumulated over a long period of time through direct experience or simulation of a range of situations. The model of dynamic risk assessment can be used as the basis for analysis and debrief to enhance the experience base. When situations arise and experience based decisions made 'for real', training based on the model will enable the construction of richer experience base. Application of this expertise happens very quickly and is often reported as being instinctive or on the basis of 'gut feel'. In order to gain this experience, organisations should actively train personnel in the management of risk through risk simulations and controlled exposure to domain relevant hazards.



**References**

Banbury, S. & Tremblay, S. (eds) (2004) A cognitive approach to situation awareness: theory and application. Aldershot, UK: Ashgate.

Bigley, G.A. & Roberts, K.H. (2001) The incident command system: high-reliability organizing for complex and volatile task environments. *Academy of Management Journal*. Vol. 44, no. 6, pp 1281-1299.

Endsley, M.R. (1995) Towards a theory of situation awareness in dynamic systems. *Human Factors*. Vol. 37, no. 1, pp 32 – 64.

Fay, D. & Tissington, P. A. (2004) Safety and risks, errors and accidents in different occupations. In N. Anderson (Ed.) *Encyclopedia of Applied Psychology*. Oxford: Elsevier.

Flin, R., & Maran, N. (in press). Identifying and training non-technical skills for teams in acute medicine. *Quality and Safety in Healthcare*.

Fennell, J.D.A. (1988) Investigation into the Kings Cross Underground Fire. London: HMSO.

Grimwood, P. (1992) Fog attack: fire fighting strategy and tactics – an international

view. Redhill, Surrey: FMJ Publications.

Health and Safety Executive (1997) *The fire at Zephaniah Way, Blaina*. London: HMSO.

HM Fire Service Inspectorate (1999a) *Fire service manual. Volume 1. Fire behaviour*. London: HMSO.

HM Fire Service Inspectorate (1999b) *Fire Service Manual. Volume 2. Fire Service Operations*. HM Fire Service Inspectorate Publications. London: HMSO.

Home Office (1997) *The Safe Person Concept*. Dear Chief Officer Letter 1/97.

Home Office (1981) *Manual of Firemanship, Practical Firemanship, Book 11*. London: HMSO.

Muhlemann, A., Oakland, J. & Lockyer, K. (1992) *Production and operations management*. London: Pitman

Orasanu, J. & Fischer, U. (1997) *Finding decisions in natural environments: the view from the cockpit*. In C. Zsombok & G. Klein (Eds.) *Naturalistic decision making*. (pp. 343 - 357) Mahwah, New Jersey: Lawrence Erlbaum.

Office of the Deputy Prime Minister (2004) *Fire Statistics - United Kingdom, 2002*.

Wetherby, UK: Office of the Deputy Prime Minister Publications.

Samurçay, R. & Rogalski, J. (1988) Analysis of operators cognitive activities in learning and using a method for decision making in public safety. In J. Patrick & K.D. Duncan (eds) *Training Human Decision Making and Control*. Amsterdam: Elsevier Science.

Tissington, P.A. (2004a) Command decisions. *Fire Engineering Journal*, April, pp 42-44.

Tissington, P.A. (2004b) From burning buildings to the boardroom: what managers and researchers can learn from crisis decision making. Manuscript submitted for publication.

Weick, K.E. & Sutcliffe, K.M. (2001) *Managing the unexpected: assuring high performance in an age of complexity*. New York: Jossey-Bass.

**Endnote**

Patrick Tissington is a Lecturer in the Work and Organisational Psychology Group at Aston Business School. Rhona Flin is Professor of Applied Psychology at the University of Aberdeen. The authors would like to thank Divisional Officer Brian McCutcheon of Avon Fire and Rescue Service for constructive comments on an earlier version of this paper.

## RISK IN FIRE SERVICE OPERATIONS