



United Nations
Educational, Scientific and
Cultural Organization



Sustainable
Development
Goals

TOWARDS CLIMATE CHANGE RESILIENCE MINIMISING LOSS & DAMAGE IN PACIFIC SIDS COMMUNITIES



Published in 2017 by the United Nations Educational, Scientific and Cultural Organization,
7, place de Fontenoy, 75352 Paris 07 SP, France
and UNESCO Apia, Samoa

© UNESCO 2017



This publication is available in Open Access under the Attribution-ShareAlike 3.0 IGO (CC-BY-SA 3.0 IGO) license (<http://creativecommons.org/licenses/by-sa/3.0/igo/>). By using the content of this publication, the users accept to be bound by the terms of use of the UNESCO Open Access Repository (www.unesco.org/open-access/terms-use-ccbysa-en).

To be cited as: *Towards climate change resilience – Minimising loss and damage in Pacific SIDS communities*.
UNESCO: Apia. 32p.

Published in 2017 by the United Nations Educational, Scientific and Cultural Organization and UNESCO Apia, Samoa.

The designations employed and the presentation of material throughout this publication do not imply the expression of any opinion whatsoever on the part of UNESCO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

The ideas and opinions expressed in this publication are those of the authors; they are not necessarily those of UNESCO and do not commit the Organization.

Edited by: Kirsty Galloway McLean, Serena Heckler

Contributors: Viliamu Iese, Hélène Jacot des Combes, Morgan Wairiu, Katharina Glynne, Louise Chancelier, Denis Chang Seng, Vaine Wichman, Taputu Mariri, Pajiliai Dobui, Benjamin Delaivoni, Karen Chute, Sairusi Bosenaqali, Tapulolou Tuailmafua, Tamasoalii Saivaise, Moses Asitarau, John Walenenea Jr., Tessa Koppert, Acacio Guterres, Ashmita Devi

Cover photo: Villagers from the Solomon Islands – Wolcott Henry/ Marine Photo Library.

Graphic and cover design, typeset and illustrated by: Julia Cheftel

CONTENTS

Acknowledgements	2
Foreword	3
1. Introduction	4
2. The Pacific context	6
a. Loss and damage from climate change in the Pacific	6
b. Focus on agriculture and tourism	7
c. Towards climate change resilience: the project	7
d. Community capacity-building	9
3. Assessing loss and damage from climate change	10
a. Assessment approach	10
b. Community-based toolkit	11
c. Data collection tools	13
4. How Pacific communities experience climate change	14
a. Overview	14
b. Cook Islands	16
c. Fiji	18
d. Samoa	20
e. Solomon Islands	22
f. Timor-Leste	24
5. Outcomes	26
6. Recommendations	28
References	29

Acknowledgements

The authors would like to acknowledge the invaluable contribution of the staff of the University of the South Pacific's Pacific Centre for Environment and Sustainable Development (USP PaCE-SD), government departments, non-governmental organizations and communities that contributed in one way or another:

Cook Islands

Emergency Management Cook Islands

Cook Islands National Council of Women

The communities of: Aitutaki (Āmuri and Tautu), Mauke, Mitiaro, Atiu

Fiji

Ministry of iTaukei Affairs

The communities of: Nacekoro (Vanua Levu), Nabukelevu (Serua), Silana and Nataleira (Tailevu)

Samoa

Ministry of Education, Sports and Culture

Ministry of Women, Communities and Social Development

The communities of: Saleapaga (Upolu), Manase (Savai'i)

Solomon Islands

Malaita Provincial Agriculture Department

The communities of: Busu and Radeaekoa, Malaita Province

Timor-Leste

National Directorate for Climate Change (NDCC)

National University of Timor-Leste: Universidade Nacional Timor Lorosa'e (UNTL), including the Centre for Climate Change and Biodiversity

Village Chief of Hera Village

Hera Village

Technical experts and institutions:

Dr. Denis Chang Seng, International Oceanographic Commission, UNESCO

Professor Zulkifli Yusop, Faculty of Civil Engineering, Universiti Teknologi Malaysia

Samoa Ministry of Natural Resources and Environment

The Pacific Community (SPC)

Secretariat of the Pacific Regional Environment Programme (SPREP)

FOREWORD

I am delighted to present this summary report, which synthesises the main outcomes of the project *Towards climate change resilience: Minimising loss and damage in Pacific SIDS communities*, implemented from July 2014 to December 2016.

In 2012, the United Nations Framework Convention on Climate Change highlighted key gaps in our understanding of loss and damage in small islands due to the negative effects of climate change, including: a scarcity of quality climate and vulnerability information in developing countries; a lack of globally available data on the slow onset impacts of climate change; and the need to analyse the impacts on complex systems (such as communities, societies and ecosystems) in a holistic way.

The project was established in response to this identified gap. Specifically, the overall goal of the project was to generate and share new knowledge and raise awareness on loss and damage caused by the adverse impacts of climate change, particularly in Pacific Small Island Developing States (SIDS), one of the most vulnerable areas in the world. The project focused on loss and damage in two of the most important economic sectors in the region: agriculture and tourism.

In addition to undertaking a literature review, organising regional consultations and carrying out awareness-raising activities in the five participating countries, the project has developed a community-based assessment toolkit for climate change related loss and damage, which has been trialled in communities in five Pacific SIDS: Cook Islands, Fiji, Samoa, Solomon Islands, and Timor-Leste. The toolkit methodologies and results of the community assessments are summarised herein.

I am extremely grateful to the government of Malaysia, who provided financial support for this project through the Malaysia-UNESCO Cooperation Programme MUCP. I am also grateful to the many partners and stakeholders who worked with the University of the South Pacific in implementing the project. Their cooperation and insights have been invaluable, and I hope that together we can continue to make a constructive contribution for minimising loss and damage from climate change.



SHAHBAZ KHAN


Director and Representative,
Regional Science Bureau for Asia and the Pacific

1. INTRODUCTION

The United Nations Framework Convention on Climate Change (UNFCCC) process has agreed on mitigation and adaptation approaches to deal with climate change. However, due to delays and difficulties in implementing change on both fronts, negotiators under the UNFCCC have recognised that the ‘adverse effects of climate change includes, and in some cases involves more than that which can be reduced by adaptation’ (UNFCCC 2013), causing harm to the lives and livelihoods of millions of people all over the world and leading to loss and damage associated with the adverse effects of climate change.

The impacts of climate change are caused by slow onset events and extreme weather events, both of which may result in loss and damage. Slow onset events include sea level rise, increasing temperatures, ocean acidification, glacial retreat and related impacts, salinization, land and forest degradation, and loss of biodiversity and desertification (UNFCCC 2010). Extreme weather events (or ‘rapid onset’ events) may include drought, heat waves, floods, tropical cyclones and storm surges. Natural hazards arising from climate change in the Pacific include both extreme and slow onset events with multiple flow-on effects. For example, rising sea levels – a slow onset process – leads to submergence of low-lying coastal areas; saltwater intrusion of coastal rivers into groundwater aquifers; beach erosion; and

Figure 1 Overview of loss and damage due to climate change from the UNFCCC *Online Guide on Loss and Damage* (2016)





Karoko house remnants after flooding (shores of Kubulau Peninsula, Fiji).

saltwater inundation of fields leading to crop failure. Even a small rise in sea level can damage mangrove forests, which provide a wide range of ecosystem services, including for fisheries, coastal protection and carbon sequestration. Extreme events experienced in the region include floods, droughts and heat stress, cyclones and associated storm surges, which have enormous impacts on Pacific Small Island Developing States (SIDS), at the community, country and regional levels.

Understanding and assessing loss and damage associated with climate change is a complex process. Despite being discussed for over two decades under the UNFCCC, there is still no widely agreed definition of loss and damage related to the impacts of climate change. Warner and van der Geest, in their study on loss and damage in nine countries, define loss and damage as “negative effects of climate variability and climate change that people have not been able to cope with or adapt to (2013, p.369).

The negative effects include economic losses (i.e. resources, goods and services that are commonly traded in markets; loss of income through disruptions to agricultural production, business operations and tourism; and impacts on physical assets like infrastructure and property) as well as non-economic losses (including human impacts [life, health, mobility], changes at a society level [loss of territory, cultural heritage, indigenous knowledge, cultural identity] and environmental impacts on biodiversity and ecosystem services) (Figure 1).

Barriers to avoiding loss and damage include the scarcity of quality information in developing countries; a lack of available data on the slow onset impacts of climate change; and the need to analyse the impacts of climate change on complex systems such as communities in a holistic way (UNFCCC 2012; IPCC 2012).

The goal of the *Towards climate change resilience: Minimising loss and damage in Pacific SIDS communities* project was to generate and share new knowledge and raise awareness on loss and damage caused by the adverse impacts of climate change in the Pacific. The project has developed tools and approaches to better understand the dynamics leading to loss and damage in the agriculture and tourism sectors in Pacific least developed countries (LDCs) and small island developing states (SIDS); identified limits to coping and adaptation; and collected and shared information on the loss and damage affecting agriculture and tourism at community level in five Pacific SIDS: Cook Islands, Fiji, Samoa, Solomon Islands, and Timor-Leste.

2. THE PACIFIC CONTEXT

Loss and damage from climate change in the Pacific

The Pacific is considered to be one of the most vulnerable regions in the world to the adverse impacts of climate change (SPREP 2012), with loss and damage from climate change seen as a significant threat for development of Pacific SIDS.

Pacific SIDS are highly exposed to extreme events such as tropical cyclones, storm surges, droughts and floods (UNESCAP 2015: 23). The low-lying nature of islands and the fact that the majority of the population and development are near the coast also expose them to slow onset events, such as sea level rise and saltwater inundation (SPREP 2012).

The scientific consensus on the attribution of these events to climate change varies. For instance, the links to sea level rise and air temperature increase are well correlated and notable trends have been documented.¹ Pacific SIDS are also seeing changing precipitation patterns, which are linked to climate change, but the exact nature of the change varies from country to country (SPREP 2012, pp.59–60; IPCC 2014, p.53). Other highlighted events, such as storm surges and saltwater inundation are linked to sea level rise, but vary significantly at a local level (Nurse *et al.*, 2014, p.1619).

The data supporting trends on cyclones, floods and droughts and their link to climate change is less clear. More data is required to establish how climate change is impacting their frequency and intensity across the Pacific (Nurse *et al.*, 2014, pp. 1620). Nevertheless, these stressors were reported to be increasing by study communities in all five countries, suggesting that further research to better understand the dynamics and multiple root causes of loss and damage should be a priority.

Failed seawall



© PaCE-SD/USP

¹ Sea level in the Western Pacific has risen at a rate of up to 12 mm per year since 1993, up to three times larger than the global average of 2.8–3.6 mm (IPCC 2014, p.42; Nurse *et al.* 2014, p.1619) – and increased storm surges are linked to this (IPCC 2014, p.53). Air temperature rose between 0.3–0.8°C for Pacific Island Countries during the Twentieth Century (SPREP 2012, p.59).

Focus on tourism and agriculture

Tourism and agriculture are important sectors for countries in the Pacific region as a whole, as well as for individual Pacific SIDS. These two productive sectors offer good opportunities for inclusive and sustainable economic growth in the region, including building resilience in rural communities, and enhancing sustainable development (FAO 2012).

Food security is particularly important for small, isolated island economies where the food supply can be completely disrupted by natural hazards such as droughts, tropical cyclones, tsunamis and unexpected environmental changes (Kakazu 2004). The agriculture sector is a major source of employment and income for households in most Pacific SIDS.

It is predicted that climate change will affect the entire food supply chain. Changes in temperature and rainfall regimes (about 70% of the Pacific's agricultural area is heavily dependent on seasonal rainfall), changes to average and peak temperatures, the loss of genetic resources and agro-biodiversity, increased salinization, more intense weather-related natural disasters, and changes in disease and pest regimes could all have significant repercussions for agricultural production (SPC 2011).

Similarly the tourism sector is a major contributor to the GDP of Pacific SIDS. In the Cook Islands, for example, tourism and related service industries have been the leading growth sector, generating an average of 80% of the country's GDP in recent years (Government of the Cook Islands 2012, p.60). Moreover, tourism is often interlinked with other economic sectors, including agriculture, and offers diverse economic benefits (UNEP 1996).

Timor Leste: a rice farmer carries away rice bundles destroyed by rain downpours



© UN Photo/ Martine Perret

Towards climate change resilience: the project

Although awareness of climate change is high in the Pacific, not much research has been done on loss and damage in Pacific SIDS. The Secretariat of the Pacific Regional Environment Programme has carried out gap analyses in a few countries, highlighting particularly the slow onset climate stressors of greatest concern in Vanuatu and Samoa (SPREP 2015a and 2015b). The standard setting study by Warner and van der Geest of loss and damage at the community level in 9 vulnerable countries included

Kosrae in the Federated States of Micronesia as one of its case studies. Warner and van der Geest found that climate variability, socioeconomic challenges and climate change-related events interacted in a complex manner which gradually eroded communities' resilience and limited their ability to cope and adapt. However, almost all the survey households in all countries experienced impacts from climate-related stressors, while a large majority of households experienced loss and damage even after the adoption of coping and adaptation measures (Warner and van der Geest 2013), conclusions corroborated by the *Towards climate change resilience* project.

The *Towards climate change resilience* project is aligned with the first priority action area identified by the Warsaw International Mechanism (WIM), namely: to “enhance the understanding of how loss and damage associated with the adverse effects of climate change affect particularly vulnerable developing countries, segments of the population that are already vulnerable owing to geography, socioeconomic status, livelihoods, gender, age, indigenous or minority status or disability, and the ecosystems that they depend on, and of how the implementation of approaches to address loss and damage can benefit them” (UNFCCC 2013).

This project contributes to economic resilience in Pacific SIDS by aiming to reduce risk of loss and damage in the tourism and agriculture sectors from extreme and slow-onset events through improved assessments and education. A toolkit was developed to assess loss and damage at community level. The results of the community awareness-raising and assessments provide new knowledge and insights into loss and damage being experienced by communities from both slow and rapid onset events. This will contribute to analysing the challenges faced by the agriculture and tourism sectors in adapting to the effects of climate change. A deeper understanding of the impacts of climate change, and the limits of adaptation measures, can support planning to build community resilience and assist in minimising loss and damage where possible

This project was implemented by UNESCO's Office for the Pacific States and the University of the South Pacific's Pacific Centre for Environment and Sustainable Development (USP's PaCE-SD). A number of other partners participated in or contributed to the planning, implementation, data collection and review of the project, including government representatives of the five selected countries, representatives of regional and international agencies, and community members (see complete list of partners on p.2).

Through workshops and on-the-ground cooperation, local, national and international partners learned more about the issues surrounding climate change loss and damage and how communities in their countries are affected. They also contributed their expertise and perspectives to the development of the toolkit, the results of the research, and determining priorities for next steps.

Adaptation methods



© PaCE-SD/USP



© PaCE-SD/USP

Community capacity-building

While the results of the project contribute to a technical understanding of loss and damage in the Pacific region, by working directly with communities the project has also made a significant contribution to capacity-building at local level. Communities can benefit from exercises which help them to translate scientific and technical data to planning and adaptation: it is essential for communities to make local sense of climate change, in a relevant, meaningful and empowering way (McNamara 2013).

Awareness-raising and capacity building activities at the community level included NGOs, government departments and researchers responsible for community-level outreach, in addition to community members themselves. A significant benefit arising from the project was capacity-building carried out with USP-PaCE-SD in-country climate change coordinators in 15 Pacific countries, through regional meetings and through the participation of government partners – as researchers, participants or observers – in the community-based research. Testing and improvement of the toolkit is ongoing, and it is also being included in the Pacific Islands Community Integrated Vulnerability Assessment (IVA) that is being rolled out across all countries in the region. This evolving work contributes to the sustainability and scaling up of the project.

Benefits at community level include a greater awareness of the links between types of climate change impacts, loss and damage, and community activities and strategies. This knowledge can be used to identify more successful adaptation strategies and what is needed to be able to implement those strategies.

Coastal erosion



© PaCE-SD/USP

3. ASSESSING LOSS & DAMAGE

Assessment approach

Rather than attempt to define or quantify loss and damage, this pilot project focused on how Pacific SIDS communities are experiencing climate change related impacts and what loss and damage they are incurring despite coping and adaptation measures. In this way, the study aimed to shed light on several challenging areas, such as non-economic losses and the complex interactions between natural hazards, vulnerability and climate change at the community level. These are important issues for Pacific SIDS, where traditional knowledge and livelihoods are disrupted due to climate change related loss and damage. A concrete example comes from the Federated States of Micronesia, where building material is scavenged from historic structures to construct seawalls, damaging valuable archeological heritage (Monnereau and Abraham 2013).

The project team carried out a literature review in 2015 to evaluate the state of knowledge on loss and damage attributable to climate change in the Pacific, with a view to identifying gaps and informing research questions and methods. Although climate change is typically described in terms of average changes in temperature and precipitation, much of the loss and damage identified in the Pacific region has resulted from shifts in the frequency and severity of extreme events, so it is often impossible to determine whether individual events are 'caused' by climate change. Nevertheless, the review concluded that the negative impacts of climate change from both slow onset and extreme events are already strongly impacting Pacific livelihoods. It also identified a gap in our understanding of how communities and small businesses are experiencing climate change and how, or indeed if, they adapt to or plan for climate change.

On the basis of this literature review, as well as a regional training meeting held in Fiji in October 2015, a methodological toolkit was developed for use by local practitioners and researchers to work with communities to carry out preliminary climate change loss and damage assessments in the agriculture and tourism sectors. The toolkit aims to assist researchers and stakeholders to:

- Collect relevant information and understanding of the depth and scope of vulnerability, exposure, impacts and existing adaptive capacity in order to assist communities to generate better coping and adaptive lessons and applications.



- Identify limitations in coping and adaptation and where certain critical decisions must be taken to avoid further loss and damage.
- Better understand the root causes for increasing or decreasing loss and damage in order to make better decisions related to their coping and adaptive strategies.
- Seek support from partners and authorities for further assessment, planning and development actions.
- Help communities to better understand the impacts of climate change so that they may improve their adaptation strategies.

Community-based toolkit

A community-based loss and damage assessment toolkit for the tourism and agricultural sectors was developed to assist facilitators to apply participatory approaches, both quantitative and qualitative, to collect information at community level. It was derived from Warner and van der Geest's study in nine vulnerable countries in Asia and Africa (2013) and was further revised following pilot testing of the toolkit in the five countries based on feedback from participating communities. In all study communities, both men and women participated in the surveys and focus groups. However, clarifying if men and women have different perspectives proved difficult and, in some cases, sensitive. An important lesson learned was that gender issues must be handled with care and skill by the researchers.

The toolkit consists of four main parts:

- Introduction, which contains background information about the concept of climate change loss and damage; and outlines the purposes of the toolkit and its four key principles: ownership, respect, flexibility and relevance.
- ‘Before the assessment’ information for facilitators, including entry points to communities as well as information that should be compiled before visiting the community: baseline data, community profiles, and free prior and informed consent procedures. A key point here is to work with existing information that is available and add on the tools to complete the assessment, to avoid duplication of results and limit potential “consultation fatigue” of communities.
- Community-based assessment, including mapping climate hazards and their impacts; coping and adaptation interventions; and next steps (including a community feedback session). These data collection tools are elaborated further below.
- Analysis of findings and compilation of technical reports that can be disseminated to the community, government, NGOs and development partners.



© PaCE-SD/USP

Data collection tools

The community-based component of the toolkit contained 9 tools that may be useful for data collection at the community level. A brief introduction to each of these tools is provided in the following table.

Tool	Purpose
Seasonal mapping/calendar	A calendar template into which the community can add the events they experience each month, including seasonal and traditional events. The calendar can help to illustrate the relationship between seasonal climatic events and socio-cultural-economic activities.
Historical timeline	Documentation and reconstruction of the history of climatic stresses and their impacts, as well as the major coping and adaptation strategies that have been observed. The timeline can help to identify historical trends.
Hazard mapping	Documentation of specific hazard and climate stresses and their observed impacts on specific sectors of the community. Can help to document and record the impacts of a disastrous climatic stress or hazard on the community's agriculture and tourism sectors.
Rank matrix	Can be used in two ways: (i) to enable the community to rank the climatic stresses and hazards that affect it most in terms of impact and frequency; and (ii) to rank development needs in terms of priority, forms of coping and adaptive strategies, and available designs and resource commitments.
Physical mapping	Locates and identifies important features in the community such as cultural sites, household arrangements, agricultural sites, evacuation centres, tourist resorts, coastlines, rivers, etc. Can assist in identifying sources of risk and inform development choices.
Vulnerability/impacts mapping	Can be overlaid on the physical map, showing parts of the community that are vulnerable to hazards based on the available observed impacts and experiences of the village. Can be used to show future scenarios of impacts, and to assist in identifying vulnerabilities and how to address future risks.
Loss and damage matrix	Assists communities to link impacts before and after interventions (coping or adaptation actions), and to identify the loss and damage that occur when interventions are not enough to prevent adverse effects. Can be used to evaluate the effectiveness of interventions and identify reasons for their success or failure.
Feedback session	Presents the major findings of the assessment back to the community and initiates a discussion to confirm the finding and assessment results. It also includes a discussion of next actions to reduce loss and damage.
Household questionnaires	Collects data on experiences of loss and damage, and the level of effectiveness of coping/adaptation strategies at the household level for agriculture and tourism sectors.

4. COMMUNITY EXPERIENCES

Overview

Thirteen communities from five countries (Cook Islands, Fiji, Samoa, Solomon Islands and Timor-Leste) participated in trialling the community-based toolkit to collect data on loss and damage in tourism and agriculture sectors. The communities were selected by the in-country coordinator and the National Project Advisory Committee in each country using three main criteria:

- i.** accessibility (i.e. easy to access during the project);
- ii.** existence of agriculture and tourism activities (except Timor-Leste, where there was no community-based tourism); and
- iii.** evidence of community-instigated adaptation responses to slow and rapid onset climate change events.

Between 20 and 42 households in each community answered in-depth questionnaires, and typically at least 20% of the community members participated in the focus-group discussions. Overall, the number of men and women who participated were evenly split. All assessments and reporting occurred between January–September 2016. All of the communities surveyed reported significant loss and damage in both the agriculture and tourism sectors. Most of the communities reported immediate and severe impacts of rapid onset events such as cyclones and storm surges, and in many cases the primary focus on urgent problem-solving (food security, income) meant that there was reduced focus on the impacts of slow onset events such as ocean acidification. However, awareness-raising activities following the assessment process drew community attention to the significance and impact of these events.

All participating communities reported that the coping and adaptation measures employed were largely insufficient, and mostly unsuccessful in avoiding loss and damage. Using the toolkit to evaluate the effectiveness of interventions and investigate reasons for their success or failure revealed that many of the coping/adaptation behavioural strategies reported for both agriculture and tourism tended more towards ‘coping’ rather than ‘adaptation’. In other words, they were motivated by crisis and focussed on short-term and immediate survival options, such as trading livestock for cash, or borrowing water from neighbours for crop irrigation.

In several cases these changes in behaviour introduced new problems that degraded the resource base, such as cutting down mangrove trees for

rebuilding. In other cases, certain activities such as farming were simply stopped completely, with subsistence farmers being forced to look for alternative food sources. Community members reported that they are confronted by accelerating drought, cyclone, flood and storm surge cycles and so the coping strategies that were effective in the past are no longer sufficient.

Ecosystem-based adaptations tended to involve more planning and sustained practices, although in many cases these were also of only limited success. The most successful changes included moving the location of crops to higher ground as well as changes in management practices, while experiments with introducing drought- and cyclone-resistant crops and livestock were often hampered by high expense, low yields, and a lack of local knowledge to support them.

Infrastructure-based coping and adaptation was also typically motivated by crisis; however, several communities reported that these interventions had the most long-term positive impacts on livelihood security, with back-up generators and sea-walls being successful in reducing loss and damage in the tourism sector. However, sea walls were only successful in certain circumstances, for instance when they were particularly well built and even so they only protected against relatively minor storm surges.

Despite these efforts, all the participating communities anticipate that they will continue to experience significant loss and damage from climate stressors.

Results from community assessments for each participating country are summarised in the following pages. The testimonials provide insight into the daily challenges faced by community members, as well as their responses. It should be noted that these results reflect an assessment process that focussed specifically on the agriculture and tourism industries. The lack of reporting on certain categories of loss and damage (such as traditional knowledge, ecosystem services, mobility, etc.) does not necessarily mean that these impacts were not experienced, merely that they were not discussed during the assessment.

Samoa villagers meeting, Saleapaga



© PeCE-SD/USP

COOK ISLANDS



In the Cook Islands, the USP Climate Change in-country coordinator worked in collaboration with the Cook Islands National Council of Women, Emergency Management Cook Islands, and other officials from the Cook Islands Office of the Prime Minister, to apply the toolkit in communities on four islands in the Cook Islands: Aitutaki (Amuri and Tautu communities), Mauke, Mitiaro and Atiu. As a result of the awareness raised by the data collection and planning that the toolkit facilitated, the National Council of Women has begun using the toolkit to collect data on loss and damage in other communities (beginning with Mitiaro, Mauke and Atiu) as well as for monitoring and evaluation. Sixty percent of survey participants were women.

The primary climate stressors reported were cyclones, drought and saltwater inundation. Storm surges, increased temperature and coastal flooding were also impacting crops and businesses in the study communities. The islanders observed increased length of droughts and extreme temperatures (Figure 3).

What the climate data can tell us so far


In both the Northern and Southern groups of islands, annual maximum temperatures have increased at a rate of 0.09°C per decade since 1950 (Cook Islands Met Service *et al.* 2015, p.6). Sea level has risen by about 4 mm per year since 1993 (*ibid.*). Although droughts are projected to increase by 2030 (National Environment Service Cook Islands 2011, p.35), data on other events, such as precipitation, cyclone frequency or intensity, are insufficient to identify clear current trends (*ibid.*, Cook Islands Met Service *et al.* 2015, pp.2–3).

*Infrastructure Manager (male)
Mitiaro Island*

Our island [Mitiaro] is mostly composed of makatea [coral] and good planting soil is scarce. Land tenure is by family allocation and you cannot move to another family's allocation. Because our island relies on rainwater, our biggest problem is the long dry season that we are experiencing, which I believe is due to climate change. This has caused us to realise that we do not have much water storage... When trying to plant vegetable gardens, it is all fine when there is plenty of water, but when the water is running out we try to conserve water only for drinking, cooking and bathing by half bucket water only; even washing our clothes is also rationed.

Sometimes we place dry banana or coconut leaves or pulled out weeds on the crops to stop the dehydration of water from the ground to keep the ground moist and also lessen the heat of the hot sun. This work is very tiring, but we just try our best to save our crops. Most of our food crops die.

Figure 3 Summary overview of the Cook Islands community assessments



Coastal protection is important for low-lying atolls

© Cook Islands National Council of Women/V. Wichman

FIJI



In Fiji, the USP Climate Change loss and damage field research team worked in collaboration with The Ministry of iTaukei (indigenous Fijian) Affairs to trial the toolkit in four communities: Nacekoro Village in Vanua Levu (coastal village), Nabukelevu village in Serua (inland village), and coastal tourism villages Silana and Nataleira in Tailevu. Men's, women's and youth focus groups were held and the issues and concerns raised were similar.

The common climate stressors experienced by communities in Fiji were rising sea level, flooding, shifting precipitation and strong storm surges. Saltwater inundation and droughts were significant for the three coastal communities. Damage to infrastructure affected tourism activities in all the communities. The communities' efforts to cope and adapt were hindered by lack of resources and land tenure issues (Figure 4).

What the climate data can tell us so far


Since 1942, temperatures in Fiji have increased between 0.04°C and 0.15°C per decade, depending on the location (Fiji Met Service *et al.* 2015, p.6). Sea level has risen an average 6mm per year sea level rise since 1993 (*ibid.*, p.6), which has been linked to worsening storm surges and coastal flooding (*ibid.*, p.9). The data do not as yet show a clear trend of increased frequency or intensity of cyclones, drought or shifting precipitation due to climate change (Republic of Fiji 2014, p.48). However, more extreme rainfall days per year are projected (Fiji Met Service *et al.* 2015).

*Senior man
Nataleira Village*

There is more rain and cloud cover than sunshine when compared to the sixties and the seventies. We have lost one important income generating product, mango dina. This area is well known for mango dina; but now it does not fruit anymore... This is also a well-known rice growing area, and the rice fields are now idle. Rice is not producing as well as before and we are still not sure as to what is the real cause. Some have said that it is the increase of salinity in the soil but we are not really sure. Peanut is also affected, with shrinking of the areas they are usually grown. The harvest every year is falling more and more.

My family still stays in the exposed section of the village, which is still with the old village site. The likelihood of being flooded from storm surges and floods or both at the same time is very high. The threat of sea level rise is very high as the area is about half a meter to one meter above sea-level.

Figure 4 | Summary overview of the Fiji islands community assessments



© Jeff Tan



Flooding in a Fijian village

© Jeff Tan



A relocated village in Fiji

SAMOA



In Samoa, the USP Climate Change in-country coordinator worked in collaboration with the Ministry of Education, Sports and Culture and the Ministry of Women, Communities and Social Development to trial the toolkit in two villages: Saleapaga in Aleipata, and Manase in Savaii. The majority of focus group participants were women, whereas the majority of household survey respondents were men.

The major stressors reported by the villages were floods, cyclones, droughts, saltwater inundation and increasing temperatures. The villagers reported experiencing floods, storm surges and increased temperature more than once a year. They also reported an increased frequency of cyclones. As the Manase community member and Figure 5 make clear, these stressors cause big challenges for the communities.

What the climate data can tell us so far

Sea level has risen in Samoa by about 4 mm per year since 1993 (Samoa Meteorology Division *et al.* 2015, p.6) and rainfall has increased in Apia since 1890 (*ibid.*, p.5). Extreme rainfall events occur with increasing frequency and increasing floods and droughts linked to climate change have been identified as key risks for the country (Government of Samoa 2010, pp. 11, 44). Despite observed increase in average temperature, data are insufficient to provide statistically significant trends. Nevertheless, temperature is projected to increase (Australian Bureau of Meteorology and CSIRO 2014: 248–9).

*Business owner (female)
Manase*

For the last 30 years our village beach has been eroded tremendously without our knowledge. Suddenly we are confronted with less sand, as if it has been sucked out of our beaches. The coconuts on the beach have their roots exposed, thus telling us that something acting very slowly is gradually eating the sand away. As a beach fale [Samoan thatch hut] operator, I noticed that the sea has moved inwards eroding most of our old beach fale. Some time ago, work was conducted by a development project near us [at a nearby operator]: ever since that work, most of our beaches have been worse off.

Beach fale in Savaii



© Flickr/Eric Fortin

Figure 5 | Summary overview of the Samoa community assessments



Manase initiative to build a seawall and walkway to protect beach fales



© UNDP/ E. Adams

SOLOMON ISLANDS



In the Solomon Islands, the USP Climate Change in-country coordinator and research assistant worked in collaboration with Malaita Provincial Agriculture Division to apply the toolkit in Busu and Radeaekoa communities, both located in the Langalanga lagoon on the South Central Coast of Malaita Province. Most of the households in these communities farm and sell their produce as their main source of income. In Radeaekoa, 71% of survey participants were women. In Busu, only 43% of survey participants were women.

The communities reported that the most severe climate stressors are cyclone (both wind and storm surges) and saltwater inundation. The islanders reported that, with the rising sea level and more frequent and stronger storm surges, coastal erosion is occurring rapidly and “eating away” much of the land. Communities reported that most of the coping and adaptation techniques employed were not only of limited success, but in several cases they introduced new negative impacts. For example, changing livestock to more tolerant species had no effect on survival rates, but the new species were more expensive to feed.

What the climate data can tell us so far

Sea level has risen at a rate of approximately 8 mm per year since 1993, much higher than the global average (Solomon Islands Met Service *et al.* 2015, p.6). Although the communities reported more intense rainfall in the rainy season, there are insufficient data to corroborate this trend. Nevertheless, extreme rainfall events are projected to become more frequent (Australian Bureau of Meteorology and CSIRO 2014, p.271). Temperature has increased since the 1950s at a rate of 0.120°C per decade at Honiara (Solomon Islands Met Service *et al.* 2015, p.5).

Chief (male)
Radeaekoa Community

The increasing intensity of rainfall during rainy season has resulted in a high frequency of flooding of food gardens over recent years. The flooding of community food gardens has resulted in the wilting of root crops especially kumara and cassava, with a shortage of food from gardens. And seasonal changes in weather patterns and climate are also causing changes in the seasonal fish species.

Senior man
Radeaekoa

The change in rainfall patterns, especially the prolonging of dry seasons, has often led to extreme water shortage on the island communities of the Langalanga Lagoon, as well as other large settlement areas on the coast. This is marked by the increasing frequency of days in a month where members of the community have to travel to other water sources on the coast of the mainland to fetch quality drinking water.

Figure 6 | Summary overview of the Solomon Islands assessments



© MPL/ Woolcott Henry

Solomon island villagers selling produce



TIMOR-LESTE

In Timor-Leste, the USP Climate Change in-country coordinator worked in collaboration with researchers from the Centre for Climate Change and Biodiversity in the National University of Timor Lorosa'e to trial the toolkit in Hera village, located on the north coast of Timor Island about 12km east of the capital city of Dili. Forty seven percent of survey participants were women.

One hundred percent of the households surveyed practice crop cultivation, with non-farm activities representing only 13% of livelihood activity. Hera does not have a tourism sector, so no data was collected on tourism.

What the climate data can tell us so far

The annual mean temperature has increased at a rate of 0.016°C per year (Government of the Democratic Republic of Timor-Leste 2014, p.55). The El Niño Southern Oscillation has a notable effect on the climate of Timor-Leste with increased flooding and higher rainfall during La Niña years, while there is a greater risk of drought in El Niño years (Australian Bureau of Meteorology and CSIRO 2011, p.48). As regards droughts, data are insufficient to identify clear trends across the country. Nevertheless, greater fluctuation in rainfall is projected, with more extreme rainfall events predicted during the rainy season and possibly more droughts during the growing season (Government of the Republic of Timor-Leste 2014, p.19).

*Kiosk owner (adult male)
Hera village*

© Viliamu Lese / PaCE-SD/USP




The temperature in Hera was much lower during the Indonesian time [from 1975–99]. It was not difficult to sleep at night and overall the temperature was pleasant. Now it is so hot during the day and at night that we have a hard time falling asleep, especially the children. Heavy rainfall occurs much more frequently than 20 years ago. Floods in our area have destroyed roads and my crops such as corn and potato because the ground becomes waterlogged and causes crops to rot...

On the other hand, long droughts are occurring more often as well, which have a big impact on my crops and my animals. In the Indonesian time, my neighborhood used to be full of banana and taro, but now these crops don't grow anymore because there is not enough water. Because of this lack of water, I had to have my pump well deepened from 10 to 18 meters in order to be able to get water that we use for washing clothes, bathing, cooking and even drinking...

Another impact I am seeing is that there are more mosquitos and as a result many of my neighbors are getting malaria and dengue now. Due to the long droughts and lack of clean water, my livestock are getting infected by all kinds of different diseases which they didn't get before.

Figure 7 | Summary overview of the Timor-Leste community assessment



© PaCE-SD/USP

Timor Leste: household survey in Hera village

5. OUTCOMES

The project has generated and shared new knowledge on loss and damage in Pacific SIDS, and raised awareness on these issues in Pacific Island Countries. A toolkit was developed which was used to collect data with communities, identify limits to coping and adaptation, and begin contributing to a better understanding of the loss and damage being experienced at the community level.

Data collected from the assessments has revealed that communities are often implementing coping strategies in reaction to extreme weather events, many of which are not effective in the face of the frequency and intensity of these events. There is a need to examine more closely the impacts of slow onset events on communities, and to focus on planning and adaptation for resilience.

The findings of the assessment highlight the significant impact of climate stressors on small-scale farmers in Pacific SIDS communities. Climate events are resulting in the loss of entire crops, which has the dual impact on small communities of eroding their food security and reducing their income.

Solomon Islands community discussion group



© PaCE-SD/USP

The following lessons have been learned during the course of the community-based data collection.

Awareness-raising

In applying the toolkit, communities benefited from awareness-raising on climate change, including the causes, impacts and effectiveness of their coping and adaptation strategies. These sessions helped communities to take ownership of adaptation and risk reduction actions identified during the assessment, and also to identify the limitations of reducing loss and damage at local level. The general feeling of the participating communities had been that extreme and slow-onset events were 'normal' parts of life, and that there was nothing that could be done about it. The toolkit helped community members to identify opportunities under their control to reduce future impacts.

Detailed training and awareness-raising for professional stakeholders, including researchers and government officials, was also essential, particularly in revealing the extreme vulnerability of the agriculture and small-scale tourism industries to loss and damage from climate change.

Improving capacities for gender mainstreaming

As a new data collection toolkit was developed and trialled in this project, much was learned related to the methodology. One important lesson was the importance of building the capacity of field researchers on gender-based mainstreaming. Gender relations in the Pacific are complex and sometimes sensitive: eliciting gender disaggregated data proved to be more difficult than anticipated. This is a priority area for further development.

Difficulties in estimating and attributing loss and damage due to climate change

A main discussion point raised during the feedback stage focused on the linkage between the collected information and the concept of loss and damage as used in international climate negotiations and supported by Small Island Developing States. Stakeholders agreed that the loss and damage identified through the initial use of the toolkit did not differentiate loss and damage due to climate change from loss and damage from other causes. Based on this discussion, a new tool is being developed to estimate the root cause of the observed loss and damage at community level.

The new tool will be designed to map out the "root causes" of different impacts from the community perspective. It aims to assist in identifying root causes of loss and damage after coping and adaptation and determining if they are due to direct human impacts (maladaptation, unsustainable practices), climate variability or climate change. This tool, associated with a simple formula, requires further testing and refining, but it may help to filter the information from the community to improve the attribution of loss and damage to climate change.

6. RECOMMENDATIONS

This pilot research has highlighted several areas of priority for future action by researchers, governments and development partners. It is recommended that stakeholders should work in partnership to:

- Undertake further research on the attribution of anthropogenic climate change superimposed on the baseline of natural climate variability in the Pacific region, as well as distinguished from the direct impacts of human activities, for example with a methodological tool to determine causation in the community-based loss and damage assessment toolkit.
- Develop methods to quantify loss and damage at the community level, for instance, through on-going monitoring.
- Undertake further research on additional sectors of focus, such as culture, education, health and traditional knowledge.
- Undertake further research to collect gender disaggregated data and analyse the differential experiences of loss and damage for men and women.
- Provide assistance to communities in moving from “coping” strategies to implementing longer term and more strategic adaptation responses.
- Build strong links and coordinate between climate change assessment activities in the Pacific region, including sharing best practices between partners, and the use of modular assessment tools that can share results across multiple stakeholders.
- Supplement our understanding of the long-term impacts of climate change on livelihoods, businesses and social well-being by collecting more quantitative and qualitative data at the community level. This should include providing communities with the skills and expertise to articulate their problems and proposed solutions, as well as to assist government and other planning bodies to take into account complex local-level impacts in their planning and response.

REFERENCES

Australian Bureau of Meteorology and CSIRO, 2011. Climate Change in the Pacific: Scientific Assessment and New Research. Volume 1: Regional Overview. Volume 2: Country Reports. Available at: www.pacificclimatechangescience.org/publications/reports/report-climate-change-in-the-pacific-scientific-assessment-and-new-research/

Australian Bureau of Meteorology and CSIRO. 2014. Climate Variability, Extremes and Change in the Western Tropical Pacific: New Science and Updated Country Reports. Pacific-Australia Climate Change Science and Adaptation Planning Program Technical Report, Australian Bureau of Meteorology and Commonwealth Scientific and Industrial Research Organisation, Melbourne, Australia. Available at: www.pacificclimatechangescience.org/wp-content/uploads/2014/07/PACCSAP_CountryReports2014_WEB_140710.pdf

Cook Islands Meteorological Service, Australian Bureau of Meteorology and Commonwealth Scientific and Industrial Research Organisation (CSIRO). 2015. Current and future Climate of the Cook Islands. Available at: www.pacificclimatechange.net/sites/default/files/9_PACCSAP-Cook-Islands-I1pp_WEB.pdf

FAO. 2012. Report on a scoping mission in Samoa and Tonga: agriculture and tourism linkages in Pacific Island countries. Available at: <http://www.fao.org/3/a-an476e.pdf>

Fiji Meteorological Service, Australia Bureau of Meteorology and Commonwealth Scientific and Industrial Research Organisation (CSIRO). 2015. Current and future Climate of Fiji. Available at: www.pacificclimatechangescience.org/wp-content/uploads/2013/06/1_PACCSAP-Fiji-I1pp_WEB.pdf

Government of the Cook Islands. 2012. Cook Islands Joint National Action Plan for Disaster Risk Management and Climate Change Adaptation (JNAP) 2011–2015. Available at: <http://faolex.fao.org/docs/pdf/cok141434.pdf>

Government of the Democratic Republic of Timor-Leste. 2014. Timor Leste's Initial National Communication: Under United Nations Framework Convention on Climate Change. Available at: <http://unfccc.int/resource/docs/natc/tlsncl.pdf>

Government of Samoa. 2010. Samoa's Second National Communication to the UNFCCC. Apia, Samoa: Ministry of Natural Resources and Environment.

IPCC. 2012. Managing the risks of extreme events and disasters to

advance climate change adaptation: special report by the Intergovernmental Panel on Climate Change (SREX). Available at: www.ipcc.ch/pdf/special-reports/srex/SREX_Full_Report.pdf

IPCC. 2014. Climate Change 2014: Synthesis Report. (available at: www.ipcc.ch/pdf/assessment-report/ar5/syr/SYR_AR5_FINAL_full_wcover.pdf)

Kakazu, H. 2004. Changing Agricultural environments in small islands: Cases of the South Pacific and Okinawa. *INSULA; International Journal of Island Affairs*. Paris: UNESCO vol. 13, no. 2, pp. 85–88 (www.cbd.int/doc/ref/island/insula-agro-en.pdf)

McNamara, K. E. 2013. Raising awareness about climate change in Pacific communities. *Environmental Education Research* 19(6). December 2013

Monnereau, I. and Abraham, S. 2013. Limits to autonomous adaptation in response to coastal erosion in Kosrae, Micronesia. *International Journal of Global Warming* 5(4), 416–432

National Environment Service Cook Islands. 2011. Cook Islands Second National Communication under the United Nations Framework Convention for Climate Change. National Environment Service of the Government of the Cook Islands. Available at: www.agriculture.gov.ck/contents/pdf-download/

Nurse, L. A., R.F. McLean, J. Agard, L.P. Briguglio, V. Duvat-Magnan, N. Pelesikoti, E. Tompkins, and A. Webb. 2014: Small islands. In: Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part B: Regional Aspects. Available at: www.ipcc.ch/pdf/assessment-report/ar5/wg2/WGIIAR5-Chap29_FINAL.pdf

Republic of Fiji. 2014. Second National Communication to the United Nations Framework Convention on Climate Change. Suva, Fiji: Ministry of Foreign Affairs. Available at: <http://unfccc.int/resource/docs/natc/fjinc2.pdf>

Samoa Meteorology Division, Australia Bureau of Meteorology and Commonwealth Scientific and Industrial Research Organisation (CSIRO). 2015. Current and future Climate of Samoa. Available at: www.pacificclimatechangescience.org/wp-content/uploads/2013/06/3_PACCSAP-Samoa-10pp_WEB.pdf

Solomon Islands Meteorological Service, Australia Bureau of Meteorology and Commonwealth Scientific and Industrial Research Organisation (CSIRO). 2015. Current and future climate of the Solomon Islands. Available at: www.pacificclimatechangescience.org/wp-content/uploads/2013/06/13_PCCSP_Solomon_Islands_8pp.pdf

SPC. 2011. Food security in the Pacific and East Timor and its vulnerability to climate change. Available at: www.environment.gov.au/system/files/pages/275228c5-24db-47f2-bf41-82ef42cda73d/files/food-security-report.pdf

SPREP. 2012. Pacific Environment and Climate Change Outlook. Available online at: www.unep.org/pdf/PEECO.pdf

SPREP. 2015a. Loss and Damage gap analysis from climate change: Samoa Country Report (June 2015).

SPREP. 2015b. Loss and Damage gap analysis from climate change: Vanuatu Country Report (June 2015).

UNEP. 1996. Sustainable tourism development in small island developing states. Commission on Sustainable Development, Fourth Session, 18 April – 3 May 1996. Available at: <http://islands.unep.ch/d96-20a3.htm>

UNESCAP. 2015. Overview of Natural Disasters and their Impacts in Asia and the Pacific 1970-2015. Available at: www.unescap.org/sites/default/files/Technical%20paper-Overview%20of%20natural%20hazards%20and%20their%20impacts_final.pdf

UNFCCC. 2010. Decision 1/CP.16: *The Cancun Agreements: Outcome of the work of the Ad Hoc Working Group on Long-term Cooperative Action under the Convention*. Available at: <http://unfccc.int/resource/docs/2010/cop16/eng/07a01.pdf>

UNFCCC. 2012. FCCC/TP/2012/1: Technical paper on current knowledge on relevant methodologies and data requirements as well as lessons learned and gaps identified at different levels, in assessing the risk of loss and damage associated with the adverse effects of climate change. Available at: <http://unfccc.int/resource/docs/2012/tp/01.pdf>

UNFCCC. 2013. FCCC/CP/2013/10/Add.1: Report of the Conference of the Parties on its nineteenth session, held in Warsaw from 11 to 23 November 2013. Addendum. Part two: Action taken by the Conference of the Parties at its nineteenth session. Available at: http://unfccc.int/documentation/documents/advanced_search/items/6911.php?priref=600007788

UNFCCC. 2016. *Online Guide on Loss and Damage*. Available at: http://unfccc.int/files/adaptation/cancun_adaptation_framework/loss_and_damage/application/pdf/online_guide_oct_2016.pdf

Warner, K. and van der Geest, K. 2013. Loss and damage from climate change: Local-level evidence from nine vulnerable countries. *International Journal of Global Warming* 5(4), 367–386. www.inderscienceonline.com/doi/pdf/10.1504/IJGW.2013.057289



United Nations
Educational, Scientific and
Cultural Organization



Malaysia
Funds-in-Trust



Further information

For further information, please contact:

UNESCO Office for the Pacific States

Email: apia@unesco.org

Web: <http://www.unesco.org/new/index.php?id=132944>