

## REFERENCES

- Abdul Hamid, K., Azmi, W. H., Mamat, R., & Usri, N. A. (2014). *Thermal conductivity enhancement of aluminium oxide nanofluid in ethylene glycol*. Paper presented at the Applied Mechanics and Materials.
- Abitbol, T., Rivkin, A., Cao, Y., Nevo, Y., Abraham, E., Ben-Shalom & Shoseyov, O. (2016). Nanocellulose, a tiny fiber with huge applications. *Current opinion in biotechnology*, 39, 76-88.
- Adnan Mohammed, H. (2014). *Heat transfer enhancement using nanofluids in the automotive cooling system*. Doctoral thesis, Universiti Malaysia Pahang.
- Afrand, M. (2017). Experimental study on thermal conductivity of ethylene glycol containing hybrid nano-additives and development of a new correlation. *Applied Thermal Engineering*, 110, 1111-1119.
- Agarwal, D. K., Vaidyanathan, A., & Kumar, S. S. (2013). Synthesis and characterization of kerosene–alumina nanofluids. *Applied Thermal Engineering*, 60(1), 275-284.
- Ali, H. M., Ali, H., Liaquat, H., Maqsood, H. T. B., & Nadir, M. A. (2015). Experimental investigation of convective heat transfer augmentation for car radiator using ZnO–water nanofluids. *Energy*, 84, 317-324.
- Anoop, K., Kabelac, S., Sundararajan, T., & Das, S. K. (2009). Rheological and flow characteristics of nanofluids: influence of electroviscous effects and particle agglomeration. *Journal of Applied Physics*, 106(3), 034909.
- Aravind, S. S. J., & Ramaprabhu, S. (2013). Graphene-multiwalled carbon nanotube-based nanofluids for improved heat dissipation. *RSC Advances*, 3(13), 4199-4206. doi:10.1039/C3RA22653K
- Asadi, A., Asadi, M., Siahmargoi, M., Asadi, T., & Andarati, M. G. (2017). The effect of surfactant and sonication time on the stability and thermal conductivity of water-based nanofluid containing Mg(OH)<sub>2</sub> nanoparticles: An experimental investigation. *International Journal of Heat and Mass Transfer*, 108, 191-198.
- Azmi, W. H., Abdul Hamid, K., Mamat, R., Sharma, K. V., & Mohamad, M. S. (2016). Effects of working temperature on thermo-physical properties and forced convection heat transfer of TiO<sub>2</sub> nanofluids in water – Ethylene glycol mixture. *Applied Thermal Engineering*, 106, 1190-1199.
- Batchelor, G. K. (2000). *An introduction to fluid dynamics*: Cambridge university press.
- Bejan, A. (2013). *Convection heat transfer*: John wiley & sons.
- Bhanu Pratap Singh Tomar, A. T. (2015). Experimental Study of Heat Transfer of a Car Radiator with Nano fluid- Al<sub>2</sub>O<sub>3</sub>/Water mixture as Coolant. *International Journal of Advanced Research in Science, Engineering and Technology*, 2(9).

Cengel, Y. A., & Cimbala, J. M. (2006). *Fundamental and applications*: McGraw Hill, New York.

Chandrasekar, M., Suresh, S., & Chandra Bose, A. (2010). Experimental investigations and theoretical determination of thermal conductivity and viscosity of Al<sub>2</sub>O<sub>3</sub>/water nanofluid. *Experimental Thermal and Fluid Science*, 34(2), 210-216. doi:10.1016/j.expthermflusci.2009.10.022

Chen, R., Lu, M.-C., Srinivasan, V., Wang, Z., Cho, H. H., & Majumdar, A. (2009). Nanowires for Enhanced Boiling Heat Transfer. *Nano Letters*, 9(2), 548-553. doi:10.1021/nl8026857

Choi, C., Yoo, H., & Oh, J. (2008). Preparation and heat transfer properties of nanoparticle-in-transformer oil dispersions as advanced energy-efficient coolants. *Current Applied Physics*, 8(6), 710-712.

Choi, S., Jaluria, Y., Manca, O., & Wang, L. (2011). Nanofluids. *Nanoscale research letters*, 6.

Dardan, E., Afrand, M., & Meghdadi Isfahani, A. H. (2016). Effect of suspending hybrid nano-additives on rheological behavior of engine oil and pumping power. *Applied Thermal Engineering*, 109, PartA, 524- 34.

Das, S. K., Putra, N., Thiesen, P., & Roetzel, W. (2003). Temperature Dependence of Thermal Conductivity Enhancement for Nanofluids. *Journal of Heat Transfer*, 125(4), 567. doi:10.1115/1.1571080

Duangthongsuk, W., & Wongwises, S. (2009). Measurement of temperature-dependent thermal conductivity and viscosity of TiO<sub>2</sub>-water nanofluids. *Experimental Thermal and Fluid Science*, 33(4), 706-714. doi:10.1016/j.expthermflusci.2009.01.005

Duangthongsuk, W., & Wongwises, S. (2010). An experimental study on the heat transfer performance and pressure drop of TiO<sub>2</sub>-water nanofluids flowing under a turbulent flow regime. *International Journal of Heat and Mass Transfer*, 53(1), 334-344.

Duran, N., Paula Lemes, A., & B Seabra, A. (2012). Review of cellulose nanocrystals patents: preparation, composites and general applications. Recent patents on nanotechnology, 6(1), 16-28.

Eastman, J. A., Choi, S., Li, S., Yu, W., & Thompson, L. (2001). Anomalously increased effective thermal conductivities of ethylene glycol-based nanofluids containing copper nanoparticles. *Applied Physics Letters*, 78(6), 718-720.

Esfe, M. H., Saedodin, S., & Mahmoodi, M. (2014). Experimental studies on the convective heat transfer performance and thermophysical properties of MgO–water nanofluid under turbulent flow. *Experimental Thermal and Fluid Science*, 52, 68-78.

- Fakoor Pakdaman, M., Akhavan-Behabadi, M. A., & Razi, P. (2012). An experimental investigation on thermo-physical properties and overall performance of MWCNT/heat transfer oil nanofluid flow inside vertical helically coiled tubes. *Experimental Thermal and Fluid Science*, 40, 103-111.
- Ferrouillat, S., Bontemps, A., Poncelet, O., Soriano, O., & Gruss, J.-A. (2013a). Influence of nanoparticle shape factor on convective heat transfer and energetic performance of water-based  $\text{SiO}_2$  and  $\text{ZnO}$  nanofluids. *Applied Thermal Engineering*, 51(1–2), 839-851.
- Ferrouillat, S., Bontemps, A., Poncelet, O., Soriano, O., & Gruss, J.-A. (2013b). Influence of nanoparticle shape factor on convective heat transfer and energetic performance of water-based  $\text{SiO}_2$  and  $\text{ZnO}$  nanofluids. *Applied Thermal Engineering*, 51(1), 839-851.
- Fotukian, S., & Esfahany, M. N. (2010). Experimental study of turbulent convective heat transfer and pressure drop of dilute  $\text{CuO}$ /water nanofluid inside a circular tube. *International Communications in Heat and Mass Transfer*, 37(2), 214-219.
- Garg, J., Poudel, B., Chiesa, M., Gordon, J., Ma, J., Wang, J., Nanda, J. (2008). Enhanced thermal conductivity and viscosity of copper nanoparticles in ethylene glycol nanofluid. *Journal of Applied Physics*, 103(7), 074301.
- Ghadimi, A., Saidur, R., & Metselaar, H. (2011). A review of nanofluid stability properties and characterization in stationary conditions. *International Journal of Heat and Mass Transfer*, 54(17), 4051-4068.
- Godson, L., Raja, B., Lal, D. M., & Wongwises, S. (2010). Enhancement of heat transfer using nanofluids—an overview. *Renewable and sustainable energy reviews*, 14(2), 629-641.
- Gupta, M., Singh, V., Kumar, R., & Said, Z. (2017). A review on thermophysical properties of nanofluids and heat transfer applications. *Renewable and sustainable energy reviews*, 74, 638-670.
- Halelfadl, S., Estellé, P., & Maré, T. (2014). Heat transfer properties of aqueous carbon nanotubes nanofluids in coaxial heat exchanger under laminar regime. *Experimental Thermal and Fluid Science*, 55, 174-180.
- He, Y., Jin, Y., Chen, H., Ding, Y., Cang, D., & Lu, H. (2007). Heat transfer and flow behaviour of aqueous suspensions of  $\text{TiO}_2$  nanoparticles (nanofluids) flowing upward through a vertical pipe. *International Journal of Heat and Mass Transfer*, 50(11), 2272-2281.
- Heris, S. Z., Esfahany, M. N., & Etemad, S. G. (2007). Experimental investigation of convective heat transfer of  $\text{Al}_2\text{O}_3$ /water nanofluid in circular tube. *International Journal of Heat and Fluid Flow*, 28(2), 203-210.

- Hong, K., Hong, T.-K., & Yang, H.-S. (2006). Thermal conductivity of Fe nanofluids depending on the cluster size of nanoparticles. *Applied Physics Letters*, 88(3), 031901.
- Horrocks, J., & McLaughlin, E. (1963). *Non-steady-state measurements of the thermal conductivities of liquid polyphenyls*. Paper presented at the Proceedings of the Royal Society of London A: Mathematical, Physical and Engineering Sciences.
- Hussein, A. M., Bakar, R., & Kadirgama, K. (2014). Study of forced convection nanofluid heat transfer in the automotive cooling system. *Case Studies in Thermal Engineering*, 2, 50-61.
- Jang, S. P., & Choi, S. U. (2004). Role of Brownian motion in the enhanced thermal conductivity of nanofluids. *Applied physics letters*, 84(21), 4316-4318.
- Joseph, E. A. O., & Isaac, B. (2016). Effect of Heat Expansion in an Internal Combustion Automotive Engine.
- Keblinski, P., Phillpot, S., Choi, S., & Eastman, J. (2002). Mechanisms of heat flow in suspensions of nano-sized particles (nanofluids). *International Journal of Heat and Mass Transfer*, 45(4), 855-863.
- Ko, G. H., Heo, K., Lee, K., Kim, D. S., Kim, C., Sohn, Y., & Choi, M. (2007). An experimental study on the pressure drop of nanofluids containing carbon nanotubes in a horizontal tube. *International Journal of Heat and Mass Transfer*, 50(23), 4749-4753.
- Kulkarni, D. P., Vajjha, R. S., Das, D. K., & Oliva, D. (2008). Application of aluminum oxide nanofluids in diesel electric generator as jacket water coolant. *Applied Thermal Engineering*, 28(14), 1774-1781.
- Kumaresan, V., & Velraj, R. (2012). Experimental investigation of the thermo-physical properties of water–ethylene glycol mixture based CNT nanofluids. *Thermochimica Acta*, 545, 180-186.
- Lee, J., & Mudawar, I. (2007). Assessment of the effectiveness of nanofluids for single-phase and two-phase heat transfer in micro-channels. *International Journal of Heat and Mass Transfer*, 50(3), 452-463.
- Lee, J. H. (2009). *Convection performance of nanofluids for electronics cooling*: Stanford University.
- Lee, S. W., Park, S. D., Kang, S., Bang, I. C., & Kim, J. H. (2011). Investigation of viscosity and thermal conductivity of SiC nanofluids for heat transfer applications. *International Journal of Heat and Mass Transfer*, 54(1), 433-438.
- Leong, K., Yang, C., & Murshed, S. (2006). A model for the thermal conductivity of nanofluids—the effect of interfacial layer. *Journal of nanoparticle research*, 8(2), 245-254.

- Leong, K. Y., Saidur, R., Kazi, S. N., & Mamun, A. H. (2010). Performance investigation of an automotive car radiator operated with nanofluid-based coolants (nanofluid as a coolant in a radiator). *Applied Thermal Engineering*, 30(17–18), 2685-2692.
- Li, Q., Xuan, Y., & Wang, J. (2003). Investigation on convective heat transfer and flow features of nanofluids. *Journal of Heat Transfer*, 125(2003), 151-155.
- Li, W., Zou, C., & Li, X. (2017). Thermo-physical properties of waste cooking oil-based nanofluids. *Applied Thermal Engineering*, 112, 784-792.
- Li, Y., Tung, S., Schneider, E., & Xi, S. (2009). A review on development of nanofluid preparation and characterization. *Powder Technology*, 196(2), 89-101.
- Lin, C.-Y., Wang, J.-C., & Chen, T.-C. (2011). Analysis of suspension and heat transfer characteristics of Al<sub>2</sub>O<sub>3</sub> nanofluids prepared through ultrasonic vibration. *Applied Energy*, 88(12), 4527-4533.
- Mahbubul, I., Elcioglu, E. B., Saidur, R., & Amalina, M. (2017). Optimization of ultrasonication period for better dispersion and stability of TiO<sub>2</sub>-water nanofluid. *Ultrasonics Sonochemistry*, 37, 360-367.
- Mahbubul, I., Saidur, R., & Amalina, M. (2012). Latest developments on the viscosity of nanofluids. *International Journal of Heat and Mass Transfer*, 55(4), 874-885.
- Mahbubul, I., Saidur, R., & Amalina, M. (2013). Thermal conductivity, viscosity and density of R141b refrigerant based nanofluid. *Procedia Engineering*, 56, 310-315.
- Masuda, H., Ebata, A., & Teramae, K. (1993). Alteration of thermal conductivity and viscosity of liquid by dispersing ultra-fine particles. Dispersion of Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub> and TiO<sub>2</sub> ultra-fine particles.
- Mathivanan, E., Gasior, D., Liu, L., Yee, K., & Li, Y. (2017). *Experimental Investigation of the Impact of Nanofluids on Heat Transfer Performance of a Motorcycle Radiator* (0148-7191).
- Maxwell, J. C. (1881). *A treatise on electricity and magnetism* (Vol. 1): Clarendon press.
- Mehrali, M., Sadeghinezhad, E., Latibari, S. T., Kazi, S. N., Mehrali, M., Zubir, M. N. B. M., & Metselaar, H. S. C. (2014). Investigation of thermal conductivity and rheological properties of nanofluids containing graphene nanoplatelets. *Nanoscale research letters*, 9(1), 15.
- Mostafizur, R., Saidur, R., Aziz, A. A., & Bhuiyan, M. (2015). Thermophysical properties of methanol based Al<sub>2</sub>O<sub>3</sub> nanofluids. *International Journal of Heat and Mass Transfer*, 85, 414-419.
- Mui, J., Ngo, J., & Kim, B. (2016). Aggregation and colloidal stability of commercially available Al<sub>2</sub>O<sub>3</sub> nanoparticles in aqueous environments. *Nanomaterials*, 6(5), 90.

- Murshed, S., Leong, K., & Yang, C. (2005). Enhanced thermal conductivity of TiO<sub>2</sub>—water based nanofluids. *International Journal of Thermal Sciences*, 44(4), 367-373.
- Murshed, S., Leong, K., & Yang, C. (2008). Thermophysical and electrokinetic properties of nanofluids—a critical review. *Applied Thermal Engineering*, 28(17), 2109-2125.
- Namburu, P. K., Das, D. K., Tanguturi, K. M., & Vajjha, R. S. (2009). Numerical study of turbulent flow and heat transfer characteristics of nanofluids considering variable properties. *International Journal of Thermal Sciences*, 48(2), 290-302.
- Naraki, M., Peyghambarzadeh, S. M., Hashemabadi, S. H., & Vermahmoudi, Y. (2013). Parametric study of overall heat transfer coefficient of CuO/water nanofluids in a car radiator. *International Journal of Thermal Sciences*, 66, 82-90.
- Nguyen, C., Desgranges, F., Galanis, N., Roy, G., Maré, T., Boucher, S., & Mintsa, H. A. (2008). Viscosity data for Al<sub>2</sub>O<sub>3</sub>-water nanofluid—hysteresis: Is heat transfer enhancement using nanofluids reliable? *International Journal of Thermal Sciences*, 47(2), 103-111.
- Nguyen, C., Desgranges, F., Roy, G., Galanis, N., Maré, T., Boucher, S., & Mintsa, H. A. (2007). Temperature and particle-size dependent viscosity data for water-based nanofluids—hysteresis phenomenon. *International Journal of Heat and Fluid Flow*, 28(6), 1492-1506.
- Nguyen, C. T., Desgranges, F., Roy, G., Galanis, N., Maré, T., Boucher, S., & Angue Mintsa, H. (2007). Temperature and particle-size dependent viscosity data for water-based nanofluids – Hysteresis phenomenon. *International Journal of Heat and Fluid Flow*, 28(6), 1492-1506.
- P. Gopal, C. R. K., Vadivelu. (2016). *Experimental Investigation On Heat Transfer Enhancement In Automotive Radiator Using Copper Nano Particles In Engine Coolant*. Paper presented at the International Conference on Energy Efficient Technologies For Automobiles (EETA' 15).
- Pak, B. C., & Cho, Y. I. (1998). Hydrodynamic and heat transfer study of dispersed fluids with submicron metallic oxide particles. *Experimental Heat Transfer an International Journal*, 11(2), 151-170.
- Palabiyik, I., Musina, Z., Witharana, S., & Ding, Y. (2011). Dispersion stability and thermal conductivity of propylene glycol-based nanofluids. *Journal of Nanoparticle Research*, 13(10), 5049.
- Pastoriza-Gallego, M., Casanova, C., Legido, J. a., & Piñeiro, M. (2011). CuO in water nanofluid: influence of particle size and polydispersity on volumetric behaviour and viscosity. *Fluid Phase Equilibria*, 300(1), 188-196.

- Pastoriza-Gallego, M., Casanova, C., Páramo, R., Barbés, B., Legido, J., & Piñeiro, M. (2009). A study on stability and thermophysical properties (density and viscosity) of Al<sub>2</sub>O<sub>3</sub> in water nanofluid. *Journal of Applied Physics*, 106(6), 064301.
- Peyghambarzadeh, S., Hashemabadi, S., Hoseini, S., & Jamnani, M. S. (2011). Experimental study of heat transfer enhancement using water/ethylene glycol based nanofluids as a new coolant for car radiators. *International Communications in Heat and Mass Transfer*, 38(9), 1283-1290.
- Peyghambarzadeh, S. M., Hashemabadi, S. H., Jamnani, M. S., & Hoseini, S. M. (2011). Improving the cooling performance of automobile radiator with Al<sub>2</sub>O<sub>3</sub>/water nanofluid. *Applied Thermal Engineering*, 31(10), 1833-1838.
- Peyghambarzadeh, S. M., Hashemabadi, S. H., Naraki, M., & Vermahmoudi, Y. (2013). Experimental study of overall heat transfer coefficient in the application of dilute nanofluids in the car radiator. *Applied Thermal Engineering*, 52(1), 8-16.
- Powell, R. (1957). Experiments using a simple thermal comparator for measurement of thermal conductivity, surface roughness and thickness of foils or of surface deposits. *Journal of Scientific Instruments*, 34(12), 485.
- Putra, N., Thiesen, P., & Roetzel, W. (2003). Temperature dependence of thermal conductivity enhancement for nanofluids. *J Heat Transf*, 125, 567-574.
- Rashmi, W., Ismail, A. F., Sopyan, I., Jameel, A. T., Yusof, F., Khalid, M., & Mubarak, N. (2011). Stability and thermal conductivity enhancement of carbon nanotube nanofluid using gum arabic. *Journal of Experimental Nanoscience*, 6(6), 567-579.
- Richardson, J. F., & Zaki, W. N. (1954). The sedimentation of a suspension of uniform spheres under conditions of viscous flow. *Chemical Engineering Science*, 3(2).
- Rodionova, G., Eriksen, Ø., & Gregersen, Ø. (2012). TEMPO-oxidized cellulose nanofiber films: effect of surface morphology on water resistance. *Cellulose*, 19(4), 1115-1123.
- Saeedinia, M., Akhavan-Behabadi, M., & Razi, P. (2012). Thermal and rheological characteristics of CuO–Base oil nanofluid flow inside a circular tube. *International Communications in Heat and Mass Transfer*, 39(1), 152-159.
- Said, Z., Kamyar, A., & Saidur, R. (2013). *Experimental investigation on the stability and density of TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub> and TiSiO<sub>4</sub>*. Paper presented at the IOP Conference Series: Earth and Environmental Science.
- Saidur, R., Leong, K. Y., & Mohammad, H. A. (2011). A review on applications and challenges of nanofluids. *Renewable and sustainable energy reviews*, 15(3), 1646-1668.
- Sakamoto, M., Kanda, Y., Miyahara, M., & Higashitani, K. (2002). Origin of long-range attractive force between surfaces hydrophobized by surfactant adsorption. *Langmuir*, 18(15), 5713-5719.

- Seyf, H. R., & Mohammadian, S. K. (2011). Thermal and hydraulic performance of counterflow microchannel heat exchangers with and without nanofluids. *Journal of Heat Transfer*, 133(8), 081801.
- Sharif, M. Z., Redhwan, A., & Zawawi, N. (2017). Preparation and stability of silicone dioxide dispersed in polyalkylene glycol based nanolubricants. Paper presented at the MATEC Web of Conferences.
- Sharma, S., & Gupta, S. M. (2016). Preparation and evaluation of stable nanofluids for heat transfer application: A review. *Experimental Thermal and Fluid Science*, 79, 202-212.
- Shi, J., Zhao, W., Li, J., & Liu, Z. (2017). Heat Transfer Performance of Heat Pipe Radiator with SiO<sub>2</sub>/Water Nanofluids. *Heat Transfer—Asian Research*.
- Singh, D., Bhalla, V., Mathur, A., Wan, M., Dhawan, P. K., Jaiswal, A. K., & Yadav, R. R. (2015). Experimental Investigation On the Thermal Conductivity and Ultrasonic Velocity of Propylene Glycol Based TiO<sub>2</sub> Nanofluids.
- Siró, I., & Plackett, D. (2010). Microfibrillated cellulose and new nanocomposite materials: a review. *Cellulose*, 17(3), 459-494.
- Soltaninehr, M., & Afrand, M. (2016). Thermal conductivity enhancement of COOH-functionalized MWCNTs/ethylene glycol–water nanofluid for application in heating and cooling systems. *Applied Thermal Engineering*, 105, 716-723.
- Sundar, L. S., Singh, M. K., Bidkin, I., & Sousa, A. C. (2014). Experimental investigations in heat transfer and friction factor of magnetic Ni nanofluid flowing in a tube. *International Journal of Heat and Mass Transfer*, 70, 224-234.
- Sundar, L. S., Singh, M. K., & Sousa, A. C. M. (2013). Thermal conductivity of ethylene glycol and water mixture based Fe<sub>3</sub>O<sub>4</sub> nanofluid. *International Communications in Heat and Mass Transfer*, 49, 17-24. doi:10.1016/j.icheatmasstransfer.2013.08.026
- Syam Sundar, L., Singh, M. K., & Sousa, A. C. M. (2013). Investigation of thermal conductivity and viscosity of Fe<sub>3</sub>O<sub>4</sub> nanofluid for heat transfer applications. *International Communications in Heat and Mass Transfer*, 44, 7-14.
- Teng, T.-P., Hung, Y.-H., Teng, T.-C., Mo, H.-E., & Hsu, H.-G. (2010). The effect of alumina/water nanofluid particle size on thermal conductivity. *Applied Thermal Engineering*, 30(14-15), 2213-2218. doi:10.1016/j.applthermaleng.2010.05.036
- Teng, T.-P., & Yu, C.-C. (2013). Heat dissipation performance of MWCNTs nano-coolant for vehicle. *Experimental Thermal and Fluid Science*, 49, 22-30.
- Thomas, S., & Sobhan, C. B. P. (2011). A review of experimental investigations on thermal phenomena in nanofluids. *Nanoscale Research Letters*, 6(1), 377.

- Timofeeva, E. V., Smith, D. S., Yu, W., France, D. M., Singh, D., & Routbort, J. L. (2010). Particle size and interfacial effects on thermo-physical and heat transfer characteristics of water-based  $\alpha$ -SiC nanofluids. *Nanotechnology*, 21(21), 215703.
- Timofeeva, E. V., Yu, W., France, D. M., Singh, D., & Routbort, J. L. (2011). Nanofluids for heat transfer: an engineering approach. *Nanoscale research letters*, 6(1), 182.
- Ting, F. C. K., & Kirby, J. T. (1996). Dynamics of surf-zone turbulence in a spilling breaker. *Coastal Engineering*, 27(3), 131-160.
- Tiznobaik, H., & Shin, D. (2013). Enhanced specific heat capacity of high-temperature molten salt-based nanofluids. *International Journal of Heat and Mass Transfer*, 57(2), 542-548.
- Turgut, A., Tavman, I., Chirtoc, M., Schuchmann, H., Sauter, C., & Tavman, S. (2009). Thermal conductivity and viscosity measurements of water-based  $TiO_2$  nanofluids. *International Journal of Thermophysics*, 30(4), 1213-1226.
- Usri, N. A., Azmi, W. H., Mamat, R., & Abdul Hamid, K. (2014). *Viscosity of aluminium oxide ( $Al_2O_3$ ) nanoparticle dispersed in ethylene glycol*. Paper presented at the Applied Mechanics and Materials.
- Vajjha, R., Das, D., & Mahagaonkar, B. (2009). Density measurement of different nanofluids and their comparison with theory. *Petroleum Science and Technology*, 27(6), 612-624.
- Van Trinh, P., Anh, N. N., Thang, B. H., Quang, L. D., Hong, N. T., Hong, N. M., Hong, P. N. (2017). Enhanced thermal conductivity of nanofluid-based ethylene glycol containing Cu nanoparticles decorated on a Gr-MWCNT hybrid material. *RSC Advances*, 7(1), 318-326. doi:10.1039/C6RA25625B
- Wang, J., Zhu, J., Zhang, X., & Chen, Y. (2013). Heat transfer and pressure drop of nanofluids containing carbon nanotubes in laminar flows. *Experimental Thermal and Fluid Science*, 44, 716-721.
- Wang, K.-J., Ding, G.-L., & Jiang, W. (2006). *Nano-scale thermal transporting and its use in engineering*. Paper presented at the Proceedings of the 4th Symposium on Refrigeration and Air Conditioning Southeast University Press, Nanjing, China.
- Wang, R., Hao, B., Xie, G., & Li, H. (2003). *A refrigerating system using HFC134a and mineral lubricant appended with n-TiO<sub>2</sub> (R) as working fluids*. Paper presented at the Proceedings of the 4th International Symposium on HVAC, Tsinghua University Press, Beijing, China.
- Wang, X., Xu, X., & S. Choi, S. U. (1999). Thermal conductivity of nanoparticle-fluid mixture. *Journal of thermophysics and heat transfer*, 13(4), 474-480.

- Wei, B., Zou, C., Yuan, X., & Li, X. (2017). Thermo-physical property evaluation of diathermic oil based hybrid nanofluids for heat transfer applications. *International Journal of Heat and Mass Transfer*, 107, 281-287.
- Wen, D., & Ding, Y. (2004). Experimental investigation into convective heat transfer of nanofluids at the entrance region under laminar flow conditions. *International Journal of Heat and Mass Transfer*, 47(24), 5181-5188.
- Wen, D., & Ding, Y. (2005). Experimental investigation into the pool boiling heat transfer of aqueous based  $\gamma$ -alumina nanofluids. *Journal of Nanoparticle Research*, 7(2), 265-274.
- Witharana, S., Palabiyik, I., Musina, Z., & Ding, Y. (2013). Stability of glycol nanofluids—the theory and experiment. *Powder Technology*, 239, 72-77.
- Yadav, J., & Singh, B. R. (2011). Study on Performance Evaluation of Automotive Radiator. *S-JPSET*, 2(2), 47-56.
- Yousefi, T., Shojaeizadeh, E., Veysi, F., & Zinadini, S. (2012). An experimental investigation on the effect of pH variation of MWCNT–H<sub>2</sub>O nanofluid on the efficiency of a flat-plate solar collector. *Solar Energy*, 86(2), 771-779.
- Yu, W., & Xie, H. (2012). A Review on Nanofluids: Preparation, Stability Mechanisms, and Applications. *Journal of Nanomaterials*, 2012, 1-17. doi:10.1155/2012/435873
- Yu, W., Xie, H., Li, Y., & Chen, L. (2011). Experimental investigation on thermal conductivity and viscosity of aluminum nitride nanofluid. *Particuology*, 9(2), 187-191.
- Zhou, S.-Q., & Ni, R. (2008). Measurement of the specific heat capacity of water-based Al<sub>2</sub>O<sub>3</sub> nanofluid. *Applied Physics Letters*, 92(9), 093123.
- Zhu, D., Li, X., Wang, N., Wang, X., Gao, J., & Li, H. (2009). Dispersion behavior and thermal conductivity characteristics of Al<sub>2</sub>O<sub>3</sub>–H<sub>2</sub>O nanofluids. *Current Applied Physics*, 9(1), 131-139.
- Zhu, H., Zhang, C., Tang, Y., Wang, J., Ren, B., & Yin, Y. (2007). Preparation and thermal conductivity of suspensions of graphite nanoparticles. *Carbon*, 45(1), 226-228.