

## REFERENCES

- Achard, P. and De Schutter, E. (2006). Complex parameter landscape for a complex neuron model," *PLoS Comput Biol*, vol. 2, no. 7, pp. 794-804.
- Alain Destexhe and Denis Par é. (1999). Impact of network activity on the integrative properties of neocortical pyramidal neurons in vivo. *Journal of Neurophysiology*, 81:1531–1547.
- Alain Destexhe, Zachary F. Mainen, and Terrence J. Sejnowski. (1998). *Methods in Neuronal Modeling*, chapter Kinetic models of synaptic transmission, pages 1–25. In Koch and Segev.
- Alain Destexhe. (1998). Kinetic models of membrane excitability and synaptic interactions. In J Bower and H Bolouri, editors, Computational Models of Molecular and Cellular Interactions.
- Alonso, A., and Klink, R. (1993). Differential electroresponsiveness of stellate and pyramidal-like cells of medial entorhinal cortex layer II. *Journal of Neurophysiology*, 70:128–143.
- Alonso, A., and Llin ás, R. (1989). Subthreshold Na+-dependent theta-like rhythmicity in stellate cells of entorhinal cortex layer II. *Nature*, 342:175–177.
- Amir, R., Michaelis, M., and Devor, M. (1999). Membrane potential oscillations in dorsal root ganglion neurons: Role in normal electrogenesis and neuropathic pain. *The Journal of Neuroscience*, 19:8589–8596.
- Arnold, V.I., Afrajmovich, V.S., Ilyashenko, Yu.S., and Shil-nikov, L.P. (1994). *Dynamical Systems V*, Springer-Verlag.
- Baljit, S. Khakh and Graeme Henderson. (1998). Hyperpolarization-activated cationic currents (ih) in neurones of the trigeminal mesencephalic nucleus of the rat. *Journal of Physiology*, 510.3:695–704.
- Balser, J.R., Roden D.M., Bennett P.B. (1990). Global parameter optimization for cardiac potassium channel gating models. *Biophys. J.* 57, 433-444.
- Banks, H., Ernstberger, S., and Grove, S. (2007). Standard errors and confidence intervals in nonlinear regression: comparison of monte carlo and parametric statistics. *Journal of Inverse Ill-posed Problems* 15, 1-18.
- Bargas, J., Galarraga, E. (1998). Ion channels: Keys to neuronal specialization. *The handbook of brain theory and Neural Netw.*, 496–501.
- Beaumont, J., Roberge, F., and Lemieux, D. (1993). Estimation of the steady- state characteristics of the Hodgkin-Huxley model from voltage-clamp data. *Mathematical Biosciences*, 115, 2, 145 - 186.

- Belluzzi, O., and Sacchi, O. (1991). A five-conductance model of the action potential in the rat sympathetic neurone. *Progress in biophysics and molecular biology*, 55(1):1–30.
- Bernardo, L.S. and Foster, R.E. (1986). Oscillatory behavior in inferior olive neurons: mechanism, modulation, cell aggregates. *Brain research Bulletin*, 17:773–784.
- Bezanilla, F., & Armstrong, C. M. (1974). Gating currents of the sodium channels: three ways to block them. *Science*, 183(4126), 753-754.
- Bezrukov, S.M., & Vodyanoy, I. (1995). Noise-induced enhancement of signal transduction across voltage-dependent ion channels. *Nature*, 378, 362–364.
- Bhalla, U. S., & Bower, J. M. (1993). Exploring parameter space in detailed single neuron models: simulations of the mitral and granule cells of the olfactory bulb. *Journal of Neurophysiology*, 69(6), 1948-1965.
- Borges, R. R., Borges, F. S., Lameu, E. L., Batista, A. M., Iarosz, K. C., Caldas, I. L., & Baptista, M. S. (2017). Spike timing-dependent plasticity induces non-trivial topology in the brain. *Neural Networks*, 88, 58-64.
- Bower, J., and Beeman, D. (2012). Genesis. <http://genesis-sim.org/>, University of Texas and University of Colorado.
- Brad, S., Rothberg and Karl, L., Magleby. (2001). Testing for detailed balance (microscopic reversibility) in ion channel gating. *Biophysical Journal*, 80(6):3025– 3026.
- Brunel, N., and Hakim, V. (1999). Fast global oscillations in networks of integrate-andfire neurons with low firing rates. *Neural Computation*, 11:1621–1671.
- Buhry, L., Grassia, F., Giremus, A., Grivel, E., Renaud, S., and Saighi, S. (2011). Automated parameter estimation of the Hodgkin-Huxley model using the differential evolution algorithm: Application to neuromimetic analog integrated circuits. *Neural computation* 23, 10, 2599-2625.
- Buhry, L., Pace, M., & Saighi, S. (2012). Global parameter estimation of an Hodgkin–Huxley formalism using membrane voltage recordings: Application to neuromimetic analog integrated circuits. *Neurocomputing*, 81, 75-85.
- Buhry, L., Saighi, S., Giremus, A., Grivel, E., & Renaud, S. (2008, November). Parameter estimation of the Hodgkin-Huxley model using metaheuristics: application to neuromimetic analog integrated circuits. In *Biomedical Circuits and Systems Conference, 2008. BioCAS 2008. IEEE* (pp. 173-176). IEEE.
- Cannon, R. C., & D'Alessandro, G. (2006). The ion channel inverse problem: neuroinformatics meets biophysics. *PLoS computational biology*, 2(8), e91.

- Carbonell-Pascual, B., Godoy, E., Ferrer, A., Romero, L., & Ferrero, J. M. (2016). Comparison between Hodgkin–Huxley and Markov formulations of cardiac ion channels. *Journal of theoretical biology*, 399, 92-102.
- Chie-Fang Hsiao, Gurvinder Kaur, Angela Vong, Harpreet Bawa, and Scott, H., Chandler. (2009). Participation of Kv1 channels in control of membrane excitability and burst generation in mesencephalic V neurons. *Journal of Neurophysiology*, 101(3):1407–18.
- Chong Wang, P. Beyerlein, H. Pospisil, A. Krause, C. Nugent, and W. Dubitzky. (2012). An efficient method for modeling kinetic behavior of channel proteins in cardiomyocytes. *Computational Biology and Bioinformatics*, IEEE/ACM Transactions on, 9(1):40–51.
- Chow, C. C., & White, J. A. (1996). Spontaneous action potentials due to channel fluctuations. *Biophysical Journal*, 71, 3013–3021.
- Chung-Chin Kuo and Bruce P Bean. (1994). Na<sup>+</sup> Channels Must Deactivate to Recover from Inactivation. *Neuron*, 12:819–829.
- Clancy, C., and Rudy, Y. (2001). Cellular consequences of HERG mutations in the Long QT Syndrome: precursors to sudden cardiac death. *Cardiovascular Research* 50, 301-313.
- Clay, J. R., & DeFelice, L. J. (1983). Relationship between membrane excitability and single channel open-close kinetics. *Biophysical journal*, 42(2), 151-157.
- Connors, B., Gutnick, M. (1990). Intrinsic firing patterns of diverse neocortical neurons. *Trends Neurosci.* 13 (3), 99–104.
- Contreras, D., & Llinás, R. (2001). Voltage-sensitive dye imaging of neocortical spatiotemporal dynamics to afferent activation frequency. *Journal of Neuroscience*, 21(23), 9403-9413.
- Contreras, D., & Palmer, L. (2003). Response to contrast of electrophysiologically defined cell classes in primary visual cortex. *Journal of Neuroscience*, 23(17), 6936-6945.
- Costa, P. F. (1996). The kinetic parameters of sodium currents in maturing acutely isolated rat hippocampal CA1 neurones. *Developmental brain research*, 91(1), 29–40.
- Cronin, J. (1981). Mathematics of cell electrophysiology. *Marcel Dekker, Inc.*
- Cronin, J. (1987). Mathematical aspects of Hodgkin-Huxley neural theory. *Cambridge University Press.*

\

- Csercsik, D., Hangos, K. M., & Szederk ényi, G. (2012). Identifiability analysis and parameter estimation of a single Hodgkin–Huxley type voltage dependent ion channel under voltage step measurement conditions. *Neurocomputing*, 77(1), 178-188.
- Daniel Johnston and Samuel Miao-Sin Wu. (1997). Foundations of Cellular Neurophysiology. *MIT Press*.
- David Colquhoun and AlanG. Hawkes. (1995). A q-matrix cookbook. In Bert Sakmann and Erwin Neher, editors, Single-Channel Recording, pages 589–633. Springer US.
- Davison, A., Brüderle, D., Eppler, J., Jens, K., Muller, E., Pecevski, D., Perrinet, L., and Yger, P. (2009). “Pynn: a common interface for neuronal network simulators,” *Front Neuroinformatics*, vol. 2, no. 11.
- Dayan, P., & Abbott, L. F. (2001). *Theoretical neuroscience* (Vol. 806). Cambridge, MA: MIT Press.
- DeFelipe, J. (1993). Neocortical neuronal diversity: chemical heterogeneity revealed by colocalization studies of classic neurotransmitters, neuropeptides, calcium-binding proteins, and cell surface molecules. *Cerebral cortex*, 3(4), 273-289.
- Deka, R., & Dutta, J. C. (2016). Estimation of parameters using evolutionary algorithm in Hodgkin-Huxley model. In *Advances in Electrical, Electronics, Information, Communication and Bio-Informatics (AEEICB), 2016 2nd International Conference on* (pp. 219-223). IEEE.
- Delisle Burns, B., and Webb, A. C. (1976). The spontaneous activity of neurones in the cat’s cerebral cortex. *Proceedings of the Royal Society of London. Series B, Biological Sciences*, 194:211–223.
- Diba, K., Lester, H.A., & Koch, C. (2004). Intrinsic noise in cultured hippocampal neurons: experiment and modeling. *Journal of Neuroscience*, 24, 9723-9733.
- Doi, S., Onoda, Y., & Kumagai, S. (2002). Parameter estimation of various Hodgkin-Huxley-type neuronal models using a gradient-descent learning method. In *SICE 2002. Proceedings of the 41st SICE Annual Conference* (Vol. 3, pp. 1685-1688). IEEE.
- Doya, K., Selverston, A. I., & Rowat, P. F. (1994). A Hodgkin-Huxley type neuron model that learns slow non-spike oscillation. In *Advances in Neural Information Processing Systems* (pp. 566-573).
- Eduardo Marban, Toshio Yamagishi, and Gordon F. Tomaselli. (1998). Structure and function of voltage-gated sodium channels. *Journal of Physiology*, 508(3):647–657.

- Enomoto, A., Han, J. M., Hsiao, C. F., Wu, N., & Chandler, S. H. (2006). Participation of sodium currents in burst generation and control of membrane excitability in mesencephalic trigeminal neurons. *Journal of Neuroscience*, 26(13), 3412-3422.
- Faisal, A. A., & Laughlin, S. B. (2007). Stochastic simulations on the reliability of action potential propagation in thin axons. *PLoS Computational Biology*, 3, e79.
- Faisal, A. A., Selen, L. P. J., & Wolpert, D. M. (2008). Noise in the nervous system. *Nature Reviews Neuroscience*, 9, 292–303.
- Fink, M., & Noble, D. (2009). Markov models for ion channels: versatility versus identifiability and speed. *Philosophical Transactions of the Royal Society of London A: Mathematical, Physical and Engineering Sciences*, 367(1896), 2161-2179.
- Fink, M., Batzel, J. J., & Tran, H. (2008). A respiratory system model: parameter estimation and sensitivity analysis. *Cardiovascular Engineering*, 8(2), 120-134.
- Fonseca, C. M., & Fleming, P. J. (1993). Genetic Algorithms for Multiobjective Optimization: FormulationDiscussion and Generalization. In *Icgaa* (Vol. 93, No. July, pp. 416-423).
- Fonseca, C. M., & Fleming, P. J. (1993, June). Genetic Algorithms for Multiobjective Optimization: FormulationDiscussion and Generalization. In *Icgaa* (Vol. 93, No. July, pp. 416-423).
- Fourcaud-Trocmé N., Hansel, D., Van Vreeswijk, C., & Brunel, N. (2003). How spike generation mechanisms determine the neuronal response to fluctuating inputs. *Journal of Neuroscience*, 23(37), 11628-11640.
- Fox, R. F., & Lu, Y. N. (1994). Emergent collective behavior in large numbers of globally coupled independently stochastic ion channels. *Physical Review E*, 49, 3421–3431.
- Gandhi, C., Loots, E., and Isacoff, E. (2000). Reconstructing voltage sensor-pore interaction from a fluorescence scan of a voltage-gated k<sup>+</sup> channel. *Neuron* 27, 585-595.
- Gerken, W. C., Purvis, L. K., & Butera, R. J. (2006). Genetic algorithm for optimization and specification of a neuron model. *Neurocomputing*, 69(10), 1039-1042.
- Gerstner, W., and Kistler, W. (2002). (*Spiking Neuron Models*. Cambridge University Press.
- Golowasch, J., Goldman, M. S., Abbott, L. F., & Marder, E. (2002). Failure of averaging in the construction of a conductance-based neuron model. *Journal of Neurophysiology*, 87(2), 1129-1131.

- Greenstein, J. L., Wu, R., Po, S., Tomaselli, G. F., & Winslow, R. L. (2000). Role of the calcium-independent transient outward current I<sub>to</sub> in shaping action potential morphology and duration. *Circulation research*, 87(11), 1026-1033.
- Guler, M. (2008). Detailed numerical investigation of the dissipative stochastic mechanics-based neuron model. *Journal of Computational Neuroscience*, 25, 211–227.
- Guler, M. (2011). Persistent membranous cross correlations due to the multiplicity of gates in ion channels. *Journal of Computational Neuroscience*, 31, 713–724.
- Guler, M. (2013). Stochastic Hodgkin-Huxley equations with colored noise terms in the conductances. *Neural Computation*, 25, 46–74.
- Guler, M. (2007). Dissipative stochastic mechanics for capturing neuronal dynamics under the influence of ion channel noise: Formalism using a special membrane. *Physical Review E*, 76, 041918.
- Gutenkunst, R. N., Waterfall, J. J., Casey, F. P., Brown, K. S., Myers, C. R., and Sethna, J. P. (2007). Universally sloppy parameter sensitivities in systems biology models. *PLoS computational biology* 3, 10, e189.
- Hermann Haken. Synergetics: (1977). An Introduction. Springer-Verlag.
- Herz, A. V., Gollisch, T., Machens, C. K., and Jaeger, D. (2006). Modeling single-neuron dynamics and computations: a balance of detail and abstraction. *science* 314, 5796, 80-85.
- Hille, B. (1992). Ionic Channels of Excitable Membranes (2nd ed.). Sunderland. MA: Sinauer.
- Hille, B. (2001). Ionic channels of excitable membranes (3rd ed.). Sunderland, MA: Sinauer Associates.
- Hines, M., Moore, J., Carnevale, T., Morse, T., and Shepherd, G. (2012). *Neuron*. <http://www.neuron.yale.edu/neuron>, Yale University.
- Hodgkin, A. L., & Huxley, A. F. (1952). A quantitative description of membrane current and its application to conduction and excitationin in nerve. *Journal of Physiology*, 500–544.
- Holland, J. H. (1992). *Adaptation in natural and artificial systems: an introductory analysis with applications to biology, control, and artificial intelligence*. MIT press.
- Holmes, W. (1990). Is the function of dendritic spines to concentrate calcium. *Brain Research* 519, 338–342.
- Hu, X., & Eberhart, R. (2002). Solving constrained nonlinear optimization problems with particle swarm optimization. In *Proceedings of the sixth world multiconference on systemics, cybernetics and informatics* (Vol. 5, pp. 203-206).

- Hunter, P. J., Pullan, A. J., & Smaill, B. H. (2003). Modeling total heart function. *Annual review of biomedical engineering*, 5(1), 147-177.
- Huys, Q. J., and Paninski, L. (2009). Smoothing of, and parameter estimation from, noisy biophysical recordings. *PLoS computational biology* 5, 5, e1000379.
- Iyer, R., Ungless, M. A., & Faisal, A. A. (2017). Calcium-activated SK channels control firing regularity by modulating sodium channel availability in midbrain dopamine neurons. *Scientific Reports*, 7.
- Izhikevich, E. (2004). "Which model to use for cortical spiking neurons?" *IEEE Trans Neural Netw*, vol. 15, no. 5, pp. 1063–1070.
- Izhikevich, E. M., and Edelman, G. M. (2008). Large-scale model of mammalian thalamocortical systems. *Proceedings of the national academy of sciences* 105, 9 (2008), 3593-3598.
- Izhikevich, E. M., Gally, J. A., & Edelman, G. M. (2004). Spike-timing dynamics of neuronal groups. *Cerebral cortex*, 14(8), 933-944.
- Jacobson, G. A., Kamran, D., Yaron-Jakowbovitch, A., Oz, Y., Koch, C., & Segev, J. (2005). Subthreshold voltage noise of rat neocortical pyramidal neurones. *Journal of Physiology*, 564, 145–160.
- Jafri, M. S., Rice, J. J., & Winslow, R. L. (1998). Cardiac Ca 2+ dynamics: the roles of ryanodine receptor adaptation and sarcoplasmic reticulum load. *Biophysical journal*, 74(3), 1149-1168.
- Johansson, S.,& Arhem, P. (1994). Single-channel currents trigger action potentials in small cultured hippocampal neurons. *Proceedings of National Academy of Sciences USA*, 91, 1761–1765.
- Jolivet, R., Lewis, T. J., & Gerstner, W. (2004). Generalized integrate-and-fire models of neuronal activity approximate spike trains of a detailed model to a high degree of accuracy. *Journal of neurophysiology*, 92(2), 959-976.
- Jones, RSG. (1994). Synaptic and intrinsic properties of neurones of origin of the perforant path in layer II of the rat entorhinal cortex in vitro. *Hippocampus*, 4:335–353.
- Jung, P., & Shuai, J. W. (2001). Optimal sizes of ion channel clusters. *Europhysics Letters*, 56, 29–35.
- Kara, P., Reinagel, P., and Reid, R. C. (2000). Low response variability in simultaneously recorded retinal, thalamic, and cortical neurons. *Neuron*, 27(3):635–646, Poisson, retina, spike variability.
- Karatzas, I., and Shreve, S. (1987). *Brownian motion and stochastic calculus*. Springer.

- Karmarkar, U. R., & Buonomano, D. V. (2002). A model of spike-timing dependent plasticity: one or two coincidence detectors. *Journal of Neurophysiology*, 88(1), 507-513.
- Kempter, R., Gerstner, W., and Hemmen, J. (1999). "Hebbian learning and spiking neurons," *Physical Review E*, vol. 59, no. 4, pp. 4498–4514.
- Kennedy, J. (2011). Particle swarm optimization. In *Encyclopedia of machine learning* (pp. 760-766). Springer US.
- Kennedy, J. (2011). Particle swarm optimization. In *Encyclopedia of machine learning* (pp. 760-766). Springer US.
- Kennedy, J., & Eberhart, R. (1995). Particle swarm optimization 1995 IEEE International Conference on Neural Networks Proceedings.
- Kennedy, J., Eberhart, R. C., & Shi, Y. (2001). Swarm intelligence. 2001. *Kaufmann, San Francisco*, 1, 700-720.
- Khaliq, Z. M., Gouwens, N. W., & Raman, I. M. (2003). The contribution of resurgent sodium current to high-frequency firing in Purkinje neurons: an experimental and modeling study. *Journal of Neuroscience*, 23(12), 4899-4912.
- Kienker, P. (1989). Equivalence of aggregated Markov models of ion-channel gating. *Proceedings of the Royal Society of London B: Biological Sciences*, 236(1284), 269-309.
- Kistler, W. M., Gerstner, W., & Hemmen, J. L. V. (1997). Reduction of the Hodgkin-Huxley equations to a single-variable threshold model. *Neural computation*, 9(5), 1015-1045.
- Knight, B. W. (1972). Dynamics of encoding in a population of neurons. *The Journal of general physiology*, 59(6), 734-766.
- Koch, C., & Schutter, E. D. (1999). Biophysics of computation: information processing in single neurons. *Nature*, 398(6729), 678-678.
- Kumar, J., Kumar, J., Murali, S., & Bhakthavatchalu, R. (2016). Design and implementation of Izhikevich, Hodgkin and Huxley spiking neuron models and their comparison. In *Advanced Communication Control and Computing Technologies (ICACCCT), 2016 International Conference on* (pp. 111-116). IEEE.
- Lecar, H., & Nossal, R. (1971). Theory of threshold fluctuations in nerves: I. Relationships between electrical noise and fluctuations in axon firing. *Biophysical journal*, 11(12), 1048-1067.

- Lee, J., Smaill, B., and Smith, N. (2006). Hodgkin-Huxley type ion channel characterization: An improved method of voltage clamp experiment parameter estimation. *Journal of Theoretical Biology* 242, 1, 123-134.
- Linaro, D., Storace, M., & Giugliano, M. (2011). Accurate and fast simulation of channel noise in conductance-based model neurons by diffusion approximation. *PLoS Computational Biology*, 7, e1001102.
- Liu, C., Michaelis, M., Amir, R. and Devor, M. (2000). Spinal nerve injury enhances subthreshold membrane potential oscillations in drg neurons: Relation to neuropathic pain. *Journal of Neurophysiology*, 84:205–215.
- Liu, Z., Golowasch, J., Marder, E., & Abbott, L. F. (1998). A model neuron with activity-dependent conductances regulated by multiple calcium sensors. *Journal of Neuroscience*, 18(7), 2309-2320.
- Llinás, R. (1988). The intrinsic electrophysiological properties of mammalian neurons: insights into central nervous system function. *Science*, 242:1654–1664.
- Llinás, R., and Yarom, Y. (1986). Oscillatory properties of guinea-pig inferior olivary neurones and their pharmacological modulation: an in vitro study. *Journal of physiology*, 376:163–182.
- Llinás, RR., Grace, AA., and Yarom, Y. (1991). In vitro neurons in mammalian cortical layer 4 exhibit intrinsic oscillatory activity in the 10-to 50-hz frequency range. *Proceedings of the National Academy of Sciences*, 88(3):897–901.
- Loew, L. (2012). Vcell: The virtual cell. Tech. rep., University of Connecticut.
- Luo, C., and Rudy, Y. (1994). A dynamical model of the cardiac ventricular action potential i. simulations of ionic currents and concentration changes. *Circ. Res.* 74, 1071-1096.
- Mahajan, A., Shiferaw, Y., Sato, D., Baher, A., Olcese, R., Xie, L. H., ... & Garfinkel, A. (2008). A rabbit ventricular action potential model replicating cardiac dynamics at rapid heart rates. *Biophysical journal*, 94(2), 392-410.
- Maisel, B., & Lindenberg, K. (2017). Channel noise effects on first spike latency of a stochastic Hodgkin-Huxley neuron. *Physical Review E*, 95(2), 022414.
- Marder, E., & Goaillard, J. M. (2006). Variability, compensation and homeostasis in neuron and network function. *Nature reviews. Neuroscience*, 7(7), 563.
- Markram, H. (2006). The blue brain project. *Nature Reviews Neuroscience* 7, 2, 153-160.
- Markram, H., "ubke, J. L., Frotscher, M., and Sakmann, B. (1997). "Regulation of synaptic efficacy by coincidence of postsynaptic APs and EPSPs." *Science*, vol. 275, no. 5297, pp. 213–215.

- McCormick, D. A., Connors, B. W., Lighthall, J. W., & Prince, D. A. (1985). Comparative electrophysiology of pyramidal and sparsely spiny stellate neurons of the neocortex. *Journal of neurophysiology*, 54(4), 782-806.
- Medini, C., Vijayan, A., D'Angelo, E., Nair, B., & Diwakar, S. (2014). Computationally EfficientBio-realistic Reconstructions of Cerebellar Neuron Spiking Patterns. In *Proceedings of the 2014 International Conference on Interdisciplinary Advances in Applied Computing* (p. 47). ACM.
- Michalewicz, Z., & Schoenauer, M. (1996). Evolutionary algorithms for constrained parameter optimization problems. *Evolutionary computation*, 4(1), 1-32.
- Michalewicz, Z., & Schoenauer, M. (1996). Evolutionary algorithms for constrained parameter optimization problems. *Evolutionary computation*, 4(1), 1-32.
- Mirsadeghi, S., Shahbazi, E., Hemmesi, K., Nemati, S., Baharvand, H., Mirnajafi-Zadeh, J., & Kiani, S. (2017). Development of membrane ion channels during neural differentiation from human embryonic stem cells. *Biochemical and Biophysical Research Communications*, 491(1), 166-172.
- Morris, C., & Lecar, H. (1981). Voltage oscillations in the barnacle giant muscle fiber. *Biophysical journal*, 35(1), 193-213.
- Motulsky, H., & Christopoulos, A. (2004). *Fitting models to biological data using linear and nonlinear regression: a practical guide to curve fitting*. Oxford University Press.
- Negro, C.A.D., and Chandler, S.H. (1997). Physiological and theoretical analysis of K<sup>+</sup> currents controlling discharge in neonatal rat mesencephalic trigeminal neurons. *Journal of Neurophysiology*, 77(2):537–553.
- Nielsen, P. (2012). Cellml. International collaborative effort, University of Auckland.
- Noble, D., Garny, A., and Noble, P. J. (2012). How the Hodgkin-Huxley equations inspired the cardiac physiome project. *The Journal of Physiology*, 1-30.
- Nowak, L. G., Azouz, R., Sanchez-Vives, M. V., Gray, C. M., & McCormick, D. A. (2003). Electrophysiological classes of cat primary visual cortical neurons in vivo as revealed by quantitative analyses. *Journal of neurophysiology*, 89(3), 1541-1566.
- Ochab-Marcinek, A., Schmid, G., Goychuk, I., & Hänggi, P. (2009). Noise-assisted spike propagation in myelinated neurons. *Physical Review E*, 79(1), 011904.
- Opie, L. H. (2004). Heart physiology: from cell to circulation. Lippincott williams and wilkins.

- Orio, P., & Soudry, D. (2012). Simple, fast and accurate implementation of the diffusion approximation algorithm for stochastic ion channels with multiple states. *PloS one*, 7(5), e36670.
- Ozer, M. (2006). Frequency-dependent information coding in neurons with stochastic ion channels for subthreshold periodic forcing. *Physics Letters A*, 354, 258–263.
- Peters, A., Jones, E. (Eds.). (1984). Cerebral cortex, *cellular components of the cerebral cortex*. Vol. 1. Plenum, New York.
- Petersen, A. V., Cotel, F., & Perrier, J. F. (2016). Plasticity of the axon initial segment: Fast and slow processes with multiple functional roles. *The Neuroscientist*, 1073858416648311.
- Plessner, H. E., Eppler, J. M., Morrison, A., Diesmann, M., & Gewaltig, M. O. (2007). Efficient parallel simulation of large-scale neuronal networks on clusters of multiprocessor computers. In *European Conference on Parallel Processing* (pp. 672-681). Springer, Berlin, Heidelberg.
- Pospischil, M., Toledo-Rodriguez, M., Monier, C., Piwkowska, Z., Bal, T., Frégnac, Y., & Destexhe, A. (2008). Minimal Hodgkin–Huxley type models for different classes of cortical and thalamic neurons. *Biological cybernetics*, 99(4), 427-441.
- Prinz, A. A. (2007). Neuronal parameter optimization," Scholarpedia, vol. 2, no. 1, p. 1903.
- Prinz, A. A., Billimoria, C. P., & Marder, E. (2003). Alternative to hand-tuning conductance-based models: construction and analysis of databases of model neurons. *Journal of neurophysiology*, 90(6), 3998-4015.
- Raba, A. E., Cordeiro, J. M., Antzelevitch, C., & Beaumont, J. (2013). Extending the Conditions of Application of an Inversion of the Hodgkin–Huxley Gating Model. *Bulletin of mathematical biology*, 75(5), 752-773.
- Rao RPN, Stocco A, Bryan M, Sarma D, Youngquist TM, Wu J. (2014). A Direct Brain-to-Brain Interface in Humans. *PLoS ONE* 9(11): e111332
- Rossant, C., Goodman, D. F., Platkiewicz, J., & Brette, R. (2010). Automatic fitting of spiking neuron models to electrophysiological recordings. *Frontiers in neuroinformatics*, 4.
- Rowat, P. F., & Elson, R. C. (2004). State-dependent effects of Na channel noise on neuronal burst generation. *Journal of Computational Neuroscience*, 16, 87–112.
- Rubinstein, J. (1995). Threshold fluctuations in an N sodium channel model of the node of Ranvier. *Biophysical Journal*, 68, 779–785.

- Rudy, Y., & Silva, J. R. (2006). Computational biology in the study of cardiac ion channels and cell electrophysiology. *Quarterly reviews of biophysics*, 39(1), 57–116.
- Sakmann, B., & Neher, N. (1995). *Single-channel recording* (2nd ed.). New York: Plenum.
- Sanchez-Vives, M., Nowak, L., McCormick, D. (2000a). Cellular mechanisms of longlasting adaptation in visual cortical neurons in vitro. *Journal of Neuroscience*. 20 (11), 4286–4299.
- Sanchez-Vives, M., Nowak, L., McCormick, D. (2000b). Membrane mechanisms underling contrast adaptation in cat area 17 in vivo. *Journal of Neuroscience*. 20 (11), 4267–4285.
- Schmid, G., & Hägggi, P. (2007). Intrinsic coherence resonance in excitable membrane patches. *Mathematical biosciences*, 207(2), 235-245.
- Schmid, G., Goychuk, I., & Hägggi, P. (2001). Stochastic resonance as a collective property of ion channel assemblies. *Europhysics Letters*, 56, 22–28.
- Schmid, G., Goychuk, I., & Hägggi, P. (2003). Channel noise and synchronization in excitable membranes. *Physica A: Statistical Mechanics and its Applications*, 325(1), 165-175.
- Schmid, G., Goychuk, I., & Hägggi, P. (2004). Effect of channel block on the spiking activity of excitable membranes in a stochastic Hodgkin–Huxley model. *Physical biology*, 1(2), 61.
- Seemann, G., Lurz, S., Keller, D. U. J., Weiss, D. L., Scholz, E. P., & Dössel, O. (2009). Adaption of mathematical ion channel models to measured data using the particle swarm optimization. In *4th European Conference of the International Federation for Medical and Biological Engineering* (pp. 2507-2510). Springer Berlin Heidelberg.
- Sengupta, B., Laughlin, S. B., & Niven, J. E. (2010). Comparison of Langevin and Markov channel noise models for neuronal signal generation. *Physical Review E*, 81(1), 011918.
- Senn, W., Tsodyks, M., and Markram, H. (2001). “An algorithm for modifying neurotransmitter release probability based on pre- and postsynaptic spike timing,” *Neural Comput*, vol. 13, no. 1, pp. 35–67.
- Shadlen, M. N., and Newsome, W. T.(1994). Noise, neural codes and cortical organization. *Curr Opin Neurobiol*, 4(4):569–579.
- Shi, Y., & Eberhart, R. (1998). A modified particle swarm optimizer. In *Evolutionary Computation Proceedings, 1998. IEEE World Congress on Computational Intelligence., The 1998 IEEE International Conference on* (pp. 69-73). IEEE.

- Sinha, A., Schiff, S. J., & Huebel, N. (2013). Estimation of internal variables from hodgkin-huxley neuron voltage. In *Neural Engineering (NER), 2013 6th International IEEE/EMBS Conference on* (pp. 194-197). IEEE.
- Somogyi, P. (1989). Synaptic organization of gabaergic neurons and gaba-a receptors in the lateral geniculate nucleus and visual cortex. *Neural Mechanisms of Visual Perception*, 35–63.
- Song, S., Miller, K. D., and Abbott, L. F. (2000). “Competitive Hebbian learning through spike-timing-dependent synaptic plasticity,” *Nature Neurosci*, vol. 3, no. 9, pp. 919–926.
- Sterratt, D., Graham, B., Gillies, A., & Willshaw, D. (2011). *Principles of computational modelling in neuroscience*. Cambridge University Press.
- Strassberg, A. F., & DeFelice, L. J. (1993). Limitations of the Hodgkin-Huxley formalism: effects of single channel kinetics on transmembrane voltage dynamics. *Neural Computation*, 5, 843–855.
- Ten Tusscher, K., Noble, D., Noble, P., and Panfilov, A. (2004). A model for human ventricular tissue. *Am. J. Physiol. Heart Circ. Physiol* 286, H1573-1589.
- Teukolsky, S. A., Flannery, B. P., Press, W. H., & Vetterling, W. T. (1992). Numerical recipes in C. *SMR*, 693, 1.
- Tien, J. H., & Guckenheimer, J. (2008). Parameter estimation for bursting neural models. *Journal of Computational Neuroscience*, 24(3), 358-373.
- Toledo-Rodriguez, M., Gupta, A., Wang, Y., Wu, C., Markram, H. (2003). Neocortex: Basic neuron types. *The handbook of brain theory and Neural Netw.*, 719–725.
- Tuckwell, H. C. (2005). *Introduction to theoretical neurobiology: volume 2, nonlinear and stochastic theories* (Vol. 8). Cambridge University Press.
- Van Rossum, M. C., Bi, G. Q., & Turrigiano, G. G. (2000). Stable Hebbian learning from spike timing-dependent plasticity. *Journal of neuroscience*, 20(23), 8812-8821.
- Vecchietti, S., Rivolta, I., Severi, S., Napolitano, C., Priori, S. G., & Cavalcanti, S. (2006). Computer simulation of wild-type and mutant human cardiac Na<sup>+</sup> current. *Medical and Biological Engineering and Computing*, 44(1-2), 35-44.
- Venter, G., & Sobieszczanski-Sobieski, J. (2006). Parallel particle swarm optimization algorithm accelerated by asynchronous evaluations. *Journal of Aerospace Computing, Information, and Communication*, 3(3), 123-137.
- Vigmond, E. J., Hughes, M., Plank, G., and Leon, L. J. (2003). Computational tools for modeling electrical activity in cardiac tissue. *Journal of electrocardiology* 36, 69-74.

- Villarreal, M. R. (2013). "Diagram of a typical myelinated vertebrate neuron", available on: <http://en.wikipedia.org/wiki/Neuron>.
- Walch, O. J., & Eisenberg, M. C. (2016). Parameter identifiability and identifiable combinations in generalized Hodgkin–Huxley models. *Neurocomputing*, 199, 137–143.
- Wang, L., Wang, H., Yu, L., & Chen, Y. (2016). Spike-Threshold Variability Originated from Separatrix-Crossing in Neuronal Dynamics. *Scientific reports*, 6.
- Wang, Q., & Gong, Y. (2016). Effect of autaptic activity on intrinsic coherence resonance in Newman–Watts Networks of stochastic Hodgkin–Huxley neurons. *Fluctuation and Noise Letters*, 15(02), 1650016.
- Wang, Y., Ma, J., Xu, Y., Wu, F., & Zhou, P. (2017). The electrical activity of neurons subject to electromagnetic induction and Gaussian white noise. *International Journal of Bifurcation and Chaos*, 27(02), 1750030.
- White, E. L., & Keller, A. (1989). *Cortical circuits: synaptic organization of the cerebral cortex: structure, function, and theory* (pp. xvi-223). Boston: Birkhäuser.
- White, E., Morimoto, L. M., Chen, Z., Chlebowski, R. T., Hays, J., Kuller, L., & Stefanick, M. L. (2002). Obesity, body size, and risk of postmenopausal breast cancer: the Women's Health Initiative (United States). *Cancer Causes & Control*, 13(8), 741-751.
- White, J. A., Klink, R., Alonso, A., & Kay, A. R. (1998). Noise from voltage-gated ion channels may influence neuronal dynamics in the entorhinal cortex. *Journal of Neurophysiology*, 80, 262–269.
- William R. Softky and Christof Koch. (1993). The highly irregular firing of cortical cells is inconsistent with temporal integration of random epsps. *Journal of Neuroscience*, 13:334–350.
- Willms, A. R. (2004). NEUROFIT: software for fitting Hodgkin–Huxley models to voltage-clamp data. *Journal of neuroscience methods*, 121(2), 139-150.
- Wohrer, A. (2008). *Model and large-scale simulator of a biological retina, with contrast gain control* (Doctoral dissertation, Nice).
- Yuste, R., Denk, W. (1995). Dendritic spines as basic functional units of neuronal integration. *Nature* 375 (6533), 682–684.
- Yuste, R., Majewska, A. (1991). On the function of dendritic spines. *Neuroscientist* 7 (5), 387–395.
- Zeng, S., & Jung, P. (2004). Mechanism for neuronal spike generation by small and large ion channel clusters. *Physical Review E*, 70, 011903.

Zhang, Z. (1997). Parameter estimation techniques: A tutorial with application to conic fitting. *Image and vision Computing*, 15(1), 59-76.

Zhang, Z. (1997). Parameter estimation techniques: A tutorial with application to conic fitting. *Image and vision Computing*, 15(1), 59-76.

Zhao, Z., & Gu, H. (2017). Transitions between classes of neuronal excitability and bifurcations induced by autapse. *Scientific Reports*, 7.

Zucker, R. S. (1999). Calcium-and activity-dependent synaptic plasticity. *Current opinion in neurobiology*, 9(3), 305-313.

\