



**DEPARTMENT < ... >** RESEARCH GROUP < ... >

# ALLOCATION APPROACHES TO DEAL WITH THE CASCADING USE OF RESOURCES ALONG A WATER TREATMENT CHAIN

### THE CASE OF THE RESOURCE FOOTPRINT OF SEWAGE SLUDGE VALORISATION IN THE NETHERLANDS

Sophie Sfez, Steven De Meester, Siegfried Vlaeminck, Jo Dewulf

SETAC Europe 24<sup>th</sup> LCA Symposium




# OUTLINE

- Introduction
- A new approach towards wastewater treatment
- Application to a case
- Discussion & conclusions







Wastewater














#### Inputs



























UNIVERSITY





#### Wastewater treatment chain of Eindhoven - 680000 PE









Scenarios Goal & Scope Data inventory Partitioning Allocation Impact assessment


#### **Baseline scenario**




GHENT UNIVERSITY

Scenarios Goal & Scope Data inventory Partitioning Allocation Impact assessment





Scenarios Goal & Scope Data inventory Partitioning Allocation Impact assessment




Dutch National Consumption survey (2011)

RIVM reports, PAN-European consumer survey on sustainability and washing habits


Background processes: ecoinvent, Agri-footprint and Food-LCA databases




- Direct communications
- Sustainability report of Waterschap De Dommel and SNB
- EcoPhos process (P-Rex project)



UNIVERSITY







Scenarios Soal & Scope Data inventory Partitioning Allocation Impact assessment


**Resource footprint** 


→ Cumulative Exergy Extraction from the Natural Environment (CEENE; *Dewulf et al. 2007*)














- Practical challenges
  - > Only applicable in the case of a comparison between recovered and benchmark products





- Practical challenges
  - > Only applicable in the case of a comparison between recovered and benchmark products
  - Same approach should be applied to organic waste if not incinerated



- Practical challenges
  - > Only applicable in the case of a comparison between recovered and benchmark products
  - Same approach should be applied to organic waste if not incinerated
- The choice of the approach might be arbitrary but can be based on the principle of industrial ecology
  - > Consumer goods and recovered products are dependent on each other
  - > There is a "hierarchy of intent": intended products & secondary resources

 $\rightarrow$  Degressive linearly



- Practical challenges
  - > Only applicable in the case of a comparison between recovered and benchmark products
  - Same approach should be applied to organic waste if not incinerated
- The choice of the approach might be arbitrary but can be based on the principle of industrial ecology
  - > Consumer goods and recovered products are dependent on each other
- $\rightarrow$  Degressive linearly
- > There is a "hierarchy of intent": intended products & secondary resources

GHENT UNIVERSITY The proposed approach is not favourable for recovered products  $\rightarrow$  How to deal with it?



Sophie Sfez Postdoctoral researcher

Department of Green Chemistry and Technology Ghent University


- E Sophie.sfez@ugent.be
- T +32 9 264 9927

www.ugent.be


# Thank you !

- f Ghent University@ugent
- in Ghent University






GHENT



Baseline scenario



GHENT UNIVERSITY