provided by Crossre

Hindawi Publishing Corporation BioMed Research International Volume 2015, Article ID 372630, 2 pages http://dx.doi.org/10.1155/2015/372630



Corrigendum

Corrigendum to "Neurogenesis and Increase in Differentiated Neural Cell Survival via Phosphorylation of Akt1 after Fluoxetine Treatment of Stem Cells"

Anahita Rahmani, Danial Kheradmand, Peyman Keyhanvar, Alireza Shoae-Hassani, and Amir Darbandi-Azar

Correspondence should be addressed to Amir Darbandi-Azar; nanobiotechnology@ymail.com

Received 13 December 2014; Accepted 24 December 2014

Copyright © 2015 Anahita Rahmani et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In "Neurogenesis and Increase in Differentiated Neural Cell Survival via Phosphorylation of Akt1 after Fluoxetine Treatment of Stem Cells," there was an error in Figure 4(a), and here we provide the right form of Figure 4(a).

¹Stem Cell and Tissue Engineering Department, Research Center for Science and Technology in Medicine (RCSTiM), Tehran University of Medical Sciences, Tehran, Iran

²Faculty of Medicine, Islamic Azad University, Mashhad Branch, Mashhad 19988-96953, Iran

³Medical Nanotechnology Department, School of Advanced Technologies in Medicine, Tehran University of Medical Sciences, Tehran, Iran

⁴Rajaei Cardiovascular, Medical, and Research Centre, Iran University of Medical Sciences, P.O. Box 14185-615, Tehran, Iran

BioMed Research International









Figure 4: Immunostaining of hEnSCs differential markers. Expression of neuron markers including Nestin, MAP-2, and β -tubulin was analyzed in FLX induced differentiation after 10 d. The expression of CD11b as a glial marker was not obvious. The size bar is 10 μ m (a). Immunostaining of LY294002 treated hEnSCs after culture in FLX supplemented medium. There is not an expression of neuron markers in FLX induced differentiation after 10 d (b).

















Submit your manuscripts at http://www.hindawi.com

