

University of Nebraska - Lincoln  
DigitalCommons@University of Nebraska - Lincoln

---

Insecta Mundi

Center for Systematic Entomology, Gainesville,  
Florida

---

2018

# First records of *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) for Iowa, U.S.A.

Louis S. Hesler

USDA-ARS North Central Agricultural Research Laboratory, Brookings, SD, [louis.hesler@ars.usda.gov](mailto:louis.hesler@ars.usda.gov)

M. J. Hatfield

[mjhatfield@oneota.org](mailto:mjhatfield@oneota.org)

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>

 Part of the [Ecology and Evolutionary Biology Commons](#), and the [Entomology Commons](#)

---

Hesler, Louis S. and Hatfield, M. J., "First records of *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) for Iowa, U.S.A." (2018). *Insecta Mundi*. 1131.

<https://digitalcommons.unl.edu/insectamundi/1131>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

# INSECTA MUNDI

A Journal of World Insect Systematics

---

**0617**

First records of *Hippodamia variegata* (Goeze)  
(Coleoptera: Coccinellidae) for Iowa, U.S.A.

Louis S. Hesler  
USDA Agricultural Research Service  
North Central Agricultural Research Laboratory  
2923 Medary Avenue  
Brookings, SD 57006-9401, USA

M. J. Hatfield  
3079 Coldwater Creek Road  
Cresco, IA, 52136, U.S.A.

Date of issue: March 30, 2018

First records of *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) for Iowa, U.S.A.

Louis S. Hesler and M. J. Hatfield

*Insecta Mundi* 0617: 1–3

ZooBank Registered: urn:lsid:zoobank.org:pub:F423D252-53E4-4E82-B6B1-19F3C586BD17

**Published in 2018 by**

Center for Systematic Entomology, Inc.

P.O. Box 141874

Gainesville, FL 32614-1874 USA

<http://centerforsystematicentomology.org/>

**Insecta Mundi** is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. *Insecta Mundi* will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. *Insecta Mundi* publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

*Insecta Mundi* is referenced or abstracted by several sources, including the Zoological Record and CAB Abstracts. *Insecta Mundi* is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Guidelines and requirements for the preparation of manuscripts are available on the *Insecta Mundi* website at <http://centerforsystematicentomology.org/insectamundi/>

**Chief Editor:** David Plotkin, [insectamundi@gmail.com](mailto:insectamundi@gmail.com)

**Assistant Editor:** Paul E. Skelley, [insectamundi@gmail.com](mailto:insectamundi@gmail.com)

**Head Layout Editor:** Robert G. Forsyth

**Editorial Board:** J. H. Frank, M. J. Paulsen, Michael C. Thomas

**Review Editors:** Listed on the *Insecta Mundi* webpage

**Printed copies (ISSN 0749-6737) annually deposited in libraries**

CSIRO, Canberra, ACT, Australia

Museu de Zoologia, São Paulo, Brazil

Agriculture and Agrifood Canada, Ottawa, ON, Canada

The Natural History Museum, London, UK

Muzeum i Instytut Zoologii PAN, Warsaw, Poland

National Taiwan University, Taipei, Taiwan

California Academy of Sciences, San Francisco, CA, USA

Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA

Field Museum of Natural History, Chicago, IL, USA

National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

**Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format**

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

**Copyright** held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

**Layout Editor for this article:** Robert G. Forsyth

First records of *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) for Iowa, U.S.A.

Louis S. Hesler

USDA Agricultural Research Service  
North Central Agricultural Research Laboratory  
2923 Medary Avenue  
Brookings, SD 57006-9401, USA  
louis.hesler@ars.usda.gov

M. J. Hatfield

3079 Coldwater Creek Road  
Cresco, IA, 52136, U.S.A.  
mjhatfield@oneota.org

**Abstract.** *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae), a Palearctic lady beetle that has become established in North America, is reported for the first time from the state of Iowa, U.S.A. The earliest specimen of *H. variegata* from Iowa was collected in 2009, with two subsequent specimens in 2012. Collection records of an advancing, non-native species like *H. variegata* are important for determining comparative rates of geographic spread across various regions and understanding its invasion dynamics.

**Key words.** Lady beetles, non-native species, geographic distribution.

## Introduction

*Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) is a Palearctic lady beetle that has become established in North America after first being discovered near Montreal, Canada in 1984 (Gordon 1987; Wheeler 1993). It has gradually radiated from its initial detection site (Wheeler 1993; Wheeler and Stoops 1996; Ellis et al. 1999), and continues to expand its range into central North America (Gardiner and Parsons 2005; Pavuk et al. 2007; Williams and Young 2009; Heidel and Morey 2011; Hesler and Lundgren 2011; Semmler and Wrigley 2015; Hesler and Lundgren 2017). Hesler (2009) provided an annotated species list of coccinellids in Iowa, U.S.A., which is located in mid-continental North America, but *H. variegata* had not been previously reported from the state. Herein, we report the first records of *H. variegata* from Iowa.

## Materials and Methods

Lady beetles were collected during general insect sampling at two locations in Iowa in 2009 and 2012, and one lady beetle was randomly collected upon its discovery in a water bucket in 2012. Species determinations were made by LSH and based on descriptions of coccinellids in Gordon (1987) and Gordon and Vandenberg (1991). Collected beetles were deposited as voucher specimens in the insect collection at the North Central Agricultural Research Laboratory (NCARL), USDA-ARS, Brookings, South Dakota, U.S.A.

## Results

Three specimens collected in Iowa were determined to be *H. variegata*, and one constitutes a **new state record** as follows: **Iowa:** Allamakee Co., Heritage Valley, hill prairie #1, 43°22'N, 91°36'W, 25 August 2009, M. J. Hatfield, 1 male; Winneshiek Co., 100 Acre Wood, 43°25'54.65"N, 92°0'32.25"W, water bucket in yard, 1 May 2012, M. J. Hatfield, 1 female; Winneshiek Co., Plymouth Rock, planted prairie, 43°26'18.22"N, 92°0'16.71"W, 11 August 2012, M. J. Hatfield, 1 female.

## Discussion

The detection of *H. variegata* in Iowa was expected, given the geographic range expansion of this species into mid-continental North America in recent years, including the adjacent states of Illinois in 2004 (Hesler and Lundgren 2017), Wisconsin in 2005 (Williams and Young 2009), Minnesota in 2009 (Heidel and Morey 2011), and South Dakota in 2010 (Hesler and Lundgren 2011). However, *H. variegata* has spread relatively slowly across North America compared to other invasive coccinellids such as *Coccinella septempunctata* L. and *Harmonia axyridis* (Pallas) (Rice 1992; Wheeler 1993; Wheeler and Stoops 1996; Obrycki et al. 2000). Collection records of advancing, non-native species such as these are important for determining the comparative rates of geographic spread across various regions and understanding their invasion dynamics (Obrycki et al. 2000; Urban et al. 2008).

*Hippodamia variegata* is principally an aphid predator (Hodek and Evans 2012). As such, it could provide fortuitous biological control of pest aphids on crops and horticultural plants (Gordon 1987), but it may also prey on native, non-target aphids. It will also compete with native aphidophagous coccinellids for prey. Thus, future monitoring will be important to determine the various impacts of *H. variegata* in Iowa and other areas (Ellis et al. 1999; Obrycki et al. 2000; Williams and Young 2009).

## Acknowledgments

This research was partially supported by funding through USDA-ARS CRIS Project Number 3080-21220-006-00D. Marlin Rice, Ed Freese, Lauren Hesler and Eric Beckendorf graciously reviewed drafts of this paper.

## Literature Cited

- Ellis, D. R., D. R. Prokrym, and R. G. Adams. 1999. Exotic lady beetle survey in northeastern United States: *Hippodamia variegata* and *Propylea quatuordecimpunctata* (Coleoptera: Coccinellidae). *Entomological News* 110: 73–84.
- Gardiner, M. M., and G. L. Parsons. 2005. *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) detected in Michigan soybean fields. *The Great Lakes Entomologist* 38: 164–169.
- Gordon, R. D. 1987. The first North American records of *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae). *Journal of the New York Entomological Society* 95: 307–309.
- Gordon, R. D., and N. Vandenberg. 1991. Field guide to recently introduced species of Coccinellidae (Coleoptera) in North America, with a revised key to North American genera of Coccinellini. *Proceedings of the Entomological Society of Washington* 93: 845–864.
- Heidel, T. T., and A. C. Morey. 2011. First collection records of *Hippodamia variegata* (Coleoptera: Coccinellidae) in Minnesota corn and soybean. *The Great Lakes Entomologist* 44: 83–85.
- Hesler, L. S. 2009. An annotated species list of the lady beetles (Coleoptera: Coccinellidae) of Iowa, U.S.A. *Insecta Mundi* 0091: 1–10.
- Hesler, L. S., and J. G. Lundgren. 2011. *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) found in South Dakota, U.S.A. *The Coleopterists Bulletin* 65: 78–79.
- Hesler, L. S., and J. G. Lundgren. 2017. First record of *Hippodamia variegata* (Coleoptera: Coccinellidae) in Illinois, U.S.A., and relation to its other Midwestern collection records. *The Great Lakes Entomologist* 50: 43–45.
- Hodek, I., and E. W. Evans. 2012. Food relationships. p. 141–274. *In*: I. Hodek, H. F. van Emden, and A. Honěk (eds.). *Ecology and Behaviour of the Ladybird Beetles (Coccinellidae)*. Wiley-Blackwell, John Wiley and Sons; West Sussex, U.K. 561 p.
- Obrycki, J. J., N. C. Elliott, and K. L. Giles. 2000. Coccinellid introductions: potential for and evaluation of nontarget effects. p. 127–145. *In*: P. A. Follett and J. J. Duan (eds.). *Nontarget Effects of Biological Control*. Kluwer Academic; Boston, MA. 316 p.

- Pavuk, D. M., A. Sundermeier, S. Stelzer, A. M. Wadsworth, D. M. Keeler, M. L. Bergolc, and L. Hughes-Williams. 2007.** First occurrence of *Hippodamia variegata* (Goeze) (Coleoptera: Coccinellidae) in Ohio. *The Great Lakes Entomologist* 40: 205–206.
- Rice, M. E. 1992.** High altitude occurrence and westward expansion of the seven-spotted lady beetle, *Coccinella septempunctata* (Coleoptera: Coccinellidae), in the Rocky Mountains. *The Coleopterists Bulletin* 46: 142–143.
- Semmler, S. J., and R. E. Wrigley. 2015.** First Manitoba records of the non-native beetles, *Cantharis rufa* (Coleoptera: Cantharidae) and *Hippodamia variegata* (Coleoptera: Coccinellidae). *Proceedings of the Entomological Society of Manitoba* 71: 27–34.
- Urban, M. C., B. L. Phillips, D. K. Skelly, and R. Shine. 2008.** A toad more traveled: the heterogeneous invasion dynamics of cane toads in Australia. *The American Naturalist* 171 (3): E134–E148.
- Wheeler, A. G., Jr. 1993.** Establishment of *Hippodamia variegata* and new records of *Propylea quatuordecimpunctata* (Coleoptera: Coccinellidae) in the eastern United States. *Entomological News* 104: 102–110.
- Wheeler, A. G., Jr., and C. A. Stoops. 1996.** Status and spread of the Palearctic lady beetles *Hippodamia variegata* and *Propylea quatuordecimpunctata* (Coleoptera: Coccinellidae) in Pennsylvania, 1993–1995. *Entomological News* 107: 291–298.
- Williams, A. H., and D. K. Young. 2009.** The alien *Hippodamia variegata* (Coleoptera: Coccinellidae) quickly establishes itself throughout Wisconsin. *The Great Lakes Entomologist* 42: 100.

Received February 13, 2018; accepted February 27, 2018.

Review editor M.J. Paulsen.

