University of Nebraska - Lincoln DigitalCommons@University of Nebraska - Lincoln

Conservation and Survey Division

Natural Resources, School of

2007

Dundy County Test Hole Logs

Duane A. Eversoll University of Nebraska-Lincoln, deversoll2@unl.edu

Follow this and additional works at: https://digitalcommons.unl.edu/conservationsurvey Part of the Geology Commons, Geomorphology Commons, Hydrology Commons, Paleontology Commons, Sedimentology Commons, Soil Science Commons, and the Stratigraphy Commons

Eversoll, Duane A., "Dundy County Test Hole Logs" (2007). *Conservation and Survey Division*. 539. https://digitalcommons.unl.edu/conservationsurvey/539

This Article is brought to you for free and open access by the Natural Resources, School of at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Conservation and Survey Division by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Dundy County Test-Hole Logs

Duane A. Eversoll

Nebraska Water Survey Test-Hole Report No. 29

Conservation and Survey Division School of Natural Resources Institute of Agriculture and Natural Resources University of Nebraska-Lincoln

Compiled from State-wide Test-hole Database on May 2007

UNIVERSITY OF NEBRASKA-LINCOLN CREDITS

UNIVERSITY OF NEBRASKA-LINCOLN

Harvey Perlman - Chancellor

INSTITUTE OF AGRICULTURE AND NATURAL RESOURCES

John Owens - Vice Chancellor

SCHOOL OF NATURAL RESOURCES and CONSERVATION AND SURVEY DIVISION

Mark S. Kuzila - Director

The Conservation and Survey Division of the University of Nebraska is the agency designated by statute to investigate and interpret the geologically related natural resources of the state, to make available to the public the results of these investigations, and to assist in the development and conservation of these resources.

The Division is authorized to enter into agreements with federal agencies to engage in cooperative surveys and investigations in the state. Publications of the Division and the cooperating agencies are available from the Conservation and Survey Division, University of Nebraska, Lincoln, Nebraska 68588-0517.

It is the policy of the Conservation and Survey Division, as it is the University of Nebraska-Lincoln, not to discriminate on the basis of and provide information and educational programs to all regardless of sex, age, handicap, race, color, religion, marital status, veteran=s status, national or ethnic origin or sexual orientation.

Publication and price lists are furnished upon request.

ACKNOWLEDGMENTS

The authors gratefully acknowledge the contributions of the following Conservation and Survey Division personnel for production of this test-hole log book: Duane Mohlman and Rod Vasek for their computer assistance, Ann Harding for typing some of the logs, and Jerry Leach for drafting the illustrations.

INTRODUCTION

In 1930, the Conservation and Survey Division of the University of Nebraska and the U.S. Geological Survey began a program of cooperative groundwater studies in Nebraska. Since then test drilling by use of rotary drilling equipment has been an integral part of that program. This report contains logs of all the test holes drilled in the county under the program as well as those drilled by the Conservation and Survey Division with financial assistance from other government agencies.

The map in this report shows the location of all test holes drilled in the county since 1930.

Present techniques of test-hole logging and sampling include use of drilling mud suitable to drilling conditions, timing by stopwatch of the drilling of each 5-foot increment of depth, and removal of all cuttings from the test hole at intervals of 5 feet or less. During the drilling of the hole, cuttings from each interval are examined immediately; samples representing each 5-foot interval and each recognizable change in material are retained. After samples are washed, they are described lithologically and the color is evaluated by comparison with standard color charts. The samples then are dried, stored, and cataloged. Beginning in September 1951, the test holes have been logged electrically. All samples are processed and kept on open file in the offices of Conservation and Survey Division, 113 Nebraska Hall, University of Nebraska-Lincoln, 68588.

This publication is one of a series being issued to make more readily available the record of test holes drilled since 1930. The series of publications is made on a county basis and includes, with some exceptions, logs of all test holes drilled in each of the counties. The logs have not been reviewed for conformance with editorial standards and nomenclature.

The method whereby the altitude of the land surface at test-hole sites was determined is indicated in the heading of each log, as follows: a = altimeter, h = hand leveling, i = spirit leveling, t = estimated from topographic map.

The test-hole records accurately reflect subsurface conditions only at the locations where the test holes were drilled. Interpretive data reflecting probable subsurface conditions between test-holes are being compiled for publication in county reports and are available for inspection in the office of the Conservation and Survey Division.

Each test hole is identified by a number assigned in the field (for example #3-B-67, #41-79), and most are also identified by a number indicating its location within the land divisions of the U.S. Bureau of Land Management's survey of Nebraska. Location numbers of test holes east of the 6th principal meridian, that passes through Columbus in a north-south direction, are preceded by the capital letter A; those west of the principal meridian have no preceding letter. The first numeral indicates the township, the second the range, and the third the section. As shown in figure 1, the letters that follow the section number indicate the location of the test hole within the section, the first letter indicating the quarter section and the second letter indicating the quarter-quarter section. The letters A, B, C, and D are applied in counterclockwise direction beginning with A in the northeast quadrant. The last numeral is the serial number of the test hole within the given quarter-quarter section.




Figure 1. Test-hole location map for Dundy County.




Figure 2. System for identifying test-hole location by legal description.

Dundy County Test-hole Table of Contents

Test-hole Number

Page

Test-hole No. 10-B-74 (2N-41W-32CCCC) Dundy County

Note: Netoraer. Goeke	Depth, From	in feet To
Quaternary System:		
<pre>Sand, very fine to medium, slightly silty and clayey, reddish brown to light brown gray Silt, slightly clayey, sandy, some shells, some</pre>	0.0	14.5
calcareous zones, very pale brown to 20 feet then grayish pale brown Note: Possible soil between 14.5 and 20 feet	14.5	25.0
Sand, very fine to medium, trace coarse, silty, slightly silty with some reworked sandstone and limy below 35 feet, pale brown	25.0	45.0
Tertiary System - Miocene Series - Ogallala Group: Silt, very sandy, very fine to fine, moderately clayey, some medium limy sand below 50 feet,		50.0
calcareous, pale brown to 50 feet then white Sand and gravel, fine sand to medium gravel, thin silty clay layers 55.5 to 56 feet and 62.8 to 63.2	45.0	52.0
feet Cretaceous System - Upper Cretaceous Series - Montana Gr Pierre Formation:	52.0 oup:	64.2
Shale, clay, weathered and yellowish pale brown, some iron staining, slightly calcareous, dark gray		
black below 86 feet	64.2	90.0

Test-hole No. 11-B-74 (2N-41W-5BAAA) Dundy County

Depth, in feet

	From	То
Quaternary System:		
Road fill, silt, sand and clay, some gravel and rock. Topsoil, silt, some very fine to medium sand, dark	0.0	1.0
brownish gray	1.0	4.8
Tertiary System - Miocene Series - Ogallala Group:		
Silt, clayey some very fine to fine sand, limy		
areas, rare ash shards between 11 and 15 feet, some		
manganese staining, pale brown to white, light		
brown below 8.8 feet, limy nodules below 21.5 feet.	4.8	23.5
Silt, sandy, very fine to fine, some coarse gravel		
grains, very clayey and limy, white	23.5	27.6
Sand and gravel, fine sand to coarse gravel,	27.6	30.0
Silt, sandy very fine to fine, slightly clayey,		
light brownish olive to reddish brown	30.0	32.0
Silt, very sandy very fine to medium, slightly		
clayey, interbedded with silty very fine sand, very		
silty and clayey between 46 and 58 feet,		
occassional rootlets,	32.0	60.0
Sandstone, very fine to fine, calcareous, some	<u> </u>	<u> </u>
rootlets, pale brown to white	60.0	68.0
Sand, fine to medium trace fine gravel, slightly	<u> </u>	74 0
silty and clayey, pale brown to white	68.0	74.0
Silt, very sandy, interbedded with very fine to medium sand, some thin calcareous sandstone lenses,		
occassional ash shards and siliceous rootlets,		
light brown	74.0	84.0
Sand, very fine to coarse, some medium to coarse	/4.0	04.0
gravel below 90 feet, reddish	84.0	103.0
Silt, very sandy, interbedded with fine to medium	01.0	100.0
sandstone, reddish brown to 112 feet then clayey		
and grayish green	103.0	120.0
Sandstone, very fine to fine, interbedded with very		
fine to fine silty sand, limy areas, reddish brown.	120.0	152.0

152.0	160.0
160.0	186.0
186.0	192.5
192.5	202.5
202.5	216.0
216.0	222.0
222.0	229.5
oup:	
229.5	240.0
	186.0 192.5 202.5 216.0

Test-hole No. 12-B-74 (3N-41W-5BCBC) Dundy County

Depth, in feet

Legal Description: T3N, R41W, Sec 5, NW SW NW SW Footages from Section Lines: South 1800.0 ft; East 25.0 ft 40.260038 [40° 15′ 36.138″] Latitude: -101.986054 [-102° 59′ 9.795″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Reservoir Lake SW Nat. Res. District: Upper Republican Ground Elevation: 3530.0 ft Source Elev: Estimated from Map Depth to Water: 14.84 Geophysical Log(s): Yes Note: Recorder: Goeke

	Depth, From	in feet To
Quaternary System:		
Topsoil, silt, sandy, very fine to medium, dark		
brown	0.0	2.5
Sand, silty, very fine to medium trace of coarse,		
brown	2.5	18.0
Silt, sandy, very fine to fine, slightly clayey,		
light brown	18.0	22.0
Sand, fine to very coarse, silty lenses below 26		
feet, slightly silty and fine to medium wtih a		
trace of coarse below 34 feet. grayish brown	22.0	40.3
Tertiary System - Miocene Series - Ogallala Group:		
Silt, clayey, slightly sandy. limy, interbedded fine		
to very coarse sand lenses, light grayish white to		
50 feet then pale brown, reddish tint below 55		
feet, trace ash shards between 55 and 59 feet, very		
limy below 56.5 feet	40.3	62.0
Sandstone, very fine to medium, limy lenses, some		
rootlest and cemented lenses with manganese	60.0	
staining, pale brown to light brown	62.0	80.0
Silt, clayey, some very fine sand, light gray to		
white	80.0	86.5
Sand, very fine to fine, some medium, silty and	86.5	91.0
limy, pale brown	80.5	91.0
Sandstone, very fine to coarse, some medium to very coase sand, few rootlets, limy, very silty between		
97 and 99 feet with some manganese staining, light		
	91.0	114.0
brownSilt, slightly clayey, thin fine sandstone to	91.0	114.0
siltstone lenses, slightly calcareous, reddish		
brown	114.0	122.0
Sandstone, very fine to coarse, silty and limy,	114.0	122.0
reddish light brown	122.0	138.0
Sand and gravel, fine sand to very coarse	122.0	100.0
sand and graver, rine sand to very course		

gravel,slighlty silty with some fine to coarse		
sandstone between 144 and 150 feet	138.0	156.0
Siltstone, some very fine sandstone, pale brown	156.0	164.0
Sandstone, very fine to medium, some very fine to		
medium sand and rootlets, reddish tint	164.0	176.0
Sand, very fine to coarse, interbedded fine to		
coarse sandstone, limy with some cemented lenses.	176.0	195.0
Sand and gravel, fine sand to coarse gravel, some	1,0.0	100.0
limy sandstone lenses	195.0	212.0
Silt, very sandy very fine to fine, clqyey, very	190.0	212.0
calcareous. light grayish white	212 0	216.0
Siltstone, some very fine to fine sandstone lenses,	212.0	210.0
very calcareous, some siliceous cementation below		
228 feet and sandy, very fine to fine below 234		
feet	216.0	243.0
Silt, very clayey, slightly calcareous, reddish	210.0	210.0
brown	243.0	249.0
Sandstone, very fine to fine, some interbedded very	210.0	219.0
fine to fine sand	249.0	260.0
Silt, clayey, some very fine sand, light grayish		
olive	260.0	264.0
Siltstone, some interbedded slightly clayey silt,		
light grayish olive	264.0	280.0
Sand, very fine to medium, limy lenses, reddish		
brown	280.0	285.0
Sand and gravel, fine sand to coarse gravel	285.0	301.0
Sand, very fine to medium, very silty lenses	301.0	312.0
Sand and gravel, fine sand to very caorse gravel	312.0	321.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	up:	
Pierre Formation:		
Shale, clay, weathered yellowish light brown with		
some iron staining, light gray to black below 332	321.0	340.0

Test-hole No. 13-B-74 (3N-40W-32DDDA) Dundy County

Legal Description: T3N, R40W, Sec 32, SE SE NE Footages from Section Lines: North 456.0 ft; West 8.0 ft 40.177049 [40° 10′ 37.378″] Latitude: -101.853018 [-102° 51′ 10.863″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Haigler NE Nat. Res. District: Upper Republican Ground Elevation: 3425.0 ft Source Elev: Estimated from Map Depth to Water: 44 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Quaternary System:Roadfill, silt, sandy some limy silty sand, dark brown	Note: Recorder. Joeke, Redre	Depth, : From	in feet To
brown0.01.0Sand, very fine to medium, silty, brown light yellowish brown below 16 feet1.017.5Tertiary System - Miocene Series - Ogallala Group: Silt, clayey, some very fine to fine sand, very limy, some caliche and marl lenses17.528.0Sandstone, interbedded with very fine to medium sand, some coarse, very limy, reddish brown to white28.034.0Silt, clayey, some very fine sand and interbedded very fine to fine sandstone, very limy, cemented 	Quaternary System:		
Sand, very fine to medium, silty, brown light yellowish brown below 16 feet	Roadfill, silt, sandy some limy silty sand, dark		
yellowish brown below 16 feet.1.017.5Tertiary System - Miocene Series - Ogallala Group:Silt, clayey, some very fine to fine sand, verylimy, some caliche and marl lenses.17.5Sandstone, interbedded with very fine to mediumsand, some coarse, very limy, reddish brown to17.5white.28.034.0Silt, clayey, some very fine sand and interbedded28.034.0Very fine to fine sandstone, very limy, cementedbetween 42.6 and 42.8 feet, pale brown. reddish34.0tint below 41 feet then pale reddish white.34.050.0Sandstone, very fine to medium. limy, scarcenackberry seeds, light pale brown to white.50.0Sand and gravel, fine sand to very coarse gravel.76.084.0Silt, clayey, some very fine sand with scatteredthin fine sandstone lenses, light brown to reddishbrown.brown.92.022.0Sandstone, very fine to medium interbedded with fine to medium sand, some limy lenses, very pale brown to white.92.0122.0Sand, very fine to medium, some interbedded very fine to medium sandstone, limy, pale brown.122.0150.0Sand and gravel, coarse sand to very coarse gravel.153.0153.0	brown	0.0	1.0
<pre>Tertiary System - Miocene Series - Ogallala Group: Silt, clayey, some very fine to fine sand, very limy, some caliche and marl lenses</pre>	Sand, very fine to medium, silty, brown light		
Silt, clayey, some very fine to fine sand, very limy, some caliche and marl lenses	-	1.0	17.5
<pre>limy, some caliche and marl lenses</pre>			
Sandstone, interbedded with very fine to medium sand, some coarse, very limy, reddish brown to white			
<pre>sand, some coarse, very limy, reddish brown to white</pre>	limy, some caliche and marl lenses	17.5	28.0
<pre>white</pre>	Sandstone, interbedded with very fine to medium		
Silt, clayey, some very fine sand and interbedded very fine to fine sandstone, very limy, cemented between 42.6 and 42.8 feet, pale brown. reddish tint below 41 feet then pale reddish white 34.0 50.0 Sandstone, very fine to medium. limy, scarce hackberry seeds, light pale brown to white 50.0 72.0 Silt, clayey, some very fine sand. pale brown 72.0 76.0 Sand and gravel, fine sand to very coarse gravel 76.0 84.0 Silt, clayey, some very fine sand with scattered thin fine sandstone lenses, light brown to reddish brown 84.0 92.0 Sandstone, very fine to medium interbedded with fine to medium sand, some limy lenses, very pale brown to white			
<pre>very fine to fine sandstone, very limy, cemented between 42.6 and 42.8 feet, pale brown. reddish tint below 41 feet then pale reddish white 34.0 50.0 Sandstone, very fine to medium. limy, scarce hackberry seeds, light pale brown to white 50.0 72.0 Silt, clayey, some very fine sand. pale brown 72.0 76.0 Sand and gravel, fine sand to very coarse gravel 76.0 84.0 Silt, clayey, some very fine sand with scattered thin fine sandstone lenses, light brown to reddish brown 84.0 92.0 Sandstone, very fine to medium interbedded with fine to medium sand, some limy lenses, very pale brown to white 92.0 122.0 Sand, very fine to medium, some interbedded very fine to medium sandstone, limy, pale brown 122.0 150.0 Sand and gravel, coarse sand to very coarse gravel 150.0 153.0 Sandstone, very fine to medium, limy, light grayish white 153.0 160.0</pre>		28.0	34.0
between 42.6 and 42.8 feet, pale brown. reddish tint below 41 feet then pale reddish white			
<pre>tint below 41 feet then pale reddish white 34.0 50.0 Sandstone, very fine to medium. limy, scarce hackberry seeds, light pale brown to white 50.0 72.0 Silt, clayey, some very fine sand. pale brown 72.0 76.0 Sand and gravel, fine sand to very coarse gravel 76.0 84.0 Silt, clayey, some very fine sand with scattered thin fine sandstone lenses, light brown to reddish brown 84.0 92.0 Sandstone, very fine to medium interbedded with fine to medium sand, some limy lenses, very pale brown to white 92.0 122.0 Sand, very fine to medium, some interbedded very fine to medium sandstone, limy, pale brown 122.0 150.0 Sand and gravel, coarse sand to very coarse gravel 150.0 153.0 Sandstone, very fine to medium, limy, light grayish white 153.0 160.0</pre>			
Sandstone, very fine to medium. limy, scarce hackberry seeds, light pale brown to white			
<pre>hackberry seeds, light pale brown to white 50.0 72.0 Silt, clayey, some very fine sand. pale brown 72.0 76.0 Sand and gravel, fine sand to very coarse gravel 76.0 84.0 Silt, clayey, some very fine sand with scattered thin fine sandstone lenses, light brown to reddish brown 84.0 92.0 Sandstone, very fine to medium interbedded with fine to medium sand, some limy lenses, very pale brown to white 92.0 122.0 Sand, very fine to medium, some interbedded very fine to medium sandstone, limy, pale brown 122.0 150.0 Sand and gravel, coarse sand to very coarse gravel 150.0 153.0 Sandstone, very fine to medium, limy, light grayish white 153.0 160.0</pre>	-	34.0	50.0
Silt, clayey, some very fine sand. pale brown72.076.0Sand and gravel, fine sand to very coarse gravel76.084.0Silt, clayey, some very fine sand with scattered76.084.0thin fine sandstone lenses, light brown to reddish84.092.0Sandstone, very fine to medium interbedded with fine92.0122.0Sand, very fine to medium, some interbedded very92.0122.0Sand and gravel, coarse sand to very coarse gravel150.0153.0Sandstone, very fine to medium, limy, light grayish153.0160.0			
Sand and gravel, fine sand to very coarse gravel 76.0 84.0 Silt, clayey, some very fine sand with scattered thin fine sandstone lenses, light brown to reddish brown 84.0 92.0 Sandstone, very fine to medium interbedded with fine to medium sand, some limy lenses, very pale brown to white 92.0 122.0 Sand, very fine to medium, some interbedded very fine to medium sandstone, limy, pale brown 122.0 150.0 Sand and gravel, coarse sand to very coarse gravel 150.0 153.0 Sandstone, very fine to medium, limy, light grayish white 153.0 160.0			
<pre>Silt, clayey, some very fine sand with scattered thin fine sandstone lenses, light brown to reddish brown</pre>			
<pre>thin fine sandstone lenses, light brown to reddish brown</pre>		76.0	84.0
brown			
Sandstone, very fine to medium interbedded with fine to medium sand, some limy lenses, very pale brown to white			
to medium sand, some limy lenses, very pale brown to white		84.0	92.0
to white			
Sand, very fine to medium, some interbedded very fine to medium sandstone, limy, pale brown 122.0 150.0 Sand and gravel, coarse sand to very coarse gravel 150.0 153.0 Sandstone, very fine to medium, limy, light grayish white 153.0 160.0			
fine to medium sandstone, limy, pale brown 122.0 150.0 Sand and gravel, coarse sand to very coarse gravel 150.0 153.0 Sandstone, very fine to medium, limy, light grayish white 153.0 160.0		92.0	122.0
Sand and gravel, coarse sand to very coarse gravel 150.0 153.0 Sandstone, very fine to medium, limy, light grayish white			
Sandstone, very fine to medium, limy, light grayish white 153.0 160.0			
white 153.0 160.0		150.0	153.0
Silt. slightly clavey, some very fine to fine sand.		153.0	160.0
	Silt, slightly clayey, some very fine to fine sand,		
limy lenses with limestone lense from 179.5 to	-		

179.9 feet and from 187 to 187.2 feet, pale brown

to white Note: Slow from 177, faster 177 to 179.5 then slow to 180	160.0	205.0
Sand and gravel, medium sand to very coarse gravel,		
scattered thin fine to coarse sandstone lenses	205.0	216.0
Sandstone, fine to very coarse with much sand and		
some gravel grains, very silty 217 to 219 feet,		
pale brown to white	216.0	222.0
Silt, interbedded with very fine to fine sand, very		
fine to medium sandstone lenses between 227 and 230		
feet, olive to light grayish white	222.0	232.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	up:	
Pierre Formation:		
Shale, clay, some iron staining, weathered yellowish		
brown to 238 then light gray, black below 240	232.0	250.0

Test-hole No. 13-HP-78 (1N-36W-28BBBC) Dundy County

From

то

Legal Description: T1N, R36W, Sec 28, NW NW NW SW Footages from Section Lines: South 710.0 ft; East 28.0 ft 40.030131 [40° 1′ 48.473″] Latitude: -101.398595 [-102° 23' 54.943"] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Max Nat. Res. District: Upper Republican Ground Elevation: 3224.0 ft Source Elev: Estimated from Map Unknown Depth to Water: Geophysical Log(s): Yes Note: Recorder: L. Kellison Depth, in feet

	E I OM	10
Quaternary System:		
Topsoil, silt, slightly clayey, medium brown gray	0.0	3.0
Silt, slightly clayey, some very fine sand, light		
	3.0	8.0
brown gray	5.0	0.0
Silt, slightly sandy, very fine to fine, slightly		
clayey, light yellowish brown	8.0	10.0
Silt, slightly sandy, very fine, sandier 28 to 31		
ft, come magnitite grains, light yellowish brown	10.0	47.0
Sand, very fine to fine, very silty	47.0	51.0
	1/.0	51.0
Silt, slightly sandy, very fine, magnitite grains,		
light yellowish brown	51.0	68.0
Silt, slightly clayey and sandy, very fine,		
magnitite grains, light yellowish brown with		
pinkish tint	68.0	77.0
Silt, sandy, very fine to fine, magnitite grains,		
light yellowish brown	77.0	87.0
	//.0	07.0
Sand, very fine to medium, trace coarse, slightly		
silty, light brown	87.0	93.0
Silt, slightly sandy, very fine, limy and poorly		
consolidated, some magnitite, very pale brown	93.0	97.0
Tertiary System - Miocene Series - Ogallala Group:		
Sand, fine to coarse, some fine to medium gravel,		
silty and limy, limestone lense 118 to 119.5 ft,		
very fine to medium and light yellowish brown below	07 0	100 -
125 ft	97.0	137.5
Sand, very fine to fine, few coarse grains	137.5	139.0
Clay, very silty, yellowish, very pale brown,		
greenish tint	139.0	157.5
Claystone, very pale brownish white	157.5	158.0
Sand, fine to medium, rare coarse grains, thin		
lenses of silty clay	158.0	166.0
		100.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	up:	
Pierre Formation:		

Clay,	silty,	yellow gray to light yellow brown	166.0	197.0
Shale,	clay,	dark gray	197.0	200.0

Test-hole No. 14-B-74 (2N-39W-6CBBB) Dundy County

Legal Description: T2N, R39W, Sec 6, SW NW NW NW Footages from Section Lines: South 2436.0 ft; East 192.0 ft Latitude: 40.169134 [40° 10′ 8.882″] -101.776674 [-102° 46′ 36.027″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Haigler NE Nat. Res. District: Upper Republican Ground Elevation: 3379.0 ft Source Elev: Estimated from Map Depth to Water: 52.41 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

	Depth, From	in feet To
Quaternary System:		
Sand, very fine to fine, very silty, dark brown to 3		
feet then light brown	0.0	5.5
Sand, very fine to fine, very silty and slightly		
clayey, organic, dark brown	5.5	7.0
Silt, very sandy very fine to fine, light brown to		
pale brown	7.0	15.7
Tertiary System - Miocene Series - Ogallala Group:		
Silt, very sandy very fine to fine, limy, pale brown		
to white	15.7	24.0
Sand and gravel, fine sand to very coarse gravel	24.0	30.0
Sandstone, very fine to coarse, very limy, some		
siltstone and limestone lenses, very pale brown	30.0	37.0
Limestone, some opaline nodules, white	37.0	42.0
Siltstone, some very fine sand, very limy, reddish		
brown	42.0	55.0
Sandstone, very fine to medium, interbedded with		
very fine to medium sand lenses, light grayish		
white	55.0	76.0
Limestone, some siltstone and very fine sandstone,		
white	76.0	80.0
Silt, slightly clayey, some very fine to fine sand,		
reddish brown	80.0	82.0
Sand and gravel, fine sand to very coarse gravel	82.0	90.0
Sandstone, fine to coarse, silty, limy, light gray	90.0	92.0
Sand and gravel, fine sand to medium gravel	92.0	100.0
Sandstone, very fine to medium. some fine to medium		
sand, limy with few rootlets, cemented between 112		
and 114 feet, light olive to 110 feet then light		
grayish white		118.0
Silt, slightly clayey, slightly sandy, olive gray	118.0	122.0

Silt, slightly clayey, slightly sandy, olive gray.... 118.0 122.0 Sand, very fine to medium, silty, light gray..... 122.0 126.0

Sand, very fine, silty and slightly clayey, very		
silty below 135 feet, calcareous, grayish olive,	126.0	142.0
Silt, very sandy, siltstone lenses between 142.7 and		
143.0 feet and 144.8 to 144.9 feet, pale olive	142.0	150.0
Silt, some very fine to fine sand, slightly clayey,		
pale olive	150.0	159.0
Sand and gravel, fine sand to very coarse gravel,		
some thin sandstone lenses	159.0	199.0
Silt, sandy very fine to medium, slightly clayey,		
interbedded with fine to medium sand lenses and		
thin siltstones, pale olive	199.0	211.0
Sand and gravel, fine sand to very coarse gravel,		
rare reworked shale fragments	211.0	226.5
Silt, sandy, limy, pale brown	226.5	227.0
Sand and gravel, fine sand to coarse gravel with		
thin lenses of sandstone		233.5
Cretaceous System - Upper Cretaceous Series - Montana Gro	up:	
Pierre Formation:		
Shale, clay, some iron staining, slightly weathered	000 F	050 0
and light gray to 240.8 feet then black,	233.5	250.0

Test-hole No. 15-B-74 (3N-39W-36DADA) Dundy County

Legal Description: T3N, R39W, Sec 36, SE NE SE NE Footages from Section Lines: North 1650.0 ft; West 9.0 ft 40.181870 [40° 10′ 54.731″] Latitude: -101.663463 [-102° 39' 48.466"] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Benkelman NW Nat. Res. District: Upper Republican Ground Elevation: 3323.0 ft Source Elev: Estimated from Map **Depth to Water:** Unknown Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Note. Recorder. Goeke, Neare	Depth, From	in feet To
Quaternary System:		
Sand, very fine to fine, very silty, dark brown Sand, very fine to fine, very silty, slightly	0.0	2.0
clayey, light reddish brown	2.0	7.0
reddish tint	7.0	13.0
Silt, very sandy very fine to fine, pale brown	13.0	22.0
Sand, very fine to fine, silty, silt lense 27 to 30		
feet, very silty below 35 feet, pale brown	22.0	43.5
Sand, very fine to fine, some thin silt lense, light		
gray brown	43.5	54.5
Tertiary System - Miocene Series - Ogallala Group:		
Silt, sandy fine to coarse, trace of fine to medium		
gravel, slightly clayey, some limy nodules,	54.5	57.0
Sand and gravel, fine sand to very coarse gravel	57.0	71.3
Sandstone, fine to very coarse, slightly silty, limy cemented lenses, some opaline cementation below 80		
feet with limy manganese stained nodules, light		
gray to white	71.3	96.0
Silt, very sandy and limy, light gray Sandstone, very fine to medium. slightly silty,	96.0	100.7
light gray	100.7	109.0
Sand and gravel, fine sand to coarse gravel	109.0	114.0
Sandstone, fine to medium, few limy nodules, few siliceous rootlets between 120 and 125 feet,		
slightly cemented siltstone below 141.5 feet, pale		
brown to light gray	114.0	150.0
Sandstone, very fine to medium, very silty, grayish	1 5 0 0	1.00.0
whiteSand and gravel, coarse sand to very coarse gravel,	150.0	160.0
silty seam 170 to 173 feet	160.0	176.0
Silt, very sandy very fine to fine, pale brown Sandstone, very fine to fine, silty, some limy	176.0	185.0

lenses, pale brown	185.0	194.0
Note: Harder 191.5 to 191.7 and 193.0 to 193.3		
feet		
Silt, sand very fine to fine, pale brown	194.0	204.0
Siltstone, some very fine to medium interbedded		
sand, silty, light brown to gray	204.0	207.0
Sand and gravel, fine sand to very coarse gravel,		
slightly cemented 209 to 210 feet, shale fragments		
215 to 225 feet, silty between 223.5 and 225 feet		
and silty and clayey below 225 feet	207.0	227.0
Note: Slower below 223.5 feet		
Cretaceous System - Upper Cretaceous Series - Montana Gro	up:	
Pierre Formation:		
Shale, clay, weathered yellowish brown with light		
gray and some iron staining to 230 feet then light		
gray, black below 245 feet	227.0	250.0

Test-hole No. 169-42 (2N-36W-24ADCD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Loam, sandy, dark	0.0	5.0
Clay, sandy, yellow	5.0	26.0
Gravel, fine, medium, coarse, and clay	26.0	36.0
Gravel, fine to medium	36.0	43.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	43.0	49.0

Test-hole No. 16-B-74 (3N-37W-31DAAA) Dundy County

Legal Description: T3N, R37W, Sec 31, SE NE NE NE Footages from Section Lines: North 2534.0 ft; West 163.0 ft 40.184843 [40° 11′ 5.436″] Latitude: -101.530538 [-102° 31' 49.935"] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Arrowhead Lake Nat. Res. District: Upper Republican Ground Elevation: 3195.0 ft Source Elev: Estimated from Map Depth to Water: 42.1 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

brown to 120 feet then grayish white.....

very pale brown.....

Sand, very fine to medium trace of medium to coarse gravel.....

Sandstone, very fine to medium, very silty and limy,

Sand and gravel, fine sand to very coarse gravel, some thin fine sandstone lenses, scattered shale

	From	то
Quaternary System:		
Sand, very fine to fine, slightly silty and limy,		
light brownish gray	0.0	1.0
Sand, very fine to fine, silty, very pale brown,	1.0	6.0
Sand, very fine to fine, reddish brown	6.0	13.7
Tertiary System - Miocene Series - Ogallala Group:		
Sandstone, very fine to fine, poorly consolidated,		
silty and limy, very pale brown to white	13.7	18.0
Sandstone, very fine to coarse, some sand fine to		
medium trace medium to coarse gravel, siliceous		
rootlets, some opaline fragments, some manganese		
staining, very pale brown	18.0	26.0
Sand and gravel, fine sand to very coarse gravel,		
interbedded with sandstone lenses	26.0	38.0
Silt, sandy very fine to fine, limy, light brown	38.0	43.0
Sandstone, very fine to medium, trace of fine to		
medium gravel, cemented lenses, limy, occassional		
siliceous rootlets with some opaline fragments,		
some thin siltstone lenses, pale brown to white	43.0	60.0
Sandstone, very fine to fine, silty	60.0	66.0
Sandstone, very fine to medium trace of coarse,		
silty, interbedded with fine to medium sands, some		
cemented limy lenses, olive to pale brown to white.	66.0	110.0
Sandstone, very fine to medium, interbedded very		
fine to medium sand and siltstone lenses, silty,		
with lime cemented zones, scattered rootlets, pale		

Depth, in feet From Тο

110.0

155.0

163.5

155.0

163.5

172.5

some iron staining to 191.9 feet then dark gray.... 179.0 200.0

Test-hole No. 170-42 (2N-36W-24CDAD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	22.0
Gravel, fine to medium	22.0	33.0
Sand and gravel, fine to medium gravel	33.0	36.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	36.0	42.0

Test-hole No. 171-42 (2N-36W-23DBBC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Loam, sandy, dark	0.0	10.0
Clay, sand, light	10.0	18.0
Gravel, fine, medium, coarse, and clay	18.0	28.0
Sand and gravel, fine, medium, coarse gravel	28.0	38.0
Sand and gravel, fine gravel	38.0	42.0
Gravel, fine, medium, coarse	42.0	48.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	48.0	53.0

Test-hole No. 172-42 (2N-36W-15DADD) Dundy County

	Depth, From	in feet To	
Quaternary System:			
Loam, sandy, dark	0.0	10.0	
Clay, sandy, yellow	10.0	49.0	
Gravel, fine, medium, coarse, and clay	49.0	55.0	
Cretaceous System - Upper Cretaceous Series - Montana Group:			
Pierre Formation:			
Shale, dark	55.0	60.0	

Test-hole No. 173-42 (2N-36W-28ABAB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Clay, sandy, yellow, and gravel	10.0	21.0
Gravel, fine, medium, coarse, some clay	21.0	31.0
Gravel, fine, medium, coarse, some clay	31.0	33.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	33.0	39.0

Test-hole No. 174-42 (2N-36W-9CBBA) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, yellow, some sand	0.0	50.0
Clay, yellow	50.0	77.0
Tertiary System - Miocene Series - Ogallala Group:		
Lime and clay, no detailed description recorded	77.0	97.0
Clay and sand, no detailed description recorded	97.0	106.0
Clay and lime fragments, no detailed description		
recorded	106.0	126.0
Sand, lime fragments and clay	126.0	138.0

Test-hole No. 175-42 (2N-36W-28CCCB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Loam, sandy, light and dark, some gravel	0.0	5.0
Clay, dark, some gravel	5.0	12.0
Sand and gravel, fine to medium gravel, some clay	12.0	27.0
Cretaceous System - Upper Cretaceous Series - Montana Group:		
Pierre Formation:		
Shale, dark	27.0	34.0

Test-hole No. 176-42 (2N-36W-28DCCC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Clay, sandy, yellow, some gravel	10.0	15.0
Sand and gravel, fine, medium	15.0	35.0
Gravel, fine, medium, coarse	35.0	42.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	42.0	49.0

Test-hole No. 177-42 (2N-36W-27DDDD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Sand and gravel, no detailed description recorded	0.0	9.0
Sand and gravel, fine to medium gravel	9.0	29.0
Gravel, fine to medium	29.0	33.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	33.0	39.0

Test-hole No. 178-42 (2N-36W-31ABAA) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Clay, sandy, dark	10.0	27.0
Sand and gravel, fine gravel, some clay	27.0	39.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	39.0	45.0

Test-hole No. 179-42 (2N-36W-30CCDC) Dundy County

Quaternary System:	Depth, From	in feet To
Quaternary bystem.		
Loam, sandy, dark	0.0	9.0
Clay, sandy, yellow	9.0	38.0
Sand and gravel, fine gravel, some clay	38.0	48.0
Sand and gravel, fine to medium gravel	48.0	51.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	51.0	59.0

Test-hole No. 17-B-74 (3N-36W-31BAAC) Dundy County

Legal Description: T3N, R36W, Sec 31, NW NE NE SW Footages from Section Lines: South 513.0 ft; East 2030.0 ft 40.189580 [40° 11' 22.487"] Latitude: -101.428552 [-102° 25′ 42.787″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Rock Canyon Nat. Res. District: Upper Republican Ground Elevation: 3222.0 ft Source Elev: Estimated from Map Depth to Water: 201.6 Geophysical Log(s): No Note: Recorder: Goeke, Neale

Depth, in feet From To

Quaternary System:

Roadfill, silt, slightly clayey and sandy, dark gray		
brown below 2.4 ft Silt, sandy very fine to fine, yellowish brown,	0.0	3.5
calcareous Silt, very sandy very fine to fine, calcareous,	3.5	10.0
light yellowish brown	10.0	70.0
Silt, slightly clayey, calcareous, brown yellow	70.0	75.0
Silt, moderately clayey, some very fine sand, limy		
nodules below 78.3 ft, sandier below 81.3 ft, very		
pale brown	75.0	93.0
Note: Loveland?		
Sand, very fine to fine, slightly silty, moderately		
silty below 97.4 ft, pale brown to white	93.0	105.0
Silt, very sandy very fine to fine, limy, very pale		
brown	105.0	120.0
Sand, very fine to medium, some coarse, reddish		
brown	120.0	124.0
Silt, very sandy very fine to fine, very limy, very		
pale brown to white	124.0	134.0
Tertiary System - Miocene Series - Ogallala Group:		
Sandstone, very fine to fine, interbedded limestone	1010	
layers, some opaline fragments, light gray to white	134.0	136.0
Silt, slightly clayey and sandy, limy, white	136.0	141.0
Sandstone, very fine to coarse, light brown	141.0	145.0
Sandstone, very fine to medium, slightly silty, lime	145 0	1 (1 1
cemented, light gray to white	145.0	161.1
Sand, fine to very coarse, interbedded sandstones,	1 (1 1	170 0
moderately silty and limy, very pale brown	161.1	170.2
Sandstone, very fine to fine, very limy and	170 0	182.5
moderately silty, very pale brown to white	170.2 182.5	182.5
Silt, very clayey, pale olive	102.0	100.1
Sand, very time to time some medium, silly to 190		

ft, reddish brown	186.1	195.9
Silt, very sandy very fine to fine, slightly clayey,	105 0	000 F
limy very pale brown to white	195.9	200.5
Sandstone, very fine some siltstone, interbedded	200 F	200 F
light olive silts, white	200.5	208.5
Sand, very fine to fine, slightly silty, pale olive	208.5	213.8
Silt, interbedded very fine to fine sandstone		
lenses, limy nodules, light gray to 215 ft them		
pale olive	213.8	218.5
Sandstone, very fine to medium some coarse, light		
gray with reddish tint	218.5	225.0
Sand, very fine to medium, interbedded sandstone,		
light gray with reddish tint	225.0	245.3
Sandstone, very fine to fine, silty, limy, light		
gray, white to 255 ft then pale olive	245.3	265.0
Sand, very fine to fine with interbedded sandstone		
lenses, olive to reddish brown	265.0	282.1
Sandstone, very fine to medium, silty and limy, some		
interbedded silty fine sands, light pale olive	282.1	286.0
Cretaceous System - Upper Cretaceous Series - Montana Gro		
Pierre Formation:	-	
Shale, clay, weathered light gray to yellowish brown.	286.0	290.0

Test-hole No. 180-42 (2N-36W-31CBBB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	18.0
Sand and gravel, fine to medium gravel	18.0	28.0
Gravel, fine, medium, coarse, some clay	28.0	31.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	31.0	39.0

Test-hole No. 181-42 (2N-36W-31DABB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Clay, sandy, yellow, some sand	10.0	21.0
Sand and gravel, fine to medium gravel	21.0	31.0
Sand and gravel, fine gravel	31.0	33.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	33.0	39.0

Test-hole No. 182-42 (2N-37W-36CCBA) Dundy County

	Depth, i From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	32.0
Gravel, fine, medium, coarse	32.0	47.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	47.0	53.0

Test-hole No. 183-42 (1N-37W-2BCAA) Dundy County

Quaternary System:	Depth, From	in feet To
Loam, sandy, dark, some lime	0.0	10.0
Clay, sandy, yellow	10.0	19.0
Gravel, fine, medium, coarse; some clay	19.0	39.0
Sand and gravel, fine to medium gravel	39.0	43.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	43.0	49.0

Test-hole No. 184-42 (1N-37W-9ACCB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Loam, sandy, yellow	0.0	10.0
Gravel, fine, medium, coarse	10.0	14.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	14.0	20.0

Test-hole No. 185-42 (1N-37W-19CABD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	4.0
Sand and gravel, fine gravel	4.0	13.0
Gravel, fine, medium, coarse, some clay	13.0	23.0
Gravel, fine, medium, coarse, some sand and clay	23.0	26.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	26.0	34.0

Test-hole No. 186-42 (1N-37W-30BDDB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Clay, sandy, yellow, some gravel	10.0	17.0
Gravel, fine, medium, coarse	17.0	34.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	34.0	39.0

Test-hole No. 187-42 (1N-37W-31CAAC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	5.0
Clay, sandy, yellow, some fine gravel	5.0	18.0
Gravel, fine to medium, some clay	18.0	25.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	25.0	33.0

Test-hole No. 188-42 (1N-37W-29CDDD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Loam, sandy, yellow	0.0	3.0
Clay, sandy, yellow, some sand	3.0	21.0
Sand and gravel, fine gravel, some clay	21.0	30.0
Gravel, fine, medium, coarse	30.0	42.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	42.0	49.0

Test-hole No. 189-42 (1N-37W-16CCCC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	5.0
Sand and clay, yellow clay	5.0	14.0
Clay, yellow	14.0	24.0
Clay, dark and fine gravel	24.0	33.0
Gravel, fine to medium; some clay	33.0	42.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	42.0	49.0

Test-hole No. 18-B-74 (3N-36W-25DDDD) Dundy County

Legal Description: T3N, R36W, Sec 25, SE SE SE SE Footages from Section Lines: North 5.0 ft; West 75.0 ft 40.191567 [40° 11' 29.643"] Latitude: -101.325667 [-102° 19′ 32.403″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Max NE Nat. Res. District: Upper Republican 3095.0 ft Ground Elevation: Source Elev: Estimated from Map Depth to Water: 167.32 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Note. Recoluci. Goeke, Medie	Depth, From	in feet To
Quaternary System:		
<pre>Topsoil, silt, sandy very fine to fine, slightly clayey, some limy fragments, dark brown, light brown below 1.5 feet Silt, slightly clayey, slightly sandy very fine, moderately calcareous, compact below 45 feet with some manganese staining, some magnitite grains,</pre>	0.0	5.0
yellow to pale brown	5.0	65.0
gray Note: Gilman Canyon	65.0	71.8
<pre>Silt, slightly clayey, sandy very fine to medium, some manganese staining, light brown Silt, slightly clayey, some very fine to fine sand, calcareous, some magnitite grains, limy zones,</pre>	71.8	80.0
Silt, slightly clayey, sandy very fine to fine, calcareous, limy zones, trace medium to coarse sand 110 to 112.8 feet and 117 to 120.5, trace coarse		104.0
gravel below 122 feet Tertiary System - Miocene Series - Ogallala Group:	104.0	124.1
Sand and gravel, fine sand to coarse gravel, silty between 134 and 137 feet Sandstone, fine to medium, interbedded sand and silt layers, limy and calcareous, few rootlets and	124.1	140.0
seeds, pale brown to white Note: Slower between 152.8 to 155 feet Sand, very fine to medium, slightly clayey, silty	140.0	171.0
<pre>lenses 187 to 188 feet and 189 to 190 feet, interbedded sandstone layers, scattered rootlet fragments,</pre>	171.0	190.0

some limy zones,..... 190.0 205.7
Sand and gravel, fine sand to very coarse gravel,
 silty layer 217 to 218 feet..... 205.7 219.5
Cretaceous System - Upper Cretaceous Series - Montana Group:
Pierre Formation:
Shale, clay, weathered pale yellow with gray
 streaks, gray, iron stains, light gray below 232
 and dark gray to black below 234 feet..... 219.5 240.0

Test-hole No. 190-42 (1N-37W-16DADD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	32.0
Sand, fine, and fine gravel, some clay	32.0	42.0
Sand and gravel, fine to medium gravel, some clay	42.0	52.0
Gravel, fine to medium	52.0	62.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	62.0	69.0

Test-hole No. 191-42 (1N-37W-10DBBB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Loam, sandy, yellow	0.0	5.0
Clay, sandy, yellow	5.0	14.0
Sand and gravel, fine gravel	14.0	22.0
Sand and gravel, fine to medium gravel	22.0	27.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	oup:	
Pierre Formation:		
Shale, dark	27.0	33.0

Test-hole No. 192-42 (1N-37W-11ACAA) Dundy County

Geophysical Log(3). No		
	Depth,	in feet
	From	То
Quaternary System:	_	_
Loam, sandy, yellow, and silt	0.0	4.0
Clay, sandy, dark yellow	4.0	10.0
Clay, dark, some sand and fine to medium gravel	10.0	16.0
Sand and gravel, fine to medium gravel	16.0	30.0
Gravel, fine, medium, coarse	30.0	34.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	34.0	39.0

Test-hole No. 193-42 (1N-38W-26DBCB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Loam, sandy, dark	0.0	5.0
Clay, sandy, yellow	5.0	26.0
Gravel, fine, medium	26.0	36.0
Sand and gravel, fine gravel	36.0	43.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	oup:	
Pierre Formation:		
Shale, dark	43.0	49.0

Test-hole No. 194-42 (1N-38W-27CBCC) Dundy County

Quaternary System:	Depth, From	in feet To
Loam, sandy, dark	0.0	4.0
Sand, fine	4.0	12.0
Clay, yellow	12.0	23.0
Sand, fine, some clay	23.0	33.0
Sand, coarse	33.0	41.0
Sand and gravel, fine to medium gravel	41.0	52.0
Gravel, fine to medium, some lime fragments	52.0	60.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	60.0	68.0

Test-hole No. 195-42 (1N-38W-28BCCB) Dundy County

Geophysical hog (S). No		
	Depth,	in feet
	From	То
Queters and Sustant		
Quaternary System:		
Clay, sandy, yellow	0.0	20.0
Sand and clay, no detailed description recorded	20.0	24.0
Sand and gravel, fine to medium gravel	24.0	32.0
Sand and gravel, fine to medium gravel, some shale		
fragments	32.0	42.0
Gravel, fine, medium, coarse; some shale and lime		
fragments	42.0	52.0
Gravel, fine, medium, coarse, some shale	52.0	57.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	57.0	63.0

Test-hole No. 196-42 (1N-38W-30ADDA) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, dark	0.0	10.0
Sand and gravel, fine to medium gravel; some clay	10.0	21.0
Sand, fine to coarse	21.0	25.0
Sand and gravel, fine to coarse gravel	25.0	27.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	27.0	34.0

Test-hole No. 197-42 (1N-36W-6CBBC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	9.0
Sand and gravel, fine gravel, some clay	9.0	18.0
Gravel, fine to medium	18.0	27.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	27.0	34.0

Test-hole No. 198-42 (1N-38W-24CBCC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	9.0
Sand and gravel, fine to medium gravel, some clay	9.0	17.0
Gravel, fine, medium, coarse, some lime fragments	17.0	23.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	23.0	29.0

Test-hole No. 199-42 (1N-38W-22CCBC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	9.0
Sand, fine	9.0	19.0
Gravel, fine, medium, coarse	19.0	27.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	27.0	33.0

Test-hole No. 19-B-74 (4N-36W-36AAAA) Dundy County

Legal Description: T4N, R36W, Sec 36, NE NE NE NE Footages from Section Lines: South 145.0 ft; West 325.0 ft 40.278067 [40° 16′ 41.042″] Latitude: -101.326674 [-102° 19′ 36.026″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Wauneta Nat. Res. District: Upper Republican Ground Elevation: 3228.0 ft Source Elev: Unknown Depth to Water: 275.2 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Depth, in feet From To

	I I Om	10
Quaternary System:		
Topsoil, silt, slightly clayey, some very fine to		
fine sand, dark gray brown, pale brown below 2 feet	0.0	3.8
Silt, slightly silty some very fine sand,		0.0
	3.8	6.0
calcareous, pale yellowish brown	5.0	6.0
Silt, slightly sandy very fine to fine, slightly		
clayey, calcareous, some magnitite grains, light		
yellow brown	6.0	40.0
Silt, slightly clayey, calcareous, light brown	40.0	65.0
Silt, moderately clayey, calcareous, yellowish brown		
to light brown	65.0	68.5
Note: Gilman Canyon ?		
Silt, clayey, marly lenses, light yellow brown	68.5	86.0
Sand, very fine to fine, very silty, very pale brown.	86.0	90.0
	00.0	90.0
Silt, moderately clayey, slightly sandy very fine to		110 0
fine, pale brown with reddish tint	90.0	110.0
Sand, very fine to fine, some limy nodules, very		
pale brown to white	110.0	114.0
Silt, moderately clayey, sandy very fine to medium,		
marly lenses, lime nodules 145 to 146 feet, sandier		
below 60 feet, very pale brown	114.0	164.0
Sand, very fine to fine, slightly silty	164.0	172.0
Tertiary System - Miocene Series - Ogallala Group:		
Sandstone, very fine to fine, moderately cemented,		
calcareous, very pale brown to white	172.0	178.0
	172.0	1/0.0
Silt, clayey and sandy very fine to fine,	1 7 0 0	101 0
calcareous, pale brown	178.0	181.0
Sand, very fine to fine, interbedded with		
sandstones, calcareous	181.0	186.0
Silt, clayey, sandy very fine to medium, calcareous,		
very pale brown to white	186.0	189.0
Sand, very fine to medium, interbedded sandstones		
and thin silt lenses, very pale brown to white	189.0	212.0
, , ,		-

Sand, fine to coarse, interbedded sandstones, very		
calcareous, light gray to pale brown Sandstone, fine to coarse, silty and limy, very pal		217.0
brown Sand, fine to very coarse, some medium to coarse		224.0
gravel, silty, trace opaline fragments Sand and gravel, fine sand to coarse gravel, loosel		231.0
cemented beow 240 feet Sand and gravel, fine sand to fine gravel to 250	231.0	245.0
feet then more coarse to very coarse gravel Sandstone, very fine to coarse, calcareous, pale	245.0	264.0
brownSand and gravel, fine sand to very coarse gravel,	264.0	271.0
<pre>silty, interbedded sandstones, Sandstone, very fine to fine, coarser below 307 feet, very silty, some siliceous siltstone lenses very silty lenses between 289 to 291; 294 to 296; 302 to 304 and 313 to 315 feet, very pale brown t</pre>	,	285.0
whiteSilt, slightly clayey, some very fine to fine sand,		320.0
very pale brown to olive with greenish pink tint.	320.0	348.0
Sand, fine to coarse, slightly silty, Sandstone, very fine to medium, slightly clayey and silty, calcareous, pale olive to yellowish light		352.0
brown		356.0
Sand, fine to coarse, slightly clayey and silty	356.0	366.0
Silt, moderately clayey, pale oliveSandstone, very fine to fine, interbedded very fine		370.0
to fine sand, very pale brown with pinkish tint. Sand, very fine to fine, silty, some interbedded		385.0
sandstones, fine to medium below 395 feet Sand and gravel, fine sand to coarse gravel, some		403.0
sandstone lenses Sand, fine to medium, interbedded sandstone lenses, silty and clayey lenses, very pale brown, some		407.0
pinkish clay lenses Silt, sandy, very fine to coarse, very pale brown,		
interbedded silty pinkish tinted clays Cretaceous System - Upper Cretaceous Series - Montana		430.7
Pierre Formation:		
Shale, clay, weathered yellowish light brown, some iron staining, brownish gray below 435 feet	430.7	440.0

Test-hole No. 200-42 (1N-38W-21CBCB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	18.0
Sand, and fine to medium gravel, some clay	18.0	23.0
Gravel, fine, medium, coarse	23.0	27.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	27.0	34.0

Test-hole No. 201-42 (1N-38W-19BCCC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	2.0
Gravel, fine to medium, some sand	2.0	13.0
Sand and gravel, fine gravel	13.0	19.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	19.0	25.0

Test-hole No. 202-42 (1N-38W-25DACA) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	11.0
Sand, fine to coarse	11.0	21.0
Clay, gray, some sand	21.0	30.0
Sand, medium to coarse	30.0	40.0
Sand, no detailed description recorded	40.0	50.0
Gravel, fine to medium	50.0	57.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	57.0	63.0

Test-hole No. 203-42 (1N-39W-22BBBC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	28.0
Sand and gravel, fine to medium gravel; some lime		
fragments	28.0	33.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	33.0	39.0

Test-hole No. 204-42 (1N-39W-21DADA) Dundy County

	Depth,	in feet
	From	То
Quaternary System:		
Clay, yellow	0.0	2.0
Sand, fine to coarse, some clay	2.0	11.0
Sand and gravel, fine to medium gravel, some clay	11.0	19.0
Gravel, fine, medium, coarse, some clay	19.0	29.0
Gravel, fine to medium, some Clay	29.0	39.0
Sand and gravel, medium gravel	39.0	58.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	oup:	
Pierre Formation:		
Shale, dark	58.0	64.0

Test-hole No. 205-42 (1N-39W-23ADAB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	8.0
Clay, dark; some sand	8.0	14.0
Sand and gravel, fine to medium gravel	14.0	22.0
Gravel, fine to medium	22.0	24.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	oup:	
Pierre Formation:		
Shale, dark	24.0	29.0

Test-hole No. 206-42 (1N-39W-20DACB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	2.0
Sand and gravel, fine to medium gravel, some clay	2.0	21.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	21.0	27.0

Test-hole No. 207-42 (1N-39W-29BAAC) Dundy County

Geophysical Log(3). No		
	Depth,	in feet
	From	То
Quaternary System:		
Clay, sandy, yellow	0.0	9.0
Clay, sandy, yellow; some fine gravel	9.0	23.0
Sand and gravel, fine to medium gravel, some clay	23.0	29.0
Sand, fine, and fine gravel	29.0	39.0
Sand, fine, and fine to medium gravel	39.0	49.0
Sand, fine and fine gravel	49.0	59.0
Sand and gravel, fine to medium gravel, some shale	59.0	75.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	75.0	81.0

Test-hole No. 208-42 (1N-39W-30BBCC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	16.0
Gravel, fine, medium and clay	16.0	64.0
Sand and gravel, fine gravel, some clay	64.0	72.0
Gravel, fine, medium, some clay	72.0	77.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	77.0	83.0

Test-hole No. 209-42 (1N-40W-26BDCC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	4.0
Clay, sandy, dark	4.0	20.0
Clay, sandy, light	20.0	32.0
Clay, dark, and fine gravel	32.0	41.0
Clay, dark and medium gravel	41.0	49.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	49.0	55.0

Test-hole No. 20-B-74 (4N-36W-31BBBC) Dundy County

Legal Description: T4N, R36W, Sec 31, NW NW NW SW Footages from Section Lines: South 396.0 ft; East 2.0 ft 40.276447 [40° 16′ 35.209″] Latitude: -101.435694 [-102° 26' 8.5"] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Wauneta SW Nat. Res. District: Upper Republican Ground Elevation: 3298.0 ft Source Elev: Unknown Depth to Water: 234.25' Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Depth, in feet From To

Quaternary System:

Topsoil, silt, slightly clayey and sandy, limy below 4 feet brown..... 0.0 7.5 Silt, slightly clayey, limy 8 to 11 feet, some maganese staining, scattered magnitite grains, slightly humic 10 to 15 feet, harder 39.5 to 40 feet, moderately clayey between 52 to 55 feet and below 65 feet, yellowish light brown..... 7.5 73.0 Silt, moderately clayey, calcareous, light brown to yellowish brown..... 73.0 77.0 Note: Gilman Canyon? Silt, moderately clayey, slightly sandy very fine to fine, calcareous, very pale brown..... 77.0 83.0 Silt, moderately clayey, brownish gray some gray streaks..... 83.0 84.0 Note: Paleosol? Silt, moderately clayey, calcareous, few limy lenses and nodules, very clayey 102 to 104 feet, light brown to gray..... 84.0 107.0 Silt, clayey, very fine to fine sand lenses, calcareous, limy lenses, pale brown..... 107.0 125.0 Sand, very fine to fine, silty and slightly clayey, very clayey 133 to 139 feet..... 125.0 149.0 Silt, sandy very fine to fine, slightly clayey, very clayey below 157 feet..... 149.0 160.5 Tertiary System - Miocene Series - Ogallala Group: Sandstone, very fine to medium, interbedded very fine to medium silty sand layers, pale brown..... 160.5 179.0 Sandstone, very fine to fine, interbedded very fine to coarse silty sand lenses between 182 and 186 feet and 188 to 190 feet, very pale brown..... 179.0 196.0 Sand, very fine to coarse..... 196.0 200.0 Sandstone, very fine to fine, silty and clayey,

interbedded very fine sands 212 to 215 feet and		
below 218 feet	200.0	223.0
Silt, slightly clayey, some very fine to fine sand	223.0	230.0
Sandstone, very fine to coarse, interbedded fine to		
coarse sands, limy, very limy and cemented 256 to		
259 feet, light gray to white	230.0	263.0
Sand, very fine to very coarse, clayey silt. lense		
between 269 to 271 feet	263.0	275.0
Sandstone, very fine to medium, slighlty silty,		
marly below 282 with scattered opaline fragments,		
reddish brown	275.0	287.0
Sandstone, very fine to medium, interbedded very		
fine to fine sands, scattered rootlets, marly		
lenses between 310 to 315 feet and 329.5 to 330.5		
feet	287.0	346.0
Silt, alightly clayey and sandy, very fine sand		
lense 370 to 372 feet, marly below 372 feet,		
brownish olive to pale brown, reddish tint below		0 - 0 0
374 feet	346.0	378.0
Sand and gravel, fine sand to fine gravel, some		
interbedded thin silty lenses, very silty clay		
lenses between 394 and 394.9 feet and 419.4 and 420	270 0	100 F
feet	378.0	423.5
Cretaceous System - Upper Cretaceous Series - Montana Gro Pierre Formation:	oup:	
Shale, clay, weathered light yellow brown, some iron and manganses staining, light gray streaks below		
425 feet and dark gray below 435 feet	103 5	110 0
425 LEEL AND WALK YLAY DELOW 455 LEEL	74J.J	440.0

Test-hole No. 210-42 (1N-40W-28CBBB) Dundy County

	Depth, From	in feet To	
Quaternary System:			
Clay, sandy, yellow	0.0	26.0	
Gravel, fine, and clay	26.0	29.0	
Clay, sandy, yellow	29.0	59.0	
Gravel, fine and dark clay	59.0	63.0	
Cretaceous System - Upper Cretaceous Series - Montana Group:			
Pierre Formation:			
Shale, dark	63.0	69.0	

Test-hole No. 211-42 (1N-41W-35BADD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Sand and clay, yellow clay	0.0	20.0
Clay, yellow, some sand	20.0	40.0
Clay, yellow	40.0	70.0
Clay, yellow, and fine gravel	70.0	80.0
Clay, dark, and coarse sand	80.0	117.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	117.0	123.0

Test-hole No. 212-42 (1N-40W-27BBBB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Sand and gravel, fine to medium gravel; some clay	10.0	48.0
Sand and gravel, fine to medium gravel	48.0	63.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	63.0	69.0

Test-hole No. 213-42 (1N-40W-20CCBB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	2.0
Sand and gravel, fine to medium gravel, some clay	2.0	12.0
Gravel, fine, medium, coarse	12.0	22.0
Sand and gravel, fine to medium gravel, some clay	22.0	27.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	27.0	34.0

Test-hole No. 214-42 (1N-40W-30ADDD) Dundy County

Geophysical Log(S). No	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	60.0
Gravel, fine, medium; some clay	60.0	64.0
Sand and gravel, fine to medium gravel, some clay	64.0	74.0
Sand and gravel, fine gravel; some clay	74.0	92.0
Sand and gravel, fine to medium gravel, some clay	92.0	102.0
Sand and gravel, fine to medium gravel, some clay		
and lime fragments	102.0	113.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	113.0	119.0

Test-hole No. 215-42 (1N-40W-30CCAA) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	23.0
Clay, yellow, and medium gravel	23.0	25.0
Clay, yellow	25.0	65.0
Clay, dark	65.0	75.0
Clay, and fine gravel	75.0	85.0
Clay and gravel, some shale	85.0	93.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	93.0	99.0

Test-hole No. 216-42 (1N-41W-25CCCC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Sand, yellow, some clay	0.0	25.0
Gravel, medium to coarse, some clay	25.0	32.0
Clay, yellow, some fine gravel	32.0	42.0
Clay, yellow	42.0	92.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	oup:	
Pierre Formation:		
Shale, dark	92.0	97.0

Test-hole No. 217-42 (1N-41W-33BDAA) Dundy County

	Depth, From	in feet To	
Quaternary System:			
Clay, sandy, yellow	0.0	10.0	
Clay, yellow	10.0	25.0	
Clay and gravel, no detailed description recorded	25.0	27.0	
Cretaceous System - Upper Cretaceous Series - Montana Group:			
Pierre Formation:			
Shale, very hard, gray	27.0	42.0	
Shale, dark	42.0	49.0	

Test-hole No. 218-42 (1N-41W-28BACC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Sand and gravel, fine to coarse gravel, some clay	10.0	20.0
Sand and gravel, fine to medium gravel, some clay	20.0	28.0
Sand and clay, dark clay	28.0	40.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	oup:	
Pierre Formation:		
Shale, dark	40.0	49.0

Test-hole No. 219-42 (1N-41W-18DDDD) Dundy County

	Depth,	in feet
	From	То
Quaternary System:		
Loam, sandy, dark	0.0	4.0
Sand, fine	4.0	14.0
Sand and gravel, fine gravel	14.0	24.0
Gravel and clay, some decayed formation, weathered		
shal fragments	24.0	36.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	36.0	41.0

Test-hole No. 21-B-74 (4N-37W-31CCCC) Dundy County

Legal Description: T4N, R37W, Sec 31, SW SW SW SW Footages from Section Lines: North 45.0 ft; East 34.0 ft 40.263876 [40° 15′ 49.954″] Latitude: -101.549133 [-102° 32′ 56.879″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Ough Nat. Res. District: Upper Republican Ground Elevation: 3229.0 ft Unknown Source Elev: Depth to Water: 26.4 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Depth, in feet From To

Quaternary System:

Topsoil, sand very fine to fine, very silty, dark		
brown	0.0	1.5
Sand, very fine to fine, silty, slightly calcareous,		
light yellowish brown	1.5	9.0
Sand, very fine to fine, silty, calcareous,		
yellowish brown,	9.0	12.0
Note: Paleosol?		
Sand, very fine to fine, silty, slightly calcareous,		
light yellowish brown	12.0	17.0
Silt, sandy very fine to fine, slightly clayey and		
calcareous, some iron staining, some magnitite		
grains, light brownish gray	17.0	20.7
Sand, very fine to fine	20.7	24.0
Silt, moderately clayey and sandy very fine, iron		
and magneses staining, scattered magnitite grains,		
light brown	24.0	28.5
Sand, very fine to fine, moderately clayey and		
silty, reddish tint	28.5	30.0
Tertiary System - Miocene Series - Ogallala Group:		
Sandstone, very fine to medium, silty and slightly		
clayey, limy, some interbedded very fine to fine		
silty sand lenses below 33 feet, very silty between		
51 to 53 feet and below 57 feet, pinkish white to		
40 feet then pale brownish white	30.0	61.0
Sandstone, very fine to fine, lilty lenses 66 to 68		
feet and 71 to 74 feet, calcareous, some thin		
siliceous lenses, white to 65 feet then very pale		
brown, pinkish below 70.5 feet	61.0	77.0
Sand, very fine to fine, silty, silty lenses 83 to		
85 feet, 87 to 89 feet and 94 to 95 feet,	77.0	101.0
Sand, very fine to coarse, silty, some limy cemented		
lenses	101.0	108.4

	Sandstone, very fine to coarse, silty, very pale		
	brown to white	108.4	112.0
	Siltstone, to limestone, very pale brownish white	112.0	118.0
	Silt, clayey, limy lenses, some interbedded very		
	fine sandstone, pale brown	118.0	128.0
	Sandstone, fine to medium, scattered fine to coarse		
	gravel grains, slightly silty, limy, very pale		
	brown	128.0	132.0
	Sand and gravel, fine sand to coarse gravel, silty		
	and limy lenses	132.0	141.0
	Sand, fine to coarse, some fine gravel, silty and		
	slightly clayey, limy cemented lenses below 148		
	feet	141.0	152.7
	Sand, very fine to medium, interbedded silty		
	sandstone lenses, very silty lenses at 154 to 156		
	feet, 163 to 165 feet, 169 to 171 feet; 176 to 179	1 - 0 -	
	feet and below 186 feet, greenish gray white,	152.7	194.0
	Sand, very fine to medium	194.0	203.0
	Sandstone, very fine to fine, silty, calcareous,		
	scattered limy nodules, pale brown	203.0	206.0
	Sand, very fine to fine, silty	206.0	212.0
	Silt, to very fine sand, very pale brown to white	212.0	215.0
	Sand, very fine to fine, silty, calcareous, very	015 0	005 0
	pale brown	215.0	225.0
	Silt, very sandy very fine to fine, calcareous, very		
	sandy bewteen 235 and 239 feet and below 242 feet,		242 0
	very pale brown to white	225.0	243.0
	Silt, slightly clayey, interbedded very fine to		
	<pre>medium sands, limy, very sandy lense 251 to 253 feet, pale brownish gray</pre>	243.0	254.0
	Sand and gravel, fine sand to very coarse gravel,	243.0	234.0
	silty and clayey	254.0	258.0
	Sand, very fine to fine, silty and clayey, slightly	234.0	230.0
	silty below 261 feet, very pale brown	258.0	266.0
	Sand and gravel, medium sand to very coarse gravel,	200.0	200.0
	trace reworked shale fragments	266 0	279.8
Cr	etaceous System - Upper Cretaceous Series - Montana Gro		275.0
	ierre Formation:	-F.	
-	Shale, clay, weathered yellowish brown some gray		
	streaks, some dendritic iron and manganese		
	staining, light gray to 294, dark gray below 295		
	feet	279.8	300.0

Test-hole No. 220-42 (1N-41W-19DDDA) Dundy County

Quaternary System:	Depth, From	in feet To
Qualernary System.		
Clay, sandy, yellow, and silt	0.0	10.0
Clay, sandy, yellow	10.0	16.0
Gravel, fine to medium, clay	16.0	30.0
Clay, hard, yellow, some gravel	30.0	32.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	32.0	37.0

Test-hole No. 221-42 (1N-41W-30ADAA) Dundy County

Geophysical Log(s). No		
	Depth,	in feet
	From	То
Quaternary System:		
Clay, sandy, yellow	0.0	9.0
Sand and gravel, some clay	9.0	19.0
Sand, fine and fine gravel, some clay	19.0	25.0
Clay, yellow, and sand	25.0	35.0
Clay, yellow	35.0	46.0
Sand and gravel, fine to medium gravel, some clay	46.0	48.0
Clay, hard, yellow, and gravel	48.0	51.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	51.0	56.0

Test-hole No. 222-42 (1N-41W-19CCBC) Dundy County

	Depth, : From	in feet To
Quaternary System:		
Clay, yellow	0.0	10.0
Clay, yellow, some sand	10.0	20.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, yellow	20.0	49.0

Test-hole No. 223-42 (1N-42W-25DDDD) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	39.0
Gravel, fine, medium, and clay	39.0	69.0
Sand, fine, coarse	69.0	74.0
Gravel, fine, medium	74.0	79.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	79.0	87.0

Test-hole No. 224-42 (1N-42W-15AAAA) Dundy County

Scophybicar Log(b). No		
	Depth,	in feet
	From	То
Quaternary System:		
Clay, sandy, yellow, some silt	0.0	2.0
Clay, sandy, yellow	2.0	12.0
Gravel, fine to medium, some clay	12.0	23.0
Sand, fine, and clay, some gravel	23.0	31.0
Gravel, fine to medium, and clay	31.0	37.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	37.0	43.0

Test-hole No. 225-42 (1N-42W-13BCCC) Dundy County

Quaternary System:	Depth, From	in feet To
Clay, sandy, dark	0.0	10.0
		± • • •
Clay, sandy, yellow	10.0	28.0
Gravel, fine, medium, and clay	28.0	73.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	73.0	79.0

Test-hole No. 226-42 (1N-42W-24AAAA) Dundy County

	Depth,	in feet
	From	То
Quaternary System:		
Clay, dark; some fine gravel	0.0	10.0
Clay, sandy, yellow	10.0	30.0
Sand, fine, coarse	30.0	40.0
Sand and gravel, fine to medium gravel, some clay	40.0	50.0
Sand and gravel, fine gravel	50.0	69.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	69.0	75.0

Test-hole No. 227-42 (1N-40W-17CCCC) Dundy County

Legal Description: T1N, R40W, Sec 17, SW SW SW SW Footages from Section Lines: North 100.0 ft; East 10.0 ft 40.046789 [40° 2′ 48.441″] Latitude: -101.870680 [-102° 52′ 14.45″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Rock Creek Lake Nat. Res. District: Upper Republican Ground Elevation: 3212.0 ft Source Elev: Unknown Depth to Water: Not measured, November 16, 1942. Geophysical Log(s): No Depth in feet

	Depth, 1	n reet
	From	То
Quaternary System:		
Clay, sandy, light	0.0	20.0
Sand, fine to coarse; some clay	20.0	29.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	29.0	35.0

Test-hole No. 228-42 (1N-39W-6ADBC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, dark	0.0	8.0
Gravel, fine, medium; some clay	8.0	18.0
Sand and gravel, fine gravel, some clay	18.0	28.0
Sand and clay, no detailed description recorded	28.0	38.0
Sand and gravel, fine to medium gravel, some clay	38.0	47.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	47.0	53.0

Test-hole No. 229-42 (1N-39W-20AABC) Dundy County

	Depth, i From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	38.0
Sand and gravel, fine gravel, some clay	38.0	47.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	47.0	52.0

Test-hole No. 22-B-74 (4N-38W-31CBBC) Dundy County

Legal Description: T4N, R38W, Sec 31, SW NW NW SW Footages from Section Lines: North 1025.0 ft; East 10.0 ft 40.267067 [40° 16′ 1.44″] Latitude: -101.662494 [-102° 39′ 44.978″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Champion SW Nat. Res. District: Upper Republican Ground Elevation: 3318.0 ft Source Elev: Estimated from Map Depth to Water: 24.2 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Note. Recolder. Goeke, Reale	Depth, From	in feet To
Quaternary System:		
Sand, very fine to medium, slightly silty, calcareous, some magnitite grains, light brown, fairly clean below 1 foot	0.0	5.0
Sand, very fine to coarse, fairly clean, calcareous, some magnite grains, caliche between 11 and 13		
<pre>feet, Silt, some very fine to fine sand, scattered magnitite grains, some limy zones, very pale brown</pre>	5.0	14.0
to 18.8 feet then pale brown	14.0	26.9
<pre>magnitite grains, reddish Silt, some very fine sand, slightly cloudy colored magnitite grains</pre>	26.9	32.7
<pre>clayey,calcareous, scattered magnitite grains, light brown Sand, very fine to medium with scattered coarse</pre>	32.7	39.0
grains, fairly clean, reddish Tertiary System - Miocene Series - Ogallala Group:	39.0	43.0
Silt, interbedded very fine to fine sand lenses, clayey and limy, sandstone lenses between 46 to 47 feet, 44 to 51 feet and 52 to 53 feet, white, very pale brown between 44 to 46 feet and 54.89 to 58		
<pre>feet, Sandstone, very fine to medium, slightly clayey and marly, white silty clay lenses 64.4 to 69 feet,</pre>	43.0	61.6
pale yellow to greenish white, calcareous, Sandstone, very fine to medium, moderately silty, marly, very silty and pale brown below 85.6 feet,	61.6	70.5
white to very pale brown	70.5	91.0
calcareous, partly cemented, pale brown Sandstone, very fine to fine, very silty and clayey,	91.0	95.0
calcareous, pale brown	95.0	101.0

Sand and gravel, very fine sand to coarse gravel Sandstone, very fine to medium, some medium to coarse sand lenses, very silty and clayey, limy,	101.0	107.0
very pale brown	107.0	117.0
medium sandstone,	117.0	123.5
Silt, slightly clayey, limy, pale olive	123.5	125.0
Sand, fine to coarse, slightly silty, some sandstone lenses, very silty below 133 feet, pale brown to		
reddish brown Sand and gravel, fine sand to fine gravel, slightly	125.0	138.0
silty, limy, light gray to pale brown	138.0	144.0
Silt, very sandy very fine to fine, calcareous, sandy		
lense from 147.5 to 149 feet. pale olive	144.0	151.0
Sand and gravel, fine sand to very coarse gravel,	151.0	171.0
Sandstone, very fine to medium, thin silty lenses,	101.0	
limy, scattered rootlets, very pale brown	171.0	183.0
Sandstone, very fine to coarse, slightly silty, few	1,1.0	100.0
rootlets, reddish very pale brown	183.0	197.0
Silt, moderately clayey, slightly sandy very fine to	100.0	197.0
fine, light olive to gray	197.0	204.0
Sandstone, very fine to medium with some coarse,	197.0	201.0
slightly silty, calcareous, scattered seed		
fragments, pale brown	204.0	216.0
Silt, moderately sandy fine to medium, calcareous,	204.0	210.0
reddish brown	216.0	221.0
Sand, very fine to medium some coarse grains,	210.0	221.0
slightly silty	221.0	234.0
Silt, moderately clayey, slightly sandy, non	221.0	234.0
calcareous, very pale yellow	234.0	239.0
Sand, very fine to coarse	239.0	244.0
	239.0	244.0
Silt, sandy very fine to fine, some interbedded very fine to fine sand, very sandy below 255 feet, very		
pale brown to brown	244.0	256.5
-	244.0	230.3
Silt, slightly clayey, slightly sandy very fine to medium, calcareous, light gray to white	256 5	270.0
Sand, very fine to medium, silt lenses between 274	230.3	270.0
and 275 feet and 278 to 282 feet,	270 0	285.0
Sand and gravel, medium sand to very coarse gravel,	270.0	203.0
traces of reworked shale	285.0	302.3
Cretaceous System - Upper Cretaceous Series - Montana Gro		JUZ.J
Pierre Formation:	чр.	
Shale, clay, weathered yellowish brown with light		
gray streaks to 309 feet then dark gray to black	302 3	310.0
gray screaks to 505 reet then dark gray to black	502.5	JT0.0

Test-hole No. 230-42 (1N-38W-13ABCC) Dundy County

	Depth, i From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	41.0
Gravel, fine; some clay	41.0	47.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	47.0	53.0

Test-hole No. 231-42 (1N-38W-2DDDC) Dundy County

	Depth, i From	in feet To
Quaternary System:		
Clay, sandy, yellow; some silt	0.0	10.0
Clay, sandy, yellow	10.0	39.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	39.0	45.0

Test-hole No. 232-42 (2N-36W-17BCBB) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	18.0
Gravel, fine, and clay	18.0	28.0
Gravel, fine to medium, and clay	28.0	49.0
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, dark	49.0	56.0

Test-hole No. 233-42 (2N-37W-12CDBA) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	9.0
Clay, sandy, dark	9.0	19.0
Clay, sandy, dark, some sand and lime fragments	19.0	29.0
Gravel, fine, some clay and lime fragments	29.0	49.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	49.0	55.0

Test-hole No. 235-42 (2N-36W-1CCBC) Dundy County

	Depth, From	in feet To
Quaternary System:		
Clay, sandy, yellow	0.0	10.0
Clay, gray	10.0	20.0
Clay, gray	20.0	27.0
Gravel and clay, fine, medium	27.0	42.0
Gravel, fine, medium, coarse	42.0	45.0
Clay or shale, hard, yellow	45.0	53.0
Cretaceous System - Upper Cretaceous Series - Montana Gre	oup:	
Pierre Formation:		
Shale, dark	53.0	59.0

Test-hole No. 23-B-74 (3N-40W-1AAAA) Dundy County

Legal Description: T3N, R40W, Sec 1, NE NE NE NE Footages from Section Lines: South 134.0 ft; West 134.0 ft 40.263741 [40° 15′ 49.466″] Latitude: -101.777471 [-102° 46′ 38.894″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Reservoir Lake SE Nat. Res. District: Upper Republican Ground Elevation: 3409.0 ft Source Elev: Estimated from Map Depth to Water: 50.88 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Depth, in feet From To

Quaternary System:

Topsoil, silt, slightly sandy, dark brown, brown		
below 2.5 feet	0.0	3.5
Silt, slightly sandy, calcareous, light brown	3.5	8.0
Sand, very fine to medium some coarse, scattered		
limy nodules	8.0	9.0
Silt, moderately clayey and sandy very fine to fine,		
some limy streaks, very pale brown	9.0	22.0
Silt, sandy and slightly clayey, very clayey below		
27.5 feet, calcareous, light gray, very pale brown		
below 33.5 feet	22.0	36.8
Tertiary System - Miocene Series - Ogallala Group:		
Silt, sandy very fine to coarse, slightly clayey,		
calcareous, reddish brown	36.8	42.0
Silt, clayey and slightly sandy very fine to fine,		
marly, limy sandy lense 54 to 57 feet, reddish		
brown,	42.0	61.5
Sandstone, very fine to medium, limy, scattered		
rootlets, light gray	61.5	74.0
Sand and gravel, very fine sand to very coarse		
gravel, coarser below 75 feet	74.0	79.0
Silt, sandy very fine to fine, limy, grayish white	79.0	80.0
Sandstone, very fine to medium, silty and clayey,		
scattered siltstone fragments, marly clayey silt		
lense 80 to 81.5 feet, some interbedded silty		
sands, very pale brown	80.0	91.0
Sandstone, fine to medium trace of coarse, slightly		
silty and clayey, few limestone and siltstone		
fragments, calcareous, interbedded silt lenses,		
light grayish white, reddish tint below 96 feet	91.0	97.5
Silt, slightly sandy very fine to medium, very pale		
brown with reddish tint	97.5	105.0
Sand, very fine to coarse, slightly cemented 105 to		

107.8 feet, reddish to very pale brown Sandstone, very fine to medium, silty, some	105.0	112.0
<pre>siltstone lenses and limy cemented lenses, very pale brown with reddish tint Sand, very fine to fine some medium grains, very silty, some siliceous materials, brown with reddish</pre>	112.0	122.0
<pre>tintSand, very fine to coarse, silty, some limy lenses,</pre>	122.0	126.5
grayish white with reddish tint Sandstone, very fine to medium, silty, limy, thin	126.5	136.8
silty lenses, grayish white, Sand, very fine to coarse, interbedded limy sandstone lenses, silty below 149 feet, very pale	136.8	146.0
brown to white Silt, slightly clayey, sandy very fine to coarse,	146.0	154.0
reddish very pale brown Sand, very fine to medium some coarse, limy,	154.0	158.0
cemented below 165 feet Silt, sandy very fine to fine, clayey, limy lenses,	158.0	168.0
grayish white to 169 feet then reddish pale brown Sandstone, very fine to fine, slightly silty and	168.0	172.2
sandy, limy, sandier below 177.8 feet Sandstone, fine to medium, slightly silty, limy,	172.2	180.0
<pre>very pale brown Silt, sandy fine to medium, calcareous, grayish white</pre>	180.0 189.0	189.0 193.0
white Sand, very fine to coarse, some thin stringers of sandstone, silty between 193 to 195 feet, 200 to		
202 feet, 206 to 207 feet, and 214 to 216 feet Sandstone, very fine to medium, calcareous, limy,	193.0	218.0
very pale brown	218.0	220.0
Sand, very fine to medium, few thin silty lenses Silt, very sandy very fine to fine, grayish white Sand, very fine to medium, some coarse grains, some	220.0 227.5	227.5 231.0
very fine to medium sandstone lenses Silt, very sandy very fine to medium, marly, light	231.0	244.0
gray	244.0	249.0
Sand, very fine to medium, marly	249.0	254.0
Sand, fine to very coarse trace of fine gravel Silt, sandy fine to coarse, slightly clayey, very	254.0	260.0
pale brownSand, fine to coarse some fine gravel,, silt seam at	260.0	265.4
270 to 272 feet, limy and cemented below 289 feet Sandstone, very fine to medium, silty and limy, pale	265.4	290.0
brownSilt, sandy very fine to medium, calcareous and	290.0	295.0
marly, light grayish white Sandstone, very fine to fine, silty and lime	295.0	310.0
cemented, very pale brown to light gray	310.0	311.0
Sand, fine to medium, slightly silty Sand and gravel, very fine sand to fine gravel,	311.0	314.5

Shale, clay, weathered olive gray to yellow brown, grayish below 329 feet and black below 230 feet.... 323.9 340.0

Test-hole No. 24-B-74 (3N-40W-5ABAA) Dundy County

Legal Description: T3N, R40W, Sec 5, NE NW NE NE Footages from Section Lines: South 75.0 ft; West 1475.0 ft 40.262658 [40° 15′ 45.57″] Latitude: -101.858543 [-102° 51′ 30.756″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Reservoir Lake SE Nat. Res. District: Upper Republican 3447.0 ft Ground Elevation: Source Elev: Estimated from Map Depth to Water: 27.76 Geophysical Log(s): Yes Note: Recorder: Goeke, Neale

Depth, in feet From To

Quaternary System:

Sand, very fine to fine, slightly silty, yellowish		
brown to 2 feet then brown	0.0	4.0
Sand, very fine to medium, very silty, pale brown	4.0	6.0
Silt, slightly sandy very fine, calcareous, few		
magnitite grains	6.0	11.0
Sand, very fine to medium, light brown	11.0	12.9
Silt, slightly sandy very fine, calcareous, some		
magnitite, very sandy below 21 feet, very pale		
brown to 16.8 then light gray	12.9	24.8
Sand, very fine to coarse	24.8	32.4
Tertiary System - Miocene Series - Ogallala Group:		
Sandstone, very fine to fine, silty, limy, very pale		
brown	32.4	35.0
Silt, vey sandy very fine to fine, limy, white	35.0	36.3
Sand, to sandstone, fine to coarse, silty and		
clayey, silty lense below 44 feet, very pale brown.	36.3	46.0
Sand and gravel, coarse sand to very coarse gravel,		
silty clay lense 49 to 51 feet, slightly silty		
below 55 feet	46.0	53.0
Sandstone, very fine to fine, limy, very silty,		
grayish white to 60 feet then very pale brown and		
coarser	53.0	63.2
Sandstone, fine to very coarse, some siltstone		
lenses, light gray	63.2	67.0
Silt, sand and clayey, limy, very pale brown with		
pinkish tint	67.0	69.0
Sandstone, very fine to very coarse, limy, poorly		
cemented between 75 and 80 feet and marly below 80		
feet, very pale brown	69.0	84.0
Silt, very sandy very fine to fine, calcareous, very		
pale brown	84.0	88.0
Sandstone, very fine to medium, silty and slightly		

clayey, grayish brown	88.0	92.8
Silt, very sandy very fine, slightly clayey, very pale brown	92.8	96.0
Sandstone, very fine to coarse, slightly silty, marly between 96 and 105 feet, very silty lenses 114 to 117 feet, 121 to 123 feet and 128 to 130 feet, seeds and siliceous fragments 105 to 115 feet, opaline fragments between 110 and 114 feet,		
reddish pale brown to 100 feet light gray white to		
115 feet then light brown	96.0 136.0	136.0 141.3
Silt, sandy and slightly clayey, limy, light gray to		I II • J
white	141.3	147.0
Sand, very fine to very coarseSilt, very sandy very fine to fine, slightly clayey,	147.0	151.0
pale brown	151.0	152.0
Sand and gravel, fine sand to very coarse gravel Silt, slightly clayey, interbedded very fine silty	152.0	158.0
sands, some siltstone lenses, light gray to olive Sand and gravel, 40% fine to coarse sand, 60 % fine to very coarse gravel, thin sandstone seams to 172	158.0	165.5
feet, finer below 180	165.5	186.0
Sandstone, very fine to coarse trace fine gravels,	186.0	193.0
limy and silty, very pale brown		
white Sand, very fine to coarse trace very coarse, some thin sandstone lenses, siliceous rootlets 200 to	193.0	195.0
205 feet Silt, clayey and slightly sandy, limy, very fine to	195.0	214.0
fine sandstone 217 to 219 feet gray white to olive.	214.0	240.5
Sand, very fine to coarse, scattered rootlets	240.5	249.0
Silt, sandy and slightly clayey, limy, olive gray	249.0	254.5
Sand, fine to coarse,	254.5	257.3
Silt, sandy and slightly clayey, light gray to olive. Sand and gravel, fine sand to fine gravel, coarser	257.3	263.0
below 275 feet,, slightly silty to 280 feet, few		
shale fragments, Sand, fine to medium some coarse, silty, thin silt	263.0	285.5
seamsSand, fine to very coarse, coarser below 295 feet,	285.5	291.0
slightly silty, few shale fragments		297.6
Cretaceous System - Upper Cretaceous Series - Montana Gro Pierre Formation:	μup.	
Shale, clay, weathered yellowish pale brown with		
iron staining, gray streaks below 305 feet and dark	0.05 0	010 0
gray below 306 feet	297.6	310.0

Test-hole No. 25-FC-52 (4N-41W-1BBBB) Dundy County

Depth, in feet

		III IEEC
	From	То
Quaternary System:		
Soil, silty, and sand, very fine, brown	0.0	5.0
Clay, silty, soft, brown	5.0	8.0
Clay, sandy, hard, tan	8.0	20.0
Clay, very sandy, tan	20.0	22.0
Sand, very fine to medium, loose, tan	22.0	27.0
Caliche, sandy, soft, white	27.0	32.0
Clay, sandy, soft, brown	32.0	34.0
Tertiary System - Miocene Series - Ogallala Group:		
Sand, very fine, silty, cemented, brown	34.0	37.0
Clay, sandy, hard, light gray	37.0	40.0
Sand, very fine, silty, slightly cemented, brown	40.0	42.0
Clay, sandy, soft, tan to gray	42.0	45.0
Clay, sandy, soft, brown	45.0	56.5
Sand, very fine to coarse, silty, clayey, cemented,		
hard, brown, contains streaks of caliche	56.5	115.5
Chert, very hard, white	115.5	116.0
Sand, very fine to medium, silty, calcareous, hard,		
green	116.0	122.0
Sand, very fine to very coarse, silty, calcareous,		
hard, brown	122.0	139.0
Sand, very fine to very coarse, silty, calcareous,		
hard, brown; contains layers of caliche	139.0	144.0
Sand, very fine, to gravel, fine, silty, cemented	144.0	152.0
Clay, sandy, soft, brown	152.0	157.0
Sand, very fine, to gravel, fine, loose	157.0	161.5
Caliche, hard, white	161.5	162.0
Sand, very fine, silty, cemented, hard, green	162.0	170.0
Clay, hard, green, contains siliceous layers	170.0	172.0
Clay, very silty, cemented in layers, hard, brown	172.0	192.0
Sand, very fine, silty, cemented, contains brown		
hard layers of caliche	192.0	200.5
Sand, very fine, to gravel, fine, loose	200.5	202.0
Sand, fine, to gravel, fine, loose, cemented in		

streaks, green	202.0	210.0
Clay, sandy, silty, tan	210.0	229.0
Sand, very fine to coarse, silty, brown	229.0	232.0
Sand, very fine, to gravel, fine, green	232.0	242.0
Sand, fine, to gravel, fine, loose	242.0	244.5
Clay, soft, brown	244.5	245.5
Sand, fine, to gravel, medium, loose	245.5	250.0
Caliche and sand, tone, fine, lightly cemented	250.0	262.0
Caliche, hard, buff	262.0	272.0
Caliche, hard, white, and sandstone, very fine	272.0	274.0
Clay, sandy, hard, brown	274.0	284.5
Sand, medium, contains very fine to very coarse sand.	284.5	292.5
Sand, medium; contains very fine to very coarse sand		
and thin layers of caliche	292.5	295.5
Sand, medium, contains very fine to coarse sand	295.5	302.0
Sand, medium, contains very fine sand to fine		
gravel, cemented in thin zones	302.0	314.0
Clay, hard to soft, tan, gray, and yellow; contains		
some thin streaks of dense caliche	314.0	324.5
Sand, medium, to gravel, medium, loose	324.5	331.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	oup:	
Pierre Formation:		
Clay, plastic, yellow to light green, and shale,		
yellow	331.0	335.5
Shale, light blue gray	335.5	337.0

Test-hole No. 4-CME-90 (1N-39W-33AAAC) Dundy County

Legal Description: T1N, R39W, Sec 33, NE NE NE SW Footages from Section Lines: South 400.0 ft; West 570.0 ft Latitude: 40.016769 [40° 1′ 0.368″] -101.722196 [-102° 43′ 19.904″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Parks Nat. Res. District: Upper Republican Ground Elevation: 3316.0 ft Source Elev: Unknown Depth to Water: Not reached Geophysical Log(s): No Note: Recorder: V. Souders, M Kuzila, M. Babcock, D. Hoover Depth, in feet From То Quaternary System: . . .

Quaternary bystem.		
Topsoil, silt, organic, dark gray	0.0	3.5
Silt, very fine to coarse, calcareous below 11 feet,		
worm burrows to 14 feet, pale brown, pale yellowish		
brown between 19 and 29 feet,	3.5	36.5
Silt, very fine to coarse, few iron and manganese		
conretions and staining below 45.5 feet	36.5	53.0
Sand, very fine to medium	53.0	54.8
Silt, very fine to coarse, some iron and manganese		
staining, fossil root channels, pale brown to light		
yellowish brown	54.8	79.0
Silt, very fine to coarse, slightly clayey, few limy		
nodules between 84 and 86.7 feet and below 89 feet.		
light yellowish brown to pale brown below 86.7		
feet	79.0	89.5
Cretaceous System - Upper Cretaceous Series - Montana Grou	ıp:	
Pierre Formation:		
Shale, clay, highly weathered, reworked to 93.5		
feet, some iron staining, light yellowish gray to		
light olive gray below 94 feet	89.5	99.0

Test-hole No. 5-CME-90 (1N-39W-28DAAA) Dundy County

Legal Description: T1N, R39W, Sec 28, SE NE NE NE Footages from Section Lines: South 200.0 ft; West 150.0 ft Latitude: 40.024451 [40° 1′ 28.022″] -101.720166 [-102° 43' 12.598"] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Parks Nat. Res. District: Upper Republican Ground Elevation: 3210.0 ft Source Elev: Unknown Depth to Water: Not reached Geophysical Log(s): No Note: Recorder: Babcock, Kuzila

Depth, in feet From To

Quaternary System:		
Topsoil, silt, very fine, slightly sandy, fine very		
fine. some root/worm burrows. Light brown	0.0	14.0
Note: Bignell loess ?		
Silt, silt to very fine sand, some limy streaks,		
pale brown	14.0	19.0
Silt, very fine, grayish brown, some rootlets,	19.0	26.0
Silt, very fine with some very fine sand, limy		
areas, yellowish brown	26.0	29.0
Note: Bignell loess ?		
Silt, very fine some very fine sand, some limy		
areas, few manganese stains, few root channels,		
yellowish brown, limy zones below 49 feet	29.0	77.0
Silt, very fine to medium, clayey with some fine		
sand, scattered one inch gypsum crystals, root		
channels, manganese areas limy zones and nodules		
below 81 feet	77.0	83.0
Cretaceous System - Upper Cretaceous Series - Montana Grou	p:	
Pierre Formation:		
Shale, clay, weathered shale, some lime accumulation		
to 84 feet, platy, some iron stains, yellowish		
brown to olive gray to 84 feet then mottled		
yellowish brown and gray	83.0	89.0

Test-hole No. 6-B-74 (1N-37W-6BBBB) Dundy County

Depth, in feet

	From	То
Quaternary System:		
Road fill, silt, sand & clay Silt, very to fine some very fine sand, slightly	0.0	1.0
clayey, calcareous, brownish yellow to gray brown Silt, fine to very coarse, slightly sandy, sandier below 15 feet, medium yellow brown to brownish	1.0	5.7
gray Sand, very fine to fine, silty, moderately clayey,	5.7	20.0
<pre>slightly calcareous, medium yellow brown Note: 0 to 23 feet recent to Bignell (VHD) Silt, very fine to fine, some very fine sand, slightly calcareous, slightly clayey, sandier below 32 feet, light yellowish brown, limy and gray white</pre>	20.0	23.5
<pre>below 38 feet Note: 23 to 38 feet Late Wisconsin, 38 to 42 Pre-Wisconsin (VHD) Tertiary System - Miocene Series - Ogallala Group: Silt, some very fine sand, very limy, indurated,</pre>	23.5	42.0
light grayish white Sand and gravel, fine to coarse sand, some fine to medium gravel, slightly silty and clayey, reddish	42.0	42.5
tint Clay, very silty, some very fine to fine sand, light	42.5	49.0
grayish olive Sand and gravel, fine to coarse sand some fine to	49.0	49.3
coarse gravel, finer below 65 feet, reddish Cretaceous System - Upper Cretaceous Series - Montana Gro	49.3 up:	69.5
Pierre Formation:		
Shale, clay, limy streaks with iron and manganese staining, light yellow to olive, gray below 85 feet		
and light black below 96	69.5	100.0

Test-hole No. 7-B-74 (1N-38W-6BBBB) Dundy County

Legal Description: T1N, R38W, Sec 6, NW NW NW NW Footages from Section Lines: South 122.0 ft; East 10.0 ft Latitude: 40.090204 [40° 5′ 24.734″] -101.662400 [-102° 39′ 44.638″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Parks Nat. Res. District: Upper Republican 3235.0 ft Ground Elevation: Source Elev: Unknown Depth to Water: 27.4 Geophysical Log(s): No Note: Recorder: Goeke

> Depth, in feet From To

Quaternary System:		
Topsoil, silt to very fine sand, slightly clayey,		
organic, dark brown	0.0	2.8
Sand, very fine to medium some coarse grains, very		
silty and slightly clayey	2.8	7.7
	2.0	/ • /
Silt, fine to very coarse, some very fine sand,		
light yellow brown,	7.7	12.5
Sand, very fine to fine, light brown tan	12.5	17.0
Silt, fine to coarse, slightly clayey, some magnite,		
light yellowish brown	17.0	21.0
Sand, very fine to fine some medium, silty	21.0	32.0
Silt, very fine to fine, slightly sandy, slightly	21.0	02.0
calcareous, trace medium sand below 35 feet, limy		
nodules below 36 feet. some magnite, light yellow		
brown	32.0	45.0
Silt, very fine to coarse, very sandy-fine to		
coarse, some lithic sandstone and limy claystone		
below 50 feet,	45.0	55.0
Sand, fine to coarse with some fine to medium		
gravel, some lithic lime nodules, reddish tint	55.0	56.5
	55.0	50.5
Tertiary System - Miocene Series - Ogallala Group:		
Silt, very fine to medium, sandy, slightly clayey,		
limy, scattered volcanic ash shards 60 to 65 feet,		
pale olive to light yellow brown below 75 feet	56.5	82.0
Siltstone, silt, slightly sandy, light brown	82.0	88.0
Sand & gravel, fine sand to fine gravel, some medium		
gravel, some lithic siltstone fragments, rare bone		
fragments below 90 feet	88.0	91.5
Silt, slightly clayey, pale olive	91.5	94.0
Cretaceous System - Upper Cretaceous Series - Montana Gro	up:	
Pierre Formation:		
Shale, clay, weathered to 102.8 feet, some iron		
staining, some calcareous areas, yellowish brown,		

black below 102.8 feet	94.0	110.0
------------------------	------	-------

Test-hole No. 8-B-74 (1N-39W-6ABDB) Dundy County

Legal Description: T1N, R39W, Sec 6, NE NW SE NW Footages from Section Lines: South 712.0 ft; West 1530.0 ft 40.087790 [40° 5′ 16.045″] Latitude: -101.764093 [-102° 45′ 50.736″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Rock Creek Lake Nat. Res. District: Upper Republican Ground Elevation: 3235.0 ft Source Elev: Unknown Depth to Water: 8.22 Geophysical Log(s): No Note: Recorder: Goeke

	From	In reet To
Quaternary System:	FIOM	10
Roadway fill, silt, sand, clayey	0.0	1.0
Tertiary System - Miocene Series - Ogallala Group:		
Silt, fine to coarse, slightly clayey, very fine		
sand below 3.2 feet, calcareous, light brown to		
white	1.0	5.0
Silt, medium to coarse, rare coarse gravel, some		
siltstone and very fine sandstone. pale yellowish		
to white	5.0	6.3
Silt, fine to coarse, very sandy some very fine to		
fine sandstone, rare gravel grains, calcareous,		
light brown	6.3	8.0
Sand and gravel, fine sand to very coarse gravel,		
reddish tint	8.0	15.2
Cretaceous System - Upper Cretaceous Series - Montana Gre	0110:	
Pierre Formation:		
Shale, clay, weathered shale, yellowish gray, some		
iron and manganse staining, gray below 30 feet and		
grayish black below 35 feet	15.2	40.0

Depth, in feet

Test-hole No. 9-B-74 (2N-40W-32CCCC) Dundy County

Depth, in feet

Legal Description: T2N, R40W, Sec 32, SW SW SW SW Footages from Section Lines: North 118.0 ft; East 8.0 ft 40.089159 [40° 5′ 20.973″] Latitude: -101.871314 [-102° 52′ 16.729″] Longitude: Source Lat/Long: GIS - Datum: NAD27 USGS Quad Map Name: Rock Creek Lake Nat. Res. District: Upper Republican Ground Elevation: 3357.0 ft Source Elev: Unknown Depth to Water: Unknown Geophysical Log(s): No Note: Recorder: Goeke

	Deptn, From	in feet To
Quaternary System:		
Road fill, silt, sand and gravel with some limy silt. Silt, fine to coarse, slightly clayey, moderately	0.0	1.5
<pre>sandy, dark brown Silt, very fine to fine, some very fine sand, slightly clayey, light brownish gray to pale brown,</pre>	1.5	7.5
darker brown below 10 feet	7.5	13.0
Tertiary System - Miocene Series - Ogallala Group:		
Silt, slightly clayey, some fine sand, pale brown		
with yellowish tint Sand, very fine to fine, silty, some medium to	13.0	18.0
<pre>coarse sand Silt, sandy very fine to fine, trace medium sand, slightly clayey, limy between 25.5 and 27.3 feet, some coarse sand 27.3 to 28.2 feet, slightly</pre>	18.0	20.5
calcareous, Sand, silty, very fine to medium trace coarse, fine	20.5	29.0
to coarse below 30 feet, reddish Silt, very sandy, very fine to fine, slightly clayey, limy, some calcareous very fine sandstone seams, limy nodules below 38.3 feet, very pale	29.0	35.5
brown to white	35.5	42.2
Cretaceous System - Upper Cretaceous Series - Montana Gr	oup:	
Pierre Formation:		
Shale, clay, weathered shale, some iron staining, yellowish brown with gray streaks, gray below 75		
feet, grayish black below 78 feet	42.2	80.0