

Kent Academic Repository

Full text document (pdf)

Citation for published version

Jari , Ivan and Correia, Ricardo A and Roberts, David L. and Gessner, Jörn and Meinard, Yves and Courchamp, Franck (2019) On the overlap between scientific and societal taxonomic attentions — Insights for conservation. *Science of the Total Environment*, 648 . pp. 772-778. ISSN 0048-9697.

DOI

<https://doi.org/10.1016/j.scitotenv.2018.08.198>

Link to record in KAR

<https://kar.kent.ac.uk/68842/>

Document Version

Author's Accepted Manuscript

Copyright & reuse

Content in the Kent Academic Repository is made available for research purposes. Unless otherwise stated all content is protected by copyright and in the absence of an open licence (eg Creative Commons), permissions for further reuse of content should be sought from the publisher, author or other copyright holder.

Versions of research

The version in the Kent Academic Repository may differ from the final published version.

Users are advised to check <http://kar.kent.ac.uk> for the status of the paper. **Users should always cite the published version of record.**

Enquiries

For any further enquiries regarding the licence status of this document, please contact:

researchsupport@kent.ac.uk

If you believe this document infringes copyright then please contact the KAR admin team with the take-down information provided at <http://kar.kent.ac.uk/contact.html>

1 **On the overlap between scientific and societal taxonomic attentions - insights for conservation**

2
3 Ivan Jarić^{1,2,3,*}, Ricardo A. Correia^{4,5,6}, David L. Roberts⁷, Jörn Gessner², Yves Meinard⁸ and Franck Courchamp⁹

4
5 ¹ Biology Centre of the Czech Academy of Sciences, Institute of Hydrobiology, Na Sádkách 702/7, 370 05 České
6 Budějovice, Czech Republic

7 ² Leibniz-Institute of Freshwater Ecology and Inland Fisheries, Müggelseedamm 310, 12587 Berlin, Germany

8 ³ Institute for Multidisciplinary Research, University of Belgrade, Kneza Visislava 1, 11000 Belgrade, Serbia

9 ⁴ DBIO & CESAM-Centre for Environmental and Marine Studies, University of Aveiro, Aveiro, Portugal

10 ⁵ Institute of Biological and Health Sciences, Federal University of Alagoas, Av. Lourival Melo Mota, s/n, Tabuleiro do
11 Martins, 57072-90, Maceió, AL, Brazil

12 ⁶ School of Geography and the Environment, University of Oxford, Oxford OX1 3QY, United Kingdom

13 ⁷ Durrell Institute of Conservation and Ecology, School of Anthropology & Conservation, Marlowe Building,
14 University of Kent, Canterbury, Kent, CT2 7NR, United Kingdom

15 ⁸ Université Paris Dauphine, PSL Research University, CNRS, UMR7243, Place Lattre de Tassigny, F-75016 Paris,
16 France

17 ⁹ Ecologie, Systématique, and Evolution, Univ. Paris-Sud, CNRS, AgroParisTech, Université Paris-Saclay, 91400,
18 Orsay, France

19
20 * Corresponding author: Ivan Jarić, Biology Centre of the Czech Academy of Sciences, Institute of Hydrobiology, Na
21 Sádkách 702/7, 370 05 České Budějovice, Czech Republic, E-mail: ivan.jaric@hbu.cas.cz, jaric@igb-berlin.de, phone:
22 +420 38 777 5855, fax: +420 385 310 24

23
24 ORCID (Ivan Jarić): 0000-0002-2185-297X

31 **Abstract**

32 Attention directed at different species by society and science is particularly relevant within the field of conservation, as
33 societal preferences will strongly impact support for conservation initiatives and their success. Here, we assess the
34 association between societal and research interests in four charismatic and threatened species groups, derived from a
35 range of different online sources and social media platforms as well as scientific publications. We found a high level of
36 concordance between scientific and societal taxonomic attention, which was consistent among assessed species groups
37 and media sources. Results indicate that research is apparently not as disconnected from the interests of society as it is
38 often reproached, and that societal support for current research objectives should be adequate. While the high degree of
39 similarity between scientific and societal interest is both striking and satisfying, the dissimilarities are also interesting,
40 as new scientific findings may constitute a constant source of novel interest for the society. In that respect, additional
41 efforts will be necessary to draw scientific and societal focus towards less charismatic species that are in urgent need of
42 research and conservation attention.

43

44 **Keywords:** societal attention; charisma; birds of prey; Primates; Carnivora; marine mammals

45

46 **1. Introduction**

47 Species receive uneven attention in terms of scientific research (Clark and May, 2002; Proenca et al.,
48 2008; De Lima et al., 2011; Murray et al., 2015; Donaldson et al., 2016; Fleming and Bateman, 2016). This uneven
49 scientific focus is driven by diverse factors, such as geographic location, species accessibility, suitability for use as
50 model species, conservation status, and researchers' own personal interests (Jarić et al., 2015). Society, however, can
51 also influence research focus through policy and funding agendas, while science in turn influences societal attention
52 through scientific communication and media representation. Contrastingly, choices of studied species are sometimes
53 criticized as leading to a waste of societal resources when they do not appear to match the immediate interest of
54 taxpayers.

55 Based on the main drivers of societal and scientific taxonomic attention identified so far in the literature,
56 we suggest that there are at least three general categories of drivers of societal and scientific taxonomic attention: 1)
57 intrinsic, species-related factors, which can also be considered as elements of species charisma, 2) population-level or
58 spatial factors, and 3) socio-economic factors. Major intrinsic factors include body size, unique morphology, distinctive
59 coloration patterns, anthropomorphism, behavior, social structure and neotenic features (Moustakas and Karakassis,
60 2005; Stokes, 2007; Wilson et al., 2007; Martín-Fóres et al., 2013; Žmihorski et al., 2013; Kim et al., 2014). Other

61 recognized proxies for scientific and societal taxonomic preferences are phylogenetic distance from humans and
62 structural complexity (Proenca et al., 2008; Martín-López et al., 2011; Martín-Fóres et al., 2013), although both are
63 associated with already listed factors such as anthropomorphism and body size. Population-level or spatial factors
64 include abundance, range size, range proximity to or overlap with developed nations, extinction risk, and habitat
65 accessibility (Wilson et al., 2007; Brooks et al., 2008; Sitas et al., 2009; Trimble and van Aarde, 2010; Fisher et al.,
66 2011; Žmihorski et al., 2013; Dos Santos et al., 2015; Jarić et al., 2015; Zhang et al., 2015). Socio-economic factors are
67 represented by the species economic value (e.g. as an object of trade or tourism), its pest status, potential threat to
68 humans (e.g. venomous or aggressive species), presence of key ecological values or ecosystem services, and various
69 cultural values (i.e. traditional, religious, etc.) (Moustakas and Karakassis, 2005; Wilson et al., 2007; Proenca et al.,
70 2008; Jarić et al., 2015; Zhang et al., 2015; Donaldson et al., 2016; Roll et al., 2016).

71 While previous research has addressed the factors underlying uneven taxonomic attention, the actual
72 level of overlap between societal and scientific attention has been poorly quantified. In the current information age,
73 society has access to and produces much more content than any previous generation. Due to the sheer amount of
74 accessible information, it becomes necessary to make choices regarding the attention scope. Consequently, it may be
75 interesting to compare the species chosen by scientists and by the rest of the society. This question was previously
76 addressed in the seminal work of Wilson et al. (2007), however this was based on a rather limited sample. While it has
77 not received further attention so far, this issue remains highly relevant, particularly within the field of conservation
78 biology. As stated by Stokes (2007), societal preferences are just as important for the success of conservation efforts and
79 survival of many endangered species as are common ecological determinants, such as minimum population size and
80 habitat requirements. Societal preferences can play a wide range of roles. People express their views and interests using
81 various widespread media, and not all have the opportunity to express their interest in a more active way, such as
82 engagement in conservation non-profit organizations. Societal attention towards particular species can be beneficial if it
83 helps society to understand the need for conservation action and to support it. Approaches that aim to attract societal
84 attention towards conservation goals, such as flagship species concept, have proven to be successful in attracting
85 societal support and funding (Veríssimo et al., 2011, 2017). On the other hand, increased attention might sometimes lead
86 people to exert increasing negative pressure on the species they are interested in, akin to the Anthropogenic Allee Effect
87 (Courchamp et al., 2006), or alternatively to contest actions against invasive alien species (Courchamp et al., 2017).

88 Here we take advantage of emerging culturomic techniques (Michel et al., 2011; Ladle et al., 2016;
89 Sutherland et al., 2018) to assess the similarities and differences in the societal and scientific interests in different
90 species, based on scientific publications and a range of different online sources and social media. We assessed the

91 relationship between the scientific and societal taxonomic attention within four species groups that predominantly
92 consist of charismatic and threatened animals: carnivorans, primates, marine mammals and birds of prey. We discuss the
93 drivers of observed relationships and overlaps, and address their implications for conservation planning and
94 management.

95

96 **2. Methods**

97 Data retrieval was based on the approach proposed by Jarić et al. (2016) and Correia et al. (2017).
98 Species lists, comprising diurnal birds of prey (orders Accipitriformes, Falconiformes and Cathartiformes), Carnivora,
99 Primates and marine mammals (cetaceans and pinnipeds), were obtained from the IUCN Red List database (IUCN,
100 2017). Extinct species and those described after 1995 were excluded from the analysis, which resulted in a total of 1058
101 species in the dataset (318 birds of prey, 252 carnivorans, 370 primates and 118 marine mammals). Search of scientific
102 publications and online media sources was conducted by using both species scientific names and scientific synonyms,
103 each placed in parentheses, within a same search query (i.e., [*“species name”* OR *“synonym #1”* OR *“synonym #2”*
104 OR...]). This resolved the problem of potential double entries, and the results were thus expressed as the number of
105 unique records per species. Scientific names represent a reliable proxy and preferable alternative to vernacular names,
106 due to a strong and culturally independent association between their representation in digital corpora (Jarić et al., 2016;
107 Correia et al., 2017, 2018). At the same time, search based on scientific names avoids numerous problems related to
108 vernacular language, such as frequent vernacular synonyms and homonyms (Roll et al., 2018), differing names among
109 languages, as well as lack of vernacular names for some species (Jarić et al., 2016). Accounting for taxonomic
110 synonyms is also critical, as they can strongly affect the accuracy of species data retrieval (Correia et al., 2018).

111 Research attention was defined as the number of scientific articles indexed within the Web of Knowledge
112 (available at www.isiknowledge.com) for a given species. The search was conducted within titles, abstracts, and
113 keywords of referenced publications published during 1996-2016. Keywords that are automatically assigned by the Web
114 of Knowledge (i.e. Keywords Plus) were not considered in the analysis, due to their low reliability (Wilson et al., 2007;
115 Fisher et al., 2011).

116 Media coverage for each species was estimated based on the following five online sources: Internet pages
117 containing the species name, online articles in selected major international newspapers (The New York Times, The
118 Guardian, Le Monde, Washington Post, and Asahi Shimbun), Twitter, Facebook, and pictures posted on the Internet for
119 each of the studied species (Jarić et al., 2016). Media coverage data collection was performed in line with the approach
120 by Correia et al. (2017), by using the Google’s Custom Search Engine API. Searches were carried out during June 2017,

121 with search queries for each of the online sources based on Jarić et al. (2016): 1) Internet pages – [“*species name*”], 2)
122 Twitter – [“*species name*” site:twitter.com], 3) Facebook – [“*species name*” site:facebook.com], 4) Newspapers –
123 [“*species name*” (site:nytimes.com OR site:theguardian.com OR site:lemonde.fr OR site:washingtonpost.com OR
124 site:asahi.com)], and 5) Photographs – [“*species name*” (filetype:png OR filetype:jpg OR filetype:jpeg OR filetype:bmp
125 OR filetype:gif OR filetype:tif OR filetype:tiff)].

126 The resulting dataset features the number of records per species and per assessed sources. Since the
127 variables were not normally distributed (Kolmogorov-Smirnov test, $p < 0.001$), nonparametric tests were applied.
128 Relationship between the number of scientific publications and the five online media sources, within each of the four
129 studied species groups, was assessed using a Spearman’s Rank test, with Bonferroni correction. We also conducted
130 ranking, by ordering species based on the number of results for each of the five online media sources assessed and
131 estimating the average rank across the sources; ranking was also performed for scientific publications.

132

133 **3. Results**

134 The average number and range of records obtained for each species group, for scientific publications and
135 each of the five assessed online media sources, are presented in Table S1 (Supplementary material). Results indicated
136 strong correlations (0.751 mean correlation coefficient, $p < 0.001$) between the number of scientific publications per
137 species and the number of results from each of the online media sources assessed, in each of the four studied species
138 groups (Fig. 1; Table 1). Correlations were strongest in carnivorans and lowest in primates (0.836 and 0.696 mean
139 correlation coefficients, respectively). Regarding the media sources assessed, correlations with the number of scientific
140 articles per species were strongest for Internet pages and lowest for newspaper articles (0.889 and 0.550 mean
141 correlation coefficients, respectively; Table 1). All correlations remained significant following a Bonferroni correction.
142 Proportion of online media coverage and scientific articles per each studied species group (Fig. 2) indicated differences
143 in the overall relative coverage among media sources and species groups. Birds of prey were consistently more
144 represented than other species groups. The proportional representation of species in relation to scientific articles was
145 higher in internet webpages, Facebook posts and photographs, but lower in Twitter and online news.

146 Overall species ranks within social media had strong positive correlations with their ranking based on
147 scientific publications (Table 1). Lists of top-ranked species based on their overall presence in social media were fairly
148 similar to those that reached top ranks within scientific publications (Table 2). Common bottlenose dolphin (*Tursiops*
149 *truncatus*) was the most popular marine mammal species within the scientific community, and the second-highest
150 ranking marine mammal species for the general society. Top-ranked birds of prey in science and among the general

151 society, as well as top-ranked carnivorans in science, are exclusively represented by European and North American
152 species. On the other hand, top-ranked carnivorans among the general society also comprised two big cats from Africa
153 and Asia, lion (*Panthera leo*) and tiger (*P. tigris*). Top-ranked primates were dominated by macaque species (*Macaca*
154 *sp.*) such as rhesus macaque (*Macaca mulatta*), the highest ranked primate within both sources, as well as by big apes
155 (Table 2).

156

157 **4. Discussion**

158 The literature indicates that species coverage may differ among different media (Jacobson et al., 2012).
159 However, in our study all five assessed online media sources provided similar results, which suggests that they can
160 potentially be used interchangeably as a measure of societal taxonomic attention. Yet, most of them either represent
161 specific sectors, such as newspaper articles, or are generated by different processes, and therefore may provide
162 essentially different information. Although they have been relatively rarely used so far, web-based images also seem to
163 represent a suitable tool for data mining (Barve, 2014; Jarić et al., 2016; Ladle et al., 2017; Sherren et al., 2017a,
164 2017b). Images and other visual media may be especially adequate for culturomic studies that are focused on species
165 attractiveness and charisma, which is particularly relevant for the field of conservation biology. As our study
166 demonstrates, the use of images within this field can go beyond the analysis of cultural ecosystem services (Willems et
167 al., 2015; Martínez Pastur et al., 2016; Hausmann et al., 2017). Use of social media in conservation science is still
168 somewhat limited (Di Minin et al., 2015), but is rapidly increasing. Twitter and Facebook represent dominant social
169 media platforms, which makes them suitable research tools (Miller, 2011; Roberge, 2014; Papworth et al., 2015). They
170 are rapidly changing communication and information sharing dynamics, and are increasingly used as communication
171 platforms by the scientific community and other groups from the biodiversity conservation field (Naaman et al., 2011;
172 Bombaci et al., 2015). Online news media have a wider reach than traditional printed newspapers, and are considered
173 suitable to reflect societal attention and popular attitudes (Veríssimo et al., 2014; Papworth et al., 2015). However, we
174 observed very low presence of species in newspaper articles (Table S1). As much as 68% of the assessed species had no
175 newspaper articles, while only 20% of the species had more than a single result. This issue may be partly due to the
176 search conducted by using only scientific species names, although such approach has been validated (Jarić et al., 2016)
177 and does not seem to be an issue with the other online sources, such as web-based images. To a certain extent, this may
178 be due to news media commonly focusing on only a small proportion of high-profile species (i.e., charismatic species,
179 or those with high economic value), while the majority of other species seem to end up being neglected. Additionally,
180 low species coverage by online news media may stem from inappropriate publishing practices. Wildlife observers or

181 photographers often strive to provide the scientific name of the species they are posting about on the web, while
182 journalists do not. Due to potential implications for science education and societal outreach, it would be valuable to
183 explore this issue further.

184 Based on all these various representations of societal attention, our analysis unveiled a high level of
185 concordance between scientific and societal taxonomic attention, and this was consistent among assessed species groups
186 and online media sources. This shows that scientific focus is not remote from societal attention towards different
187 species, and *vice versa*, a finding also reported by Wilson et al. (2007). On the one hand, this can be interpreted as a
188 positive outcome, since scientists are apparently well aligned with societal attention, which is what the general society,
189 as providers of public funding, and consequently the funding agencies, would request. On the other hand, if research
190 focus and societal attention are both considered to be biased (Clark and May, 2002; Sitas et al., 2009; Kim et al., 2014;
191 Roberge, 2014; Donaldson et al., 2016; Wilson et al., 2016; Troudet et al., 2017), it is of special importance to
192 understand the mechanisms that produce such biases. They are likely represented by a similar set of drivers that are
193 influencing societal and scientific attention, as well as by the interaction between the two groups. However, as stated by
194 Troudet et al. (2017), while the presence of interaction between the scientists and the general society is not
195 questionable, it remains particularly challenging to clarify the actual direction and causality of influence between the
196 two groups. It is important to emphasize that our study focused only on the level of overlap among the coverage of
197 different media sources and scientific publications, and not on the actual media content or mechanisms that are driving
198 public and scientific attention.

199 The top five ranked species in each of the four studied species groups revealed a substantial overlap between
200 scientific and societal focus (Table 2). Popularity of common bottlenose dolphin within the scientific community is
201 mainly due to its use as a model species in experiments on a wide range of topics, such as echolocation, behaviour,
202 intelligence, swimming and communication (Jarić et al., 2015). At the same time, its popularity for the general society
203 probably comes from its ubiquity and high presence in both captivity and popular culture. Dominance of European and
204 North American birds of prey and carnivores points to commonness and range overlap with developed countries as
205 major drivers of taxonomic attention. Lion and tiger, African and Asian carnivores that were among the top-ranked
206 species by the general society, were previously identified as the two most charismatic animals globally, while the gray
207 wolf (*Canis lupus*), highest-ranked carnivoran within both sources in the present study, was identified in the same study
208 as the 9th most charismatic animal (Courchamp et al., 2018). Among the primates, those that are prominently used as
209 model species dominated the ranking. Based on the individual checking of internet sources and online news for the
210 rhesus macaque, it seems that its high presence in online media is mainly due to health- and medicine-related content,

211 where the species is mentioned as a study system (e.g. efforts at developing HIV vaccine). Big apes are among the most
212 charismatic primate species (Courchamp et al., 2018), mainly due to higher levels of anthropomorphism and
213 comparatively larger body size than in other primates. Use as model species is likely a less important attention driver
214 for the society, which may explain why big apes are more prominent among the top-ranked primates for the general
215 society than for science. This might have also contributed to the weaker correlations between the societal and scientific
216 attention for primates than in the other three assessed species groups.

217 It is important to note the potential risk of a statistical bias when using a measure of societal interest that
218 depends on the capacity of people to interact with the Internet. Users from developed countries and the related content
219 are likely to be overrepresented, and those regions are also where most of the scientific output originates, which might
220 make species from those areas also more prominent in both of the assessed sources (Martin et al., 2012; Amano and
221 Sutherland, 2013; Amano et al., 2016; Wilson et al., 2016). This calls for caution when interpreting presented results.
222 On the other hand, the potential problem of biased media coverage when focusing studies of online media on only a
223 single language (Bhatia et al., 2013; Funk and Rusowsky, 2014) was resolved here by using scientific names as search
224 keywords (Jaric et al., 2016; Correia et al., 2017).

225 Understanding of societal and scientific attention is especially relevant within the field of biodiversity
226 conservation, due to its potential impact on the general support for conservation efforts (Stokes, 2007; Kiley et al.,
227 2017; Liordos et al., 2017). The biodiversity conservation arena is generally considered to be represented by four
228 distinct, interacting sectors: the scientific community, policy makers, news media, and the general society (Papworth et
229 al., 2015). The extent to which the four sectors align in their focus depends on their sensitivity and susceptibility to each
230 of the three general taxonomic attention drivers listed in the introduction (i.e., intrinsic, population-level/spatial, and
231 socio-economic), as well as on the level of inter-sectoral interaction. The scientific community is strongly influenced by
232 research funding and science policy. If both funding and the policy follow wider societal preferences, such as species
233 charisma, scientific attention will correspond well to that of the general society. Scientists in turn also influence societal
234 interests by communicating information and new knowledge to the general society, both directly, through different
235 outreach activities, and indirectly, through news media and by informing and guiding policy development and
236 conservation decision making (Moustakas and Karakassis, 2005; Trimble and van Aarde, 2010; Papworth et al., 2015).
237 Certain levels of dissimilarity between scientific and societal attention can also produce positive effects, by bringing
238 new centers of interest to the general society. Each of the sectors is also subject to its own internal mechanisms that
239 generate or maintain existing taxonomic attention patterns. For example, research inertia may contribute to perpetuated
240 biases in taxonomic attention in science (Jarić et al., 2015; Troudet et al., 2017). Researchers often focus on well-

241 studied species they are familiar with, with proven potential to attract funding, and past research in one area will
242 therefore have a tendency to generate more research in the same area (Martín-López et al., 2009; Dos Santos et al.,
243 2015; Correia et al., 2016a). This contradicts to an extent the general view of science as objective in its pursuit of new
244 knowledge, especially if such focus towards charismatic species leaves numerous other, less appealing species largely
245 neglected. Non-charismatic taxa and species groups, such as invertebrates, tend to receive poorer scientific and
246 conservation attention and funding, even though they may be in greater need of research and management efforts
247 (Muñoz, 2007; Cardoso et al., 2011; Fisher, 2011; Brambilla et al., 2013). Biased scientific publishing practices, such as
248 "taxonomic chauvinism" (Bonnet et al., 2002), will also contribute to maintaining taxonomic biases in research.

249 The same drivers of taxonomic attention can impact both scientific community and the general society,
250 while working within each of the two sectors through different mechanisms. For example, for many species, range
251 proximity and population abundance seem to be two important drivers of societal attention, recognized as species
252 commonness or familiarity (Žmihorski et al., 2013; Schuetz et al., 2015; Correia et al., 2016b). At the same time, they
253 are also relevant drivers of scientific attention, by contributing to improved species accessibility, reduced logistical
254 challenges and lower research costs (Dos Santos et al., 2015; Jarić et al., 2015). It is also important to bear in mind that
255 scientists also represent members of the general society, with their own interests and susceptibility to drivers such as
256 species charisma (Lawler et al., 2006; Lorimer, 2007; Wilson et al., 2007; Smith et al., 2009). It is therefore possible
257 that, in cases where liberty of choosing research topic exists, societal and scientific interests will essentially be the
258 same.

259 One implication arising from the results is that environmental education projects or programs should target
260 species beyond the focus of the general society, to allow the discovery and promote interest in such species. At the same
261 time, properly directed marketing campaigns can effectively increase funding availability towards less charismatic
262 species (Verissimo et al., 2017). Another alternative would be to focus on the very species that both scientist and the
263 general public are interested in, provide more knowledge on those species, and thus further strengthen societal support
264 for current research efforts. One of the often-advocated measures in this respect is to intensify and improve the
265 effectiveness of science communication (Dietz, 2013; Campos et al., 2018; Liordos et al., 2018). However, for science
266 communication to accomplish the desired aims, a first step would be to consider mechanisms that shape societal
267 attention, and to ensure that science outreach initiatives are structured based on identified societal beliefs, values,
268 information gaps and misconceptions (de Bruin and Bostrom, 2013). Meanwhile, and despite its biases, the scientific
269 community and conservationists should try to make the most of existing societal attention by taking advantage of
270 flagship species to attract conservation funding and support for a wider range of species (Clark and May, 2002; Jepson

271 and Barua, 2015).

272

273 **5. Conclusion**

274 Societal interest in the fate of endangered species is a crucial prerequisite for effective conservation
275 programs, given that the general society is likely to protect only what it recognizes as important (Stokes, 2007; Kim et
276 al., 2014). Societal awareness and societal values will largely determine whether conservation initiatives will receive
277 necessary support and lead to adequate policy change (Papworth et al., 2015). On one hand, societal attention is closely
278 associated with scientific attention, which should ensure that the societal support for current research objectives should
279 not be lacking. This also implies that scientists are not so disconnected from the rest of society. On the other hand,
280 societal and scientific interests are not perfectly aligned, which indicates that there is room for studies of species not *a*
281 *priori* interesting to the society. In fact, scientists may still remain free of the potential biases of societal taxonomic
282 interests, while they are at the same time in good position to provide novel knowledge and new points of interest to the
283 society.

284

285 **Acknowledgements**

286 IJ acknowledges the sponsorship provided by the The J. E. Purkyně Fellowship of the Academy of Sciences of the
287 Czech Republic, Alexander von Humboldt Foundation and the German Federal Ministry of Education and Research
288 (BMBF), as well as by the Project No. 173045, funded by the Ministry of Education, Science and Technological
289 Development of the Republic of Serbia. RAC is currently supported by a post-doctoral grant from Fundação para a
290 Ciência e Tecnologia (SFRH/BPD/118635/2016). FC acknowledges the support by the Invacost research program
291 (ANR and BNP Paribas). Authors thank two anonymous reviewers for providing helpful comments and suggestions.

292

293 **References**

294 Amano T, Sutherland WJ (2013) Four barriers to the global understanding of biodiversity conservation: wealth,
295 language, geographical location and security. Proc Roy Soc B 280:20122649. <https://doi.org/10.1098/rspb.2012.2649>
296
297 Amano T, González-Varo JP, Sutherland WJ (2016) Languages are still a major barrier to global science. PLoS Biol
298 14(12):e2000933. <https://doi.org/10.1371/journal.pbio.2000933>
299
300 Barve V (2014) Discovering and developing primary biodiversity data from social networking sites: a novel approach.

301 Ecol Inform 24:194-199. <https://doi.org/10.1016/j.ecoinf.2014.08.008>

302

303 Bhatia S, Athreya V, Grenyer R, MacDonalds DW (2013) Understanding the role of representations of human-leopard
304 conflict in Mumbai through media-content analysis. *Conserv Biol* 27(3):588-594. <https://doi.org/10.1111/cobi.12037>

305

306 Bombaci SP, Farr CM, Gallo HT, Mangan AM, Stinson LT, Kaushik M, Pejchar L (2015) Using Twitter to communicate
307 conservation science from a professional conference. *Conserv Biol* 30(1):216-225. <https://doi.org/10.1111/cobi.12570>

308

309 Bonnet X, Shine R, Lourdaïs O (2002) Taxonomic chauvinism. *Trends Ecol Evol* 17(1):1-3.
310 [https://doi.org/10.1016/S0169-5347\(01\)02381-3](https://doi.org/10.1016/S0169-5347(01)02381-3)

311

312 Brambilla M, Gustin M, Celada C (2013) Species appeal predicts conservation status. *Biol Conserv* 160:209-213.
313 <https://doi.org/10.1016/j.biocon.2013.02.006>

314

315 Brooks TM, Collar NJ, Green RE, Marsden SJ, Pain DJ (2008) The science of bird conservation. *Bird Conserv Int*
316 18(S1):S2-S12. <https://doi.org/10.1017/S0959270908000427>

317

318 Campos JLA, de Lima Araújo E, Gaoue OG, Albuquerque UP (2018) How can local representations of changes of the
319 availability in natural resources assist in targeting conservation? *Sci Tot Environ* 628:642-649.
320 <https://doi.org/10.1016/j.scitotenv.2018.02.064>

321

322 Cardoso P, Erwin TL, Borges PA, New TR (2011) The seven impediments in invertebrate conservation and how to
323 overcome them. *Biol Conserv* 144(11):2647-2655. <https://doi.org/10.1016/j.biocon.2011.07.024>

324

325 Clark JA, May R (2002) Taxonomic bias in conservation research. *Science* 297:191-192.
326 <https://doi.org/10.1126/science.297.5579.191b>

327

328 Correia RA, Malhado ACM, Lins L, Gamarra NC, Bonfim WAG, Valencia-Aguilar A, Bragagnolo C, Jepson P, Ladle
329 RJ (2016a) The scientific value of Amazonian protected areas. *Biodivers Conserv* 25:1503-1513.
330 <https://doi.org/10.1007/s10531-016-1122-x>

331
332 Correia RA, Jepson PR, Malhado ACM, Ladle RJ (2016b) Familiarity breeds content: assessing bird species popularity
333 with culturomics. *PeerJ* 4:e1728. <https://doi.org/10.7717/peerj.1728>
334
335 Correia RA, Jepson P, Malhado AC, Ladle RJ (2017) Internet scientific name frequency as an indicator of cultural
336 salience of biodiversity. *Ecol Indic* 78:549-555. <https://doi.org/10.1016/j.ecolind.2017.03.052>
337
338 Correia RA, Jarić I, Jepson P, Malhado ACM, Alves JA, Ladle RJ (2018) Nomenclature instability in species culturomic
339 assessments: why synonyms matter. *Ecol Indic* 90:74-78. <https://doi.org/10.1016/j.ecolind.2018.02.059>
340
341 Courchamp F, Angulo E, Rivalan P, Hall RJ, Signoret L, Bull L, Meinard Y (2006) Rarity value and species extinction:
342 the anthropogenic Allee effect. *PLoS Biol* 4(12):e415. <https://doi.org/10.1371/journal.pbio.0040415>
343
344 Courchamp F, Fournier A, Bellard C, Bertelsmeier C, Bonnaud E, Jeschke J, Russel JC (2017) Invasion biology:
345 specific problems and possible solutions. *Trends Ecol Evolut* 32(1):13-22. <https://doi.org/10.1016/j.tree.2016.11.001>
346
347 Courchamp F, Jarić I, Albert C, Meinard Y, Ripple WJ, Chapron G (2018) The paradoxical extinction of the most
348 charismatic animals. *PLoS Biol* 16(4):e2003997. <https://doi.org/10.1371/journal.pbio.2003997>
349
350 de Bruin WB, Bostrom A (2013) Assessing what to address in science communication. *Proc Natl Acad Sci USA*
351 110(S3):14062-14068. <https://doi.org/10.1073/pnas.1212740110>
352
353 De Lima RM, Bird JP, Barlow J (2011) Research effort allocation and the conservation of restricted-range island bird
354 species. *Biol Conserv* 144:627-632. <https://doi.org/10.1016/j.biocon.2010.10.021>
355
356 Di Minin E, Tenkanen H, Toivonen T (2015) Prospects and challenges for social media data in conservation science.
357 *Front Environ Sci* 3:63. <https://doi.org/10.3389/fenvs.2015.00063>
358
359 Dietz T (2013) Bringing values and deliberation to science communication. *Proc Natl Acad Sci USA* 110(S3):14081-
360 14087. <https://doi.org/10.1073/pnas.1212740110>

361
362 Donaldson MR, Burnett NJ, Braun DC, Suski CD, Hinch SG, Cooke SJ, Kerr JT (2016) Taxonomic bias and
363 international biodiversity conservation research. *Facets* 1:105-113. <https://doi.org/10.1139/facets-2016-0011>
364
365 Dos Santos JG, Malhado AC, Ladle RJ, Correia RA, Costa MH (2015) Geographic trends and information deficits in
366 Amazonian conservation research. *Biodivers Conserv* 24(11):2853-2863. <https://doi.org/10.1007/s10531-015-0981-x>
367
368 Fisher DO (2011) Cost, effort and outcome of mammal rediscovery: neglect of small species. *Biol Conserv*
369 144(5):1712-1718. <https://doi.org/10.1016/j.biocon.2011.03.005>
370
371 Fisher R, Radford BT, Knowlton N, Brainard RE, Michaelis FB, Caley MJ (2011) Global mismatch between research
372 effort and conservation needs of tropical coral reefs. *Conserv Lett* 4:64-72. [https://doi.org/10.1111/j.1755-](https://doi.org/10.1111/j.1755-263X.2010.00146.x)
373 [263X.2010.00146.x](https://doi.org/10.1111/j.1755-263X.2010.00146.x)
374
375 Fleming PA, Bateman PW (2016) The good, the bad, and the ugly: which Australian terrestrial mammal species attract
376 most research? *Mammal Rev* 46:241-254. <https://doi.org/10.1111/mam.12066>
377
378 Funk SM, Rusowsky D (2014) The importance of cultural knowledge and scale for analysing internet search data as a
379 proxy for public interest toward the environment. *Biodivers Conserv* 23:3101-3112. [https://doi.org/10.1007/s10531-](https://doi.org/10.1007/s10531-014-0767-6)
380 [014-0767-6](https://doi.org/10.1007/s10531-014-0767-6)
381
382 Hausmann A, Toivonen T, Slotow R, Tenkanen H, Moilanen A, Heikinheimo V, Di Minin E (2018) Social media data
383 can be used to understand tourists' preferences for nature-based experiences in protected areas. *Conserv Lett* (in press)
384 <https://doi.org/10.1111/conl.12343>
385
386 IUCN (2017) The IUCN Red List of Threatened Species. Version 2017-1. www.iucnredlist.org. Accessed 1 June 2017
387
388 Jacobson SK, Langin C, Carlton S, Kaid LL (2012) Content analysis of newspaper coverage of the Florida panther.
389 *Conserv Biol* 26(1):171-179. <https://doi.org/10.1111/j.1523-1739.2011.01750.x>
390

391 Jarić I, Knežević-Jarić J, Gessner J (2015) Global effort allocation in marine mammal research indicates geographical,
392 taxonomic and extinction risk related biases. *Mammal Rev* 45:54-62. <https://doi.org/10.1111/mam.12032>
393
394 Jarić I, Courchamp F, Gessner J, Roberts DL (2016) Data mining in conservation research using Latin and vernacular
395 species names. *PeerJ* 4:e2202. <https://doi.org/10.7717/peerj.2202>
396
397 Jepson P, Barua M (2015) A theory of flagship species action. *Conserv Soc* 13(1):95-104. <https://doi.org/10.4103/0972-4923.161228>
398
399
400 Kiley HM, Ainsworth GB, van Dongen WF, Weston MA (2017) Variation in public perceptions and attitudes towards
401 terrestrial ecosystems. *Sci Tot Environ* 590:440-451. <https://doi.org/10.1016/j.scitotenv.2016.12.179>
402
403 Kim JY, Do Y, Im RY, Kim GY, Joo GJ (2014) Use of large web-based data to identify public interest and trends related
404 to endangered species. *Biodivers Conserv* 23:2961-2984. <https://doi.org/10.1007/s10531-014-0757-8>
405
406 Ladle RJ, Correia RA, Do Y, Joo GJ, Malhado ACM, Proulx R, Roberge JM, Jepson P (2016) Conservation
407 culturomics. *Front Ecol Environ* 14:270-276. <https://doi.org/10.1002/fee.1260>
408
409 Ladle RJ, Jepson P, Correia RA, Malhado A (2017) The power and the promise of culturomics. *Front Ecol Environ*
410 15(6):290-291. <https://doi.org/10.1002/fee.1506>
411
412 Lawler JJ, Aukema JE, Grant JB, Halpern BS, Kareiva P, Nelson CR, Ohleth K, Olden JD, Schlaepfer MA, Silliman
413 BR, Zaradic P (2006) Conservation science: a 20-year report card. *Front Ecol Environ* 4(9):473-480.
414 [https://doi.org/10.1890/1540-9295\(2006\)4\[473:CSAYRC\]2.0.CO;2](https://doi.org/10.1890/1540-9295(2006)4[473:CSAYRC]2.0.CO;2)
415
416 Liordos V, Kontsiotis VJ, Anastasiadou M, Karavasias E (2017) Effects of attitudes and demography on public support
417 for endangered species conservation. *Sci Tot Environ* 595:25-34. <https://doi.org/10.1016/j.scitotenv.2017.03.241>
418
419 Liordos V, Kontsiotis VJ, Kokoris S, Pimenidou M (2018) The two faces of Janus, or the dual mode of public attitudes
420 towards snakes. *Sci Tot Environ* 621:670-678. <https://doi.org/10.1016/j.scitotenv.2017.11.311>

421
422 Lorimer J (2007) Nonhuman charisma. *Environ Plann D* 25:911-932. <https://doi.org/10.1068/d71j>
423
424 Martin LJ, Blossey B, Ellis E (2012) Mapping where ecologists work: biases in the global distribution of terrestrial
425 ecological observations. *Front Ecol Environ* 10:195-201. <https://doi.org/10.1890/110154>
426
427 Martín-López B, Montes C, Ramírez L, Benayas J (2009) What drives policy decision-making related to species
428 conservation? *Biol Conserv* 142:1370-1380. <https://doi.org/10.1016/j.biocon.2009.01.030>
429
430 Martín-López B, González JA, Montes C (2011) The pitfall-trap of species conservation priority setting. *Biodivers*
431 *Conserv* 20(3):663-682. <https://doi.org/10.1007/s10531-010-9973-z>
432
433 Martín-Forés I, Martín-López B, Montes C (2013) Anthropomorphic factors influencing Spanish conservation policies
434 of vertebrates. *Int J Biodivers* 2013:142670. <https://doi.org/10.1155/2013/142670>
435
436 Martínez Pastur G, Peri PL, Lencinas MV, García-Llorente M, Martín-López B (2016) Spatial patterns of cultural
437 ecosystem services provision in Southern Patagonia. *Landsc Ecol* 31:383-399. <https://doi.org/10.1007/s10980-015->
438 0254-9
439
440 Michel J-B, Shen YK, Aiden AP, Veres A, Gray MK, Pickett JP, Hoiberg D, Clancy D, Norvig P, Orwant J et al. (2011)
441 Quantitative analysis of culture using millions of digitized books. *Science* 331:176-182.
442 <https://doi.org/10.1126/science.1199644>
443
444 Miller G (2011) Social scientists wade into the tweet stream. *Science* 333:1814-1815.
445 <https://doi.org/10.1126/science.333.6051.1814>
446
447 Moustakas A, Karakassis I (2005) How diverse is aquatic biodiversity research? *Aquat Ecol* 39:367-375.
448 <https://doi.org/10.1007/s10452-005-6041-y>
449
450 Muñoz J (2007) Biodiversity conservation including uncharismatic species. *Biodivers Conserv* 16(7):2233-2235.

451 <https://doi.org/10.1007/s10531-006-9147-1>

452

453 Murray HJ, Green EJ, Williams DR, Burfield IJ, Brooke MD (2015) Is research effort associated with the conservation
454 status of European bird species? *End Spec Res* 27:193-206. <https://doi.org/10.3354/esr00656>

455

456 Naaman M, Becker H, Gravano L (2011) Hip and trendy: characterizing emerging trends on Twitter. *J Assoc Inf Sci*
457 *Technol* 62(5):902-918. <https://doi.org/10.1002/asi.21489>

458

459 Papworth SK, Nghiem TPL, Chimalakonda D, Posa MRC, Wijedasa LS, Bickford D, Carrasco LR (2015) Quantifying
460 the role of online news in linking conservation research to Facebook and Twitter. *Conserv Biol* 29(3):825-833.
461 <https://doi.org/10.1111/cobi.12455>

462

463 Proenca VM, Pereira HM, Vicente L (2008) Organismal complexity is an indicator of species existence value. *Front*
464 *Ecol Environ* 6:298-299. [https://doi.org/10.1890/1540-9295\(2008\)6\[298:OCIAIO\]2.0.CO;2](https://doi.org/10.1890/1540-9295(2008)6[298:OCIAIO]2.0.CO;2)

465

466 Roberge JM (2014) Using data from online social networks in conservation science: which species engage people the
467 most on Twitter? *Biodivers Conserv* 23:715-726. <https://doi.org/10.1007/s10531-014-0629-2>

468

469 Roll U, Mittermeier JC, Diaz GI, Novosolov M, Feldman A, Itescu Y, Meiri S, Grenyer R (2016) Using Wikipedia page
470 views to explore the cultural importance of global reptiles. *Biol Conserv* 204:42-50.
471 <https://doi.org/10.1016/j.biocon.2016.03.037>

472

473 Roll U, Correia RA, Berger-Tal O (2018) Using machine learning to disentangle homonyms in large text corpora.
474 *Conserv Biol* 32:716-727. <https://doi.org/10.1111/cobi.13044>

475

476 Schuetz J, Soykan CU, Distler T, Langham G (2015) Searching for backyard birds in virtual worlds: Internet queries
477 mirror real species distributions. *Biodivers Conserv* 24:1147-1154. <https://doi.org/10.1007/s10531-014-0847-7>

478

479 Sherren K, Smit M, Holmlund M, Parkins JR, Chen Y (2017a) Conservation culturomics should include images and a
480 wider range of scholars. *Front Ecol Environ* 15(6):289-290. <https://doi.org/10.1002/fee.1507>

481
482 Sherren K, Parkins JR, Smit M, Holmlund M, Chen Y (2017b) Digital archives, big data and image-based culturomics
483 for social impact assessment: opportunities and challenges. *Environ Impact Assess Rev* 67:23-30.
484 <https://doi.org/10.1016/j.eiar.2017.08.002>
485
486 Sitas N, Baillie JEM, Isaac NJB (2009) What are we saving? Developing a standardized approach for conservation
487 action. *Anim Conserv* 12:231-237. <https://doi.org/10.1111/j.1469-1795.2009.00244.x>
488
489 Smith RJ, Veríssimo D, Leader-Williams N, Cowling RM, Knight AT (2009) Let the locals lead. *Nature* 462(7271):280-
490 281. <https://doi.org/10.1038/462280a>
491
492 Stokes DL (2007) Things we like: human preferences among similar organisms and implications for conservation. *Hum*
493 *Ecol* 35(3):361-369. <https://doi.org/10.1007/s10745-006-9056-7>
494
495 Sutherland WJ, Butchart SHM, Connor B, Culshaw C, Dicks LV, Dinsdale J, Doran H, Entwistle AC, Fleishman E,
496 Gibbons DW et al. (2018) A 2018 horizon scan of emerging issues for global conservation and biological diversity.
497 *Trends Ecol Evolut* 33(1):47-58. <https://doi.org/10.1016/j.tree.2017.11.006>
498
499 Trimble MJ, van Aarde RJ (2010) Species inequality in scientific study. *Conserv Biol* 24:886-890.
500 <https://doi.org/10.1111/j.1523-1739.2010.01453.x>
501
502 Troudet J, Grandcolas P, Blin A, Vignes-Lebbe R, Legendre F (2017) Taxonomic bias in biodiversity data and societal
503 preferences. *Sci Rep* 7(1):9132. <https://doi.org/10.1038/s41598-017-09084-6>
504
505 Verissimo D, MacMillan DC, Smith RJ (2011) Toward a systematic approach for identifying conservation flagships.
506 *Conserv Lett* 4(1):1-8. <https://doi.org/10.1111/j.1755-263X.2010.00151.x>
507
508 Veríssimo D, MacMillan DC, Smith RJ, Crees J, Davies ZG (2014) Has climate change taken prominence over
509 biodiversity conservation? *BioScience* 64(7):625-629. <https://doi.org/10.1093/biosci/biu079>
510

511 Verissimo D, Vaughan G, Ridout M, Waterman C, MacMillan D, Smith RJ (2017) Increased conservation marketing
512 effort has major fundraising benefits for even the least popular species. *Biol Conserv* 211:95-101.
513 <https://doi.org/10.1016/j.biocon.2017.04.018>
514
515 Willemen L, Cottam AJ, Drakou EG, Burgess ND (2015) Using social media to measure the contribution of Red List
516 species to the nature-based tourism potential of African protected areas. *PLOS One* 10(6):e129785.
517 <https://doi.org/10.1371/journal.pone.0129785>
518
519 Wilson JR, Procheş Ş, Braschler B, Dixon ES, Richardson DM (2007) The (bio) diversity of science reflects the
520 interests of society. *Front Ecol Environ* 5(8):409-414. <https://doi.org/10.1890/060077.1>
521
522 Wilson KA, Auerbach NA, Sam K, Magini AG, Moss ASL, Langhans SD, Budiharta S, Terzano D, Meijaard E (2016)
523 Conservation research is not happening where it is most needed. *PLoS Biol* 14:e1002413.
524 <https://doi.org/10.1371/journal.pbio.1002413>
525
526 Zhang H, Hu Y, Zhang Y, Li W (2015) Evidence of the Matthew effect in scientific research on mammals in the Chinese
527 First-class National Protected Animals list. *Biodivers Conserv* 24(11):2883-2886. [https://doi.org/10.1007/s10531-015-](https://doi.org/10.1007/s10531-015-0983-8)
528 [0983-8](https://doi.org/10.1007/s10531-015-0983-8)
529
530 Żmihorski M, Dziarska-Pałac J, Sparks TH, Tryjanowski P (2013) Ecological correlates of the popularity of birds and
531 butterflies in Internet information resources. *Oikos* 122:183-190. <https://doi.org/10.1111/j.1600-0706.2012.20486.x>
532
533
534
535
536
537
538
539
540

541 **Tables**

542

543 **Table 1.** Relationship between the scientific attention (Web of Science) and coverage within different media sources

544 (Internet pages, Twitter, Facebook, newspapers, and photographs posted on the internet) in different species groups

545 (Spearman's non-parametric correlation test, $p < 0.001$; also see Fig. 1); see the text for information on overall ranking

546 approach.

547

Correlation coefficients	Number of scientific publications			
	Carnivora	Primates	Marine mammals	Birds of prey
Posted pictures	0.893	0.817	0.850	0.837
Internet pages	0.906	0.897	0.894	0.860
Twitter	0.854	0.612	0.629	0.761
Facebook	0.842	0.685	0.700	0.782
Newspapers	0.685	0.470	0.545	0.498
Overall ranking	0.891	0.645	0.803	0.843

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567 **Table 2.** Top five ranked species from the four analyzed species groups, based on the frequency of their presence in
568 scientific publications and the level of societal attention, estimated as the average ranking across five assessed online
569 sources.
570

Species rank	Carnivora		Primates	
	Scientists	Society	Scientists	Society
1	Gray wolf (<i>Canis lupus</i>)	Gray wolf (<i>Canis lupus</i>)	Rhesus monkey (<i>Macaca mulatta</i>)	Rhesus monkey (<i>Macaca mulatta</i>)
2	Red fox (<i>Vulpes vulpes</i>)	Lion (<i>Panthera leo</i>)	Chimpanzee (<i>Pan troglodytes</i>)	Indri (<i>Indri indri</i>)
3	Brown bear (<i>Ursus arctos</i>)	Wild cat (<i>Felis silvestris</i>)	Crab-eating macaque (<i>Macaca fascicularis</i>)	Western gorilla (<i>Gorilla gorilla</i>)
4	American mink (<i>Neovison vison</i>)	Red fox (<i>Vulpes vulpes</i>)	Common marmoset (<i>Callithrix jacchus</i>)	Celebes crested macaque (<i>Macaca nigra</i>)
5	Coyote (<i>Canis latrans</i>)	Tiger (<i>Panthera tigris</i>)	Southern pig-tailed macaque (<i>Macaca nemestrina</i>)	Bonobo (<i>Pan paniscus</i>)
	Marine mammals		Birds of prey	
	Scientists	Society	Scientists	Society
1	Common bottlenose dolphin (<i>Tursiops truncatus</i>)	Killer whale (<i>Orcinus orca</i>)	Peregrine falcon (<i>Falco peregrinus</i>)	Peregrine falcon (<i>Falco peregrinus</i>)
2	Harbor seal (<i>Phoca vitulina</i>)	Common bottlenose dolphin (<i>Tursiops truncatus</i>)	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Golden eagle (<i>Aquila chrysaetos</i>)
3	Harbour porpoise (<i>Phocoena phocoena</i>)	Blue whale (<i>Balaenoptera musculus</i>)	Northern goshawk (<i>Accipiter gentilis</i>)	Eurasian buzzard (<i>Buteo buteo</i>)
4	Humpback whale (<i>Megaptera novaeangliae</i>)	Humpback whale (<i>Megaptera novaeangliae</i>)	Golden eagle (<i>Aquila chrysaetos</i>)	Bald eagle (<i>Haliaeetus leucocephalus</i>)
5	Killer whale (<i>Orcinus orca</i>)	Sperm whale (<i>Physeter macrocephalus</i>)	American kestrel (<i>Falco sparverius</i>)	Griffon vulture (<i>Gyps fulvus</i>)

571


572

573

574 **Figures**

575

576 **Fig. 1.** Relationship between the scientific attention (Web of Science) and coverage within different media sources
577 (Internet pages, Twitter, Facebook, newspapers, and photographs posted on the internet) in different species groups
578 (Carnivora, Primates, marine mammals and birds of prey); axes represent logarithmic scales. Presented data were
579 transformed using $x \leftarrow x + 1$, in order to allow presentation in log-plots of results with the value of zero.



581

582

583

584

585

586

587 **Fig. 2.** Proportion between the species coverage within different media sources (Internet pages, Twitter, Facebook,
588 newspapers, and photographs posted on the internet) and scientific publications (Web of Science) in different species
589 groups (Carnivora, Primates, marine mammals and birds of prey). Presented data were transformed using $x \leftarrow x + 1$,
590 and the proportions were consequently log-transformed, using the following equation: $\text{proportion} = \log[(x_m + 1) / (x_s +$
591 $1)]$, where x_m and x_s respectively represent coverage within specific media source and scientific publications.

