



Atomistic simulations of water flow in graphene channels driven by imposed thermal gradients

Zambrano, Harvey A.; Oyarzua, Elton E.; Walther, Jens Honore

Publication date:
2018

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Zambrano, H. A., Oyarzua, E. E., & Walther, J. H. (2018). Atomistic simulations of water flow in graphene channels driven by imposed thermal gradients. Abstract from 71st Annual Meeting of the APS Division of Fluid Dynamics , Atlanta, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Atomistic simulations of water flow in graphene channels driven by imposed thermal gradients

Harvey A. Zambrano¹, Elton E. Oyarzua², J. H. Walther³

¹Universidad Técnica Federico Santa María, ²Univ of Concepcion, ³Technical University of Denmark

Body:

Nanofluidics has become interesting as the basis for further device miniaturization. Different from macro and microfluidics, nanoconfined flows are significantly influenced by fluid-wall interaction. In this context, recent studies have reported the potential exploitation of imposed thermal gradients as mechanism to transport water in nanoconduits. Moreover, graphene-based materials have attracted increasing attention in nanofluidic applications due to their unique thermal, structural and hydrodynamic properties. Here, we conduct atomistic simulations to investigate water transport in graphene nanoslit channels driven by thermal gradients. The study is focused in understanding the relation between phonon currents induced in the walls by imposed thermal gradients and the corresponding measured flow rates. Furthermore, a comprehensive analysis of the influence of wettability, multi-layer graphene in the walls and geometrical asymmetries is performed. Our results provide valuable information for the design of thermal graphene-based nanopumps and contribute to the understanding of suitable driving mechanisms for liquids in nanoconduits.

Funding Acknowledgment:

We thank partial funding from Universidad Técnica Federico Santa Maria, CONICYT under scholarship 21140427, and computational support from DTU.

Special Instructions:

Print Close