

Enzymatic hydrolysis of rice straw and glucose fermentation using a Vertical Ball Mill Bioreactor (VBMB): Impact of operational conditions

Mussatto, Solange I.

Publication date: 2017

Document Version Peer reviewed version

Link back to DTU Orbit

Citation (APA):

Mussatto, S. I. (2017). Enzymatic hydrolysis of rice straw and glucose fermentation using a Vertical Ball Mill Bioreactor (VBMB): Impact of operational conditions. Abstract from 39th Symposium on Biotechnology for Fuels and Chemicals, San Francisco, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- · You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Enzymatic hydrolysis of rice straw and glucose fermentation using a vertical ball mill bioreactor (VBMB): impact of operational conditions

★ ♥ Tuesday, May 02, 2017 6:00 PM - 8:00 PM

San Francisco Marriott Marquis - Yerba Buena Salons 9, B2 Lower Level

The effects of agitation speed (100-200 rpm), number of glass spheres (0-30 units) and temperature (40-46 °C) on both enzymatic hydrolysis of rice straw (8% w/v) and glucose fermentation (50 g/L) by *Kluyveromyces marxianus* NRRL Y-6860 were evaluated using a Vertical Ball Mill Bioreactor (VBMB). This bioreactor was equipped with adjustable flat round plate impellers, allowing its operation with glass spheres as shear agent. For enzymatic hydrolysis, the spheres were the only variable with significant impact on the results, being achieved 87% cellulose conversion after 24 h when using the highest level of spheres at 46 °C. For glucose fermentation, none of the variables influenced the ethanol yield from glucose, which achieved 80% on average. However, for ethanol volumetric productivity, the spheres showed an interactive effect with temperature, being obtained 2.16 g/L.h when both variables were used in the lowest level. These results revealed that the glass spheres played an important role during biomass' fiber liquefaction and yeast's fermentative performance. Nevertheless, the shear effect caused by the spheres was positive for enzymatic hydrolysis and negative for glucose conversion into ethanol. By applying the needed adjustments on the levels of the variables for each process (hydrolysis and fermentation), the VBMB can be efficiently used for rice straw bioconversion into ethanol. In addition, the design of this bioreactor would allow its use in different processes, such as simultaneous saccharification and fermentation, in batch or fed-batch configurations, and with possibilities of operating at high solids content.

Acknowledgments: FAPESP (2013/13953-6 and 2015/24813-6) and CNPq.

Authors

Rafael C. A. Castro Escola de Engenharia de Lorena, Universidade de São Paulo

Solange I. Mussatto Technical University of Denmark

View Related Events

Day: Tuesday, May 02, 2017

Inês C. Roberto

Escola de Engenharia de Lorena, Universidade de São Paulo



SYMPOSIUM ON BIOTECHNOLOGY FOR FUELS AND CHEMICALS 3929 Old Lee Highway, Suite 92A • Fairfax, VA 22030 P: 703.691.3357 • F: 703.691.7991 www.simbhq.org

To whom it may concern:

The Society for Industrial Microbiology hereby certifies that Solange I. Mussatto has attended the 39th Symposium on Biotechnology for Fuels and Chemicals (Monday, May 1 – Thursday, May 4 2016, in San Francisco, California), and presented the following abstract:

Enzymatic hydrolysis of rice straw and glucose fermentation using a vertical ball mill bioreactor (VBMB): impact of operational conditions

Sincerely,

Christine Lowe

Christine Lowe Conference Coordinator



39TH SYMPOSIUM ON BIOTECHNOLOGY FOR FUELS AND CHEMICALS

A SPECIAL CONFERENCE OF THE SOCIETY FOR INDUSTRIAL MICROBIOLOGY & BIOTECHNOLOGY IN CONJUNCTION WITH NATIONAL RENEWABLE ENERGY LABORATORY AND OAK RIDGE NATIONAL LABORATORY

MAY 1-4, 2017 SAN FRANCISCO MARRIOTT MARQUIS • SAN FRANCISCO, CA







POSTER SESSIONS

T86

T87

Cellulase synergy increases with substrate conversion

J. Pelck Olsen*, Novozymes, Bagsværd, Denmark, K. Borch, Novozymes, Bagsvaerd, Denmark, P. Westh, Roskilde University, Roskilde, Denmark and M. Resch, National Renewable Energy Laboratory, Golden, CO, USA

Investigating determinants of lytic polysaccharide monooxygenases (LPMOs) stability

L. Olsson*, A. Peciulyte and K. Salomon Johansen, Chalmers University of Technology, Gothenburg, Sweden

FEEDSTOCK PRETREATMENT AND FRACTIONATION

T88

TUESDAY, MAY 2

8 Assessi

Assessing the solid loading and the enzyme dosage on enzymatic hydrolysis of sugarcane straw

A.J.G. Cruz*, Universidade Federal de São Carlos (UFSCar), São Carlos, Brazil and R.B. Alencar de Souza, Chemical Engineering Graduate Program/ Federal University of São Carlos, São Carlos, Brazil

DESIGN AND ASSESSMENT OF INTEGRATED BIOPROCESSES, INCLUDING SEPARATIONS

T89

Assessing vinasse biogas production in different sugarcane biorefinary configurations

A.J.G. Cruz*, Universidade Federal de São Carlos (UFSCar), São Carlos, Brazil; A.A. Longati and A.R. de Andrade Lino, Chemical Engineering Graduate Program/Federal University of São Carlos, São Carlos, Brazil; F.F. Furlan and R.C. Giordano, Federal University of São Carlos, São Carlos, Brazil

FEEDSTOCK PRETREATMENT AND FRACTIONATION

T90

Enzymatic hydrolysis of cellulose from sugarcane bagasse in a packed bed flowthrough column reactor with high solid loading

L. Ramos, M.H. Vasconcelos, A. Ferraz, A.M.F. Milagres and J.C. Santos, Escola de Engenharia de Lorena, Universidade de São Paulo, Lorena, Brazil; F. Mendes*, Laboratório Nacional de Ciência e Tecnologia do Bioetanol (CTBE), Campinas, Brazil

DESIGN AND ASSESSMENT OF INTEGRATED BIOPROCESSES, INCLUDING SEPARATIONS

T92

T93

T94

T95

T96

Impact of varied compositional profiles of sugarcane experimental hybrids on a biorefinery producing 1G-2G ethanol and electricity

F. Mendes^{*} and A. Bonomi, Laboratório Nacional de Ciência e Tecnologia do Bioetanol (CTBE), Campinas, Brazil; M. Dias, Instituto de Ciência e Tecnologia, Universidade Federal de São Paulo, São José dos Campos, Brazil; A. Ferraz, A.M.F. Milagres and J.C. Santos, Escola de Engenharia de Lorena, Universidade de São Paulo, Lorena, Brazil

Butanol biorefineries - use of novel technologies to produce biofuel butanol from sweet sorghum bagasse (SSB)

N. Qureshi*, National Center for Agricultural Utilization Research, USDA-ARS, Peoria, IL, USA; K.T. Klasson, United States Department of Agriculture, ARS, New Orleans, LA, USA; V. Boddu, B.C. Saha, S. Liu and S. Hughes, United States Department of Agriculture, Peoria, IL, USA

Enzymatic hydrolysis of rice straw and glucose fermentation using a vertical ball mill bioreactor (VBMB): impact of operational conditions

R.C.A. Castro and I.C. Roberto*, Escola de Engenharia de Lorena, Universidade de São Paulo, Lorena, Brazil; S.I. Mussatto, Technical University of Denmark, Kongens Lyngby, Denmark

Characterization of lignocellulosic biorefinery waste streams for enhanced treatment options

T. Tobin*, R. Gustafson and R. Bura, University of Washington, Seattle, WA, USA

Techno-economic analysis of fuel ethanol production from palm oil waste

B.E.P.D.C. Delgado*, L. Moreira and F.L.P. Pessoa, Federal University of Rio de Janeiro, Rio de Janeiro, Brazil

Pilot scale green biorefining of grass and legumes for local protein feed production in temperate regions.

M. Ambye-Jensen*, Aarhus University, Aarhus, Denmark

T91