



## Hydrodynamical and data-driven modelling of unsteady multiphase flows in pipes

**Andrianov, Nikolai**

*Publication date:*  
2017

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*

Andrianov, N. (2017). Hydrodynamical and data-driven modelling of unsteady multiphase flows in pipes. Abstract from Danish Hydrocarbon Research and Technology Centre Technology Conference 2017, Lyngby, Denmark.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Danish Hydrocarbon Research and Technology Centre Technology Conference 2017

## Hydrodynamical and data-driven modelling of unsteady multiphase flows in pipes

*Nikolai Andrianov*

*Centre for Oil and Gas – DTU*

Multiphase flow occurs in almost all producing wells and production gathering facilities on the surface. Traditionally, such flows are modelled using hydrodynamical approach, which consists in numerical solution of phase conservation equations. As a result, one can estimate a large number of parameters at arbitrary point of the flow. However, there are serious limitations due to complexity of mathematical models which makes the hydrodynamical models difficult to build and to deploy. An alternative approach is to use a machine learning methodology to estimate key parameters of the flow. We demonstrate how a regression neural network can be used as a virtual flow meter for a synthetic severe slugging case.