



Dynamical monitoring of magnetic markers using quantum diamond magnetometry

Frellsen, Louise Floor; Wojciechowski, Adam; Hansen , Mikkel F.; Huck, Alexander; Andersen, Ulrik Lund

Publication date:
2018

Document Version
Peer reviewed version

[Link back to DTU Orbit](#)

Citation (APA):
Frellsen, L. F., Wojciechowski, A. M., Hansen , M. F., Huck, A., & Andersen, U. L. (2018). Dynamical monitoring of magnetic markers using quantum diamond magnetometry. Abstract from 12th International Conference on Scientific and Clinical Applications of Magnetic Carriers, Copenhagen, Denmark.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Dynamical monitoring of magnetic markers using quantum diamond magnetometry

Louise F. Frellsen^{1*}, Adam M. Wojciechowski, Mikkel F. Hansen, Alexander Huck¹, Ulrik L. Andersen¹

¹Center for Macroscopic Quantum States (bigQ), Department of Physics, Technical University of Denmark, 2800 Kgs. Lyngby, Denmark

*Email: louifr@fysik.dtu.dk

The nitrogen-vacancy (NV) center in diamond crystal has shown great promise as a magnetic field sensor [1]. The method is of particular interest for biological systems, because of its high sensitivity at ambient conditions and the biocompatibility of the diamond carrier.

Tagging of biological samples using magnetic nanoparticles (MNPs) is an important tool for both manipulation and detection of biotargets. NV center based magnetometry has proven capable of resolving single magnetically marked cells [2]. Furthermore the technique allows for scalability to large areas and the analysis of macroscopic sample. This makes the system promising for incorporation in flow cytometry and eventually lab-on-a-chip systems. Meanwhile, the current detection times are in the order of seconds for specially treated diamonds and ranging into hours for untreated samples to obtain high sensitivity. Here we present a set-up with the option of detecting magnetic particles at high framerates, providing videos of magnetic particles and introducing the opportunity of monitoring motile bacteria or cells in flow.

The magnetic sensing capabilities of the NV centers stem from its energy level structure. The electron spin states are coherently probed using microwaves. The states are optically initialized and read out through laser excitation and monitoring the intensity of the emitted fluorescence, which is sensitive to magnetic fields. The set-up has been characterized, showing a uniform sensitivity of approximately $160 \text{ nT}/\sqrt{(\text{Hz})/\text{pixel}}$ over a $40 \mu\text{m} \times 40 \mu\text{m}$ field of view working at a frame rate of 60 FPS. Single $2.8 \mu\text{m}$ beads have been detected and the ability to monitor the movement of beads has been verified for both mechanical movement and varying electric fields.




Figure (a) Measurement of the spatial uniformity of the magnetic sensitivity in the optical field of view. (b) Image of magnetically detected beads on the surface of the diamond. The close-up of lone beads and smaller clusters show the expected dipole field distribution. (c) A few frames from dynamical measurements of a number of beads on the diamond surface manually moved with the stage.

[1] L. Rondin, J.-P. Tetienne, T. Hingant, J.-F. Roch, P. Maletinsky and V. Jacques, “Magnetometry with nitrogen-vacancy defects in diamond”, *Reports on Progress in Physics* **77** (2014)

[2] D. R. Glenn, K. Lee, H. Park, R. Weissleder, A. Yacoby, M. D. Lukin, H. Lee, R. L. Walsworth and C. B. Connolly, “Single-cell magnetic imaging using a quantum diamond microscope”, *Nature methods* **12** (2015)