Curr Pain Headache Rep (2015) 19: 39 DOI 10.1007/s11916-015-0514-z



SECONDARY HEADACHE (M ROBBINS, SECTION EDITOR)

Symptomatic Trigeminal Autonomic Cephalalgias

Ilse F. de Coo¹ · Leopoldine A. Wilbrink¹ · Joost Haan^{1,2}

Published online: 20 June 2015

© The Author(s) 2015. This article is published with open access at Springerlink.com

Abstract Trigeminal autonomic cephalalgias (TACs) are primary headache syndromes that share some clinical features such as a trigeminal distribution of the pain and accompanying ipsilateral autonomic symptoms. By definition, no underlying structural lesion for the phenotype is found. There are, however, many descriptions in the literature of patients with structural lesions causing symptoms that are indistinguishable from those of idiopathic TACs. In this article, we review the recent insights in symptomatic TACs by comparing and categorizing newly published cases. We confirm that symptomatic TACs can have typical phenotypes. It is of crucial importance to identify symptomatic TACs, as the underlying cause will influence treatment and outcome. Our update focuses on when a structural lesion should be sought.

Keywords Cluster headache · Trigeminal autonomic cephalalgia · Paroxysmal hemicrania · Hemicrania continua · Short-lasting unilateral neuralgiform headache with conjunctival tearing · Short-lasting unilateral neuralgiform headache attacks with cranial autonomic symptoms

This article is part of the Topical Collection on Secondary Headache

☑ Ilse F. de Coo i.f.de_coo@lumc.nl

Abbreviations

TACs Trigeminal autonomic cephalalgias
ICHD International Classification of Headache Disorders
SUNCT Short-lasting unilateral neuralgiform headache
with conjunctival tearing
SUNA Short-lasting unilateral neuralgiform headache attacks with cranial autonomic symptoms

MRI Magnetic resonance imaging

Introduction

Trigeminal autonomic cephalalgias (TACs) are primary headache syndromes that owe their name to the trigeminal distribution of the pain and the accompanying ipsilateral autonomic symptoms, as defined by the International Classification of Headache Disorders (ICHD)-III beta criteria [1]. The most prevalent TAC is cluster headache, but the category also includes rare diseases such as paroxysmal hemicrania, shortlasting unilateral neuralgiform headache attacks with conjunctival injection and tearing (SUNCT), shortlasting unilateral neuralgiform headache attacks with cranial autonomic symptoms (SUNA), and hemicrania continua.

It is well known that an underlying structural lesion can lead to TAC symptoms, which cannot easily be differentiated from those of idiopathic TACs [2, 3•]. Recognizing these underlying pathologies is of crucial importance, as they can influence treatment and outcome. Here, we will give an update of recently published cases with an underlying structural lesion and a TAC phenotype.



Department of Neurology Leiden University Medical Centre, Leiden. The Netherlands

Department of Neurology Alrijne Hospital, Leiderdorp, The Netherlands

neadache	
cluster l	
cases of	
Symptomatic c	
Table 1	
pri	in

Authors	Publication year	Age (year)	Sex	Headache phenotype	Duration of CH symptoms	Atypical features	Underlying lesion	Treatment	Follow-up	Outcome
Probably symptomatic cluster headache	r headache									
Edvardsson [13]	2014	49	Σ	Cluster headache	1 month	Nausea, photophobia, and	Non-functioning pituitary adenoma	Sumatriptan SC, oxygen,	17 months	Pain free
Malissart et al. [19]	2014	09	Ľι	Cluster headache	3 days	Photophooid –	Ipsilateral carotid paraganglioma	Surgery	Unknown	Pain free
Edvardsson et al. [10]	2013	43	Σ	Cluster headache	2 months	Nausea and photophobia/	Intrasellar arachnoid cyst	Craniotomy with cyst fenestration	4 months	Pain free
Edvardsson et al. [12]	2013	21	M	Cluster headache	3 weeks		Maxillary sinusitis	Antibiotics and sinus puncture	4 years	Pain free
Levy et al. [17]	2012	25	\mathbb{Z}	Cluster headache	3 months	ı	Ipsilateral pituitary macroprolactinoma	Cabergoline	Unknown	Pain free
Edvardssonet al. [9]	2012	41	Σ	Cluster headache	3 months	Nausea and photophobia/	Ipsilateral glioblastoma multiforme	Surgery	12 months	Pain free
Ranieri et al. [22]	2009	39	×	Cluster headache	14 years	prioriogational maxillary pain next to periorbital pain, continues daily pain during last 7 months, tooth grinding, and frequently welving ma tright	Obstructive sleep apnoea diagnosis 14 years after CH diagnosis	Intra-oral device	12 months	Pain free
Sewell et al. [24]	2009	34	×	Cluster headache	17 years	At moment of consultation, restless legs syndrome and numbness in fingers	Stroke caused by moyamoya	Two cranial bypasses	6 years	Pain free
Edvardsson [11•]	2013	24	\mathbb{Z}	Cluster headache	4 weeks	-	Acute maxillary sinusitis	Antibiotics and sinus puncture	Several years	Pain free
Fontaine et al. [14]	2013	27	\boxtimes	Cluster headache	4 months	1	Ipsilateral hemangiopericytoma	Surgery	9 months	Pain free
Van der Vlist et al. [26]	2013	31	Σ	Cluster headache	2 months	Diffuse headache next to the	Sarcoidosis (also hypothalamic lesion)	Prednisone course	7 months	Pain free
Créac'h et al. [8]	2010	4	ĮΤ	Cluster headache	7 months	Trigger factor: rotation of head to the right	Neurovascular compression caused by fibrosis surrounding both C3 and right vertebral artery	Verapamil for 6 months, microvascular dissection	2.5 years	Pain free
Possibly symptomatic cluster headache	· headache									
Candeloro et al. [6•]	2013	39	×	Cluster headache	21 years	Once attack duration of>3 h	Dissection of the right distal internal carotid artery	Heparin	6 months	Unknown
Mijajlović et al. [21]	2014	45	Σ	Cluster headache	7 days	I	Multiple sclerosis	Methylprednisolone course with afterwards veranamil for 1 year	3 years	Pain free
Gil-Gouveia et al. [15]	2013	79	Г	Cluster headache	I	1	48 h after lens phacoemulsification and intraocular lens implant	Verapamil, sodium valproate, oxygen	9 months	Decrease in attack frequency
Messina et al. [20]	2013	27	M	Cluster headache	ı	I	Angiomyolipoma	Hypothalamic deep brain stimulation	Unknown	Decrease in attack frequency
Donat [2]	2011	33	\mathbb{Z}	Cluster headache	ı	I	Multiple sclerosis	Verapamil	10 months	Pain free
Choi et al. [7]	2009	52	II.	Cluster headache	10 years	Attacks sometimes on both sides. This time also blurred vision and central horizontal scoloma	Recurrent posterior scleritis and aseptic meningitis	Prednisone course	2 months	Unknown
Benitez-Rosario et al. [5]	2009	41	×	Cluster headache	12 months	Depressive symptoms	Ipsilateral macroprolactinoma	Cabergoline, hormonal replacement, prednisone course, verapamil	About 1–2 months	Pain free



Methods

In 2009, our group published a comprehensive update of symptomatic TACs, reported until mid-February 2009 [4]. With this report as starting point, we conducted a PubMed search from February 2009 to January 2015 with the following key words: trigeminal autonomic cephalalgia, cluster headache, hemicrania continua, SUNCT, SUNA, paroxysmal hemicrania, secondary, and symptomatic. Only articles written in English were included of which the full text was available. Cases were divided into three categories: probably secondary, possibly secondary, and unknown. Cases were defined as probably secondary when there was a dramatic improvement of the headache after treatment of the underlying lesion. Cases were defined as possibly secondary when the patient was treated but did not become headache free, or was not treated, but where a causal relation was possible based on previous experience with other patients. Efficacy of indomethacin was not considered as treatment response in paroxysmal hemicrania and hemicrania continua, as this is one of the diagnostic criteria and not specifically aiming at an underlying lesion. The category unknown was used for patients in which a causal relation between the phenotype and the lesion was less likely or at least unclear: in most cases, the patient was not treated and a causal relation between the lesion and the TAC was unlikely on anatomical grounds and/or a probable incidental finding.

Results

Cluster Headache

We found 23 cases with a cluster headache-like phenotype in 23 articles [2, 5, 6•, 7–10, 11•, 12–26]. We excluded 3 patients, as they did not fulfil the ICHD-III criteria beta version, all having an attack duration of more than 3 h [18, 23, 25]. We excluded also another patient who did not have a structural lesion [16]. This resulted in 19 patients of whom 12 could be categorized as *probably secondary* and 7 as *possibly secondary* (Table 1).

Of the 12 cases in the *probably secondary* category, 5 had a neoplasm [15, 19, 21, 27, 28]: a non-functioning pituitary adenoma, an ipsilateral carotid paraganglioma, an ipsilateral prolactinoma, an ipsilateral glioblastoma multiforme, and an ipsilateral hemangiopericytoma. A vascular cause, a stroke secondary to moyamoya disease, was found in 1 patient [29]. Other patients had an intrasellar arachnoid cyst, maxillary sinusitis (n=2), compression of the right vertebral artery by fibrosis, sarcoidosis (with a hypothalamic lesion), and obstructive sleep apnoea [8, 10, 11•, 12, 22, 26].

There were seven cases defined as *possibly secondary*. Multiple sclerosis was found in two, of whom both became pain free under verapamil or prednisone, which are used as prophylactic cluster headache medication and therefore are not strictly aiming at the *underlying lesion* [2, 21]. Another

Authors	Publication Age Sex Headache (year) (year) phenotype	Age (year)	Sex		Duration Indometl symptoms	Indomethacin response	Duration Indomethacin Atypical features symptoms response	Underlying lesion	Treatment	Follow-up Outcome	Outcome
Probably symptomatic hemicrania continua Mathew et al.[33] 2014 42	c hemicrania c 2014	continua 42		M Hemicrania continua	1 month	1 month Completely	Duration <3 months	Cerebral venous thrombosis	Anticoagulation and antiedema 3 days therapy	3 days	Pain free
Robbins et al.[35] 2010	2010	55	Ľ,	Hemicrania continua	7 months	7 months Completely	Ocular foreign body sensation Brain metastases of primary lung adenocarcinoma	Brain metastases of primary lung adenocarcinoma	Indomethacin for 3 days, dexamethasone, chemotherapy, and whole brain radiation	6 months	Pain free
Possibly symptomatic hemicrania continua	; hemicrania o	ontinua									
Prakash et al.[34] 2009	2009	52	\mathbb{Z}	M Hemicrania continua	10 years	Completely	I	Post-traumatic	Indomethacin	15 months Pain free	Pain free
Prakash et al.[34] 2009	2009	36	щ	Hemicrania continua	2 years	Completely	1	Post-operative (tubectomy)	Indomethacin	5 months Pain free	Pain free
Prakash et al.[34]	2009	44	ഥ	Hemicrania continua	1 year	Completely	I	Post-operative (left parietal	Indomethacin	10 months	Pain free
								craniotomy for evacuation of haematoma and repair of the fracture after trauma)			
Unknown: symptomatic hemicrania continua or incidental co-finding	tic hemicrania	ı continu	a or inc	cidental co-finding							
DeLange et al.[32] 2014	2014	55	[II]	55 F Hemicrania continua	4 months	4 months Completely	Disc edema, visual symptoms Orbital pseudotumour	Orbital pseudotumour	Prednisone, indomethacin	Unknown Pain free	Pain free

ιo

Symptomatic cases of hemicrania continua

Table 2



 Table 3
 Symptomatic cases of SUNCT/SUNA

Authors	Publication (year)	Age (year)	Sex	Headache phenotype	Duration symptoms	Atypical features	Underlying lesion	Treatment	Follow-up	Outcome
Probably symptomatic SUNCT/SUNA	JNCT/SUNA									
Favoni et al.[49]	2013	53	ш	SUNCT	3 years	ı	Compression of trigeminal nerve by	Microvascular decompression	11 months	Pain free
Chitsanikul et al. [37]	2013	45	M	SUNCT	3 years	Improvement by vigorous	Ipsilateral mixed gangliocytoma and	Surgery	4 years	Pain free
Chitsanikul et al. [37]	2013	51	ഥ	SUNCT	4 years	Right arm and facial numbness during attacks, irregular menstruation, decrease in libido, oalactonnea	Ipsilateral prolactinoma	Surgery	18 months	Improvement in frequency and intensity
Cöven et al. [38]	2013	57	щ	SUNCT	3 years	0	Aneurysm	Surgery	Unknown	Pain free
Domingos et al. [40]	2012	46	Σ	SUNCT	3 months	Blurred vision outside attack	Cavernous sinus dural fistula	Surgery	1 year	Pain free
Guerreiro et al. [42]	2009	57	×	SUNCT	3 months		Compression trigeminal nerve by superior cerebellar artery	Microvascular decompression	Unknown	Pain free
De Lourdes et al. [39]	2009	50	×	SUNCT	4 years	I	Ipsilateral macroprolactinoma	Cabergoline	7 months	Pain free
Rodgers et al. [46]	2013	33	×	SUNCT	6–8 months	Triggered by head movements, chewing, jaw opening	Ipsilateral epidermoid tumour in cerebellopontine angle	Gabapentin, duloxetine, pregabalin, phenobarbital, morphine, steroids, carbanazepine all ineffective, afterwards surgery	6 months	Pain free
Williams et al. [3•]	2010	71	Σ	SUNCT	6 years		Compression trigeminal nerve by superior cerebellar artery	Lannotrigine, carbamazepine, gabapentin, baclofen, and prednisolone without benefit, surgery	32 months	Pain free
Williams et al. [3•]	2010	54	Σ	SUNCT/SUNA	1–2 months		Compression trigeminal nerve by	Carbamazepine, phenytoin, gabapentin,	32 months	Pain free
							superior cerebellar artery	and baclofen without benefit, surgery		
Williams et al. [3•]	2010	46	×	SUNCT	3 years		Compression trigeminal nerve by anterior inferior cerebellar artery, vein, adhesions	Lamotrigine, valproic acid, and topiramate without benefit, surgery	30 months	Pain free
Williams et al. [3•]	2010	99	Σ	SUNA	1 year		Compression trigeminal nerve by	Lamotrigine and carbamazepine without	20 months	Pain free
Williams et al. [3•]	2010	51	ΙΉ	SUNCT	5 years		Compression trigeminal nerve by	Deneity, surgery Lamotrigine, prednisolone, and mornhine without henefit current	10 months	Pain free
Williams et al. [3•]	2010	49	M	SUNCT	26 years	I	Compression trigeminal nerve by	Lamotrigine and topiramate without	9 months	Pain free
Possibly symptomatic SUNCT/ SUNA	'NCT' SUNA						superior cerebenal artery	oenem, surgery		
Favoni et al. [49]	2013	55	×	SUNCT	9 years	I	Compression trigeninal nerve by superior cerebellar artery	Gabapentin, verapamil, pregabapentin, and iv corticosteroids course, indomethacin for 1 month without effect response on carbamazenine	Unknown	Pain free
Chitsanikul et al. [37]	2013	25	ഥ	SUNCT	6 years	I	Ipsilateral prolactinoma	Indomethacin, Jamotnigine, topiramate, carbamazepine, gabapentin, oxycodone, and greater occipital nerve block all without effect, surgery	1 year	No improvement
Chitsanikul et al. [37]	2013	99	ш	SUNCT	ı	ı	Ipsilateral pituitary tumour	Surgery	6 months	No improvement
Chitsanikul et al. [37]	2013	30	Ľ	SUNCT	12 years	1	Ipsilateral prolactinoma	Surgery	20 years	No improvement
Cascella et al.[29]	2011	57	ĬΉ	SUNCT	1 month	1	Lung adenocarcinoma	Greater occipital nerve block and indomethacin without effect, valacyclovir, and prednisone course, chemotherary, eabarchtin	5 months	Pain free
Kutschenko et al. [44]		81	ш		5 months	1	Ipsilateral meningioma	Gabapentin	Unknown	Pain free
Bogorad et al. [36]	2010	61	ш	SUNCT	2 years	ı	Multiple sclerosis	Carbamazepine, steroids, and indomethacin	1 day	Pain free



Table 3 (commuted)	6									
Authors	Publication (year)	Age (year)	Sex	Publication Age Sex Headache (year) (year) phenotype	Duration symptoms	Atypical features	Underlying lesion	Treatment	Follow-up	Outcome
Theeler et al. [47]	2009	27	ĪŦ	SUNCT	14 years	Abnormal menstrual cycles and galactorrhea	History of left optical nerve hypoplasia since 2 years, mild hypothalamic-pituitary dysfunction	Observation	8 months	No change in attack frequency
Ito et al. [43]	2009	49	Z	SUNCT	Several days	Fever	Viral meningitis	Sumatriptan SC for 3 days	Unknown, at least 4 days	Pain free
Williams et al. [3•]	2010	61	\boxtimes	SUNCT/SUNA 3 years	3 years		Compression trigeninal nerve by superior cerebellar artery and vein	Lamotrigine and phenytoin without benefit, surgery	22 months	Persistent attacks
Williams et al. [3•]	2010	48	ī	SUNA	2 years		Compression trigeninal nerve by anterior inferior cerebellar artery and vein	Lamotrigine and gabapentin without benefit, surgery	20 months	Persistent attacks
Williams et al. [3•]	2010	49	ī	SUNCT	5 years		Compression trigeminal nerve by superior cerebellar artery	Lamotrigine, indomethacin, pethidine, and topiramate without benefit, surgery	10 months	Persistent attacks
Unknown: symptomatic SUNCT/SUNA or incidental co-finding	SUNCT/SUN.	A or incid	dental c	o-finding			•			
Granato et al. [41]	2014	72	Z	72 M SUNCT	1	Fever	Varicella zoster virus meningoencephalitis (after 1 week)	Gabapentin, acyclovir intravenous course, anti-platelet treatment	1 month	Died
Panconesi et al. [45]	2009	54	×	SUNCT or trigeminal neuralgia	14 years	I	Posterior fossa abnormality	Gabapentin together with carbamazepine	Unknown	Reduction in attacks

patient had an internal carotid artery dissection, but the outcome after treatment remained unclear [6•]. Other diagnoses in this category are as follows: recurrent posterior scleritis and a specific meningitis (treated with prednisone), post-operative cluster headache (lens phacoemulsification and intraocular lens implant), an angiomyolipoma, and an ipsilateral macroprolactinoma [5, 7, 15, 20]. The latter two patients responded completely or partly to treatment of the underlying lesion, but only in combination with preventive cluster headache treatment.

Paroxysmal Hemicrania

We identified three cases of paroxysmal hemicrania, of whom all were excluded as they did not fulfil the ICHD-III criteria beta version [27, 30, 31]. The missing criterion in two patients was an unknown response to indomethacin [30, 31], and the third reported bilateral instead of unilateral facial pain [27].

Hemicrania Continua

SUNCT short-lasting unilateral neuralgiform headache attacks with conjunctival injection and tearing, SUNA short-lasting unilateral neuralgiform headache attacks with cranial autonomic symptoms

We identified seven cases [28, 32–35] of symptomatic hemicrania continua of whom one was excluded as the patient did not receive indomethacin [28]. We categorized two cases as *probably symptomatic*, three as *possibly symptomatic*, and one as *unknown* (Table 2).

The underlying lesions in the cases defined as *probably symptomatic* were a cerebral venous thrombosis and brain metastases of a primary lung adenocarcinoma [33, 35]. Both patients responded to treatment of the underlying cause, and indomethacin could be withdrawn.

In patients defined as *possibly symptomatic*, the possible causes were post-traumatic and twice post-operative [34]. All received indomethacin as treatment for their hemicrania continua.

One case was classified as *unknown*. This patient was diagnosed with an orbital pseudotumour, treated with prednisone and indomethacin [32].

SUNCT and SUNA

We found 29 cases of SUNCT and SUNA [3•, 29, 36–48] of whom 1 was excluded because of bilateral pain during the attacks [48]. There were 14 cases defined as *probably symptomatic*, 12 as *possibly symptomatic*, and 2 as *unknown* (Table 3).

Most cases were defined as *probably symptomatic* SUNCT/SUNA. The cause found in patients with *probably symptomatic* SUNCT was most often compression of the trigeminal nerve by an artery (8 out of 14), followed by malignancies as a mixed gangliocytoma, an epidermoid tumour, and prolactinomas [3•, 37, 39, 42, 46, 49]. Furthermore, an aneurysm and cavernous sinus dural fistula were found [38, 40]. All patients responded completely to treatment of the underlying cause, which was most often surgery.



Tumours were most often the underlying cause in the category *possibly symptomatic* SUNCT/SUNA: an ipsilateral prolactinoma (n=2), an ipsilateral pituitary tumour, a lung adenocarcinoma, and an ipsilateral meningioma [29, 37, 44]. Furthermore, trigeminal nerve compression (n=4), multiple sclerosis, a mild hypothalamic-pituitary dysfunction by optical nerve hypoplasia, and a viral meningitis were reported. Five patients became pain free under preventive SUNCT treatment [3•, 36, 43, 47, 49].


There were two cases categorized as *unknown*. One patient developed a varicella zoster virus meningoencephalitis 1 week after the SUNCT attacks and died within several weeks from arrhythmia secondary to myocarditis, likely as consequence of the viremia [41]. In the other patient, a small posterior skull and a cerebellar hypoplasia, without dysplasia, were found. A causal relation between the development of SUNCT and this anomaly is uncertain [45].

Conclusion

The goal of this review was to give an update on underlying structural lesions associated with TACs, published between February 2009 (since the last review) and January 2015. We identified 53 typical cases: 19 cases with cluster headache, no cases with paroxysmal hemicrania, 6 cases with hemicrania continua, and 28 cases with SUNCT/SUNA.

Tumours were reported in 16 of the 53 cases diagnosed with a TAC, mainly pituitary tumours. Prolactinomas were found in 2 cluster headache and 4 SUNCT patients, followed by pituitary adenomas (n=2). It has indeed been reported that pituitary tumours account for a large portion of the secondary causes of SUNCT [50]. The other way around, various types of headache including TACs have been reported as a frequent symptom of pituitary tumours [51]. An association between the side of the tumour and side of the headache has been suggested [52••]. In most of the reported cases of secondary SUNCT and secondary cluster headache, surgery or medical treatment of the pituitary tumour resulted in improvement.

A vascular lesion as an underlying cause was less often found. An intracranial or extracranial dissection was reported in only 1 of the 19 cluster headache patients. This patient was diagnosed with cluster headache several years before he experienced a cluster headache attack with prolonged duration, which was probably caused by a carotid dissection [6•]. Dissection as a cause for cluster headache is rare but has been reported in earlier reviews [4, 50]. Recognition is of crucial importance as it can have serious consequences for patients. Cases with carotid dissection have shown improvement of the headache after antiaggregant or anticoagulant therapy. Most patients did not even need preventive cluster headache treatment. Repeated contrast-enhanced magnetic resonance imaging (MRI) should be considered if the characteristics of the headache attacks change over time.



A sinusitis was considered probably causal in 2 cluster headache patients. Sinusitis is a common misdiagnosis in cluster headache. Lainez et al. showed that 14 of 75 cluster headache patients (18.7 %) were initially misdiagnosed as having a sinusitis [53••]. It is sometimes very difficult to make a clear distinction between sinusitis and a TAC [54].

In summary, we found 53 typical cases of secondary TACs in our literature study covering the period from February 2009 to January 2015. Secondary underlying lesions seem to be rare in TACs. However, physicians should be aware of possible underlying pathology, as, for example, prolactinomas or glioblastomas, arteriovenous malformations, dissections, and various inflammations can cause a TAC-like phenotype. In our opinion, not only a contrast-enhanced cerebral MRI should be considered once in every patient to exclude a causal underlying pathology but also imaging of cervical vascular structures.

Most of our findings are in accordance with those of Wilbrink et al. [4]. Of additional importance is the more recent observation that in more than 40 % of patients with SUNCT/SUNA, a trigeminal nerve compression by the superior or inferior cerebellar artery was present and that most of these patients experienced spectacular improvement of their headache after surgical decompression. In contrast to other reviews, we found less frequently an intracranial or extracranial dissection causing cluster headache [4, 50]. This could be explained by the fact that there are already various case reports about intracranial and extracranial dissections causing cluster headache [55–57]. The importance of a cerebral MRI to exclude underlying lesions is shown in the current review, as cerebral lesions (e.g. pituitary tumours) were associated with TACs.

Compliance with Ethics Guidelines

Conflict of Interest Ilse F. de Coo reports support for a conference visit from Electrocore.

Leopoldine A Wilbrink received consultancy/industry support from Medtronic, Menarini, Allergan, Neurocore, and independent support from Fonds Nuts Ohra.

Joost Haan declares that he has no competing interests.

Human and Animal Rights and Informed Consent This article does not contain any studies with human or animal subjects performed by any of the authors.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give



appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

References

Papers of particular interest, published recently, have been highlighted as:

- Of importance
- Of major importance
- The International Classification of Headache Disorders, 3rd edition (beta version) Cephalalgia 2013;33(9):629–808
- Donat J. A patient with cluster headache—due to a brainstem lesion. Headache. 2012;52(6):1035–6.
- 3.• Williams M, Bazina R, Tan L, Rice H, Broadley SA. Microvascular decompression of the trigeminal nerve in the treatment of SUNCT and SUNA. J Neurol Neurosurg Psychiatry. 2010;81(9):992–6. This article shows several cases of compression of the trigeminal nerve as an underlying cause of SUNCT and SUNA.
- Wilbrink LA, Ferrari MD, Kruit MC, Haan J. Neuroimaging in trigeminal autonomic cephalgias: when, how, and of what? Curr Opin Neurol. 2009;22(3):247–53.
- Benitez-Rosario MA, McDarby G, Doyle R, Fabby C. Chronic cluster-like headache secondary to prolactinoma: uncommon cephalalgia in association with brain tumors. J Pain Symptom Manage. 2009;37(2):271–6.
- 6.• Candeloro E, Canavero I, Maurelli M, Cavallini A, Ghiotto N, Vitali P, et al. Carotid dissection mimicking a new attack of cluster headache. J Headache Pain. 2013;14:84. This case report describes a carotid dissection with the phenotype of a prolonged cluster headache attack.
- Choi JY, Kim YH, Oh K, Yu SW, Jung KY, Kim BJ. Cluster-like headache caused by posterior scleritis. Cephalalgia. 2009;29(8): 906–8.
- Creac'h C, Duthel R, Barral F, Nuti C, Navez M, Demarquay G, et al. Positional cluster-like headache. A case report of a neurovascular compression between the third cervical root and the vertebral artery. Cephalalgia. 2010;30(12):1509–13.
- Edvardsson B, Persson S. Cluster headache and parietal glioblastoma multiforme. Neurologist. 2012;18(4):206–7.
- Edvardsson B, Persson S. Cluster headache and arachnoid cyst. Springerplus. 2013;2(1):4.
- 11.• Edvardsson B. Cluster headache associated with acute maxillary sinusitis. Springerplus. 2013;2:509. This case report describes the first patient with sinusitis as secondary cause of cluster headache.
- Edvardsson B, Persson S. Cluster headache and acute maxillary sinusitis. Acta Neurol Belg. 2013;113(4):535–6.
- Edvardsson B. Cluster headache associated with a clinically nonfunctioning pituitary adenoma: a case report. J Med Case Rep. 2014;8:451.
- Fontaine D, Almairac F, Mondot L, Lanteri-Minet M. Cluster-like headache secondary to parasagittal hemangiopericytoma. Headache. 2013;53(9):1496–8.
- Gil-Gouveia R, Fonseca A. Cluster headache after cataract surgery. Clin J Pain. 2013;29(11):e19–21.
- Grosberg BM, Vollbracht S, Robbins MS, Lipton RB. Cluster headache associated with a sixth nerve palsy: a case report. Cephalalgia. 2011;31(1):122–5.
- Levy MJ, Robertson I, Howlett TA. Cluster headache secondary to macroprolactinoma with ipsilateral cavernous sinus invasion. Case Rep Neurol Med. 2012;2012:830469.

- Liu KT, Su CS. Cluster-like headache as an opening symptom of cervical spinal epidural abscess. Am J Emerg Med. 2009;27(3):370.
- Malissart P, Ducros A, Labauge P, De Champfleur NM, Carra-Dalliere C. Carotid paraganglioma mimicking a cluster headache. Cephalalgia. 2014;34(13):1111.
- Messina G, Rizzi M, Cordella R, Caraceni A, Zecca E, Bussone G, et al. Secondary chronic cluster headache treated by posterior hypothalamic deep brain stimulation: first reported case. Cephalalgia. 2013;33(2):136–8.
- Mijajlovic MD, Aleksic VM, Covickovic Sternic NM. Cluster headache as a first manifestation of multiple sclerosis: case report and literature review. Neuropsychiatr Dis Treat. 2014;10:2269–74.
- Ranieri AL, Tufik S, de Siqueira JT. Refractory cluster headache in a patient with bruxism and obstructive sleep apnea: a case report. Sleep Breath. 2009;13(4):429–33.
- Robbins MS, Tarshish S, Napchan U, Grosberg BM. Images from headache: atypical cluster headache secondary to giant meningioma. Headache. 2009;49(7):1052–3.
- Sewell RA, Johnson DJ, Fellows DW. Cluster headache associated with moyamoya. J Headache Pain. 2009;10(1):65–7.
- Tsivgoulis G, Mantatzis M, Vadikolias K, Heliopoulos I, Charalampopoulos K, Mitsoglou A, et al. Internal carotid artery dissection presenting as new-onset cluster headache. Neurol Sci. 2013;34(7):1251–2.
- van der Vlist SH, Hummelink BJ, Westerga J, Boogerd W. Clusterlike headache and a cystic hypothalamic tumour as first presentation of sarcoidosis. Cephalalgia. 2013;33(6):421–4.
- Porporatti AL, Costa YM, Bonjardim LR, Stuginski-Barbosa J, Conti PC, Martori AH. The coexistence of paroxysmal hemicrania and temporomandibular disorder: importance of multidisciplinary approach. Indian J Dent Res. 2014;25(1):119–21.
- Kim KS, Yang HS. A possible case of symptomatic hemicrania continua from an osteoid osteoma of the ethmoid sinus. Cephalalgia. 2010;30(2):242–8.
- Cascella C, Rosen JB, Robbins MS, Levin M. Resident and fellow section. Teaching case: symptomatic SUNCT. Headache. 2011;51(6):1022-6.
- Beams JL, Rozen TD. Paroxysmal hemicrania as the clinical presentation of giant cell arteritis. Clin Pract. 2011;1(4), e111.
- Dafer RM, Hocker S, Kumar R, McGee J, Jay WM. Resolution of paroxysmal hemicrania after resection of intracranial meningioma. Semin Ophthalmol. 2010;25(1–2):34–5.
- DeLange JM, Robertson CE, Krecke KN, Garza I. A case report of hemicrania continua-like headache due to ipsilateral inflammatory orbital pseudotumor. Headache. 2014;54(9):1541–2.
- 33. Mathew T, Badachi S, Sarma GR, Nadig R. Cerebral venous thrombosis masquerading as hemicrania continua. Neurol India. 2014;62(5):556–7.
- Prakash S, Shah ND, Soni RK. Secondary hemicrania continua: case reports and a literature review. J Neurol Sci. 2009;280(1–2): 29–34.
- 35. Robbins MS, Grosberg BM. Hemicrania continua-like headache from metastatic lung cancer. Headache. 2010;50(6):1055–6.
- Bogorad I, Blum S, Green M. A case of MS presenting with SUNCT status. Headache. 2010;50(1):141–3.
- Chitsantikul P, Becker WJ. SUNCT, SUNA and pituitary tumors: clinical characteristics and treatment. Cephalalgia. 2013;33(3):160–70.
- Coven I, Coban G, Koyuncu G, Ilik KM. SUNCT syndrome findings accompanied by cavernous segment aneurysm. Clin Neurol Neurosurg. 2013;115(6):781–3.
- de Lourdes FM, Bruera O, Pozzo MJ, Leston J. SUNCT syndrome responding absolutely to steroids in two cases with different etiologies. J Headache Pain. 2009;10(1):55–7.



- Domingos J, Pereira PJ, Roriz MJ, Xavier AJ, Magalhaes M, Monteiro PJ. Cavernous sinus dural fistula 'mimicking' SUNCT. Cephalalgia. 2012;32(3):263–4.
- Granato A, Belluzzo M, Fantini J, Zorzon M, Koscica N. SUNCTlike syndrome attributed to varicella-zoster virus meningoencephalitis. Neurol Sci 2014.
- Guerreiro R, Casimiro M, Lopes D, Marques JP, Fontoura P. Video NeuroImage: symptomatic SUNCT syndrome cured after trigeminal neurovascular contact surgical decompression. Neurology. 2009;72(7), e37.
- Ito Y, Yamamoto T, Ninomiya M, Mizoi Y, Itokawa K, Tamura N, et al. Secondary SUNCT syndrome caused by viral meningitis. J Neurol. 2009;256(4):667–8.
- Kutschenko A, Liebetanz D. Meningioma causing gabapentinresponsive secondary SUNCT syndrome. J Headache Pain. 2010;11(4):359–61.
- Panconesi A, Bartolozzi ML, Guidi L. SUNCT syndrome or first division trigeminal neuralgia associated with cerebellar hypoplasia. J Headache Pain. 2009;10(6):461–4.
- Rodgers SD, Marascalchi BJ, Strom RG, Huang PP. Short-lasting unilateral neuralgiform headache attacks with conjunctival injection and tearing syndrome secondary to an epidermoid tumor in the cerebellopontine angle. Neurosurg Focus. 2013;34(3), E1.
- Theeler BJ, Joseph KR. SUNCT and optic nerve hypoplasia. J Headache Pain. 2009;10(5):381–4.
- Zidvere-Trajkovic J, Vujovic S, Sundic A, Radojicic A, Sternic N. Bilateral SUNCT-like headache in a patient with prolactinoma responsive to lamotrigine. J Headache Pain. 2009;10(6):469–72.
- Favoni V, Grimaldi D, Pierangeli G, Cortelli P, Cevoli S. SUNCT/ SUNA and neurovascular compression: new cases and critical literature review. Cephalalgia. 2013;33(16):1337–48.

- Cittadini E, Matharu MS. Symptomatic trigeminal autonomic cephalalgias. Neurologist. 2009;15(6):305–12.
- Wang SJ, Hung CW, Fuh JL, Lirng JF, Hwu CM. Cranial autonomic symptoms in patients with pituitary adenoma presenting with headaches. Acta Neurol Taiwan. 2009;18(2):104–12.
- 52. •• Kallestrup MM, Kasch H, Osterby T, Nielsen E, Jensen TS, Jorgensen JO. Prolactinoma-associated headache and dopamine agonist treatment. Cephalalgia. 2013;34(7):493-502. This case series gives an overview about the symptoms of prolactinoma-associated headache and the effect of dopamine agonist treatment
- 53. •• Sanchez Del RM, Leira R, Pozo-Rosich P, Lainez JM, Alvarez R, Pascual J. Errors in recognition and management are still frequent in patients with cluster headache. Eur Neurol. 2014;72(3–4):209–12. This article gives an overview about common misdiagnosis in cluster headache.
- Pong DL, Marom T, Pine HS. Short-lasting unilateral neuralgiform headache attacks with conjunctiva injection and tearing presenting as sphenoiditis. Am J Otolaryngol. 2013;34(2):166–8.
- Godeiro-Junior C, Kuster GW, Felicio AC, Porto Jr PP, Pieri A, Coelho FM. Internal carotid artery dissection presenting as cluster headache. Arq Neuropsiquiatr. 2008;66(3B):763–4.
- Rigamonti A, Iurlaro S, Zelioli A, Agostoni E. Two symptomatic cases of cluster headache associated with internal carotid artery dissection. Neurol Sci. 2007;28 Suppl 2:S229–31.
- 57. Straube A, Freilinger T, Ruther T, Padovan C. Two cases of symptomatic cluster-like headache suggest the importance of sympathetic/parasympathetic balance. Cephalalgia. 2007;27(9): 1069–73.

