

## **Article**

## Periodontitis to dementia or converse?

Harding, Alice and Singhrao, Simarjit Kaur Available at http://clok.uclan.ac.uk/27828/

Harding, Alice and Singhrao, Simarjit Kaur ORCID: 0000-0001-9573-5963 (2019) Periodontitis to dementia or converse? British Dental Journal, 226 (634). ISSN 0007-0610

It is advisable to refer to the publisher's version if you intend to cite from the work. http://dx.doi.org/10.1038/s41415-019-0309-4

For more information about UCLan's research in this area go to <a href="http://www.uclan.ac.uk/researchgroups/">http://www.uclan.ac.uk/researchgroups/</a> and search for <name of research Group>.

For information about Research generally at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <a href="http://clok.uclan.ac.uk/policies/">http://clok.uclan.ac.uk/policies/</a>



## Letter to British Dental Journal,

64 Wimpole Street,

London, W1G 8YS.

**Section:** Special care dentistry

**Title:** Direction of risk: periodontitis to dementia or converse?

Authors: Alice Harding and Sim K. Singhrao

**Affiliation:** Dementia & Neurodegenerative Diseases Research Group, School of Dentistry, University of Central Lancashire, Preston, PR1 2HE, UK.

Sir, we are writing in response to the publications that the BDJ, supports describing the association between dementia and periodontal disease. It is fairly well established that those suffering with Alzheimer's disease (AD) and dementia are found to have a greater incidence of periodontal disease than those who do not. The evidence published in the BDJ appears to support dementia being a risk factor for periodontal disease. This is an observation based behavioural change associated with dementia.

We propose to support that periodontal disease is a risk factor for AD.

We would argue that epidemiological and laboratory based investigations suggest periodontitis only becomes a risk factor for AD some 10 years after it is initially diagnosed This would imply that studies conducted in less than 10-year cohort such as the one by Stewart et al. [2013]<sup>1</sup> would provide inconclusive results. Aβ deposition in human brain occurs decades before the clinical symptoms appear and Gil Montoya and colleagues 2017 report implies the increase in Aβ deposition in human brains correlates with severe periodontal disease. This model considers AD pathology developing from a pattern of innate immune responses mounted by pathogens overtime. It is therefore plausible to suggest that the pathogen load (poor oral hygiene, as reflected by pocket depth) is the likely risk for AD at any age. *In vivo* infection models of periodontitis are supporting this view by recapitulating hallmark lesions in the expected anatomical area of the brain with AD-like phenotype via innate signaling cascades summarized in Singhrao and Olsen [2019]. The cysteine proteases (gingipains) of *P. gingivalis*, cannot be ignored considering the tau protein that binds microtubules in the neurons is its substrate.<sup>3</sup> This consideration has not yet been incorporated into case control and/or cohort studies. In the meantime, the UK NHS England provides a recommendable or al health toolkit for the elderly to maintain better or al hygiene with the aim of delaying/preventing AD. In addition, the "Eatwell" diet appears to be an integral part of

dementia free old age and we request for daily exercise and sleep hygiene to be incorporated into the broader picture of prevention.<sup>4</sup>

Signature of the authors

e-signature of Dr A. Harding

E-signature of Dr S.K. Singhrao

## References

- 1. Stewart R, Weyant RJ, Garcia ME et al. Adverse oral health and cognitive decline: the health, aging and body composition study. 2013; 61(2):177-84.
- 2. Singhrao SK, Olsen I. Assessing the role of *Porphyromonas gingivalis* in periodontitis to determine a causative relationship with Alzheimer's disease. *J Oral Microbiol* 2019; 1563405.
- 3. Dominy SS, Lynch C, Ermini F et al. Porphyromonas gingivalis in Alzheimer's disease brains: Evidence for disease causation and treatment with small-molecule inhibitors. *Sci Adv* 2019; **5:** aau3333
- 4. Harding A, Gonder U, Robinson SJ, Crean S, Singhrao SK. Exploring the association between Alzheimer's disease, oral health, microbial endocrinology and nutrition. *Front Aging Neurosci* 2017; **9:** 398.