Hindawi
Anesthesiology Research and Practice
Volume 2017, Article ID 1368514, 1 page
https://doi.org/10.1155/2017/1368514

Corrigendum

Corrigendum to "Sugammadex-Enhanced Neuronal Apoptosis following Neonatal Sevoflurane Exposure in Mice"

Maiko Satomoto,[1] Zhongliang Sun,[1] Yushi U. Adachi,[2] and Koshi Makita[1]

[1]*Department of Anesthesiology, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, Tokyo 1138519, Japan*
[2]*Department of Anesthesiology, Graduate School of Medicine, Nagoya University, Aichi, Japan*

Correspondence should be addressed to Maiko Satomoto; satomoto.mane@tmd.ac.jp

Received 26 July 2017; Accepted 9 August 2017; Published 17 October 2017

In the article titled "Sugammadex-Enhanced Neuronal Apoptosis following Neonatal Sevoflurane Exposure in Mice" [1], the concentration of sugammadex injected into the mice, 30 mg/kg, was incorrect; the correct concentration is 300 mg/kg. The undiluted sugammadex concentration was 100 mg/ml and not 10 mg/ml. Accordingly, in the section "Sugammadex Treatment," the statement "with a single 30 mg/kg dose" should be corrected to "with a single 300 mg/kg dose" and, in the Discussion section, the statement "we chose 30 mg/kg" should be corrected to "In this study, we chose 300 mg/kg."

References

[1] M. Satomoto, Z. Sun, Y. U. Adachi, and K. Makita, "Sugammadex-enhanced neuronal apoptosis following neonatal sevoflurane exposure in mice," *Anesthesiology Research and Practice*, vol. 2016, Article ID 9682703, pp. 1–6, 2016.