Kolehmainen *et al. Trials* 2013, **14**(Suppl 1):P5 http://www.trialsjournal.com/content/14/S1/P5

POSTER PRESENTATION





Multi-level case studies in development of complex interventions: an example of the good goals intervention

Niina Kolehmainen^{1*}, Graeme MacLennan¹, Laura Ternent³, Edward AS Duncan², Eilidh M Duncan¹, Stephen B Ryan⁵, Lorna McKee¹, Jill Francis⁴

From 2nd Clinical Trials Methodology Conference: Methodology Matters Edinburgh, UK. 18-19 November 2013

Background

Complex interventions often target factors across multiple levels of care provision (e.g. patient, clinician, service, wider context). Multi-level case studies provide a systematic method for modelling intervention processes and effects.

Methods

Prospective multi-level, mixed-methods (qual+quant) case studies were used to model an intervention ('Good Goals') to improve shared goal-setting in occupational therapy. Cases were purposively sampled (n=3 services, n=46 clinicians within these, and n=588 of their patients). Good Goals was delivered to clinicians over 25 weeks; data were collected before, during, and after delivery using interviews, focus group, case note analysis, routine data, document analysis and researchers' observations. Results were synthesised within each case, then compared across cases.

Results

Intervention uptake was influenced by mode of delivery, competing demands on clinicians' time, and service leadership; but not by geographical or resource factors. Of hypothesised process variables, changes were observed in: clinicians' confidence, perceived social norms, and service processes. Service managers and clinicians reported positive beliefs about Good Goals' effects (e.g. it helped establish a shared rationale for clinical decisions and improved interactions with patients). Clinicians' practice changed, as observed from case notes: identifying goals, odds ratio 2.4 (95% CI 1.5-3.8); agreeing goals, 3.5 (2.4-5.1); evaluating

¹University of Aberdeen, Aberdeen, UK

Full list of author information is available at the end of the article

progress, 2.0 (1.1-3.5). Patients' care episodes decreased by two months [95% CI -8 to +4] across services. Cost per clinician trained ranged from £1,003 to £1,277.

Conclusions

Multi-level case studies identified key contextual factors and process variables, and explored likely effects on outcomes, during intervention development. This facilitates cost assessment and further intervention optimisation.

Authors' details

¹University of Aberdeen, Aberdeen, UK. ²University of Stirling, Stirling, UK. ³Newcastle University, Newcastle, UK. ⁴City University London, London, UK. ⁵University of Edinburgh, Edinburgh, UK.

Published: 29 November 2013

doi:10.1186/1745-6215-14-S1-P5

Cite this article as: Kolehmainen *et al.*: **Multi-level case studies in development of complex interventions: an example of the good goals intervention.** *Trials* 2013 **14**(Suppl 1):P5.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

BioMed Central

Submit your manuscript at www.biomedcentral.com/submit



© 2013 Kolehmainen et al; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.