

Technical University of Denmark



## Using Experience From Explosives Detection in Development of Biosensors Based On Nanomechanical Responses

**Boisen, Anja**

*Published in:*  
Electrochemical Society. Meeting Abstracts (Online)

*Publication date:*  
2013

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Boisen, A. (2013). Using Experience From Explosives Detection in Development of Biosensors Based On Nanomechanical Responses. Electrochemical Society. Meeting Abstracts (Online), MA2013-02.

## DTU Library

Technical Information Center of Denmark

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Using experience from explosives detection in development of biosensors based on nanomechanical responses.

Anja Boisen

DTU-Nanotech, Technical University of Denmark, Bldg 345 east, DK-2800 Lyngby, Denmark

In the Danish research project Xsense [1] we have for the past four years focused on the development of methods to detect military explosives in air – primarily for use in demining. We have developed four miniaturized sensors based on different detection principles: calorimetry [2], cantilever-based sensing [3], colorimetry [4] and Surface Enhanced Raman spectroscopy (SERS) [5]. By combining four independent measurement techniques it is possible to obtain more reliable explosives detections.

The work on explosives detection has forced us to focus more on reliability and high throughput sensing. Several of our sensor technologies had to be significantly modified in order to be able to generate sufficient data for statically robust analysis.

For example, cantilever-based sensors are normally read-out by an optical leverage technique known from Atomic Force Microscopy. However, this method is rather slow and only allows measurements on a handful of cantilevers simultaneously. We instead use the optics and mechanics from a normal DVD-player. Hereby, thousands of cantilevers can be read in seconds. Furthermore, the rotational platform allows us to explore centrifugal microfluidics as well [6].

We now apply the DVD platform as well as the principle of combining several independent sensor technologies to applications in diagnostics/prognostics and environmental monitoring. This includes breath analysis of patients with lung diseases, detection of specific biomarkers in blood and monitoring of organic contamination of waste water. Our aim is to demonstrate robust, reliable and high throughput sensing in real-life samples – in close collaboration with industrial partners.

We will describe our journey towards high-throughput read-out from nanomechanical sensors and discuss latest results on our new bio-sensing projects.

#### References:

- [1] [www.xsense.dk](http://www.xsense.dk)
- [2] L.R. Senesac, D. Yi, A. Greve, J.H. Hales, Z.J. Davis, D.M. Nicholson, A. Boisen, T. Thundat, "Micro-differential thermal analysis detection of adsorbed explosive molecules using microfabricated bridges" *Rev. Sci. Instrum.* 80 (2009) 035102
- [3] F. G. Bosco, M. Bache, E.-T. Hwu, C.H. Chen, S. S. Andersen, K. A. Nielsen, S. S. Keller, J. O. Jeppesen, I.-S. Hwang and A. Boisen, "Statistical analysis of DNT detection using chemically functionalized microcantilever arrays" *Sensors & Actuators: B. Chemical*, Volumes 171–172, (2012), 1054–1059
- [4] N.V. Kostesha, T.S. Alstrøm, C. Johnsen, K.A. Nilsen, J.O. Jeppesen, J. Larsen, M.H. Jakobsen, A. Boisen "Multi-colorimetric sensor array for detection of explosives in gas and liquid phase, Conference on Chemical, Biological, Radiological, Nuclear, and

Explosives (CBRNE) Sensing XII (Orlando, FL Date: APR 26-28, 2011) *Proceedings of SPIE* Volume: 8018 Article Number: 80181H DOI: 10.1117/12.883895

[5] M.S. Schmidt, J. Hübner, A. Boisen, "Large Area Fabrication of Leaning Silicon Nanopillars for Surface Enhanced Raman Spectroscopy, *Advanced Materials*, *Advanced Materials*, 24(10) (2012) OP11–OP18.

[6] F.G. Bosco, E.T. Hwu, C.H. Chen, S. Keller, M. Bache, M.H. Jakobsen, I.S. Hwang and A. Boisen, "High throughput label-free platform for statistical biomolecular sensing", *Lab on a Chip*, 11(14) (2011) 2411–2416