



COMMENTARY

Open Access

Putting menarche and girls into the global population health agenda

Marni Sommer^{1*}, Carla Sutherland² and Venkatraman Chandra-Mouli³**Abstract**

Menarche, the onset of menstruation is a fundamental part of a girl's transition from childhood to adolescence. Studies show that girls in many countries experience menarche with insufficient information and support. Girls from around the world report feeling ashamed and afraid. The potential health effects of such experiences include a weakening of girls' sense of self-confidence and competence, which in turn may comprise girls' abilities to assert themselves in different situations, including in relation to their sexuality and sexual and reproductive health. There is an important need for the public health community to assure that girls receive the education and support they need about menstruation, so they are able to feel more confident about their bodies, and navigate preventable health problems – now and in the future. For too long, the global health community has overlooked the window of opportunity presented by menarche. Family planning programs have generally focused their efforts on married couples and HIV programs have focused safer sex promotion on older adolescent girls and boys. Starting the conversation at menarche with girls in early adolescence would fully use this window of opportunity. It would engage young adolescent girls and be a natural first step for later, more comprehensive conversations about sexuality, reproduction and reproductive health. There are a number of initiatives beginning to tackle the provision of puberty information to girls and boys, but the global health community is overdue to set a global standard for the provision of such guidance.

Keywords: Menarche, Adolescent girls, Population health

Menarche, the onset of menstruation and part of a girl's transition from childhood to adolescence, is a critically important but under-recognized public health issue. Evidence from many countries indicates that many girls start their menstruation uninformed, unprepared, and unsupported to manage their monthly menstrual periods [1-3]. Girls report hiding the onset of menses from others and missing school due to fear of a shameful menstrual leak. They demonstrate a lack of understanding of why menstruation occurs, how it relates to fertility, and when to expect their monthly periods [4-8]. At the start of this normal biological phenomenon of sexual maturation, girls around the world report feeling afraid, ashamed, and confused [4,9]. Some of these challenges may arise from cultural taboos around menstruation, from adult

silences around discussing sexual maturation, or from misinformation provided to them from a variety of sources (e.g. peers, parents, teachers). The result is that girls begin their periods without fully understanding what is happening to their bodies.

What are the health effects of these experiences? Starting menstruation in ignorance and in fear may weaken girls' sense of self-confidence and competence [10-12]. These deficits could also compromise girls' future abilities to assert for themselves in situations regarding their sexuality and to maintain their sexual and reproductive health [13,14]. Existing evidence from high-income countries suggests girls reaching menarche and puberty early, without adequate emotional support, are likely to engage in earlier sexual relations and substance abuse, posing risks for adolescent pregnancy and other negative health outcomes [15-17].

* Correspondence: ms2778@columbia.edu¹Mailman School of Public Health, Columbia University, New York, USA
Full list of author information is available at the end of the article

Educating girls about menstruation, what it means, and how it can be safely and healthily navigated, and providing them with the physical and emotional support needed to manage their monthly menstruation with confidence, will enable girls to take greater charge of their lives, feel more positive about themselves and their bodies, and may help to mitigate subsequent preventable health problems.

For decades the global public health community has devoted considerable resources—appropriately so—to strengthening family planning and maternal health education and programs. Remarkably, however, these efforts have failed to directly and explicitly address menarche. National family planning programs in low and middle-income countries have generally focused their efforts on married women. Given that young married women are often under heavy pressure to bear children, they represent only a small portion of family planning clients. In addition, due to legal and social barriers to access, young unmarried adolescents often fail to seek contraception, nor are they targeted for the provision of contraception through public health programs focused on family planning or maternal health. This gap represents a missed opportunity. The onset of menstruation could provide a natural entry point for beginning to educate a girl about her reproductive capacity and contraceptive choices.

In response to the HIV epidemic, the global public health community actively promoted sexuality education. In countries where these programs are in place (and there are many countries where they are not), they focus on promoting safer sex among older adolescents. There has continued to be enormous resistance from parents, teachers, religious leaders and community members to the provision of sexuality education for young people, and even more so for very young adolescents (ages 10–14). Such programs have also frequently overlooked menarche. Puberty education – and education on menstruation in particular – is likely more culturally and politically acceptable than education on safer sex. It may also provide a useful first step for parents, schools, and other public health programming towards the provision of education on sexuality and contraception.

What should be done? Prior to menarche, and the potentially frightening experience of seeing blood for the first time, every girl should be informed about what menstruation is, why it occurs, and how to deal with it. Every girl should also be given practical support (e.g. sanitary menstrual materials and washing facilities) and emotional guidance to handle her monthly periods. Initiatives in several countries have begun to address these needs. Research in Iran and India has demonstrated the beneficial effects of educating girls about menstruation and menstrual hygiene [18,19]. A four-year initiative by Columbia University has launched locally designed puberty booklets for girls and for boys in Tanzania, Ghana, Ethiopia,

and Cambodia. These have been embraced by the Ministries of Education in all four countries [20]. Similar initiatives have been launched by Save the Children in Nepal and Malawi, and by Georgetown University in Rwanda and Guatemala. UNESCO recently launched a major new initiative to improve teachers' abilities to educate and support girls in classrooms [21]; and Proctor & Gamble, a major producer of sanitary products globally, launched a puberty education program for girls [22].

Non-governmental organizations such as Strategies for Hope and the Families Matter Program are educating and encouraging parents to communicate with their daughters about puberty and menstruation in a number of countries [23,24]. UNICEF has integrated menstruation education with its efforts to improve water, sanitation and disposal facilities in schools [4]. The benefits of providing low cost sanitary products and puberty education have been demonstrated in Ghana [25]. The World Health Organization is working to improve the competencies of health care workers to provide effective and empathic care to girls with menstrual health problems [26]. Population Council has developed the iMatter curriculum, developed for 5th and 6th graders (10–12 year olds) in the U.S., which lays the groundwork for adolescent sexual health through puberty education and social and emotional learning [27]. Girls and boys have welcomed and benefited from these initiatives. Equally important, parents, heads of schools and teachers, religious leaders, and health workers have enthusiastically supported these efforts.

While these initiatives are important and promising first steps, they are not enough. Far too many girls across the low-income world are struggling with almost complete ignorance of their normal biological maturation and its consequences. It is time to move from pioneering efforts to a global standard of what girls and women deserve.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

MS, VC and CS conceptualized the commentary. MS drafted an initial version and VC and CB provided extensive edits. All authors read and approved the final manuscript.

Acknowledgements

We would like to thank a colleague, Dr. James Colgrove, for his comments. There was no funding for the preparation of this manuscript.

Author details

¹Mailman School of Public Health, Columbia University, New York, USA. ²Independent Consultant, Cape Town, South Africa. ³World Health Organization, Geneva, Switzerland.

Received: 10 December 2014 Accepted: 9 March 2015

Published online: 26 March 2015

References

- Sommer M. Overcoming the taboo: advancing the global agenda for menstrual hygiene management for schoolgirls. *Am J Public Health*. 2013;103:1556–7.
- McMahon S, Winch P, Caruso B, Obure A, Ogutu E, Ochari I, et al. The girl with her period is the one to hang her head: reflections on menstrual management among schoolgirls in rural Kenya. *BMC Int Health Hum Rights*. 2011;11:1–10.
- Sommer M. Where the education system and women's bodies collide: The social and health impact of girls' experiences of menstruation and schooling in Tanzania. *J Adolesc*. 2009;33:521–9.
- Sommer M, Vasquez E, Worthington N. WASH in Schools empowers girls' education: Proceedings of the menstrual hygiene management in schools virtual conference 2012. New York: UNICEF; 2013.
- Caruso B, Fehr A, Inden K, Sahin M, Ellis A, Andes K, et al. WASH in Schools empowers girls' education in Freetown, Sierra Leone: An assessment of menstrual hygiene management in schools. New York: UNICEF; 2013.
- Sommer M, Ackatia-Armah N, Connolly S, Smiles D. A comparison of the menstruation and education experiences of girls in Tanzania, Ghana, Cambodia and Ethiopia. *Compare*. in press.
- Long J, Caruso B, Lopez D, Vancraeynest K, Sahin M, Andes K, et al. WASH in Schools empowers girls' education in rural Cochabamba, Bolivia: An assessment of menstrual hygiene management in schools. New York: UNICEF; 2013.
- Sommer M, Ackatia-Armah N. The gendered nature of schooling in Ghana: Hurdles to girls' menstrual management in school. *JENdA*. 2012;20:63–79.
- Sumpter C, Torondel B. A systematic review of the health and social effects of menstrual hygiene management. *PLOSoNE*. 2013;8:4.
- Williams J, Currie C. Self-esteem and physical development in early adolescence: Pubertal timing and body image. *J Adolesc*. 2000;20:129–49.
- Short M, Rosenthal S. Psychosocial development and puberty. *Ann N Y Acad Sci*. 2008;1135:36–42.
- Ruble D, Brooks-Gunn J. The experience of menarche. *Child Development*. 1982;53:1557–66.
- Schooler D, Ward LM, Merriwether A, Caruthers A. Cycles of shame: Menstrual shame, body shame, and sexual decision-making. *J Sex Res*. 2005;42:324–34.
- Mason L, Nyothach E, Alexander K, Odhiambo F, Eleveld A, Vulule J, et al. 'We keep it a secret so no one should know' – A qualitative study to explore young schoolgirls attitudes and experiences with menstruation in rural western Kenya. *PLoS One*. 2013;8:11.
- Deardorff J, Gonzales N, Christopher FS, Roosa M, Millsap R. Early puberty and adolescent pregnancy: The influence of alcohol use. *Pediatrics*. 2005;116:1451–6.
- Patton G, Viner R. Pubertal transitions in health. *Lancet*. 2007;369:1130–9.
- Mendle J, Turkheimer E, Emery R. Detrimental psychological outcomes associated with early pubertal timing in adolescent girls. *Development Review*. 2007;27:151–71.
- Fakhri Hamzehgardeshi MZ, Golchin NAH, Komili A. Promoting menstrual health among Persian adolescent girls from low socioeconomic backgrounds: A quasi-experimental study. *BMC Public Health*. 2012;12:193.
- Dongre AR, Deshmukh PR, Garg BS. The effect of community-based health education intervention on management of menstrual hygiene among rural Indian adolescent girls. *World Health Popul*. 2007;9:48–54.
- Sommer M. An early window of opportunity for promoting girl's health: Policy implications of the girl's puberty book in Tanzania. *Int J Health Promot Educ*. 2011;14:77–92.
- UNESCO. Young people today: Time to act now. Paris: UNESCO; 2013.
- UNESCO. UNESCO and Procter & Gamble launch partnership to promote education for young girls and young women. [<http://news.pg.com/press-release/pg-corporate-announcements/puberty-not-problem-be-solved-empowering-girls-succeed-scho>]
- Steinitz L, Karanja KE. My life – Starting now: Knowledge and skills for young adolescents. Oxford: Strategies for Hope; 2010.
- Vandenhoudt H, Miller KS, Ochura J, Wyckoff SC, Obong'o CO, Otswana NJ, et al. Evaluation of a U.S. evidence-based parenting intervention in rural Western Kenya: from parents matter! To families matter! *AIDS Educ Prev*. 2010;22:328–43.
- Montgomery P, Ryus CR, Dolan CS, Dopson S, Scott LM. Sanitary pad intervention for girls' education in Ghana: A pilot study. *PLOSoNE*. 2010;7:e48274.
- International Centre for Research on Women and Foundation for Research in Health Systems. A study to evaluate the WHO orientation programme on adolescent health and the adolescent job aid to improve adolescent-friendly health services in India. Geneva: ICRW; 2012.
- Population Council. iMatter Curriculum. New York: Population Council; 2014.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

