



#### **University of Dundee**

#### Epidermal desquamation in Thiel-embalmed cadavers: histologic study

Dzetkulicová, Veronika; Langstaff, Helen; Hackman, Sarah

Publication date: 2018

Document Version Publisher's PDF, also known as Version of record

Link to publication in Discovery Research Portal

Citation for published version (APA):
Dzetkulicová, V., Langstaff, H., & Hackman, S. (2018). Epidermal desquamation in Thiel-embalmed cadavers: histologic study: oral presentation. SIPR/Police Scotland Postgraduate Symposium, Edinburgh, United Kingdom.

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with


- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
  You may not further distribute the material or use it for any profit-making activity or commercial gain.
  You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Download date: 05. Apr. 2019








### Introduction

- Soft-fix Thiel embalming method
- Epidermal desquamation
- Skin histologic study










# Purpose of the study

- Time and nature of epidermal desquamation
- Confirm/refute exposed dermal layer
- Compare epidermal and dermal fingerprints
- Identification of bodies exposed to wet/humid conditions










#### Materials and Methods

- Individuals bequeathed to CAHID (N<sub>total</sub> = 40)
- Left thumb
- Biopsy skin punch (Ø 4mm)
- Haematoxylin-Eosin staining
- Optical light microscopy
- Sampled prior to embalming and then weekly for 4 weeks ( $N_{4w} = 8$ ) and 6 weeks ( $N_{6w} = 12$ ) after the immersion into embalming tank
- Controls sampled post-embalming (N<sub>control</sub> = 20)









# Results I: Epidermal desquamation

Skin prior to desquamation




Skin after desquamation






# Results II: Time frame of epidermal desquamation (example)


Pre-embalming




Week 1




Week 2



Week 3



Week 4





### Results II: Time frame of epidermal desquamation (4 weeks)

	Time of observed epidermal desquamation							
	Pre- embalming	Week 1	Week 2	Week 3	Week 4			
Number of individuals	0	4	0	1	2			

 Number of bodies with no epidermal desquamation observed within 4-week embalming interval = 1



### Results II: Time frame of epidermal desquamation (6 weeks)


	Pre- embalming	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6
Number of individuals	0	6	0	3	1	1	0

 Number of bodies with no epidermal desquamation observed within 6-week embalming interval = 1



### Outcomes of histologic study

- Exposed <u>dermis</u> (desquamation of all epidermal layers)
- <u>Individual variability</u> in time of desquamation (in majority of cases occurring during week 1 of Thiel embalming)
- <u>Dermal fingerprints</u> can be taken from Thiel-embalmed bodies
- Desquamation in wet conditions may probably be expected to occur during week 1 of decomposition





# Future work: Finalise fingerprinting study

#### DONE

- N = 48
- N = 16



#### TO DO

- <u>Collect</u> the rest of the fingerprints
- Compare the <u>quality</u> of fingerprints
- Compare <u>epidermal and dermal</u> fingerprints
- Compare the methods of fingerprint collection: <u>powder and</u> <u>photography</u>



# Thank you

- Bequeathed
- CAHID anatomy technical staff
- Dr Lucina Hackman
   Dr Helen Langstaff
- CAHID and LRFC PG colleagues

v.dzetkulicova@dundee.ac.uk