

Integrating New Measures of Retail Unit Attractiveness into Spatial Interaction Models

Terje Trasberg¹, James Cheshire² and Paul Longley³

Department of Geography, University College London

March 28, 2018

Summary

This paper proposes the use of urban analytics to predict the attractiveness of a retail unit in dense urban environments. Traditional attractiveness measures (e.g. retail unit size and store frontage) are compared against urban integration measures (e.g. reach and betweenness) to explore their predictive power in estimating the magnitudes of consumer flows. The study concludes that using urban centrality metrics, such as betweenness, as attractiveness measure has a higher positive effect on predicting footfall compared to traditional measures.

KEYWORDS: footfall, retail, retail attractiveness, urban analytics

1. Introduction

Footfall⁴ has been recognised as one of the key metrics in estimating retail success (Wrigley & Lambiri, 2015). Thus, applying this measure to the analysis of existing business locations is a common practice and there is a vast range of recent case studies available (Kirkup, 1999; Graham, 2017).

However, obtaining access to footfall data when determining a new location is often very restricted. Therefore, many retailers rely on traditional retail analytics, such as spatial interaction models. The predictive power of those models depends on the input variables, which are often abstract (e.g. retail unit attractiveness) or do not reflect location specific dynamics.

This paper investigates the effect of common input variables (e.g. retail unit size) and proposes new measures (e.g. betweenness) to define the attractiveness of the retail unit. Various attractiveness measures are applied using the Huff Model and the results of the analysis are compared against actual footfall data.

Footfall data are made available through the SmartStreetSensor Project, which is a collaboration between the Consumer Data Research Centre at University College London and the Local Data Company. The project currently collects footfall data in over 80 towns and cities across the UK (CDRC, 2016).

2. Literature Review

Retail location models aim to explain why some retail locations attract more consumers than the others. Given its significance, this topic has generated a prodigious amount of academic studies (Findlay & Sparks, 2002; Birkin et al., 2017). The most researched (Brown, 1993) and widely applied is the Gravity Model developed by Huff (1963).

¹ terje.trasberg.15@ucl.ac.uk

² james.cheshire@ucl.ac.uk

³ p.longley@ucl.ac.uk

⁴ Footfall is defined as “the number of people who go into a shop or business in a particular period of time”. (Oxford Dictionary, 2018)

Huff's Model is based on the principle that the probability of a given consumer visiting and purchasing at a given site is a function of the distance to that site, its attractiveness, and the distance and attractiveness of competing sites (Esri, 2017).

While the distance variable is considered straight-forward, the attractiveness variable is subject to further debate. The attractiveness attribute of each retail location can describe any kind of feature that has a positive effect on consumer patronage (Sevtsuk & Kalvo, 2017). Often, the square footage factor is seen as a proxy for an assortment of merchandise (Stanley & Sewall, 1976) and therefore defined as attractiveness (Esri, 2017).

The model has been criticised for the lack of dynamic perspectives. It assumes that shopping trips are single-purpose and home-based rather than multi-purpose and ancillary to other activities (such as returning from work) (Brown, 1993). In contrast to this assumption, a recent study by Sevtsuk (2014) found that ease of access from any given residential address was less important than a location at places of intense footfall and passing traffic.

Potential pedestrian traffic can be predicted using urban network analysis techniques. An example of urban network analysis is Space Syntax (Hillier et al., 1983), which analyses the integration of the street network. The correlation between integration and the distribution of pedestrian movement has been extensively investigated and the findings suggest that such a relationship exists (Raford & Ragland, 2006). In simple terms, this means that better-integrated streets receive more footfall than others and therefore, retail units on integrated street segments are exposed to more potential customers.

Based on the literature review, this study takes an assumption that retail units located in well-integrated urban areas are more attractive to customers and therefore proposes the use of urban analytics to define the attractiveness of a retail unit. The predictive power of urban analytics measures, such as reach and betweenness, will be compared against more traditional attractiveness measures such as the size of the retail unit and store frontage size. The measures are tested using the Huff Model to predict the number of people attracted to a retail unit, and the results are compared against footfall counts.

3. Methodology

The Huff Model calculates distance-based probabilities of people from at each origin patronising each retail destination in the dataset. Those probabilities are then used to calculate the potential number of people attracted to each retail location.

The input variables for the Huff Model are described in Figure 1. The calculation is based on the population at workplace zones. Workplace population was chosen over residential population as the study area covers Liverpool city centre, which is primarily a retail area and has a low residential population density. There are eight retail units in the study area which are equipped with a footfall sensor. The population at the workplace zones will be distributed between those eight locations, based on their distance to customers and attractiveness.

Attractiveness is first defined as retail unit size and store frontage size, both of which are considered traditional retail attractiveness measures, and then as (metric) reach and betweenness, which are urban analytic measures.

Urban analytic measures applied in this study are calculated using the Urban Network Analysis (UNA) toolbox for ArcGIS developed by The City Form Lab (Sevtsuk et al., 2016). UNA toolbox attributes the different urban metrics to the buildings along the street segment and allows the prediction of potential pedestrian flows based on geographic accessibility (travel time or distance). This approach allows for the calculation of various centrality measures. Reach and betweenness used in this study are introduced below:


a) (Metric) Reach

Metric reach describes the number of other locations in the network that are reachable from it at the shortest path distance within the given radius (Han et al., 2013).

b) Betweenness

Betweenness is based on the idea that a location is more central when it is traversed by a larger number of the shortest paths connecting all couples of points in the network (Sevtsuk et al., 2016).

The Huff Model is run separately using different attractiveness measure for every calculation. The workflow is described in the graph below (Figure 1).



The results of the model are compared against footfall. Footfall data used in this study represent average daily footfall counts from Monday to Friday between 07:30-19:30 in a one month period (August 2017).

4. Results

The results of the Huff Model did not show a significant correlation to actual footfall counts when retail unit size was used as attractiveness measure. Other attractiveness measures (Frontage $r=0.8$, Reach $r=0.7$, Betweenness $r=0.8$) showed significant (sig. < 0.05) correlation, although the model significantly underpredicted the consumer flows at all eight locations.

This is an indication that workplace population does not cover the demand in this area and other, more dynamic, population groups, such as tourists and shoppers, should be included to the model to receive better results.

According to the linear regression between the output of analysis and footfall counts (Table 1), the results showed a positive effect on footfall, although the regression between retail unit size and footfall was not significant. Higher reach and frontage size have significant and positive effect on the footfall, but the effect of betweenness is the highest.

Linear regression between footfall and :	Coefficients	Std. Error	t value	Pr(> t)	R ²	p-value
Size	0.084	0.217	0.386	0.713	0.024	0.713
Frontage Size	0.729	0.293	2.491	0.047	0.508	0.047
Metric Reach	0.887	0.321	2.759	0.033	0.559	0.032
Betweenness	1.140	0.391	2.917	0.027	0.587	0.026

Table 1. Linear regression between footfall and results of the Huff Models, when applying different attractiveness measures.

Therefore, based on the data and methodology applied in this study, it can be stated that the customer flows in the dense urban environment are estimated most precisely when retail unit attractiveness is defined as betweenness measure.

5. Conclusion

The motivation for this paper was to find a measure which would help to predict footfall and by doing so, contribute to the knowledge of what drives retail success in dense urban areas.

The study found that defining retail location attractiveness using urban integration measures is justified. The estimated consumer magnitudes when applying betweenness measures in the Huff Model, showed the highest positive effect to predicting the footfall. Betweenness has also been mentioned in earlier research as a metric (Sevtsuk et al., 2012), which shows the highest predictive power to estimate pedestrian flows. Retail unit size, which is a commonly used attractiveness measure, did not have an effect on consumer flows in the chosen study area.

The study area covered Liverpool city centre, where half of the locations were located on a pedestrian street. Therefore, investigating additional urban characteristics (e.g. sidewalk width) and including the effect of anchor stores, store type and public transport stations to the model would be required before making any general conclusions. Moreover, the attractiveness measure could also be a function of many characteristics, such as urban measures (e.g. betweenness, etc.) and the composition of retail areas (e.g. anchor stores, etc.).

6. Acknowledgements

This work is funded by the UK ESRC Consumer Data Research Centre (CDRC). We would like to thank the Local Data Company for providing data for this project.

7. Biography

Terje Trasberg is a Geography PhD student at University College London (UCL). Her research is primarily focused on retail geography and investigating the potential variables driving retail locations profitability and success. She previously studied Geography BSc at University of Salzburg, Austria and Geospatial Analysis MSc at UCL.

James Cheshire is Senior Lecturer in Quantitative Geography at UCL.

Paul Longley is Professor of Geographic Information Science at UCL.

References

- Birkin, M, Clarke, G and Clarke, M (2017). Retail Location Planning in an Era of Multi-Channel Growth, London: Routledge
- Brown, S (1993). Retail location theory: evolution and evaluation. In: The International Review of Retail, Distribution and Consumer Research, 3:2, 185-229. DOI: 10.1080/09593969300000014
- Consumer Data Research Centre (CDRC) (2016). 1,000 'smart' sensors to monitor high street footfall across the UK. Link: https://www.cdrc.ac.uk/wp-content/uploads/2016/06/SmartStreetSensor_launch_PressReleaseFINAL_30June2016.pdf [accessed January 2018]
- Esri (2017). How Original Huff Model works. Link: <http://desktop.arcgis.com/en/arcmap/10.3/tools/business-analyst-toolbox/how-original-huff-model-works.htm> [accessed January 2018]
- Findlay, A and Sparks, L (2002). The Retail Planner's Bookshelf, In: International Journal of Retail & Distribution Management, Vol. 30 Issue: 9, pp.435-438. DOI: <https://doi.org/10.1108/09590550210438018>
- Graham, CD (2017). Footfall, attraction and conversion; a retail empirical generalisation. In: Academy of Marketing, 03 July 2017 - 06 July 2017, University of Hull
- Han, J, Kong, L(2013). Interrelation Between Micro-Blog Hotspots And Urban Spatial Network: An Empirical Analysis Of Tongji-Rim Intellectual Economic-Zone, Shanghai, Based On Sina Weibo, at Tongji University. In: Spatial Network 49th ISOCARP Congress 2013. Link http://www.isocarp.net/Data/case_studies/2363.pdf, accessed January 2018
- Hillier, B, Hanson, J, Peponis, J, Hudson, J and Burdett, R (1983). Space syntax: a new urban perspective. In: Architects Journal 178 (48) 48-63
- Huff, D L (1963). A Probabilistic Analysis of Shopping Center Trade Areas. In: Land Economics 39: 81-90
- Kirkup, M (1999). Electronic footfall monitoring: experiences among UK clothing multiples. In: International Journal of Retail & Distribution Management, Vol. 27 Issue: 4, pp.166-173. DOI: <https://doi.org/10.1108/09590559910268516>
- Oxford Dictionary (2018). Footfall. Link: <https://en.oxforddictionaries.com/definition/footfall> [accessed January 2018]
- Raford, N and Ragland, D R (2006). Pedestrian Volume Modeling for Traffic Safety and Exposure Analysis: Case of Boston, Massachusetts. In: Transportation Research Board 85th Annual Meeting. CDROM. Transportation Research Board, Washington , D.C.
- Sevtsuk, A and Kalvo, R (2017). Patronage of urban commercial clusters: a network-based extension of the Huff model for balancing location and size. In: Environment and Plannign B: Urban Analytics and City Science. Issue 0(0). pp. 1-21. DOI: <https://doi.org/10.1177/2399808317721930>
- Sevtsuk, A (2014). Location and Agglomeration: the Distribution of Retail and Food Businesses in Dense Urban Environments. In: Journal of Planning Education and Research, 34(4), 374–393. DOI:

Stanley, T and Sewall, M (1976). Image Inputs to a Probabilistic Model: Predicting Retail Potential. In: Journal of Marketing, 10(3), 48–53

Wrigley, N and Lambiri, D (2015). British High Streets: From Crisis to Recovery? A Comprehensive Review of the Evidence, University of Southampton, Southampton. Link: <http://eprints.soton.ac.uk/375492/> [accessed December 2017]

Software Tools

Drew F(2012). Huff Model. Link: <https://www.arcgis.com/home/item.html?id=f4769668fc3f486a992955ce55caca18> [downloaded on December 2017]

Sevtsuk, A, Mekonnen, M and Kalvo, R(2016). Urban Network Analysis, In: City Form Lab, Harvard University. Link http://media.voog.com/0000/0036/2451/files/20160120_UNA_help_v1_1.pdf [accessed January 2018]

Data Sources

Consumer Data Research Centre (CDRC) database (2017). Workplace Zones. Downloaded from <https://data.cdrc.ac.uk/dataset/cdrc-2011-workplace-zone-census-geodata-pack-liverpool-e08000012> [accessed November 2017]

Ordnance Survey (OS) (2017). OpenRoads street network dataset. Downloaded from <https://www.ordnancesurvey.co.uk/opendatadownload/products.html#OPROAD> [accessed November 2017]