

SOIL PROFILE AT DYNAMIC COMPACTION AREA IN KERTEH, TERENGGANU

MAHATHIR MOHAMAD

**B.Eng (Hons) (Civil)
UNIVERSITI TEKNOLOGI MARA
2005**

**SOIL PROFILE AT DYNAMIC COMPACTION
AREA IN KERTEH, TERENGGANU**

BY

MAHATHIR BIN MOHAMAD

**Final Report is submitted as
the requirement for the degree of
Bachelor Engineering (Hons) (Civil)**

**MARA UNIVERSITY OF TECHNOLOGY
APRIL 2005**

DECLARATION BY THE CANDIDATE

I, Mahathir B. Mohamad, 2001498550 confirm that this work is my own and that appropriate credit has been given where reference has been made to the work of others.

(Mahathir B. Mohamad)
20/April/2005

ACKNOWLEDGEMENT

In the name of Allah, The Most Beneficent and The Most Merciful.

I would like to thank Hj Ir. Mohd Farid Ahmad, my geotechnical lecturer and also as my course supervisor, for his kindness, patient, guidance, sincerity for assisting me during the preparation of this report.

I also like to give my appreciation to individual that has helped me in preparing my research proposal Prof. Madya Ir. Damanhuri Jamalludin, my lecturer for guiding me and advising me in doing this research.

My thanks are also forwarded to Dr. Iqraz Nabi Khan, for his kindness for giving some valuable information needed for this study.

I also need to thank Miss Ros Adilah as the research assistance to Ir Mohd Farid that helped me conduct the soil testing. I also want to thank all the technicians that gave cooperation during conducting my research. Especially to Miss Farah Hariyani Haris as the Geotechnical Laboratory technician

To all the lectures that gave me a lot of valuable information and guided me in order to finish this course work on time, especially to Mr. Mohd Ali B. Abd Karim that gave me a chance to used the oven in Water & Wastewater for my research. Also not to be forgotten Mr Malik who had let me used the oven in the Heavy Structure Laboratory in order for me to finish this research testing.

I also want to thank Mr. Mohd Firdaus B. Mohd Wahid as my group member in this project. He had given a lot of ideas and information for me to complete this research.

Lastly, I would like to thank all friends that had been helped me to complete this research. Thanks to all of UiTM communities that were involved directly or indirect in this project. Thank you.

ABSTRACT

Dynamic Compaction (DC) is a recognized and an accepted technique for stabilization of loose or granular soil conditions. This method has been used to improve bearing capacity. The technique involves dropping weights from cranes at specified heights. The purpose of dropping the weight is to transmit compaction energy to the soil mass for densification. This method works best in loose sands, fills, rubble, and landfills (Vipulanandan, 1998). This study was done to find out the fine content of soil improved by dynamic compaction. The sampled soil obtained adjacent to Kemaman-Kertih Railway track by using wet borehole technique. The borehole was driven at 12 different locations. For each borehole, the sample was collected at every 0.5 m interval until sufficient 1Kg was sampled and depth reached 7.5 m. Based on BS 1377, laboratory testing procedures such as for moisture content, wet sieve and dry sieve were conducted to determine the moisture content as well as soil classification. Laboratory testing took place at UiTM Pulau Pinang Laboratory. The percentages of fine content for every chainage were calculated and the soil profiles at study area were drawn by AUTOCAD. Based on result, the relationship between soil profile and suitability of ground improvement technique was discussed.

Keywords: Dynamic compaction (DC), Soil Classification, moisture content determination, sieve analysis and soil profile.