

EAPC Atlas of Palliative Care in Europe 2019

Natalia Arias-Casais, Eduardo Garralda, John Y. Rhee, Liliana de Lima, Juan José Pons, David Clark, Jeroen Hasselaar, Julie Ling, Daniela Mosoiu, Carlos Centeno



EAPC Atlas of Palliative Care in Europe 2019

Natalia Arias-Casais, Eduardo Garralda, John Y. Rhee, Liliana de Lima, Juan José Pons, David Clark, Jeroen Hasselaar, Julie Ling, Daniela Mosoiu, Carlos Centeno



Institute for Culture and Society

ATLANTES Palliative Care Research Group





EAPC Atlas of Palliative Care in Europe 2019

Authors:

Natalia Arias-Casais, Eduardo Garralda, John Y. Rhee, Liliana de Lima, Juan José Pons, David Clark, Jeroen Hasselaar, Julie Ling, Daniela Mosoiu, Carlos Centeno.

Editors:

Natalia Arias-Casais, Eduardo Garralda and Carlos Centeno University of Navarra ATLANTES Research Program Institute for Culture and Society (ICS) Campus Universitario, 31080 Pamplona, Spain

Cartography:

Juan José Pons University of Navarra Department of Geography Campus Universitario 31080 Pamplona, Spain

Design and Production:

Miriam García and Javier Errea Errea Comunicación, Pamplona, Spain www.erreacomunicacion.com

© EAPC vzw Press

Toekomststraat 36, 1800 Vilvoorde, Belgium Printed in Spain by Arc Space Grafic http://www.aranguren.es/arc-space-grafic-s-l/

All rights reserved. The EAPC allows the use of this Atlas for educational, advocacy and scientific purposes to advance palliative care throughout the world.

ISBN: 9789463883443

This book should be cited as follows:

Arias-Casais N, Garralda E, Rhee JY, Lima L de, Pons JJ, Clark D, Hasselaar J, Ling J, Mosoiu D, Centeno C. EAPC Atlas of Palliative Care in Europe 2019. Vilvoorde: EAPC Press; 2019. Consult or download at: http://hdl.handle.net/10171/56787

ERRATUM

The printed version and the previous online edition of the EAPC Atlas of Palliative Care in Europe 2019 included an involuntary error affecting Ukraine. This mistake was caused by an error in the database of maps used to produce the Atlas. All the maps have been manually corrected in the current online edition.

As a measure to prevent similar issues in the future, the ATLANTES Team will follow the WHO geographical framework when presenting country reports.

Authors

Natalia Arias-Casais

University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Eduardo Garralda

University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

John Yohan Rhee

Department of Medicine, Mount Sinai Hospital New York, NY, USA 10029 University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Liliana de Lima

International Association for Hospice and Palliative Care Houston TX, USA

Juan José Pons

University of Navarra Department of Geography Pamplona (Navarra), Spain.

David Clark

University of Glasgow, Dumfries Campus School of Interdisciplinar Studies Dumfries, Scotland, UK

Jeroen Hasselaar

Department of Anesthesiology, Pain and Palliative Medicine, Radboud University Medical Centre (Radboudumc) Nijmegen, Netherlands

Julie Ling European Association for Palliative Care (EAPC)

Daniela Mosoiu

Hospice Casa Sperantei Brasov, Romania

Carlos Centeno

University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Abstract

Background

Every year 4,428,663 people die with serious health related suffering in Europe, with estimated 138,913 of them being children. Access to palliative care (PC) would greatly ease suffering of these patients. Last assessment of PC development across Europe was conducted in 2013 and therefore, our aim is to provide an updated analysis on the development and integration of PC across the Region.

Methods

We conducted a systematic review to identify the most commonly used national-level indicators on PC development. Policy, medicine-related, education and service provision indicators were idenified and rated by a committee of international experts in a two-round RAND/UCLA Delphi consensus process. Additional indicators exploring the integration of PC into different levels of care, diseases and disciplines were derived from interviews with the EAPC Task Force leaders on paediatrics, long-term care facilities, primary care, volunteering, public health and cardiology. All these indicators were sent through on-line surveys to qualified national experts in their field. Additional databases on opioids (International Narcotic Control Board), professional activity (EAPC databases), and PC integration into oncology (ESMO databases, Clinical.Trials. gov and Scopus) were consulted.

Results

We received response from 321 experts from 94% (51/54) of European countries. The survey identified 6,388 specialised services for adults (a median of 0.8 adult services per 100,000 inhabitants) and a variety of programmes specific to PC for Children in 38 countries: home care teams (n=385), hospital programmes (n=162) and hospices (n=133). Most countries have established legal frameworks for the provision of PC, with specific laws reported in eight countries and other laws or decree-laws present in 63% of the countries. Twenty-nine nations have a process of specialisation in Palliative Medicine for physicians and PC has been included in the undergraduate curricula of medical and nursing schools in 43% of the countries with variations in the number of teaching hours and clinical practice. Full professors have been reported in medical schools in 14 countries and in nursing schools in five. The average of opioid consumption is 107 mg morphine equivalent/ capita/year.

The integration of PC into different fields is noticeable. Although only 12/34 countries have systems to identify patients in need of PC at the primary level, the majority of countries provide PC in the last month of life. PC is being integrated into oncology and clinical trials on early integration of PC in the course of the oncological disease registered in 10 countries. Furthermore, eight reference cardiology centres providing PC were also identified and the presence of PC trained staff in Long-Term Care Facilities is increasingly common (14/19 countries).

Volunteers are active throughout Europe and eight countries report over 1000 registered PC volunteers while others even report the existence of volunteer-led hospices. The professisonal vitality of the discipline is demostrated by the rise of national PC associations in 41/51 countries.

This Atlas presents a set of 51 country reports highlighting key data on national policies, use of medicines, education and PC services provision and does not offer secondary comparative analysis between countries.

Conclusion

PC health policies developed in recent years have promoted vigorous development across Europe. Preliminary data on the integration of PC into different fields are encouraging though inequalities between countries and sub-regions persist. Further comparative analysis exploring factors leading to uneven progress may inform strategies to provide PC for all people in need.

Table of contents

1.	Presentation	11
	Foreword	
	Note from the authors	
	Net of collaborators of the 2019 EAPC ATLAS	-
	International Committee of Experts on Indicators	
	Key Informants of each participating countries	
	Collaborators of the EAPC specific studies	
	The Atlas project group	
	The institutions involved	21
2.	Aims and objectives	23
3.	Population and methods	
	Geopolitical map of the WHO European Region	
	Socio-economic context	
	Palliative Care needs across Europe	
	Methods of the project	
	The cartography	
	Limitations and constraints	
	Abbreviations	42
4.	. Development and Integration	
	of Palliative Care across Europe	43
	Chapter 1. Specialised Palliative Care	
	Services for Adults	45
	Chapter 2. Integration of Palliative Care	
	and Paediatrics	51
	Chapter 3. Palliative Care integration	
	in national health systems in Europe	
	Chapter 4. Palliative Care education across Europe	61
	Chapter 5. Use of medicines for Palliative Care	65
	Chapter 6. Palliative Care vitality	
	and professsional activity	69
	Chapter 7. Integration of Palliative Care	
	in Long-Term Care Facilities in 18 European countries	73
	Chapter 8. Development of Volunteering in Hospice	
	and Palliative Care in 15 European Countries	77
	Chapter 9. Integration of Palliative Care	
	at the Primary Care level	81
	Chapter 10. Integration of Palliative Care	
	into Cardiology	85
	Chapter 11. Integration of Oncology	
	and Palliative Care	89

5. Development of Palliative Care at the Country-Level	
How to read de country information	95
Albania	
Armenia	-
Austria	-
Azerbaijan	
Belarus	
Belgium	
Bosnia and Herzegovina	
Bulgaria	
Croatia	
Cyprus	
Czech Republic	
Denmark	
Estonia	
Finland	
France	
Georgia	•
Germany	
Greece	
Hungary	-
Iceland	
Ireland	
Israel	-
Italy	-
Kazakhstan	
Kyrgyzstan	
Latvia	
Liechtenstein	•
Lithuania	
Luxembourg	
Macedonia	
Malta	
Moldova	-
Monaco	
Montenegro	
Netherlands	
Norway	
Poland	
Portugal	
Romania	
Russian Federation	
Serbia	
Slovakia	
Slovenia	
Spain	
Śweden	
Switzerland	
Tajikistan	
Turkey	
Ukraine	
United Kingdom	
Uzbekistan	



Foreword



PHIL LARKIN President, EAPC

his is the third edition of the EAPC Atlas in Europe. As in previous editions, the Atlas has only come to fruition through the dedicated work of Prof Carlos Centeno, ATLAN-TES, University of Navarra, Spain and his team led on this occasion by Natalia Arias Casais. We owe the team our immense gratitude for this exemplary work which has grown in both scope and vision since the original version in 2007.

The third edition presents data from 51 countries on the 'state of the art' of palliative care at national and regional level. The scientific rigour of the process of data assimilation, including systematic reviews and a Delphi process attests to the quality of evidence regarding the contemporary integration of palliative care and enabled specific indicators to be developed for new and specialized areas of practice, including palliative care for children, primary care and the role of volunteers.

It is rewarding to see that palliative care continues to increase its presence in mainstream healthcare and despite the ongoing variance between East and West, there are champions who take the lead in making the case for the vitality and importance of palliative care for all citizens. There are also clear indicators of development, notably in palliative care children and neonatology and education, which is starting to be embedded in curricula to help prepare our practitioners for the future.

The new Atlas also reminds that we can never be complacent about the development of palliative care. We need a concerted European effort to support those for whom palliative care is in its infancy and to strengthen our political voice for equity and access to palliative care for all. The work of Prof Centeno and his team provides us with the tools to do that important work. The new edition is presented in a clear, accessible way which captures key information in a succinct and instantly deliverable manner. As well as a regional overview, country reports are provided (as in earlier editions) but with greater development in terms of visual detail on service provision. Overall, the EAPC Atlas of Europe provides clinicians, policy makers and educators with critical information for future growth.

Globally, this will add to the capacity for benchmarking and comparison across not only Europe but with other works by the same group in Africa and Latin America.

The third edition is a remarkable achievement, and our thanks go not only to the team but to all the national associations and colleagues across Europe that have contributed to this through documentation, completing questionnaires or supporting the scientific studies which underpin the work. The new Atlas is a critical example of ' one voice, one vision', a strategic document to aid better care for people with palliative care needs in the years ahead.

Note from the authors

n 2017, four years after the last edition of the EAPC Atlas of Palliative Care in Europe, we decided that it was time to conduct a new assessment of palliative care development within the World Health Organisation (WHO) European Region. The experience we have gathered over the recent years mapping palliative care progress in Latin America, Africa and the Eastern Mediterranean countries led us to wonder about the best way of evaluating not only development but also the integration of PC into health systems. We set ourselves on a quest to scientifically approaching this issue.

For the present publication, we improved our methodology aimed at gathering the most comprehensive and up-to-date information on the region. The selection of the indicators to be used in the Atlas was a crucial point. We started by conducting a systematic review to identify all national-level indicators used in the last ten years in cross-national studies around the world. These indicators were clustered following the four WHO dimensions: policies, use of medicines, education and service provision. We then invited a committee of 24 international experts on palliative care development to take part in a two-round Delphi process to assess these indicators and achieve consensus on the selection of the best ones. Twenty-five indicators resulting from this process were used in the making of this Atlas.

Simultaneously, we studied the integration of palliative care in the region and chose paediatric palliative care, long-term care facilities, primary care, volunteering, cardiology and oncology as fields to assess. We contacted experts in these fields and invited them to enrol in a design and selection process of specific indicators for each one. Thirty-three indicators were used on the making of the chapters assessing palliative integration. Additionally, we created networks of key informants to respond them. Besides, a dedicated study on palliative care education at the undergraduate level, and on integration of palliative care and oncology were conducted.

This edition present data gathered on the development of palliative care within the region. As a result, it provides a regional overview of the current progress of palliative care in the section Development and integration of Palliative Care across Europe (chapters 1 to 11). Separately, national profiles of each country are presented in the section Development of Palliative Care at the country-level.

This publication presents the first regional study of its kind using consensus-based indicators for the assessment of specialised palliative care development and indicators designed specifically to explore the state of integration of palliative care within Primary Care, Paediatric palliative care, Long-Term Care Facilities, Cardiology and Oncology within the region. All of it in line with WHO and providing a handful of helpful new baseline indicators. It provides information on 94% (51/54) of countries of the region and enables cross-national comparison on the progress of PC among countries. Information was provided by key informants in each country, which consisted of leaders of national palliative care associations, members of the Ministry of Health, or experts within each country defined as either the leader of an important hospice or palliative care service. Peer review, literature review and ATLANTES Research Programme's databases were used to verify information given by experts. Therefore, the EAPC Atlas is presenting with the best estimates available.

Following this EAPC Atlas, we will continue to work on secondary analyses of the data we have collected for publication in a series of scientific papers and reports. We will focus on disseminating this information to key experts in European countries so that it may be used for advocacy efforts in working with governments and Ministries of Health.

This ambitious project was made possible thanks to the collaboration of over 450 palliative care professionals across Europe, who have contributed in various meaningful ways. We truly thank all of those who volunteered their time for the project. We thank the key informants, country and sub-specialty experts, and international committee members for all of their assistance in making this EAPC Atlas of Palliative Care a reality as well as their tireless work in building up palliative care in their respective countries.

Net of collaborators of the 2019 EAPC Atlas

International Committee of Experts on Indicators

The following people have participated in the consensus process to select the final set of main indicators used in the survey.

Name	Affiliation
Eve Namisango	African Palliative Care Association
Fatia Kiyange	African Palliative Care Association
Hibah Osman	BALSAM Center
Ibtihal Fadhil	Middle East Non Communicable Disease Alliance
Sami Alsirafy	Kasr Al-Ainy School of Medicine, Cairo University
Michael Silbermann	Middle East Cancer Consortium
Ron Sabar	Middle East Cancer Consortium
Carlos Centeno	ATLANTES Research Programme, University of Navarra
Richard Harding	Cicely Saunders Institute of Palliative Care King's College London
Martin Loucka	Center for Palliative Care, Prague
Marilène Filbet	Centre Hospitalier Universitaire de Lyon
Sheila Payne	Lancaster University
Julia Downing	International Children's Palliative Care Network
Trisha Suresh	The Economist Intelligence Unit
M.R Rajagopal	Pallium India
Marilys Corbex	World Health Organisation
David Clark	End of life study group University of Glasgow
Liliana de Lima	International Association of Hospice
	and Palliative Care
Eric Krakauer	Harvard Medical School Center for Palliative Care
Diederik Lohman	Human Rights Watch
Stephen R. Connor	Worldwide Hospice and Palliative Care Alliance
Tania Pastrana	Latin American Association for Palliative Care
Roberto Wenk	Latin American Association for Palliative Care

Net of collaborators of the 2019 EAPC Atlas

Key Informants of each participating countries

The following persons have answered the survey on palliative care development in their respective countries used to build the maps and the "Development and Integration of palliative care across Europe" section of this Atlas.

Country	Name	Institutional Affiliation				
ALBANIA	Irena Laska	"Marry Potter" Palliative Care Center				
ARMENIA	Artashes Tadevosyan	Yerevan State Medical University				
	Avetis Babakhanyan	Masis Hospice. Masis Medical Center				
AUSTRIA	Austrian Association for Palliative Care	Österreichische Palliativgesellschaft (OPG)				
	Leena Pelttari	Hospice Austria				
AZERBAIJAN	Nabil Seyidov	Public Health and Reforms Center				
BELGIUM	Paul Vanden Berghe	Federatie Palliatieve Zorg Vlaanderen (Federation Palliative Care Flanders)				
BELARUS	Confidential					
BOSNIA AND HERZEGOVINA	Emira Dropic	Coordinator of the End of Life Care Project				
	Ruzica Lazic	Fondaciya Fami				
BULGARIA	Gergana Foreva	Medical Center BROD				
	Nikolay Yordanov	Sofia Medical University				
		Vratsa Medical and Social Sciencies Department				
CROATIA	Confidential					
CYPRUS	Kyriakos Stylianides	PASYKAF				
	Sophia Nestoros	Cyprus Anticancer Society				
CZECH REPUBLIC	Martin Loučka	Center for Palliative Care				
	Ondřej Sláma	Czech Society for Palliative Medicine				
DENMARK	Helle Timm	Danish knowledge Centre for Rehabilitation and Palliative Care (REHPA)				
	Mai-Britt Guldin	Palliative Care Team, Aarhus University Hospital				
ESTONIA	Pille Sillaste	North Estonia Medical Centre				
	Kaiu Suija	Tartu University Hospital				
		Estonian Cancer Society				
FINLAND	Tiina Saarto	Helsinki University Hospital				
		Center of palliative Care				
	Minna Kiljunen	Senior Palliative Care Consultant				
FRANCE	Sandrine Bretonniere	French National Center for Palliative Care and End of Life				
	Marilène Filbet	Centre Hospitalier Universitaire Lyon				
	Lyn Silove	Société Français d'Accompagnement et de Soins Palliatifs				
GEORGIA	Dimitri Kordzaia	Georgian National Association for Palliative Care				
GERMANY	Friedmann Nauck	German Association of Palliative Medicine				
	Birgit Jaspers	German Association of Palliative Medicine				
	Boris Zernikow	German Association of Palliative Medicine				
	Lukas Radbruch	German Association of Palliative Medicine				
GREECE	Athina Vadalouka	Hellenic Society of Pain Management and Palliative Care				
	Kyriaki Mystakidou	National and Kapodistrian University of Athens				
	Aliki Tserkezoglou	"GALILEE" Palliative Care Unit				
HUNGARY	Agnes Csikos	University of Pécs, Primary Health Care department				
	Katalin Hegedus	Semmelweis University Budapest and Hungarian Hospice-Palliative Association				
ICELAND	Valgerdur Sigurdardottir	Palliative Care Unit, National University Hospital				
	Svandis Iris Halfdanardottir	Palliative Care Unit, National University Hospital				
IRELAND	Michael Connolly	Irish Association for Palliative Care				
	Brian Creedon	National Clinical Programme for Palliative Care (Health Service Executive and Royal College of Physicians of Ireland)				
	Kellie Myers	National Clinical Programme for Palliative Care (Health Service Executive and Royal College of Physicians of Ireland)				

Ron Sabar	Sabar Health Ltd.				
Glynis Katz	Sabar Health Ltd.				
Italo Penco	Italian Society of Palliative Care (SICP)				
Carlo Peruselli	Italian Society of Palliative Care (SICP)				
Gulnara Kunirova	Kazakhstan Association for Palliative Care				
Confidential					
Anda Jansone	Children's Clinical University Hospital, Palliative Care service and Children's Palliative Care Society				
Vilnis Sosars	Riga East University Hospital, Department of Palliative Care				
Ingrid Frommelt	Palliativnetz Liechtenstein				
Rita Kabasinskiene	Lithuanian Association of Palliative Medicine				
Marie-France Liefgen	Omega 90				
Frédéric Fogen	Centre Hospitalier Luxemburg				
Jurgen Abela	Hospcie Malta				
Jean-François Ciais	Centre Hospitalier Princesse Grace				
Vito Curiale	Centre Hospitalier Princesse Grace				
Jeroen Hasselaar	Dutch Association for Palliative Care Professionals (Palliactief)				
Esmé Wiegman-van Meppelen Scheppink	Association for Palliative Care in the Netherlands (PZNL)				
Dagny Faksvåg Haugen	Haukeland University Hospital and University of Bergen				
Aleksandra Ciałkowska-Rysz	Palliative Medicine Unit Medical University of Lodz, Polish Society of Palliative Medicine				
Aleksandra Kotlinska-Lemieszek	Palliative Medicine Unit Medical of Poznan University of Medical Sciences				
Edna Gonçalves	National Commission of Palliative Care				
Duarte Soares	Portuguese Association for Palliative Care				
Manuel Luís Capelas	Portuguese Observatory for Palliative Care				
Confidential					
Liliana Gherman	Soros Foundation-Moldova, Public Health Department				
Valerian Isac	National Association of Palliative Care				
Natalia Carafizi	Foundation Hospice Angelus Moldova				
Daniela Mosoiu	Transilvania University, Hospice Casa Sperantei				
Diana Nevzorova	Association of Professional Participants in Hospice Care				
Advisory Board of the Russian Association for Palliative Care	Russian Association for Palliative Care				
Confidential					
Natasa Milicevic	BELhospice				
Andrea Skripekova	National Oncology Institute				
	Medical Faculty of Maribor Univ., Institute for Palliative Medicine and Care				
Javier Rocafort Gil	Fundacion Vianorte Laguna				
Rafael Mota	Sociedad Española de Cuidados Paliativos				
Carl Johan Fürst	Lund University				
Carl-Magnus Edenbrandt	Lund University				
Walter Brunner	Palliative CH				
	National Palliative Care Association of Republic of Tajikistan				
Confidential					
	Anadolu Medical Center, Gebze				
Lyudmyla-Oksana Andriyishyn	Ivano-Frankivsk Oblast' Palliative Care Center, Palliative Care National Expert Ministry of Health				
Kseniya Shapoval	International Renaissance Foundation				
Ksennya Shapovat					
Confidential					
	Association of Palliative Care Social Workers				
	Carlo PeruselliGulnara KunirovaConfidentialAnda JansoneVilnis SosarsIngrid FrommeltRita KabasinskieneMarie-France LiefgenFrédéric FogenJurgen AbelaJean-François CiaisVito CurialeJeroen HasselaarEsmé Wiegman-vanMeppelen ScheppinkDagny Faksvåg HaugenAleksandra Ciałkowska-RyszAleksandra Kotlinska-LemieszekEdna GonçalvesDuarte SoaresManuel Luís CapelasConfidentialLiliana GhermanValerian IsacNatalia CarafiziDaniela MosoiuDiana NevzorovaAdvisory Board of the Russian Association for Palliative CareConfidentialNatasa MilicevicAndrea SkripekovaNevenka Krčevski ŠkvarčJavier Rocafort GilRafael MotaCarl-Magnus EdenbrandtWalter BrunnerNigora AbidjanovaConfidentialSeref Komurcu				

Net of collaborators of the 2019 EAPC Atlas

Collaborators of the EAPC specific studies


The following persons have co-authored the specific studies on development and integration of Palliative Care across Europe. Most of them are leaders or members of the EAPC TaskForces on their particular field of knowledge.

Studied field	Collaborators	Institutional Affiliation			
Specialised PC Services for Children	Lizzie Chambers	Together for Short Lives			
	Julia Downing	International Children's Palliative Care Network			
	Joan Marston	Past member of the International Children's Palliative Care Network			
Integration of PC at the Publich Health Level	Luc Deliens	End of Life Care Research Group. University of Gent and University of Brussels			
	Xavier Gómez-Batiste	Observatory QUALY, Catalan Intitute of Oncology (ICO)			
Integration of PC in Health Professionals' training	Antonio Noguera	ATLANTES Research Programme, University of Navarra			
	Sofia Zambrano	University of Bern			
	Steffen Eychmüller	Universit of Bern			
	Deborah Bolognesi	ASMEPA			
	Guido Biasco	University Alma Mater Studorium, Giorgio Prodi Centre for Cancer Research & Accademia delle Scienze di Medicina Palliativa, Bologna, Italy			
Use of Medicines for Pain relief	Jim Cleary	University of Indiana			
Vitality of Professional Activity	Julie Ling	European Association for Palliative Care			
Integration of PC in Long-Term Care	Carla Reigada	ATLANTES Research Programme, University of Navarra			
	Katherine Froggatt	International Observatory of End of Life Care Lancaster University.			
	Lieve van den Block	End of Life Care Research Group. University of Gent and University of Brussels			
PC and Volunteering	Carla Reigada	ATLANTES Research Programme, University of Navarra			
	Leena Pelttari	Hospiz Osterreich			
	Ros Scott	University of Dundee			
	Lukas Radbruch	German Association for Palliative Care			
Integration of PC at the Primary Care level	Scott Murray	University of Edinburgh Primary Palliative Care Research Group			
	Sébastien Moine	University of Paris 13 Nord			
Integration of PC into Cardiology	Pablo Díez Villanueva	Spanish Association of Cardiology			
	Manuel Martínez Selles	Hospital Gregorio Marañón			
Integration of PC into Oncology	Rafael Martinez	Clínica Universidad de Navarra			
	Amaia Urritzola	Clínica Universidad de Navarra			

Ĺ

The Atlas project group

The **EAPC Atlas of Palliative Care in Europe** is an EAPC initiative commissioned by the EAPC Task Force on PC development, implemented by the ATLANTES Research Programme of the Institute of Culture and Society at the University of Navarra and have the scientific advice of the International Association for Hospice and Palliative Care and the World Health Organisation office in Europe.



The project institution group

This group's role was advising and supervising the design, methodology and implementation of the Atlas. It was composed by expert members of the EAPC development Task Force: Julie Ling, Jeroen Hasselaar, Daniela Mosoiu, David Clark and Carlos Centeno.

Technical advising group of the research team

This group provided technical advice to the design and implementation of the Atlas. It was composed of Liliana de Lima (IAHPC), Marie-Charlotte Bouesseau (WHO) and Marilys Corbex (WHO-Europe).

Funding

The project has been partially funded by an unrestricted educational grant from Banco Santander through Santander Universidades.

Research team

The ATLANTES Research team for this project is composed of five members from different countries and backgrounds, bringing a wide range of experiences. This team was the technical core group.

RESEARCHERS	COUNTRY	BACKGROUND	AFFILIATION			
Natalia Arias Casais	Colombia	Global Health	ATLANTES Research Programme, Institute for Culture and Society (ICS), University of Navarra PhD Candidate			
Eduardo Garralda	Spain	Palliative Care	ATLANTES Research Programme, Institute for Culture and Society (ICS), University of Navarra, Research Assistant			
Juan José Pons	Spain	Geography, Cartography	Department of Geography, University of Navarra, Associated Professor			
John Y. Rhee	United States of America	Global and Public Health, Epidemiology	Department of Medicine, Mount Sinai Hospital			
			ATLANTES Research Programme, Institute for Culture and Society (ICS), University of Navarra, Research Assistant			
Liliana de Lima	United States of America	Clinical psychology, Healthcare Administration, Pain and Policy	International Association for Hospice and Palliative Care, Executive Director			
Carlos Centeno	Spain	Palliative Medicine, Oncology	Department of Palliative Medicine, Clínica Universidad de Navarra, Director			
			School of Medicine, University of Navarra, Professor of Palliative Medicine			
			ATLANTES Research Programme, Institute for Culture and Society, University of Navarra, Principal Investigator			



Photo of Research Group Members at the Institute for Culture and Society, University of Navarra.

EAPC Atlas of Palliative Care in Europe **20**

The institutions involved

About the European Association for Palliative Care



The European Association for Palliative Care (EAPC), established in 1988, is a membership organisation that aims to advance, influence, promote and develop palliative care in Europe. Since its inception, the EAPC has evolved into the leading palliative care organisation in Europe providing a forum for all of those either working, or with an interest in, palliative care throughout Europe and beyond. Currently the EAPC has 55 members associations from 34 European countries and also has individual members from 52 countries globally. Members are engaged in palliative care from a range of perspectives; specialist clinical practice, education, policy and research. The EAPC is respectful of the cultural and political diversities of our members across Europe but aims to ensure that as a collective group, that we speak with 'one voice-one vision' on matters important for the practice and development of palliative care.

Further information on the European Association for Palliative Care is available at: https://www.eapcnet.eu

Since its inception, the EAPC has evolved into the leading palliative care organisation in Europe providing a forum for all of those either working, or with an interest in, palliative care throughout Europe and beyond.

About the ATLANTES Research Programme, Institute for Culture and Society, and the University of Navarra (UNAV)



The ATLANTES Research Program is being developed under the assumption that it is possible to promote a positive attitude in the society and in medicine regarding the attention and care of patients with advanced and terminal illness, from a perspective based on human dignity and professional care, including support and respect for the natural course of the illness and the attention to the spiritual and emotional aspects of patient care.

The multi-disciplinary team, based in Pamplona, within the Institute for Culture and Society at the University of Navarra, includes professionals from diverse social sciences. In addition, the team also relies on a wide net of collaborators from different countries who provide a broader international perspective. ATLANTES works work on four strategic lines: The intangible aspects of palliative care, the message of palliative care to the community, professional and public education, and the international development of the palliative care. ATLANTES has conducted mapping studies in Latin America, Europe, Africa and the Eastern Mediterranean region. The present study evaluates palliative care development within Europe, using a set of national-level indicators selected through an international consensus process and specific developed indicators to assess palliative care integration into the countries' health systems.

Further information on the ATLANTES programme is available at: http://www.unav.edu/web/instituto-cultura-y-sociedad/proyec-to-atlantes

ATLANTES strives to improve the understanding of patients with non-curable illnesses, both in the medical field and in society, from a dignity-based perspective, including accompaniment and respect for the natural course of disease and its emotional and spiritual dimensions.

About the International Association for Hospice and Palliative Care (IAHPC)



The International Association for Hospice and Palliative Care (IAH-PC) works with UN agencies, governments, associations, and individuals to increase access to essential medicines for palliative care, foster opportunities in palliative care education, research and training, and increase service provision around the globe. IAH-PC works at the international, regional, and national levels to promote appropriate policies and regulations to ensure access to palliative care. The Vision of IAHPC is for universal access to palliative care, integrated in a continuum of care with disease prevention and treatment. The Mission of IAHPC is to improve the quality of life of adults and children with life-threatening conditions and their families. IAHPC works with governments, agencies and individuals, to improve knowledge and foster opportunities in education, research and training around the globe.

Further information on the IAHPC at: http://hospicecare.com/ home/

The Mission of IAHPC is to improve the quality of life of adults and children with life-threatening conditions and their families. IAHPC works with governments, agencies and individuals, to improve knowledge and foster opportunities in education, research, and training around the globe.



Aims and objectives

The goal of this study is to provide an updated and reliable descriptive analysis on the development of palliative care in countries of the WHO European Region.

Through this research, we hope to encourage discussion on the current progress of palliative care development, its impact on the delivery of care, and, in the long run, improve care at the end of life and for those suffering with life-limiting illnesses. We also hope that the current EAPC Atlas will provide important data and information for those working within or with Ministries of Health to continue improving palliative care provision within their respective countries.

Main objective of the project to measure, compare and graphically show the national development of palliative care in countries across Europe to promote the development itself. The objectives of the project are to:

- 1. Create a network of palliative care professionals across Europe interested in the palliative care global development and to promote, with them, the access to information and to improve communication and cooperation.
- 2. Develop a set of consensus-based indicators that will be openly available, capable of measuring palliative care development in the WHO- European region and that could be applied to other regions for use in future research.
- 3. Develop a set of specific indicators to assess integration of palliative care into paediatrics, primary care, long-term care facilities, volunteering, cardiology and oncology.
- 4. Conduct the first assessment of national-level paediatric palliative care development.
- **5. Provide open access data on palliative care development** of each European country to facilitate discussion and measure progress in a comparative way.

3. Population and methods




Geopolitical map of the WHO European Region





Socio-economic context


COUNTRY	0005	POPULATION		CUDEA OF	0000050			DUVOIOIANO		
NAME	CODE	DENSITY	POPULATION, TOTAL,	SURFACE AREA	GDP PER CAPITA	HEALTH EXPENDITURE	HEALTH EXPENDITURE	PHYSICIANS PER 1,000	HDI RANKING,	LIFE EXPECRANCY
		(INH/KM2),	2017	(KM ²),	(US\$),	TOTAL (% OF	PER CAPITA,	INHABITANTS,	2019	AT BIRTH, TOTAL
Albania		2017	0.072.457	2017	2017	GDP), 2015	PPP (US\$)	2014		(YEARS), 2016
	AL	104.9	2,873,457	28,750	4,538	6.8	266	1.3	68 83	78
Armenia	AM		2,930,450	29,740	3,937			2.8		
Austria	AT	106.7	8,809,212	83,879	47,291	10.3	4,536	5.1	20	81
Azerbaijan	AZ	119.3	9,862,429	86,600	4,132	6.7	368	3.4	80	72
Belarus	BY	46.8	9,507,875	207,600	5,728	6.1	352	4.1	53	74
Belgium Beenie en ditter	BE	375.6	11,372,068	30,530	43,324	10.5	4,228	3.0	17	81
Bosnia and Herz		68.5	3,507,017	51,210	5,148	9.4	431	1.9	77	77
Bulgaria Guestia	BA	65.2	7,075,991	111,000	8,228	8.2	572	4.0	51	75
Croatia	HR	73.7	4,125,700	56,590	13,383	7.4	852	3.1	46	78
Cyprus	CY	127.7	1,179,551	9,250	25,234	6.8	1,563	2.5	32	81
Czech Rep.	CZ	137.2	10,591,323	78,870	20,368	7.3	1,284	3.7	27	78
Denmark	DK	137.4	5,769,603	42,920	56,308	10.3	5,497	3.7	11	81
Estonia	EE	30.3	1,315,480	45,340	19,705	6.5	1,112	3.3	30	78
Finland	FI	18.1	5,511,303	338,450	45,703	9.4	4,005	3.2	15	82
France	FR	122.6	67,118,648	549,087	38,477	11.1	4,026	3.2	24	82
Georgia	GE	65.0	3,717,100	69,700	4,057	7.9	281	4.8	70	73
Germany	DE	236.7	82,695,000	357,580	44,470	11.2	4,592	4.1	5	81
Greece	GR	83.5	10,760,421	131,960	18,613	8.4	1,505	6.3	31	81
Hungary	HU	108.0	9,781,127	93,030	14,225	7.2	894	3.3	45	76
Iceland	IS	3.4	341,284	103,000	70,057	8.6	4,375	3.6	6	82
Ireland	IE	69.9	4,813,608	70,280	69,331	7.8	4,757	2.8	4	82
Israel	IL	402.6	8,712,400	22,070	40,270	7.4	2,756	3.6	22	82
Italy	IT	205.9	60,551,416	301,340	31,953	9.0	2,700	3.9	28	83
Kazakhstan	KZ	6.7	18,037,646	2,724,902	9,030	3.9	379	3.3	58	7 2
Kyrgyztan	KG	32.3	6,201,500	199,950	1,220	8.2	92	1.9	122	71
Latvia	LV	31.2	1,940,740	64,490	15,594	5.8	784	3.2	41	7 5
Liechtenstein	LT	237.0	37,922	160					17	83
Lithuania	LI	45.1	2,827,721	65,286	16,681	6.5	923	4.3	35	74
Luxembourg	LU	246.7	599,449	2,590	104,103	6.0	6,236	2.9	21	82
Macedonia	MK	82.6	2,083,160	25,710	5,415	6.1	295		80	76
Malta	MT	1454.0	465,292	320	26,904	9.6	2,304	3.7	29	82
Moldova	MD	123.7	3,549,750	33,850	2,290	10.2	186	2.5	112	72
Monaco	MC	19347.5	38,695			2.0	3,316	6.6		
Montenegro	ME		622,471	13,810	7,783	6.0	382	2.2	50	77
Netherlands	NL	508.5	17,132,854	41,540	48,223	10.7	4,746	3.4	10	82
Norway	NO	14.5	5,282,223	625,217	75,505	10.0	7,464	4.4	1	83
Poland	PL	124.0	37,975,841	312,680	13,863	6.3	797	2.3	33	77
Portugal	PT	112.4	10,293,718	92,226	21,136	9.0	1,722	4.4	41	81
Romania	RO	85.1	19,586,539	238,400	10,818	5.0	442	2.7	52	75
Russian Fede.	RU	8.8	144,495,044		10,743	5.6	524	4.2	49	72
Serbia	RS	80.3	7,022,268	88,360	5,900	9.4	491	2.5	67	7 5
Slovak Rep.	SK	113.1	5,439,892	49,030	17,605	6.9	1,108	3.4	38	77
Slovenia	SI	102.6	2,066,748	20,675	23,597	8.5	1,772	2.8	25	81
Spain	ES	93.2	46,572,028	505,935	28,157	9.2	2,354	3.8	26	83
Sweden	SE	24.7	10,067,744	447,430	53,442	11.0	5,600	4.2	7	82
Switzerland	СН	214.2	8,466,017	41,290	80,190	12.1	9,818	4.1	2	83
Tajikistan	TJ	64.3	8,921,343	141,380	801	6.9	63	1.7	127	71
Turkey	TR	104.9	80,745,020	785,350	10,546	4.1	455	1.7	64	76
Ukraine	UA	77.4	44,831,159	603,550	2,640	6.1	125	3.0	88	71
United Kingdom	_	272.9	66,022,273	243,610	39,720	9.9	4,356	2.8	14	81
Uzbekistan	UZ	76.1	32,387,200	447,400	1,534	6.2	134	2.5	105	71

Data have been retrieved from World Bank Statistic Data (https://databank.worldbank.org/data/home.aspx)









EAPC Atlas of Palliative Care in Europe **32**

Palliative Care needs across Europe of those who die with serious health related suffering every year

For the ATLAS we estimate the people affected by serious health-related suffering who die every year in Europe and each European country Including only those who die in a given year with life threatening or life-limiting health conditions.

Worldwide, estimates of palliative care needs are been studied with concern. Global population is increasingly aging and therefore have been generating an increased prevalence of non-communicable diseases and the persistence of other chronic and infectious diseases (WHA 67.19, WHO, 2014 NCDS). This population in need of palliative care is estimated to rise significantly in the future at the global level.

In this ATLAS the need of palliative care for adults was calculated adapting the conceptual framework for measuring the global burden of serious health-related suffering (SHS) of the Lancet Commission Report on Palliative Care and Pain Relief (Knaul FM et al, 2017). SHS is defined as suffering associated with a need for palliative care. The work of the Commission estimated the global burden using mortality data for 20 conditions, adjusted for the prevalence of both physical and psychosocial symptoms that cause most of the burden of SHS.

Based on this burden of symptoms they calculate a multiplier for each condition to estimate the proportion of patients with that condition who can benefit from palliative care. The multiplier refers to the percentage applied to the total number of deaths in each condition in order to calculate the number of decedents who need palliative care including both those who die in a given year and those who live with life-threatening or life-limiting health conditions.

For the ATLAS, considering only those who died with life threatening or life-limiting health conditions in 2014, we calculate the people who died in a year experiencing serious health-related suffering for each country of Europe. We took as reference the same health conditions most often generating Palliative Care need proposed by the Lancet Commission. We retrieved data on mortality of each condition from the WHO European Mortality Database (EMD). Due to different denominations for conditions in in the EMD, some conditions were excluded from the count (malnutrition, injury, birth trauma-low birth weight, prematurity and renal failure). Then, we apply the Lancet Commission multiplier obtaining the population in need of palliative care for each condition in every European Country.


We use the 2014 data of the database as for being the most complete and recent one. For countries without data in that year (Albania, Azerbaijan, Ireland, Monaco, Montenegro, Russian Federation, Switzerland, Tajikistan, Macedonia and Turkmenistan) we estimated the need using neighbour's country's data as a proxy.

We categorised countries within the Region in HIC and LMIC to calculate the need of palliative care for children following the Lancet Commission's estimation of the proportion of children of the total who die every year that need palliative care. In low-middle income countries, this represents 12%, and in high-income countries, 0.6%.

The need of palliative care for the total population and only for children who die in a given year is presented by country and breakdown to disease group.

The ATLAS estimates that over 4,4 million people who died in 2014 in Europe experienced serious health-related suffering and need Palliative Care

Over 139.000 children who die every year need palliative care.



People who died in 2014 in Europe needing Palliative Care

EAPC Atlas of Palliative Care in Europe 33

Palliative Care needs across Europe of those who die with serious health related suffering every year

CONDITION (1)	MALIGNANT NEOPLASMS	CIRCULATORY SYSTEM	CEREBRO- VASCULAR	RESPIRATORY SYSTEM	CHRONICLOWER RESPIRATORY	HAEMATOLOGIC NEOPLASM	CHRONIC LIVER &CIRRHOSIS	ALZHEIMER & DEGENERATIVE	
multiplier (2)	90%	35%	60%	50%	80%	90%	95%	80%	
Albania (3)	ND	ND	ND	ND	ND	ND	ND	ND	
Andorra	100	22	6	14	6	8	ND	2	
Armenia	5.117	4.643	1.714	931	884	197	704	22	
Austria	18.452	11.598	3.214	1.867	2.098	1.588	1.285	861	
Azerbaijan (3)	ND	ND	ND	ND	ND	ND	ND	ND	
Belarus	15.361	23.616	8.914	933	872	967		113	
Belgium	24.337	10.487	4.421	5.073	3.411	2.040	1.209	2.166	
Bosnia	6.986	6.267	2.721	686	658	315	351	67	
Bulgaria	16.173	25.116	14.633	1.968	1.081	801	1.501	108	
Croatia	12.545	8.439	4.745	1.114	1.377	812	969	223	
Cyprus	1.154	677	242	223	110	151	46	63	
Czechia	24.345	17.019	6.117	3.105	2.502	1.687	1.761	1.154	
Denmark	13.774	4.238	2.123	2.761	2.690	929	669	841	
Estonia	3.430	2.888	614	275	189	262	247	74	
Finland	10.728	6.875	2.878	919	1.005	1.064	1.136	5.216	
France	140.568	47.667	19.976	17.380	7.757	12.380	6.371	16.731	
Georgia	4.836	7.217	3.734	671	239	318	407	60	
Germany	201.382	118.320	35.901	29.302	24.390	16.748	12.851	5.434	
Greece	26.177	15.801	9.281	6.376	2.263	2.118	727	506	
Hungary	29.473	21.975	8.054	3.454	4.308	1.569	3.064	619	
Iceland	558	236	85	80	62	36	7	110	
Ireland (3)	ND	ND	ND	ND	ND	ND	ND	ND	
Israel	9.838	3.531	1.535	1.706	1.037	1.137	224	550	
Italy	152.188	77.068	37.200	20.772	16.187	13.301	5.733	9.794	
Kazakhstan	14.498	12.545	8.423	8.287	9.851	728	8.645	3.108	
Kyrgyzstan	3.330	6.268	3.133	1.096	1.090	170	1.850	5	
Latvia	5.375	5.625	3.168	348	226	390	348	64	
Lithuania	7.225	7.883	3.582	590	508	461	766	171	
Luxembourg	986	407	146	129	102	77	63	52	
Malta	821 ND	431	179 ND	156 ND	78	60	21 ND	7	
Monaco (3) Montenegro (3)	ND	ND ND			ND	ND	ND	ND	
Netherlands	38.686	13.252	ND 6.068	ND 5.227	ND 4.694	ND 2.960	753	ND 2.837	
Norway	9.757	4.101	1.758	1.875	1.633	784	159	2.837	
Poland	86.005	59.407	20.156	10.186	5.150	5.467	5.490	1.730	
Portugal	23.598	11.300	7.675	6.082	2.205	1.997	1.112	1.401	
Moldova	5.349	7.998	3.896	854	625	267	2.667	127	
Romania	45.282	52.171	29.043	6.694	4.788	2.293	8.599	1.558	
Russian (3)	ND	ND	ND	ND	ND	ND	ND	ND	_
San Marino	54	26	7	7	6	5		4	
Serbia	19.190	18.898	8.007	2.535	1.999	1.081	682	572	
Slovakia	12.189	8.011	3.372	1.364	707	918	1.324	506	
Slovenia	5.261	2.714	1.264	576	308	469	466	118	
Spain	95.642	41.088	17.926	21.921	12.437	7.485	4.099	11.945	
Sweden	20.094	11.392	4.282	2.776	2.291	1.825	656	2.006	
Switzerland (3)	ND	ND	ND	ND	ND	ND	ND	ND	
Tajikistan (3)	ND	ND	ND	ND	ND	ND	ND	ND	
Macedonia (3)	ND	ND	ND	ND	ND	ND	ND	ND	
Turkey	68.828	53.777	24.515	20.297	20.664	5.756	2.074	8.454	
Turkmenistan	ND	ND	ND	ND	ND	ND	ND	ND	
Ukraine	74.773	148.962	57.129	7.405	6.678	3.626	ND	282	
United Kingdom	147.415	54.126	25.532	37.644	26.395	11.571	7.042	11.643	
Uzbekistan	11.001	31.800	9.270	3.727	1.302	795	6.438	10	
Total	1.412.877	965.879	406.635	239.375	176.864	107.612	92.513	92.090	

Note 1. Conditions non included in the ATLAS estimation but included in the estimation of Knaul FM et al, 2017: malnutrition, injury, birth trauma-low birth weight, prematurity and renal failure Note 2. The multiplier for each condition is the estimation of patient with that condition who can be beneficed from PC as proposed in the Lancet's Commission study (Knaul FM et al, 2017).

Note 3. For countries without data in that year the need is estimated using neighbor's country's data as a proxy.

Note 4. The proportion of children of the total who die every year needing PC: in Low-Middle Income Countries represent the 12%; in High Income Countries only 0.6% (Knaul FM et al, 2017).

Note 5. Source: WHO European Data Warehouse.

30% 50% 50% 70% 60% 90% 100% 30% 50% 50% N0 155 13 492 325 714 172 366 66 46 47 41 3233 826 N0 N0 N0 N0 N0 N0 160 66.71 13.61 67.75 85.596 6.671 1.164 275 2.440 79 147 35 5 5 55.596 6.671 1.164 1.855 343 1.09 74 113 1.6 7 6.671 1.134 1.65 7 7 1.16 1.5 7 8.33 3.17 7 8.33 3.17 7 8.33 3.17 7 8.33 3.17 7 8.33 3.17 7 8.366 8.33 3.17 7 8.366 <	DIGESTIVE SYSTEM	PNEUMONIA	ISCHAEMIC HEART	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE	CONGENITAL& CHROMOSOMAL ABN.	TUBERCULOSIS	AIDS/HIV	MENINGITIS	PEOPLE WHO DIE NEEDING PC	CHILDREN WHO DIE NEEDING PC (4)
231-116519255 429 29 274 70 30 1 11579 1.885 802 352 714 172 164 62 42 44 43.294 2260 1.164 275 2.449 97 152 401 275 9 5.595 6.217 1.164 275 2.449 97 152 401 275 9 5.595 6.671 1.164 275 2.489 97 126 401 275 9 5.595 6.671 1.154 1.665 335 34 216 63 31.76 2.268 2.268 1.154 1.159 5.52 661 113 16 7.64155 7.664 645 115 5.422 170 227 17 24 47 2 8.273 1.1561 170 2126 170 227 17 226 170 227 1722 729 90 517 144 106 38 33 $3.3.448$ 189 6.211 5.422 1.658 2.299 9273 435 2 18.711 2.2846 8.299 519 610 162 93 47 44 6 6.717 3.448 8.41 133 13 13 13 13.714 2.2846 8.99 519 610 162	30%	50%	5%	70%	60%	90%	100%	30%	-	-
443 255 449 29 274 70 30 11 1.5791 1.862 M0 N0 S5.566 6.6217 1.154 1.263 335 5 57.119 4.43 2 2 1.676 52.806 6.6217 1.150 1.263 34 4 2 2 1.676 52.813 1.34 643 33 34 22 1.076 33.83 1.7 9 6.763 371 1.342 1.129 1.302 1.339 100 35 1.7 9 6.763 371 1.86 7.7699 36.733 31.441 189 775 1.26 170 27 1.7 1.6 5 3 3 31.44 189 6.711 5.422 9.99	ND	ND	ND	ND	ND	ND	ND	ND	17.383	2.086
B22 352 714 172 164 62 42 44 44.2.294 226 1.164 275 2.449 97 115 401 275 9 55.596 6.217 1.164 275 2.43 33 34 24 1.05 7.165 2.21 1.176 2.284 1.155 7.38 633 33 74 1.11 116 7 64.155 7.68 643 1.33 34 25 100 4 4 0 2.838 1.31 651 7.78 1.92 2.53 91 1.11 116 5 30.021 1.800 717 1.56 7.78 1.92 2.53 91 1.11 16 5 30.021 1.802 6.711 5.422 1.636 2.768 689 3.99 40 2.99 1.722 6.717 1.636 2.976 1.00 1.251 1.742	2	3	1	-	1	-	-	-	165	1
N0 N0 N0 N0 N0 N0 N0 S1.099 66.271 1.104 1.275 9 5.556 6.671 1.104 1.085 385 379 1.47 355 55 57.139 383 984 0.03 1.2 9 1.03 2 9 3.08 2.254 1.155 778 0.633 3.0 2 9 3.08 2.254 0.643 3.33 3.4 2.253 91 1.1 1.6 5 3.021 1.80 1.75 1.26 1.77 1.912 2.658 9.21 1.80 3.3 3 3.3 3.3 3.2 3.44 1.89 729 9 517 1.44 1.66 9.2 1.02 4.38 3.71 1.22.45 1.1561 8.355 6.0.58 2.22 9.9 2.79 3.88 3.7 4.74.328 2.866 1.52 1.10	493	255	429	29	274	70	30	1	15.791	1.895
1.184 275 2.449 97 152 401 275 5 5 55.56 6.671 1.304 1.665 365 379 147 35 35 5 57.119 343 284 800 194 42 2 103 2 2 18.766 2.256 1.156 7.38 633 33 4 2 100 4 4 0 2.838 17 1.444 1.120 1.302 130 100 35 17 9 6.1768 371 144 106 36 3 3 3.1448 189 6.711 5.422 1.861 1.77 2 8.589 511 177 2.858 2.867 3.99 40 2.870.17 1.722 4.870.1 1.722 4.870.1 1.722 4.870.1 1.722 4.870.1 1.722 4.870.1 1.722 4.870.1 1.722 4.870.1 1.72.957 3.99	822	352	714	172	164	62	42	4	43.294	260
1.304 1.865 376 147 35 35 5 97.119 383 284 90 103 2 18.756 2.256 6.45 199 542 109 65 36 4 2 31.821 191 1.343 1.129 1.302 139 100 35 17 9 61.763 371 1.51 177 125 170 27 17 25 47 2 8.569 51 175 126 170 27 17 25 47 2 8.569 51 6.711 5.422 16.83 2.7668 862 399 359 40 287.07 1.722 404 241 296 46 92 10 1.723 2.865 1.81 1.91 1.703 1.72 404 241 296 1.81 1.97 2.91 1.74 8.92 2.86 1.92 <t< td=""><th>ND</th><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>51.809</td><td>6.217</td></t<>	ND	ND	ND	ND	ND	ND	ND	ND	51.809	6.217
284 80 194 42 99 103 2 2 18.766 2.264 1.156 738 633 39 74 113 16 7 64.155 7.699 645 133 34 25 10 4 4 0 2.283 17 1.420 1.302 139 100 35 17 9 61.768 371 1651 778 199 253 91 11 16 5 30.021 180 175 126 170 27 17 2 47 2 8.569 51 177 16.63 3 3 3.1.448 189 6.61 172 2.245 1.641 8.565 6.0.58 2.322 999 279 388 37 474.328 2.846 1.91 1.610 162 7 10 1.251 85 10 10 1.256 5.152	1.164	275	2.449	97	152	401	275	9	55.596	6.671
1.156 738 633 39 74 113 16 7 64.15 7.699 645 195 544 105 65 36 4 2 31.851 191 1.342 1.120 1.302 139 100 35 17 3 61.768 371 1.342 1.120 1.00 27 17 25 47 2 8.669 81 1.75 126 170 27 17 25 47 2 8.669 81 6.711 5.422 16.85 2.768 862 389 37 474.328 2.866 1.8356 6.058 2.322 999 279 388 37 474.328 2.866 1.917 409 1.607 291 1.92 78 1.5 11 7.055 462 1.17 31 1.6 1.0 5 1 0 1.25.86 1.52 <	1.304	1.685	385	379		35	35		57.119	343
645 195 542 109 65 36 4 2 31.821 191 633 33 34 25 10 4 4 0 2.838 177 1.342 1.139 1.302 139 100 35 177 9 61.763 371 651 7778 192 223 91 11 16 5 30.021 180 729 90 517 1.44 106 36 3 31.448 189 6.711 5.422 1.636 6.058 2.322 99 279 386 37 44.32 2.866 989 519 610 162 93 47 46 65.717 394 1.97 7 1 10 1.251 8 10 1.251 8 1.917 49 1.607 291 192 78 151 13 7 2.111 127	284		194	42			2		18.786	2.254
63 33 34 25 10 4 4 7 2.838 17 1.342 1.129 1.302 133 100 35 17 9 61.763 371 1.75 126 170 27 17 25 47 2 8.569 81 729 90 517 144 106 3 3.1.448 189 6.711 5.422 1.636 2.768 862 389 559 40 287.017 1.722 404 441 299 46 92 102 45 2 18.71 2.245 11.551 8.356 6.058 2.322 999 279 386 37 474.328 2.866 389 519 610 10 5 1 0 1.251 8 ND ND ND ND ND ND ND 1.261 8 3.104 2.106										
1.342 1.199 1.302 133 100 35 17 9 6.1.763 371 6.51 778 192 253 91 11 16 5 30.021 180 717 126 170 27 17 25 47 2 8.669 51 729 90 517 1.44 106 36 3 3 3.1448 189 6.711 5.422 1.656 0.58 2.32 99 29 388 37 474.328 2.846 9.99 519 610 1.62 93 47 44 6 65.717 384 1.917 409 1.607 291 192 78 11 0 1.251 8 1.01 ND ND ND ND ND ND 10 1.251 8 8.959 1.01 3.0 7 3.3 1.6 1.3 4										
651 778 192 253 91 11 16 5 30.021 180 175 126 170 27 17 25 47 2 8.569 51 729 90 517 144 106 36 3 3.1.444 189 6.711 5.422 1.633 2.766 8662 339 37 474.328 2.846 1.90 8.56 6.059 2.322 999 279 38 37 474.328 2.846 1.917 409 1.607 291 192 78 15 11 77.035 462 1.0 1.807 193 2.266 151 13 27 7 2.1.11 127 6.702 4.571 3.483 2.166 766 259 722 4 35.1.04 8.106 4.17 3.433 2.166 766 259 722 4 35.1.04 8.106										
175 126 170 27 17 25 47 2 8.569 51 729 90 517 144 106 36 3 3 3.448 109 6711 5.422 1.636 2.768 862 3.89 3.59 40 287.01 1.722 404 2.41 2.99 .46 92 100 45 2 18.711 2.246 969 519 610 122 93 47 44 6 65.717 334 1.917 409 1.607 2.91 192 78 15 1 77.035 462 1.917 419 1.607 1.93 2.36 151 1.3 2.7 7 1.111 127 1.71 31 1.6 10 5 1 0 2.356 152 1.71 31 1.6 10 5 1 0 1.365 2.34 <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>										
779 90 517 144 106 36 3 3 31.448 189 6.711 5.422 1.636 2.768 862 389 359 40 287.017 1.722 14.561 8.356 6.058 2.322 999 279 388 37 474.328 2.846 989 519 610 162 93 47 44 6 65.717 394 1.917 409 1.607 291 192 78 15 11 77.035 462 1.7 31 16 10 5 1 0 1.851 8 MD <nd< td=""> ND ND ND ND 1.26 74.663 8.959 701 319 577 63 174 459 130 7 19.366 2.335 139 617 333 16 13 4 1 3 1 1.065 132</nd<>										
6.711 5.422 1.636 2.768 862 389 359 40 287.017 1.722 444 241 299 46 92 102 45 2 18.711 2.245 11.561 8.356 6.058 2.322 999 277 388 37 474.4328 2.846 989 519 610 162 93 47 44 6 65.717 394 1.917 409 1.60 5 1 0 1.251 8 ND ND ND ND ND ND 1.00 1.251 8 421 507 1343 2.766 151 13<27			-							
404 241 299 46 92 102 45 2 18.711 2.245 11.561 8.356 6.058 2.322 999 279 388 37 474.388 2.845 1999 519 610 162 93 47 44 6 65.717 394 1.917 409 1.607 291 192 78 11 0 1.251 8 ND ND ND ND ND ND ND ND 2.366 152 441 507 193 2.366 151 13 27 7 21.11 127 6.72 4.551 3.483 2.186 769 180 27 18.531.004 2.066 4.50 1.615 651 567 22 4 23.135 139 51 33 16 13 4 1 3 2.062 22.04 23.135 139 1										
11.561 8.356 6.058 2.322 999 279 388 37 474.328 2.846 989 519 610 162 93 47 44 6 65.717 394 1.917 409 1.607 291 192 78 15 11 77.035 462 177 31 16 10 5 1 0 1.251 88 ND ND ND ND ND ND 25.366 152 421 507 193 2.36 0.51 13 27 7 21.11 127 6.772 4.571 3.483 2.186 766 259 722 24 31.024 2.106 4.001 319 572 6.63 174 459 130 7 19.365 2.324 297 173 444 1 3 2 3.13 19.365 2.324 131 33										
989 519 610 162 93 47 44 6 65.717 394 1.917 409 1.607 291 192 78 15 11 77.035 6422 177 31 16 10 5 1 0 1.251 8 ND ND ND ND ND ND ND 25.366 152 421 507 193 236 151 13 27 7 21.11 127 6.772 4.571 3.483 2.186 766 259 722 24 351.024 2.106 4.050 1.615 651 587 694 769 181 26 74.658 8.559 701 319 572 63 174 445 13 7 2.082 12 13.33 139 13 140 3 - 2.092 12 14.33 14.33 11 15.33										
1.917 409 1.607 2.91 1.92 78 1.5 1.1 77.33 462 ND 23.6 1.51 1.3 27 7 21.111 1.27 6.772 4.571 3.483 2.186 766 259 722 24 351.024 2.106 4.050 1.615 651 587 694 769 181 26 74.658 8.595 701 319 572 63 174 459 130 7 19.365 2.324 297 173 404 50 28 59 102 2 4 23.135 139 51 33 16 13 4 1 3 1 1903 11 ND ND ND ND ND ND ND 2.366 152 13										
17 31 16 10 5 1 0 1.251 8 421 507 193 236 151 13 27 7 21.11 127 6.772 4.571 3.483 2.186 766 259 722 24 351.024 2.106 4.050 1.615 651 587 694 769 181 26 74.558 8.59 701 319 572 63 174 4459 130 7 13.365 2.324 297 173 404 50 28 59 102 2 16.658 100 627 226 736 622 56 205 22 4 23.35 133 16 13 4 1 3 1 1.003 111 ND ND ND ND ND ND ND 2.335 1.312 1.450 444 732 <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>										
ND 23.66 152 4.21 507 193 23.6 151 13 27 7 21.11 127 6.772 4.571 3.433 2.186 766 259 722 24 351.024 2.106 4.050 1.615 651 587 664 769 181 26 74.658 8.959 701 319 572 63 174 459 100 2 16.658 100 627 23.6 73.6 622 56 205 22 4 23.35 139 51 33 16 13 4 1 3 1.903 11 ND ND ND ND ND ND ND 2.826 131 38 17 78.759 473 363 633 205 186<										
421 507 193 236 151 13 27 7 21.111 127 6.772 4.571 3.483 2.186 766 259 722 24 351.024 2.106 4.050 1.615 651 587 634 174 459 130 7 19.365 2.324 297 173 404 50 28 59 102 2 16.658 100 627 226 736 62 56 205 22 4 23.135 139 51 33 16 13 4 1 3 - 2.082 12 134 54 34 14 8 1 3 1 1.003 11 ND ND ND ND ND ND 2.082 13 1.312 1.450 444 732 2.58 31 38 17 78.759 473						ND				
6.772 4.571 3.483 2.186 766 259 722 24 351.024 2.106 4.050 1.615 651 587 694 769 181 26 74.658 8.859 701 319 572 63 174 459 130 7 19.365 2.324 297 173 404 50 28 59 102 2 4.658 100 627 236 736 662 56 205 22 4 23.135 139 51 33 16 13 4 1 3 - 2.082 12 34 54 34 14 8 1 3 1 1.033 11 ND ND ND ND ND ND ND 4.818 575 1.312 1.450 444 732 258 31 38 17 78.759 473										
701 319 572 63 174 459 130 7 19.365 2.324 297 173 404 50 28 59 102 2 16.658 100 627 236 736 622 56 205 22 4 23.135 139 51 33 16 13 4 1 3 - 2.062 12 34 54 34 14 8 1 3 1 1.903 11 ND ND ND ND ND ND ND 438 578 1.312 1.450 444 732 258 31 38 17 78.759 473 363 633 205 186 71 11 11 3 22.323 134 4.619 61.25 1.927 4412 577 480 125 43 207.847 1.247 <td< td=""><th></th><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>										
297 173 404 50 28 59 102 2 16.658 100 627 236 736 622 56 205 22 4 23.135 139 51 33 16 13 4 1 3 - 2.082 12 34 54 34 14 8 1 3 1 1.003 11 ND ND ND ND ND ND ND ND 111 3 1.032 1.12 1.450 444 732 258 31 38 17 78.759 473 3.63 633 205 1.86 71 11 11 3 22.23 1.34 4.619 6.125 1.927 412 527 480 125 43 207.847 1.247 1.381 2.815 373 285 99 185 419 10 6.0337	4.050	1.615	651	587	694	769	181	26	74.658	8.959
627 236 736 62 56 205 22 4 23.135 139 31 33 16 13 4 1 3 - 2.082 12 34 54 34 14 8 1 3 1 1.003 11 ND ND ND ND ND ND ND 25.366 152 ND ND ND ND ND ND ND 4.818 578 1.312 1.450 444 732 256 31 36 17 78.759 473 363 633 205 186 71 11 13 22.32 134 4.619 6.125 1.927 412 527 480 125 43 207.847 1.247 1.381 2.815 373 225 93 203 11 6.0337 366 1.066 435 731	701	319	572	63	174	459	130	7	19.365	2.324
51 33 16 13 4 1 3 2.082 12 34 54 34 14 8 1 3 1 1.903 11 ND 4.818 5.788 1.312 1.450 444 732 2.58 31 38 17 78.759 473 363 633 205 1.86 71 11 11 3 22.323 1.34 4.619 6.125 1.927 412 527 480 125 43 207.847 1.247 1.31 2.815 373 2.85 99 185 419 10 60.337 2.644 4.364 2.841 2.534 2.99 2.63 1.013 203 11 161.686 19.402 10.1060.852 6.8630<	297	173	404	50	28	59	102	2	16.658	100
34 54 34 14 8 1 3 1 1.903 111 ND A4.818 578 1.312 1.450 444 732 258 31 38 17 78.759 473 363 6633 205 1.86 71 11 11 3 22.323 134 4.619 6.125 1.927 412 527 480 125 43 207.847 1.247 1.381 2.815 373 228 93 286 97 6 24.537 2.944 4.364 2.841 2.534 2.99 263 1.013 203 11 16.066 18.402 ND ND ND ND ND ND 1.1056 72 <	627	236	736	62	56	205	22	4	23.135	139
ND A4818 578 1.312 1.450 444 732 258 31 38 17 78.759 473 363 633 205 1.86 71 11 11 3 22.323 1.34 4.619 6.125 1.927 412 527 460 125 43 207.847 1.247 1.381 2.815 373 285 99 185 419 10 60.937 366 1.086 435 731 22 93 266 97 6 24.537 2.944 4.364 2.841 2.534 2.93 1.94 11 1 1 1 1 1 1 1 1	51	33	16	13	4	1	3	-	2.082	12
NDNDNDNDNDNDNDND4.8185781.3121.45044473225831381778.7594733636332051867111111322.3231344.6196.1251.92741252748012543207.8471.2471.3812.8153732859918541910060.9373661.086435731229328697624.5372.9444.3642.8412.534292631.013203111161.68619.402NDNDNDNDNDNDNDND1.060.8526.36521111111.00550149999729112855.2496.63086878966756102311730.911185292291935923194111.956725.8164.2231.6282.57549725170032228.2641.370848883629337154269448.212289NDNDNDNDNDNDND2.7523.330NDNDNDNDNDNDND2.7523.33	34	54	34	14	8	1	3	1	1.903	11
1.312 1.450 444 732 258 31 38 17 78.759 473 363 633 205 186 71 11 11 3 22.323 134 4.619 6.125 1.927 412 527 480 125 43 207.847 1.247 1.381 2.815 373 285 99 185 419 10 60.937 366 1.086 435 731 22 93 286 97 6 24.537 2.944 4.364 2.841 2.534 29 263 1.013 203 11 161.686 19.402 ND ND ND ND ND ND ND 1060.852 6.365 2 1 1 - - - - 111 11 1 1.005 501 499 99 72 91 12 8 55.249 6.630 292 291 93 59 23 19 4 1	ND	ND	ND	ND	ND	ND	ND	ND	25.366	152
363 633 205 186 71 11 11 3 22.323 134 4.619 6.125 1.927 412 527 480 125 43 207.847 1.247 1.381 2.815 373 285 99 185 419 10 60.937 366 1.086 435 731 22 93 286 97 6 24.537 2.944 4.364 2.841 2.534 29 263 1.013 203 11 161.686 19.402 ND ND ND ND ND ND ND 1.060.852 6.365 2 1 1 - - - - 111 1	ND	ND	ND	ND	ND	ND	ND	ND	4.818	578
4.6196.1251.92741252748012543207.8471.2471.3812.815373285991854191060.9373661.086435731229328697624.5372.9444.3642.8412.534292631.01320311161.68619.402NDNDNDNDNDNDNDND1.060.8526.36521111111.00550149999729112855.2496.63086878966756102311730.91118529229193592319411.956725.8164.2231.6282.57549725170032228.2641.370848883629337154269448.212289NDNDNDNDNDNDND27.7523.330NDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.6826.408NDNDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.6826.408 <th>1.312</th> <td>1.450</td> <td>444</td> <td>732</td> <td>258</td> <td>31</td> <td>38</td> <td>17</td> <td>78.759</td> <td>473</td>	1.312	1.450	444	732	258	31	38	17	78.759	473
1.3812.815373285991854191060.9373661.086435731229328697624.5372.9444.3642.8412.534292631.01320311161.68619.402NDNDNDNDNDNDNDNDND1.060.8526.36521111111.00550149999729112855.2496.63086878966756102311730.911185292291935923194111.956725.8164.2231.6282.57549725170032228.2641.370848883629337154269448.212289NDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDND12.5341.6042.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDNDND14.4824.9782.9964.9393.0657993.2725107844220.068 </td <th></th> <td></td> <td></td> <td></td> <td></td> <td>11</td> <td></td> <td>3</td> <td></td> <td></td>						11		3		
1.086 435 731 22 93 286 97 6 24.537 2.944 4.364 2.841 2.534 29 263 1.013 203 11 161.686 19.402 ND ND ND ND ND ND ND ND ND 111 1 1 1 - - - - - 111 1 1.005 501 499 99 72 91 12 8 55.249 6.630 868 789 667 56 102 31 1 7 30.911 185 292 291 93 59 23 19 4 1 11.956 72 5.816 4.223 1.628 2.575 497 251 700 32 228.264 1.370 848 883 629 337 154 26 9 4 48.212 289 ND ND ND ND ND ND 27.52 3.33	4.619		1.927				125	43		
4.364 2.841 2.534 2.9 263 1.013 203 11 161.686 19.402 ND ND ND ND ND ND ND ND ND 1060.852 6.365 2 1 1 - - - - 111 1 1.005 501 499 99 72 91 12 8 55.249 6.630 868 789 667 56 102 31 1 7 30.911 185 292 291 93 59 23 19 4 1 11.956 72 5.816 4.223 1.628 2.575 497 251 700 32 228.264 1.370 848 883 629 337 154 26 9 4 48.212 289 ND ND ND ND ND ND 27.55 3.300 ND										
ND ND<										
2 1 1 - - - - - 111 1 1.005 501 499 99 72 91 12 8 55.249 6.630 868 789 667 56 102 31 1 7 30.911 185 292 291 93 59 23 19 4 1 11.956 72 5.816 4.223 1.628 2.575 497 251 700 32 228.264 1.370 848 883 629 337 154 26 9 4 48.212 289 ND ND ND ND ND ND 44.821 249 ND ND ND ND ND ND ND 27.752 3.330 ND ND ND ND ND ND ND 12.534 1.504 2.996 4.939 3.065 <td< td=""><th></th><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>										
1.00550149999729112855.2496.63086878966756102311730.911185292291935923194111.956725.8164.2231.6282.57549725170032228.2641.370848883629337154269448.212289NDNDNDNDNDNDND41.482249NDNDNDNDNDND27.7523.330NDNDNDNDNDND27.7523.330NDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798						ND				
86878966756102311730.911185292291935923194111.956725.8164.2231.6282.57549725170032228.2641.370848883629337154269448.212289NDNDNDNDNDNDND41.482249NDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798						-				
292291935923194111.956725.8164.2231.6282.57549725170032228.2641.370848883629337154269448.212289NDNDNDNDNDNDND41.482249NDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798										
5.8164.2231.6282.57549725170032228.2641.370848883629337154269448.212289NDNDNDNDNDNDND41.482249NDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798										
848 883 629 337 154 26 9 4 48.212 289 ND ND ND ND ND ND ND ND 41.482 249 ND ND ND ND ND ND ND 27.752 3.330 ND ND ND ND ND ND ND 27.752 3.330 ND ND ND ND ND ND ND 27.752 3.330 ND ND ND ND ND ND ND 12.534 1.504 2.996 4.939 3.065 799 3.272 510 78 44 220.068 26.408 ND ND ND ND ND ND 41.482 4.978 7.568 2.492 14.572 363 908 4.716 4.399 65 333.938 40.073 8.362 13.902 3.458 2.98										
NDNDNDNDNDNDND41.482249NDNDNDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798										
NDNDNDNDNDNDNDND27.7523.330NDNDNDNDNDNDNDND12.5341.5042.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798										
ND ND ND ND ND ND ND ND 12.534 1.504 2.996 4.939 3.065 799 3.272 510 78 44 220.068 26.408 ND ND ND ND ND ND ND 41.482 4.978 7.568 2.492 14.572 363 908 4.716 4.399 65 333.938 40.073 8.362 13.902 3.458 2.986 1.263 314 178 52 351.938 2.111 2.613 1.683 2.095 116 508 1.642 309 10 73.316 8.798										
2.9964.9393.0657993.2725107844220.06826.408NDNDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798										
NDNDNDNDNDNDND41.4824.9787.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798										
7.5682.49214.5723639084.7164.39965333.93840.0738.36213.9023.4582.9861.26331417852351.9382.1112.6131.6832.0951165081.6423091073.3168.798										
8.362 13.902 3.458 2.986 1.263 314 178 52 351.938 2.111 2.613 1.683 2.095 116 508 1.642 309 10 73.316 8.798										
2.613 1.683 2.095 116 508 1.642 309 10 73.316 8.798										
	2.613		2.095	116	508		309	10	73.316	8.798
	86.876	72.217	56.796	19.317	13.464	13.196	9.116	528	4.428.663	138.913

Methods of the project

Definition of 'Palliative Care development'

Development, in this context, refers to the processes, structures, policies and resources that support the delivery of palliative care. Palliative care development was organised according to the WHO public health strategy for palliative care, which includes service provision and implementation, policies, education, and medicine availability (see WHO framework). In addition, we provide information on a fifth dimension, palliative care vitality, which reflects the level of professional activity within the country.


Who framework

In order to effectively develop and integrate palliative care into health care systems, the WHO launched a Public Health Model. This model includes advice and guidelines to governments for implementing national palliative care based on four components: 1) appropriate policies, 2) adequate use of medicines, 3) education of health care workers and the public and 4) implementation of palliative care services at all levels of society. This process is always applied within the cultural context, disease demographics, socioeconomics and the health care system of a country.

Development of the project

This project was developed in six step or different phases (see *figure*).

Methodology Flowchart



EAPC Atlas of Palliative Care in Europe **36**

Step 1: Systematic review

We conducted a systematic review to identify the most commonly used national-level indicators on palliative care development in cross-national studies. Articles included fulfilled the following inclusion criteria: mention (1) palliative care development, AND/OR; (2) palliative medicine development, AND/OR; (3) hospice and PC nursing development, AND; (4) use of indicators that allow cross-national comparison of at least two countries, AND; (5) report on national-level development or status, AND; and (6) published between January 1, 2008 and July 31, 2017. Peer-reviewed literature was searched using PubMed and CINAHL, and an additional search was conducted on Google Scholar and Google to assess grey literature. The following Mesh terms were used in the search: [(Palliative Care OR Hospice Care), (Development OR Provision OR Mapping), and (National OR International)].

Articles and reports found were assessed by title and abstract. National-level indicators were compiled and clustered by dimensions of the WHO Public Health Strategy, plus two additional categories: research and vitality (professional activity). Within clusters, each indicator was labelled with frequency of appearance and in the end 38 indicators were selected. The six most frequently used indicators were the number of palliative care services per population, the existence of a national palliative care plan, strategy, or programme, the existence of palliative medicine specialisation, the availability and allocation of funds for palliative care, the proportion of medical schools including PC in undergraduate curricula, and the consumption of opioids.

While there were several indicators assessing development at the level of general health care provision, there was a clear lack of indicators assessing integration of palliative care into health systems. We refer to indicators on the development of paediatric palliative care, the provision of palliative care at long-term care facilities, at the primary care level, in malignant and non-communicable diseases and on the integration with volunteers (Arias-Casais, 2018).

Step 2: Consensus process with the committee of international experts

A group of international experts on palliative care development were invited to participate in a two-round modified RAND/UCLA Delphi consensus process to select the best indicators resulting from the review. Expert selection criteria included: a) experience in palliative care development evaluation projects, and c) participation in palliative care networks or advocacy activities for at least four years. Forty-four experts were invited to participate, of which thirty assessed 45 indicators by relevance, measurability and feasibility (1-9). These three scores were used to calculate a Global Score (1-9). Indicators scoring >7 proceeded to the second round, in which experts assessed 34/45 indicators. Median, Confidence Interval (CI), Content Validity Index (I-CVI), and Disagreement Index were calculated. Indicators scoring a 95% CI ≥ 7 and an I-CVI ≥ 0.30 were selected.

Twenty-four experts (see the International Committee of experts on indicators) representing five continents and several organisations completed the study. Twenty-five indicators showed a high content validity and level of agreement. They were thus selected as 25 of the best indicators to assess national-level palliative care development. Policy indicators included - among others- the existence of designated staff in the national Ministry of Health, the inclusion of palliative care services in the basic health package and in the primary care list of services. Education indicators focused on processes of official specialisation for physicians, inclusion of teaching at the undergraduate level and existence of palliative care professors. Use of medicines indicators consisted of opioid consumption, availability and prescription requirements whereas services indicators included mainly number and types of services for adults and children. Additional indicators for professional activity were identified (Arias-Casais, 2019). These indicators were used to create the 2019 EAPC Atlas of Palliative Care survey, which was sent to key informants in each country.



Cover of Brief Manual on Health Indicators to Assess Global Palliative Care Development.

Methods of the project

These indicators were compiled in the Brief Manual on Health Indicators to Assess Global Palliative Care Development, which has been endorsed by other international organizations promoting palliative care (Arias-Casais, 2019).

•]

 Table.
 Indicators used in the EAPC Atlas of Palliative Care Development in Europe 2019.

DOMAIN	CODE	NAME
POLICY	P1	Designated human resource (labelled as unit, branch, department) in the Ministry of Health (or equivalent) responsible for palliative care
	P2	Existence of a current national palliative care plan, programme, policy or strategy
	P3	Existence of a specific PC national law
	P4	Existence of national standards and norms for the provision of palliative care services
	P5	Existence of systems of auditing, quality evaluation, improvement or assurance for PC services
	P6	Allocation of funds for palliative care activities in the national health budget by the Ministry of Health or equivalent government agency
	P7	Inclusion of PC services in the basic package of health services
	P8	Inclusion of PC in the list of health services provided at primary care level in the national health system
EDUCATION	E1	Existence of a process of official specialisation in Palliative Medicine for physicians, recognized by the competent authority
	E2	Medical schools including mandatory palliative care education in undergraduate curricula
	E3	Nursing schools including mandatory palliative care education in undergraduate curricula
	E4	Professorship in PC in medical schools
USE OF MEDICINES	M1	Opioid consumption – in morphine equivalence (ME) excluding methadone- per capita as reported
		to the INCB (year)
	M2	General availability of immediate-release oral morphine (liquid or tablet) at the primary care level
	M3	Requirement of specific licenses to prescribe opioids
	M4	Professionals legally allowed to prescribe opioids
SERVICE PROVISION	S1	Number of specialised home palliative care teams (estimate)
	S2	Number of inpatient palliative care units in hospitals (public and private) (estimate)
	S3	Number and type of palliative care programs for children (estimate)
	S4	Number of inpatient hospices
	S5	Number of specialised hospital palliative care support teams
	S6	Number of specialised palliative care services in the country per population
PROFESSIONAL ACTIVITY	V1	Existence of at least one national palliative care association
	V2	Existence of a national palliative care directory of services
	V3	Number of scientific articles on PC development in the past five years

Step 3: EAPC dedicated studies on Palliative Care integration

A1s mentioned in step 1, we identified a lack of indicators assessing palliative care integration into several fields of the health system: into paediatrics, into public health systems, in long-term care facilities, at the primary level, in cardiology and in volunteering. Therefore we invited the EAPC leaders of these Task Forces to participate in a selection process of national-level indicators through an in-depth interview. Additional indicators were extracted from peer-reviewed articles retrieved from a search in PubwMed using the following search terms: Field of interest AND Europe AND Development AND/OR Integration. Identified indicators were rated by EAPC Task Force leaders by relevance, measurability and feasibility (1-9). A Global Score was calculated for each indicator. Indicators scoring >7 were selected as most representative and were included in surveys sent to a network of experts specific to the studied field.

Furthermore, a specific process was followed for evaluating the status of palliative care education at the undergraduate level across Europe. With the support of the University of Bologna and the University of Bern, a network of experts on palliative care education during the EAPC Research Congress in Bern were identified and invited to join a network of experts, most of them palliative care professors from 27 countries. Indicators were built based on a collaborative effort of the aforementioned collaborators and knowledge of the ATLANTES Research Programme on the matter. The online survey included 21 indicators questions retrieved from the Delphi process and others designed by this specific research team.

Similarly, one last study was developed on the integration of palliative care and oncology through an on-line search in public databases: ESMO, Clinical.Trials.gov and Scopus in April 2019 exploring the existence of centres certified for the integration of integrated Oncology and PC, the number of clinical trials on early integration of palliative care in oncological treatments and the number of publications on palliative care integration in Oncology.

Step 4: Creating national expert networks

A. Identification of key informants for the general study.

'Key Informants' refer to the persons that reported on the data for each of the indicators included in the general study for their respective countries. Key Informants were identified in 54 of the WHO-European countries, of which 51 countries replied to the survey. Three countries had no key Informants due to the fact that palliative care services and/or activity was not yet available in the country or were at such an initial stage that no experts were not yet available.

The Key Informants were chosen based on the following qualifications: 1) leader of the national palliative care association, where available, 2) Ministry of Health representative for the country, 3) leader of a major palliative care service in the country, 4) key informants of previous Atlas studies. An additional search was conducted identifying key informants from peer-reviewed articles and country reports on PC development. In total 249 Key informants were identified. 180 were contacted, 104 agreed to participate in the study, and lastly 92 completed the questionnaire. An online survey containing the consensus- based indicators (See step 1) was sent on December 2018. Key informants names are included in each country report. Names of those persons wishing to remain confidential are shown as such.


B. Identification of key informants for the EAPC specific studies on PC integration.

'Key informants for EAPC specific studies' refer to 240 persons that reported on the data for each of the indicators included in each EAPC specific study (See step 3). They were identified differently varying from 12 to 34 countries, depending on the study. They were identified based through: 1) Membership in corresponding EAPC Task Forces, 2) Authorship of scientifically-related White Papers or Statements, 3) a specific literature search on each field or 2) nomination by EAPC Task Force leaders. As a result, a network for each field to study was created. 512 Key informants were contacted and invited to participate. Finally, 240 key informants completed the online survey.

SURVEY	GENERAL DEV.	CARDIOLOGY	EDUCATION	PAEDIATRICS	PRIMARY	PUBLIC	LONG	VOLUNTEERS	TOTAL
Experts identified	249	64	167	98	94	98	85	54	909
Experts contacted	180	52	157	67	67	63	62	44	692
Experts who accepted invitation	104	15	64	65	62	45	50	40	445
Experts who complete survey	92	15	40	42	50	29	25	28	321
Countries with more than one informar	1t 31	3	7	8	12	3	6	10	31
Countries with only one informant	20	9	20	26	22	23	12	6	20
Countries represented	51	12	27	34	34	26	18	16	51

Table. Experts participating in The 2019 EAPC ATLAS surveys and countries reperesented.

Methods of the project



Step 5: Hand-desk review

We conducted a literature review of scientific articles in the literature on the development of palliative care for each of the countries included in the Atlas. The Mesh terms "name of the country" AND "Palliative Care" AND/OR "Development" were used to identify a selection of articles that are displayed within each country report for further reading.

Also we perform another literature review of scientific articles to identify relevant papers for each topic related to the integration of PC. The Mesh terms used to identify the articles are displayed within the dedicated chapters on palliative care integration.

Step 6: Data depuration

'Once data from all of the surveys were returned, each data point was reviewed by the Principal Investigator and one additional member of the project team. In countries where there were discrepancies between two Key Informants for the same country, data were confirmed using the following method:

- **a.** Comparing the data points with the comments included from the Key Informants .
- **b.** Comparing with the Hand-desk Review data and data from other Atlases where information was previously available
- c. Cross-checking with a member of the national palliative care association.
- d. Giving priority to a member of the national association or Ministry of Health when the other respondent was from a single hospital or hospice.
- e. Returning the data back to the Key Informants for clarification on non-reconcilable data points.

Once discrepancies were clarified, Key Informants received a preliminary country report for checking and further clarification. Information provided summarised data from each country's review, expert's responses and additional comments made by national associations. Key informants were asked to add any missing data, correct mistakes and provide further proofs (i.e. attach national plan or official strategy document). Two researchers went once again through each country report before data were sent to the editorial team.

The cartography

The cartography has been developed by Professor Juan José Pons (Department of History, History of Art and Geography of the University of Navarra).

The digital coverage 'Admin O – Countries' at medium scale (1:50,000,000) were obtained from Natural Earth (https://www. naturalearthdata.com), and others data range varietythemes from the ArcGIS Website (under a Creative Commons license). In both cases, information was updated in 2019. The software used for map construction is ArcMap (ESRI), version 10.5.

The geographic coordinates system used was GCS ETRS 1989 and the Cartographic projection Lambert Azimuthal Equal Area. This choice is based on the criteria of making the most of the available space, so as to fully represent all countries correctly. There are a big range of scales and sizes in maps, from 1:5,000,000 to 1:100,000,000.

The types of maps utilized for the thematic representation are: choropleths map (basically for "relative data"), symbols map (for absolute data or to highlight determined values presence/ absence) and bars and sectorial cartodiagrams.

In terms of representation style, a constant colours "range" has been adopted and used throughout this publication: blue for choropleths and orange for symbols and cartodiagrams; this was done to enhance the homogeneity and coherence of the cartographic version as a whole. In terms of the socioeconomic and health information used in the country reports, the data has been collected mainly from "World Bank" databases" and the United Nations reports with the clear criteria of finding the most accurate, updated and reliable data for the maximum number of countries of the WHO European region.

Abreviations

PC: Palliative Care WHO: World Health Organisation EAPC: European Association for Palliative Care PPC: Paediatric Palliative Care ME: Morphine Equivalent MOH: Ministry of Health N/A: Not Applicable

Limitations and Constraints

Some limitations of this study include:

- Being the first study to assess palliative care integration into other disciplines, levels of care and providers, demands identification and exploration of relevant, feasible and measurable indicators as well as experts on the respective fields for the first time.
- 2. To evaluate comparatively all the countries of the European continent, as for other global studies, this study uses experts in palliative care development as the main source of information. The use of experts as a source of information has intrinsic limitations. To ensure the quality of the information presented following this approach, the next measures were taken: a) establish reliable criteria for the selection process of experts, b) use of multiple information collected, d) verification with sources of additional information and previous studies, e) pre-established protocol for the clarification of the information collected, f) dissemination of the names of the experts who collaborate (with prior consent and with few justified exceptions).
- 3. Differences in terminology across Europe, the nature of the estimations itself, and a limited research workforce are also limitations to acknowledge.

4. Development and integration of Palliative Care across Europe

Chapter 1. Specialised Palliative Care Services for adults across Europe

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON SPECIALISED SERVICES FOR ADULTS

Population: 54 countries of the Europe WHO region and Lichtenstein.

Survey Details

Areas explored: 5 main health indicators on Specialised PC provision for adults (Arias-Casais N et al, 2019) plus three indicators regarding mixed services, day care centres and volunteer hospice teams.

Questionnaire: on line survey, 9 questions.

Participants: 92 national Key persons experts in national development, nominated from National Associations or identified by publications and/or previous publications.

Coverage: 51/54 countries (94%) with at less a key person identified .

Response: with two answers 31/51 countries (61%) with one answer 18/51 countries (39%)

Data collection: December 2018 to March 2019 (4 months).

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Natalia Arias, Eduardo Garralda, John Yohan Rhee, Liliana de Lima and Carlos Centeno.

Promotor: European Association for Palliative Care (EAPC).

THE NUMBER OF SPECIALISED PALLIA-TIVE CARE (PC) SERVICES IN A COUNTRY IS ONE OF THE BEST INDICATORS OF THE NATIONAL PC DEVELOPMENT, ACCORD-ING TO THE EXPERTS (1).

C specialised services are organised in interdisciplinary teams, with advanced training and full dedication on relieving the Serious Health Suffering (2) that is associated with life-threatening conditions or the end of life. Usually they are located elsewhere, in all levels of care, wherever the patient needs.

The existence of a great number of PC services is associated with the development of appropriate health policies for advanced and end-oflife patients, with a greater use of essential PC medicines, and with a better preparation of the professionals and the society. However, in order to know in depth the PC situation of a country, it is advisable to count on other health indicators and data as presentred in this Atlas.

Palliative care should be provided at all levels of care. Early detection of PC patients should be carried out in primary care services in the community and should be provided to a majority of patients by primary care professionals. However, sometimes, if the situation becomes complexthroughout the illness trajectory, it is necessary to refer to specialised teams. Patients may require this advanced resources, both for the relief of pain or other poorly controlled symptoms, but also where there is a lack of adequate family and social support.

Typology of specialised services in the ATLAS

The typology of these services is varied and remains not standardised as terminology may differ between countries.

Home Care Teams work in patients' homes or Long-Term Care Facilities, in collaboration with the basic health teams or nursing homes' staff. on other occasions care can provided in hospitals, where **Palliative Care Units** with their own beds are organised, or also through mobile teams or consultation services, generally called **Hospital Support Teams**. There may be Palliative Care Units in highly specialised hospitals or also in county, support or convalescent hospitals for chronic patients. There are also mixed models combining resources: In Norway or Spain, there are **Mixed Teams** that, generally from the hospital, provide care to patients in their homes and not only during hospital admission.


Outside hospitals, and more frequently in Anglo-Saxon countries, PC is provided in standalone facilities called **Hospices**. However, although the Hospice concept almost always designates an intermediate care resource between the hospital and the home, it can also be misleading: in Italy the term Hospice is also used to designate hospital admission units while in Germany **Hospices led by volunteers** are organisations that provide social support and services at home. Finally, we have also considered **Day care services** for PC as a particular PC resource.

Number of Specialised Palliative Care Services in Europe


The EAPC recommends two specialised PC services every 100.000 inhabitants (1 Home Care team and 1 Hospital team) (2). Provision of PC remains inequitably with the majority of services available in Western Europe. Austria and Ireland stand out (2,2 and 1,9 services per 100.000 habitants respectively), followed by Luxembourg, Belgium and Sweden. Regarding Central and Eastern Europe, Lithuania, Poland, Slovenia, Estonia, Israel and Hungary have the higher ratios. Countries reporting the highest absolute number of specialised services are Germany (914) and the United Kingdom (860).

In the following pages, we provide an overview of the number of specialised PC services obtained from experts using the EAPC cutting point as a reference.

Chapter 1. Specialised Palliative Care Services for adults across Europe










reporting European countries identify the existence of **Mixed Palliative Care teams**.



reporting European countries identify the existence of Volunteer Hospice or Palliative Care Teams.

PALLIATIVE CARE SPECIALISED SERVICES




OUARTILES	COUNTRY	TOTAL SERVICES	SERVICES PER 100,000 INHABITANTS
FIRST	Austria	193	2,2
QUARTILE	Ireland	92	1,9
QUARTILE	Luxembourg	11	1,8
	Lithuania	49	1,7
	Belgium	197	1,7
	Sweden	165	1,6
	Poland	587	1,5
	Iceland	5	1,5
	Bulgaria	100	1,4
	Estonia	18	1,4
	Israel	119	1,4
	United Kingdom	860	1,4
		61	1,3
	Norway	112	1,2
SECOND	Hungary	914	
QUARTILE	Germany Slovenia	914	1,1
			1,1
	France	653	1,0
	Switzerland	82	1,0
	Italy	570	0,9
	Albania	27	0,9
	Denmark	54	0,9
	Portugal	96	0,9
	Cyprus	11	0,9
	Netherlands	150	0,9
	Croatia	32	0,8
	Finland	39	0,7
THIRD	Romania	122	0,6
QUARTILE	Latvia	12	0,6
	Czech Republic	63	0,6
	Georgia	22	0,6
	Spain	260	0,6
	Moldova	18	0,5
	Malta	2	0,4
	Slovakia	20	0,4
	Macedonia	7	0,3
	Armenia	7	0,2
	Serbia	16	0,2
	Russian Federation	321	0,2
FOURTH	Belarus	20	0,2
OUARTILE	Turkey	164	0,2
	Kyrgyzstan	12	0,2
	Ukraine	66	0,1
	Tajikistan	9	0,1
	Bosnia & Herzegovina	3	0,1
	Kazakhstan	12	0,1
	Greece	5	0,0
	Azerbaijan	1	0,0
	Montenegro		0,0
	Uzbekistan	0	0,0
	49 countries	6387	0,8

THE CONSENSUS OF EXPERTS CONSIDERED THAT THE RATIO OF HOME CARE TEAMS PER POPULATION WAS ASSOCIATED WITH BETTER DEVELOPMENT OF PC IN A COUNTRY THAN OTHER INDICATORS (EVEN THE TOTAL NUMBER OF SERVICES). THE EUROPEAN ASSOCIATION FOR PALLIATIVE CARE RECOMMENDS FOR ADEQUATE COVERAGE OF NEEDS A MINIMUM OF ONE HOME CARE SERVICE PER 100,000 INHABITANTS.


HOME PALLIATIVE CARE SPECIALISED SERVICES IN WESTERN EUROPE Ratio per 100,000 inh.




Chapter 1. Specialised Palliative Care Services for adults across Europe




Map 1.2. Total Palliative Care Services.



Map 1.3. Inpatient Hospices.



Map 1.4. Palliative Care Services in Hospitals.



Map 1.5. Palliative Care at Home.

Chapter 1. Specialised Palliative Care Services for adults across Europe

SELECTED READINGS

1. Woitha K, et al. Ranking of Palliative Care Development in the Countries of the European Union. J Pain Symptom Manage 2016; 52(3):370-7.

2. Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005–2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med 2015;31.

3. Radbruch L, Payne S. White Paper on standards and norms for hospice and palliative care in Europe: part 2. European Journal of Palliative Care. 2010;17(1):22-33. **4. Vandaele B, et al.** The Strengths and Challenges of Palliative Day-Care Centers: Qualitative Study With the Professionals Involved. J Palliat Care. 2017;32(2):55-60.

5. Maetens A, et al. Policy Measures to Support Palliative Care at Home: A Cross-Country Case Comparison in Three European Countries. J Pain Symptom Manage 2017;54(4):523-529.

6. Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med 2017; 20(11):1195-1204.

7. Robinson J, et al. The 'problematisation' of palliative care in hospital: an exploratory review of international palliative care policy in five countries. BMC Palliat Care. 2016 25;15:64.

8. Mosoiu D, et al. Developing a costing framework for palliative care services. J Pain Symptom Manage. 2014; 48(4):719-29.

9. Arias-Casais N, et al. Brief Manual on Health Indicators to Monitoring Global Palliative Care Development. Houston: IAHPC Press, 2019.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

See the complete list of names and affiliations in the Introduction section. To complete the questionnaire, each National PC Association nominated several 'key persons' with extensive local knowledge on PC. Where this was not possible, 'key persons' were selected either due to previous participation in similar studies or to the recommendation from other PC institutions, mainly the EAPC Head Office. The mission of this key informant was to provide data regarding the provision of PC services in their respective countries. Information was depurated with received comments and peer reviewed with a second or third informant, whenever possible, and cross-checked with previous available data (see methods section).

AUTHORS

Eduardo Garralda Natalia Arias Carlos Centeno University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Chapter 2. Integration of Palliative Care and Paediatrics

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE IN PAEDIATRICS

Population: 54 countries of the Europe WHO region and Lichtenstein.

Survey 1 Details

Areas explored: 1 main health indicator on Paediatric Palliative Care services for children (Arias-Casais N et al, 2019).

Questionnaire: online survey, 72 questions, answered in (average): 80 minutes.

Participants: 92 national key persons for PC development, nominated by National Associations or identified through publications and/or previous studies.

Coverage: 51/54 countries (94%) with information.

Sources: 61% of the countries with two respondentes, 35% with one respondent, 4% other sources.

Survey 2 Details

Areas explored: 8 indicators specific to national Paediatric Palliative Care development (PPC) specially developed for this study by authors.

Questionnaire: online survey, 15 questions, answered in (average): 28 minutes.

Participants: 44 national experts in PPC.

Profile of experts (affiliation): Children's Hospital/service (4), Hospice/service (12), Health Foundation (7), National PC Association (5), PPC Association (6), Primary Health Network (3), Research centre (5), and University (7).

Coverage: 34/54 countries (94%) with at least one key person responding.

Sources: 23% of the countries with two or more respondents, 76% with one respondent.

Data collection: 12/2018 to 3/2019 (4 months).

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Lizzie Chambers (Together for Short Lives, United Kingdom), Joan Martson (ICPCN), Julia Downing (ICPCN).

Promotor: European Association for Palliative Care (EAPC).

PAEDIATRIC PALLIATIVE CARE IS A GLOBAL ISSUE.CHRONIC, NEUROLOGICAL AND CONGEN-ITAL DISEASES ACCOUNT FOR THE MAJORITY OF AILMENTS EXPERIENCED BY CHILDREN.

hildren's palliative care has only recently become recognised as a specialty and relatively few specialist PPC services exist. In many countries the care needs of children, including basic pain and symptom control, remain unmet and families are poorly supported. This could be improved by increasing specific PPC services, developing training for health professionals, providing better access to medicines and building resources to advocate for the development of PPC. This study explores the development of PPC in the WHO European Region and Liechtenstein. Findings highlight areas where further development is required in order to strengthen the provision of PPC and that there is an increasingly vocal movement advocating for the provision of PPC.

Natalia Arias, Lizzie Chambers, Joan Marston, Julia Downing.

Europe (14 countries). Some countries report having PPC integrated in all levels of the healthcare system (i.e. Germany, Netherlands, Norway, Sweden, United Kingdom). Eleven countries reported also having day care programmes and four reported other types of PPC services such as respite care (i.e. Netherlands), volunteer children's hospice teams (i.e. Austria), and psychological and bereavement support teams (i.e. Belarus).

Perinatal PC accounts for a high proportion of the PPC need. Yet, countries have deployed limited human resources and facilities to tackle it. Only eight countries reported having PPC training for neonatologists and seven a specialised reference centre for perinatal hospice or PC. All reference centres are located in Western Europe. In other areas, a high proportion of countries reported having PPC specialised consultants: Twenty countries have physicians and nurses officially trained (i.e. Belgium, Germany, Greece, Netherlands), some countries reported that official training was replaced by relevant experience (i.e. Slovakia).

Paediatric Palliative Care Provision


Three main type of services provide care specifically dedicated the care of children with life-limiting conditions within the region: inpatient hospices (standalone facilities), hospitals and home care programmes. Twenty-one countries reported having inpatient hospices, 27 had hospital PPC programmes and 29 home care programmes specifically dedicated to children's PC. Only twelve countries provide all three types of services. Hospital programmes are more commonly located in Eastern Europe. Hospices are present both in Western (15 countries) and Eastern

EAPC Atlas of Palliative Care in Europe **51**

Paediatric Palliative Care Education

Specific education on PPC is key to strengthening the health workforce capacity to provide care to neonates, children and adolescents and to supporttheir families. Fourteen countries report including PPC components in the paediatrics postgraduate medical curricula, similarly 16 countries have included PPC in paediatric nurses' curricula. Six Eastern European countries reported not including such components either in paediatricians' training nor in paediatrics nursing specialisation.

Chapter 2. Integration of Palliative Care and Paediatrics



Map 2.1. Paediatric PC programmes.


Policies regulating PPC provision


Paediatric Palliative Care Vitality

Existence of specific PPC standards and norms guiding the provision of PPC were reported in 19/34 countries. Three countries reported that they are in the process of developing standards and norms (Kazakhstan, Slovakia and Sweden).


The existence of a PPC association is used as an indication of the level of professional activity (vitality) of PPC professionals in a country. This indicator shows that in 22/34 countries professionals with specific interest in PPC have established an association to promote PPC, enabling new networks to develop spaces. Professional activity in PPC is higher in Western European countries.

PPC CONSULTANTS AND PERINATAL PPCCOMPONENTS REPRESENTATIVE IN NATIONAL PC REFERENCE CENTRES IN PAEDIATRICS TRAINING ASSOCIATION FOR PPC COUNTRY С Р COUNTRY COUNTRY Ρ D Ν PC Albania 0 Albania Austria 0 0 \bigcirc \bigcirc Armenia 0 Armenia \bigcirc \bigcirc Belgium \bigcirc \bigcirc Austria 0 Czech Republic \bigcirc Austria \bigcirc 0 0 \bigcirc Countries with Countries PC PPC components Belarus \bigcirc Belarus \bigcirc \bigcirc Denmark \bigcirc Ο with specialised representative for doctors Belgium 0 Czech Republic 0 Germany PPC consultants \bigcirc 0 \bigcirc in the national paediatrics Cyprus 0 Georgia \bigcirc 0 Hungary 0 \bigcirc association Czech Republic \bigcirc \bigcirc 0 Ireland 0 \bigcirc Germany France 0 Hungary \bigcirc 0 Israel 0 \bigcirc Georgia 0 Ireland 0 Italy \bigcirc \bigcirc 0 Germany 0 Italy \bigcirc \bigcirc Netherlands \bigcirc Greece 0 Latvia 0 Portugal \bigcirc \bigcirc Countries with Countries Paediatrics Hungary perinatal Netherlands 0 **Russian Federation** \bigcirc 0 Ο \bigcirc with PPC representative PC reference components in the national Ireland 0 Norway \bigcirc 0 Slovakia \bigcirc centres for nurses PC association Italy Portugal Spain \bigcirc \bigcirc \bigcirc \bigcirc Latvia Serbia Ukraine \bigcirc \bigcirc \bigcirc \bigcirc Ο Netherlands Spain 0 United Kingdom \bigcirc \bigcirc \bigcirc Norway Ukraine \bigcirc \bigcirc \bigcirc P: PC representative in the national **Russian Federation** paediatrics association. United Kingdom \bigcirc \bigcirc \bigcirc **PC:** Paediatrics representative in Slovakia the national PC. D: for medical doctors Spain 0 N: for nurses Ukraine 0 United Kingdom **DAY CARE** 1 1 1 1 45 C: Specialised PPC consultants PROGRAMMES P: Perinatal PC reference centre Austria Czech Hungary Israel Republic 2 2 3 1 1 Spain Turkey Latvia Lithuania Romania Belarus Netherlands NATIONAL STANDARDS **PPC TRAINING FOR NATIONAL PPC NEONATOLOGISTS** AND NORMS FOR PPC PROVISION ASSOCIATION Armenia, Austria, 19/34 22/34 8/34 Belgium, Bulgaria,





EAPC Atlas of Palliative Care in Europe 53



Armenia, Austria, Belgium, Bulgaria, Czech Republic, Denmark, Germany, France, Georgia, Greece, Ireland, Israel, Italy, Kyrgyzstan, Latvia, Netherlands, Norway, Spain, Sweden, Ukraine, United Kingdom

Chapter 2. Integration of Palliative Care and Paediatrics

KEY NOTES ON PAEDIATRIC PALLIATIVE CARE DEVELOPMENT IN SOME EUROPEAN COUNTRIES



AUSTRIA

The inpatient children's hospice "Sterntalerhof" has a psychosocial focus. There are five paediatric PC beds in two hospitals that provide short-term care and treatment. There are 12 volunteer children's hospice teams.

BOSNIA

Tuzla hospice has dedicated 6 beds for PPC.

DENMARK

There is one mixed and mobile PPC programme in each of the five regions of the country. In 2016, One children's hospice was established in eastern Denmark, another one is planned for the western part.

GEORGIA

Four home care teams work at Children's Hospice Firefly Work.

ALBANIA

BELARUS

The Oncology Hematology Children Hospital "Mother Theresa provides PPC as part of the paediatric oncology and hematology service. Home care programmes are coordinated by two NGOS: Ryder and Mary Potter and one public team called S.O.B.

ARMENIA

BELGIUM

NCD patients.

CZECH REPUBLIC

team composition.

Adult services like Masis Hospice or national hospitals rarely provide PPC. The NGO Gayush provides non-PPC services for children in home settings. Some orphanages for children with severe disabilities provide PPC.

Gent, Leuven and St Luc Brussels univer-

oncology patients. They have mixed PPC

teams supporting children and caregi-

sity hospitals cover most of the paediatric

vers; they work in close collaboration with

GP's, pediatricians, home nurses and phy-

siotherapists. Two more initiatives offer respite care and social support for PC and

Motol University Hospital and Hospital Hořo-

vice provide PPC. No inpatient hospices exist.

There is one organization providing respite care.

Adult inpatient hospices rarely accept paedia-

tric patients. Home PPC programmes vary in

The charity Belarusian Children's Hospice provides psychological support, young adults PC, physiotherapy, bereavement program, legal support and 24 hours nursing hotline. It does not have a medical license. The state organization Palliative Care Center for Children provides PPC. Both have home programmes.

BULGARIA

According to national legislation children and adolescents with incurable diseases are treated in specialized paediatric hospitals. There are not hospices specifically dedicated to children, and adult hospices do not admit paediatric patients.

GERMANY

There are three PPC units. Some PC departments offer one bed for PPC. There are a large number of specialised volunteer services for children with life-limiting conditions, for more information see https://www.wegweiser-hospiz-palliativmedizin.de/en and and in http:// www.bundesverband-kinderhospiz.de

GREECE

Merimna: Society for the Care of Children and Families in Illness and Death" (www.merimna. org.gr) is the only specialized interdisciplinary home care team for children and adolescents with life limiting illnesses. It has an ISO accreditation and provides psychological and bereavement support.

IRELAND

There is a National Clinical Programme for Children and Neonatology providing PPC. One team works in Crumlin Children's Hospital. There is a home care service that works out of Laura Lynn Children's Hospice, covering Dublin and the North East. Approximately 13 nurse specialists around the country act as liaison between rural adult PC services, children's paediatric services and medical consultants based in Dublin.

ISRAEL

There is one home hospice service caring for children and one PC dedicated paediatric unitin a large children's university hospital. Some of the general PC support teams for adults also offer services to children.

FRANCE

Teams in France are organised under the umbrella of the Regional PPC Resource Teams Federation (http://www.ferrspp.fr/les-errspp.php). These teams provide PPC consultations in hospitals, home PC programmes, day care, and run additional programmes related to social and spiritual support.

ICELAND

A large number of children with neurological and oncological diseases receive PPC from multidisciplinary teams, consisting of nurses, physicians, social workers and psychologists. Very experienced nurses provide specialized home care. Children's Hospital and home care nurses work very closely together.

ITALY

Fourteen regions are currently working on developing PPC networks to improve service provision. There are two children hospices in Padua/Veneto and Liguria Region. Two more are being built in Bologna and in Milan. The provision of home care by PPC teams is not common.

KAZAKHSTAN

In 2015 children with cancer were included in PC legislation as a special category of patients. Currently there are ongoing efforts to support children and their families, provide pain management and end of life care for children.

KYRGYZSTAN

There is one Hospice for children supported by international organisations.

LATVIA

PPC is hospital-based. There are two programmes at the Children's Clinical University Hospital - Palliative Care service and the Liepaja Regional Hospital. Both institutions also provide home care.

LITHUANIA

Three programs provide PPC in hospitals. The paediatric intensive care unit at the university hospital in Vilnius has four PPC beds. Two other PPC services are provided in the paediatric oncological clinics in Vilnius and Kaunas which included inpatient, outpatient and home nursing service. the first children's hospice in the country is being built as part of an adult hospice complex in Vilnius.

NORWAY

In Norway, PPC is the responsibility of the Paediatric hospital departments. Guidelines for PPC were issued in 2016, organisational standards are currently being implemented. The building of one children's hospice is planned to start in January 2020. This is the result of 10 years of hard work, planning and lobbying and will be a national pilot project for future developments in the field.

SERBIA

Few home palliative care teams are available both for adults and children. Coverage of children palliative care is limited, however efforts are underway to develop services within the Republican Institute of Social Welfare. PPC is also provided in the University Childrens Hospital in Belgrade.

SWITZERLAND

In recent years, some individual and hospital initiatives have been directed towards the development of professionals, to professionalise the staff and services in paediatric palliative care. Since 2012 a PPC network in Switzerland exists, mainly composed of nurses.

* Key notes were retrieved from key informants' comments to the EAPC Survey on PPC. Only key notes of countries that commented are displayed. We are aware that many countries not included in this section are also undertaking remarkable efforts to improve PPC.

LUXEMBOURG

National Paediatric Oncology and Palliative Care Services are under construction since 2017.

PORTUGAL

As of January 2019 there are six officially recognized public hospital support teams for PPC, and five home teams: four public (a partnership between hospitals PPC support teams and an NGO, Fundação do Gil) and one private team. Other teams are being developed across the country.

SLOVENIA

All paediatric hospitals have paediatric PC hospital support teams.

NETHERLANDS

A special expertise-centre on PPC exist: Kenniscentrum Kinderpalliatieve zorg https://www.kinderpalliatief.nl/. All university hospitals offer a specific PPC services called Kinder Comfort Teams. There are 45 day care programmes, mostly with nursing day-care services. Every child in need of PC has a nurse at home. Additional services include respite care.

MOLDOVA

Potentially any home based palliative care team for adults can take care of a teenager. There is one NGO home based service for children, one NGO hospice for children, and one consultation team for children is available at the oncological hospital. They have recently received training on PPC and plans for expansion of servcies are underway.

SPAIN

Eight PPC programmes providing care for children and their families are availabale at home and hospital settings. Efforts are being made to further develop services.

UNITED KINGDOM

Care is home-centered with support from hospital-based oncology teams. The pediatric oncology outreach nurse specialist is responsible for liaising between oncology centre, primary health care team and the family. Three charities are dedicated to providing children's palliative care support at home. There are also two community children's nursing teams, which provide non-specialist PC support for children with a range of complex health needs at home. many PPC programs are mixed. There are specialist PPC teams in many children's hospitals, children's hospice services and a range of community and home-based services, both charity and state-funded.

ADDITIONAL INFORMATION

Poland's and Europe's oldest children's hospice is the Warsaw Hospice for Children. Romania has a PPC Programme called Hospice Casa Sperantei. Sweden has the first children's hospice in Scandinavia. Hungary has established the Light of my Eyes Foundation which is seeking to establish the first children's hospice in the country. Ukraine is holding a third national forum on PPC.

Chapter 2. Integration of Palliative Care and Paediatrics

SELECTED READINGS

1. Connor SR et al. Global atlas of palliative care at the end of life. WHO. 2014. 111 p.

2. World Health Organisation: Integrating Palliative Care and Symptom Relief into Paediatrics, A WHO guide for Health Care planners, implementers and managers (2018). Retrieved from: https://apps.who.int/iris/handle/10665/274561

3. Knaul FM et al. Alleviating the Access Abyss in Palliative Care and Pain Relief—An Imperative of Universal Health Coverage: The Lancet Commission Report. The Lancet 2017; 391 (10128): 1391–1454. **4. Caruso Brown AE et al.** Reported availability and gaps of pediatric palliative care in low- and middle-income countries: A systematic review of published data. J Palliat Med 2014;17:1369–1383.

5. Connor SR et al. Estimating the global need for palliative care for children: A cross-sectional analysis. J Pain Symptom Manage 2017;53:171–177.

6. Knapp C et al. Pediatric palliative care provision around the world: A systematic review. Pediatr Blood Cancer 2011;57:361-368.

7.Downing J et al. Paediatric Palliative Care in Resource-Poor Countries. Children (Basel). 2018 19;5(2).

8. World Health Organisation: Integrating Palliative Care and Symptom Relief into Paediatrics, A WHO guide for Health Care planners, implementers and managers (2018). Retrieved from: https://apps.who.int/iris/handle/10665/274561

9. Downing J et al. Palliative Care for children in low and middle-income countries. Arch Dis Child. 2016 ;101(1):85-90.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

Albania (Donjeta Bali), Armenia (Sergey Sargsyan), Austria (Leena Pelttari, Claudia Nemeth), Belarus (Confidential, Marina Borisevich), Belgium (Marie Friedel), Bulgaria (Boyana Petkova), Cyprus (Confidential), Czech Republic (Mahulena Mojžíšová), Denmark (Mette Raunkiaer), Deutschland (Boris Zernikow, Sabine Kraft), Finland (confidential), France (Anita Granero), Georgia (Nino Kiknadze), Greece (Danai Papadatou, Maria Bouri), Hungary (Gábor Benyó), Ireland (Saundra Nolan), Israel (Ron Sabar), Italy (Gio), Kazakhstan (Gulnara Kunirova), Kyrgyzstan (Dinara Aliaeva), Latvia (Anda Jansone), Macedonia (Velibor Tasic), The Netherlands (2 confidentials), Norway (Natasha Pedersen), Portugal (Ana F. de Lacerda), Russia (Ella Kumirova), Serbia (confidential), Slovakia (Mária Jasenková), Slovenia (Mojca Juricic), Spain (Ricardo Martino-Alba, Álvaro Navarro), Sweden (Ulrika Kreicbergs), Turkey (Rejin Kebudi), Ukraine (Tetiana Nickelsen), United Kingdom (Lorna Fraser, Lizzie Chambers).

AUTHORS

Natalia Arias University of Navarra, ATLANTES Research Group Institute For Culture and Society (ICS), Pamplona (Navarra), Spain Lizzie Chambers

Together for Short Lives United Kingdom

Joan Martson

International Children´s Palliative Care Network (ICPCN) South Africa

Julia Downing

International Children's Palliative Care Network (ICPCN) United Kingdom/ Uganda

Chapter 3. Integration of Palliative Care in national health systems in Europe

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE IN NATIONAL HEALTH SYSTEMS IN EUROPE

Population: 54 countries of the Europe WHO region and Lichtenstein.

Survey 1 Details

Areas explored: 8 main health indicators on Public Health (Arias-Casais N et al, 2019): health policies, legislation and norms, health management, funding.

Questionnaire: online survey, 72 questions, answered in (average): 80 minutes.

Participants: 92 national Key persons for palliative care development, nominated from National Associations or identified by publications and/or previous publications.

Coverage: 51/54 countries (94%): with two respondents 29/51 countries (57%), with one respondent 20/51 (39%), other sources 2/51 (4%).

Survey 2 Details

Areas explored:

---3 indicators on time of stay of patients in specialised PC, database on PC provision, National program on Chronic diseases (specially developed for this survey by authors).

---8 main indicators on public health (Arias-Casais N et al, 2019).

Questionnaire: online survey, 13 questions, time answered in (average) 32 minutes.

Participants: 29 national experts in Palliative Care Public Health issues.

Profile of experts (affiliation): 15 University, 4 PC Service, 3 National Association, 2 Minister of Health, 2 Open Society and 1 Primary Care.

Coverage: 26/54 countries (48%): with one respondent 23/26 (88%) countries, with 2 respondent 3/26 (11%).

Data collection: 12/2018 to 3/2019 (4 months).

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Luc Deliens (Belgium), Xavier Gómez Batiste (Spain).

Promotor: European Association for Palliative Care (EAPC).

"PALLIATIVE CARE FOR ALL WHO NEED IT!".

n this simple way the European Association for Palliative Care (EAPC) stated the heart of its vision and mission years ago. In 2007 this voice was reinforced when the World Health Assembly adopted the 67.19 resolution (1) on the need of strengthening and improving health coverage by integrating PC into national health systems. In 2018, The Lancet Commission on PC claimed that 35.5 million people experienced serious health-related suffering due to life-threatening and life-limiting conditions (2). Recently, the Declaration of Astana's Global Conference on Primary Health Care stepped towards the decisive inclusion of PC as an essential service to achieve universal health coverage by 2030 (3).

This chapter presents an overview of the integration of PC into the National Health Systems across Europe by looking at the countries' regulatory framework, health strategies and application of health policies in practice.

The right for PC and the legislation

The majority of European countries (76%) have adapted their General Health Laws and included PC as a mandatory service, as a right of the patient, or even as a human right. PC is included in the list of primary care health services in 36 countries (71%). Greece guarantees PC in the first Article of the Primary Health Care Law whereas other countries cover PC in the general legislation. In Austria, PC is defined in the latest legislation as a medical task, in some German states GPs trained in basic PC (40 hrs) are entitled to be paid

Carlos Centeno, Luc Deliens, Xavier Gómez-Batiste.

for PC services. and in other countries like the Netherlands, general health care professionals are obliged to provide PC services at home. Eight countries have a dedicated Law to PC.


National Plans or Strategies

National PC Plans are available in almost all Western European countries except for smaller states or the United Kingdom and Belgium where a different way to deal with health policy exists. In politically decentralised countries such as Spain, Switzerland or the Czech Republic, regional authorities promote rather regional PC strategies. Poland was one of the first Eastern European countries to have a national PC programme and in Russia a special sub-programme on PC development included in the State Health Programme "Health Care development in Russia" has recently been developed. Other countries like Germany do not have a National Plan or Strategy but an equivalent Law on Hospice and Palliative Care (December 2015) that is being carefully implemented.

The management of policies in practice

The existence of a person in the Department of Health responsible for PC policies has been considered the most relevant policy indicator by the experts of this EAPC survey. Interestingly, 35/51 countries (83% in Western Europe and 56% in Central and Eastern Europe) report a designated person with this role. Having data is crucial to apply appropriate policies and some countries like Italy, Georgia, Hungary, Sweden, Denmark and Belgium have started registering PC provision outcomes in national databases. (De Schreye R, 2017).

Chapter 3. Integration of Palliative Care in national health systems in Europe



Map 3.1. Palliative Care and Health Policies.

KEY NOTES ON THE RIGHT TO PC

Bulgaria. PC has been included in the basic package but only for patients with oncological diseases, labelled as: Clinical pathway #257 - Palliative care for adult advanced cancer patients (including also patients with hematologic malignancies).

France. The provision of PC is defined as a "public service" (art. L6112-1 of the Public Health Code).

Germany. Access to Specialist PC in Germany as a right of patients.

Kazakhstan. Palliative care is included in the Guaranteed Scope of Free Medical Care.


Kyrgyzstan. Palliative patients are included in the programme of State guarantees for the citizens in the Kyrgyz Republic health care.

Liechtenstein. Generally Palliative Care has been included in Nursing Homes and Home Care Services.

The Netherlands. Most of palliative care, as it is described in the National Quality Framework, is covered by the basic health insurance.


COUNTRIES WITH NATIONAL LAWS

COUNTRY	YEAR	LAW OR ACT
France	1999	Law n $^\circ$ 99-477 aiming to guarantee the right to access to palliative care
Belgium	2002 (2016)	[S-C-2002/22868] The Palliative Care Act, [C- 2016/24163] An Act to amend the Act of June 14, 2002 on palliative care with a view to broad- ening the definition of palliative care
Luxembourg	2009	Law on palliative care, advance instructions and end-of-life accompaniment
Italy	2010	Law 38/2010 to guarantee access to palliative care and pain therapy
Portugal	2012	Lawn.º52/2012, Law of Bases of Palliative Care
Albania	2014	Law Nr. 138/2014 For Palliative Care in Repub- lic of Albania
Germany	2015	The Act to Improve Hospice and Palliative Care in Germany (Hospice and Palliative Care Act - HPG)
Armenia	2017	Law N 45 - N on Palliative Medical Assistance and Service Providing




Map 3. 2. Policy Resources and National plans for Palliative Care.


TIME AVERAGE OF PATIENTS IN INPATIENT SPECIALISED PC UNITS/HOSPICES (N=23)




ROLE OF THE DESIGNATED PERSON AT THE MINISTERY OF HEALTH



LEGISLATIVE FRAMEWORK IN WEST AND CENTRAL AND EASTERN EUROPE



NATIONAL PLAN OR STRATEGY FOR PC IN WEST EUROPE AND CENTRAL AND EASTERN EUROPE



Chapter 3. Integration of Palliative Care in national health systems in Europe

SELECTED READINGS

1. World Health Assembly. Strengthening of palliative care as a component of comprehensive care throughout the life course. Geneva: World Health Organization, 2014. http://apps. who.int/gb/ebwha/pdf_files/wha67/a67_r19-en.pdf (accessed Dec 18, 2018).

2. Knaul FM, et al. Alleviating the access abyss in palliative care and pain relief - imperative of universal health coverage: The Lancet Commission report. Lancet 2018, 391(10128): 1391–454.

3. Declaration of Astana's Global Conference on Primary Health Care. https://www.who.int/ docs/default-source/primary-health/declaration/gcphc-declaration.pdf (accessed April 4, 2019).

4. Arias-Casais N, et al. Brief Manual on Health Indicators to Monitoring Global Palliative Care Development. Houston: IAHPC Press, 2019. **5. Brereton L, et al.** What do we know about different models of providing palliative care? Findings from a systematic review of reviews. Palliat Med. 2017,31(9):781-797.

6. Clark J, et al. Reframing Global Palliative Care Advocacy for the Sustainable Development Goal Era: A Qualitative Study of the Views of International Palliative Care Experts. J Pain Symptom Manage. 2018,56(3):363-370.

7. Woitha K, et al. Policy on palliative care in the WHO European region: an overview of progress since the Council of Europe's (2003) recommendation 24. Eur J Public Health. 2016,26(2):230-5.

8. Woitha K, et al. Ranking of Palliative Care Development in the Countries of the European Union. J Pain Symptom Manage. 2016,52(3):370-7. **9. Sharkey L, et al.** National palliative care capacities around the world: Results from the World Health Organization Noncommunicable Disease Country Capacity Survey. Palliat Med. 2018,32(1):106-113.

10. Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov, 20(11):1195-1204.

11. Groeneveld EI, et al. Funding models in palliative care: Lessons from international experience. Palliat Med. 2017,31(4):296-305.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

Albania (Irena Laska), Armenia (Artashes Tadevosyan, Avetis Babakhanyan), Austria (Austrian Association for Palliative Care, Mag. Leena Pelttari), Azerbaijan (Nabil Seyidov), Belarus (Natalya Narkevich), Belgium (Paul Vanden Berghe, confidential, Joachim Cohen), Bulgaria (Gergana Foreva, Nikolay Yordanov) Bosnia and Herzegovina (Emira Dropic, Ruzica Lazic), Croatia (Bibliographic revision, confidential), Cyprus (Kyriakos Stylianides, Sophia Nestoros), Czech Republic (Martin Loučka, Ondřej Sláma), Denmark (Helle Timm, Mai-Britt Guldin), Deutschland (Friedmann Nauck, Brigit Jaspers, Boris Zernikow, Lukas Radbruch), Estonia (Pille Sillaste, Kaiu Suija), Finland (Tiina Saarto, Minna Kiljunen), France (Sandrine Bretonniere, Marilène Filbet, Lyn Silove, Cecile Barbalet), Georgia (Dimitri Kordzaia, Nino Kiknadze), Greece (Athina Vadalouca, Kyriaki Mystakidou, Aliki

Tserkezoglou), Hungary (Agnes Csikos, Katalin Hegedus), Iceland (Valgerdur Sigurdardottir, Svandis Iris Halfdanardottir), Ireland (Michael Connolly, Brian Creedon, Kellie Myers, Julie Ling), Israel (Ron Sabar, Glynis Katz, Michaela Bercovitch), Italy (Italo Penco, Carlo Peruselli), Kazakhstan (Gulnara Kunirova), Kyrgyztan (confidential, Lola Asanalieva, Aibek Mukambetov), Latvia (Anda Jansone, Vilnis Sosars), Lithuania (Rita Kabasinskiene), Linchenstein (Ingrid Frommelt), Luxembourg (Marie-France Liefgen, Frédéric Fogen), Macedonia (confidential), Malta (Jurgen Abela), Monaco (Jean-François Ciais, Vito Curiale), Montenegro (Literature search), Netherlands (Jeroen Hasselaar, Esmé Wiegman-van Meppelen Scheppink, Judith Rietjens), Norway (Dagny Faksvåg Haugen), Poland (Aleksandra Ciałkowska-Rysz, Aleksandra

Kotlinska-Lemieszek), Portugal (Edna Gonçalves, Manuel Luís Capelas), Republic of Moldova (Liliana Gherman, Valerian Isac, Natalia Carafizi), Romania (Daniela Mosoiu), Russian Federation (Diana Nevzorova, Advisory Board of the Russian Association for Palliative Care), Serbia (confidential, Natasa Milicevic, Dragana Jovanovic, Snezana Bosnjak), Slovakia (Andrea Skripekova, Kristina Krizanova), Slovenia (Nevenka Krčevski Škvarč, Mateja Lopuh), Spain (Javier Rocafort Gil, Rafael Mota), Sweden (Carl Johan Fürst, Carl-Magnus Edenbrandt, Lisa Martinson), Switzerland (Walter Brunner, Lea von Wartburg), Tajikistan (Nigora Abidjanova), Turkey (confidential, Seref Komurcu), Ukraine (Lyudmyla-Oksana Andrivishyn, confidential, Sofiia Shunkina), United Kingdom (Pam Firth, Andrew Davies), Uzbekistan (Literature review).

AUTHORS

Carlos Centeno University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Luc Deliens

University Gent Vrije Universiteit Brussel End-of-life Care Research Group Brussels, Belgium Xavier Gómez-Batiste Qualy Observatory WHO Collaborating Center for Palliative Care Public Health Programs Catalan Institute of Oncology Barcelona

Chapter 4. Palliative medicine education across Europe

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE EDUCATION

Population: 54 countries of the European WHO region and Liechtenstein.

Survey 1 Details

Areas explored: 4 main health indicators on Palliative Care education (Arias-Casais N et al, 2019): specialization in PC for physicians, medical and nursing schools teaching PC, and PC professorship.

Questionnaire: online survey, 15 questions.

Participants: 92 national Key persons for palliative care development, nominated from National Associations or identified through publications and/or previous publications.

Coverage: 51/54 countries (94%): with two respondents 29/51 countries (57%), with one respondent 20/51 (39%), other sources 2/51 (4%).

Survey 2 Details

Areas explored: 4 main health indicators on Palliative Care education (Arias-Casais N et al, 2019): specialization in PC for physicians, medical and nursing schools teaching PC, and PC professorship including some further specific questions.

Questionnaire: online survey, 26 questions, time answered in (average) 30 minutes.

Participants: 45 national experts in Palliative Care education.

Profile of experts (affiliation): University professors.

Coverage: 27/54 countries (50%): with one respondent 20/27 (74%) countries, with 2 or more respondents 7/54 (26%).

Data collection: 12/2018 to 3/2019 (4 months).

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Sofía Zambrano (Colombia/Switzerland), Steffen Eychmuller (Switzerland), Deborah Bolognesi (Italy) and Guido Biasco (Italy).

Promotor: European Association for Palliative Care (EAPC).

THE LACK OF PALLIATIVE CARE EDUCATION AND TRAINING OPPORTUNITIES IN THE PALLIA-TIVE MEDICINE FIELD HAVE BEEN REPEATEDLY IDENTIFIED AS BAR-RIERS TO THE DEVELOPMENT OF THE DISCIPLINE IN EUROPE (1).

he absence of a process of official specialisation for physicians (2), small proportions of medical and nursing schools including PC education in the undergraduate curricula or shortages of PC professors are some of the most commonly highlighted issues (3). In this chapter we try to look at these indicators, and to add some information regarding the number of teaching hours provided as well as the existence of clinical clerkships in PC units.

Official Specialisation in Palliative Medicine for Physicians

Around half the European countries (29/51) have an official accreditation process for physicians accredited by the national competent authorities. Nevertheless, the recognition varyies from PC being recognised as a separate specialty, to a sub-specialty or as a special field of competence. The most frequent one Europe is the special field/ area of competence (13/51) whereas just 11 countries report PC as a sub-specialty, and five have as a specific specialty. To date, 15 countries report ratios of accredited PC physicians that surpass the ratio of 1 physician per 100000 inhabitants. Particularly high ratios have been identified in Germany, Slovenia, Finland, Romania and Belgium.

Palliative Care teaching in Medical Schools

Antonio Noguera, Sofía Zambrano, Steffen Eychmüller, Guido Biasco, Deborah Bolognesi.


PC education is increasingly being included into Medical Schools across European countries. However, the percentage of medical schools per country and the way it is taught varies greatly. Only nine countries report teaching PC as specific mandatory subject in all medical schools in their respective countries (Austria, United Kingdom, Belgium, Estonia, France, Germany, Luxembourg, Republic of Moldova and Switzerland). Some more ensure teachingit in over half their medical faculties. Further seven countries report teaching it mandatorily in combination with other subjects (ie.: Palliative Care and Oncology) to all medical students. Importantly only very few countries report offering over 20 PC teaching hours and mandatory clinical practice in PC for all medical students.

Palliative Care teaching in Nursing Schools

Although 22/51 countries include PC teaching somehow in all nursing schools in their county, PC teaching is normally included as a module in another subject and just taught as a mandatory specific subject significantly in France, Austria and Poland. Only seven countries offer the possibility of clinical placements in a specific PC unit, and only Hungary, Iceland and Poland report having placements in all countries ´ nursing schools. There are still 15 countries that do not offer any PC teaching at nursing schools and information from 11 countries was not available.

Chapter 4. Palliative medicine education across Europe


PC TEACHING IN MEDICAL SCHOOLS



PC TEACHING IN NURSING SCHOOLS


Palliative Medicine Professorship

The number of PC teachers in the university is sub-optimal with 15 countries reporting the existence of PC Full professors (1st level professors), 19 of associate professors (2nd level professors) and 11 of assistant professors (3rd level professors) for medical schools. Regarding teaching workforce in nursing Schools just five countries have reported the existence of Full professors, one of the existence of an associate professor, and five the existence of assistant professors.




Map 4.1. Palliative Care Education.


PROPORTION OF MEDICAL SCHOOLS TEACHING OVER 20 HOURS OF PC



PROPORTION OF MEDICAL SCHOOLS INCLUDING PC MANDATORY CLERKSHIP



PROPORTION OF NURSING SCHOOLS INCLUDING PC MANDATORY CLERKSHIP



Chapter 4. Palliative medicine education across Europe

SELECTED READINGS

1.1. Centeno C et al. The Palliative Care
Challenge: Analysis of Barriers and
Opportunities to Integrate Palliative Care in
Europe in the View of National Associations. J
Palliat Med 2017;20(11):1195-1204.

2. Centeno C et al. Comparative analysis of specialization in palliative medicine processes within the World Health Organization European region. J Pain Symptom Manage 2015 ;49(5):861-870. **3. Carrasco JM et al.** Palliative Care Medical Education in European Universities: A descriptive study and numerical scoring system proposal for assessing educational development. J Pain Symptom Manage 2015;50(4):516-23.

4. Noguera A et al. Palliative care teaching shapes medical undergraduate students 'professional development: a scoping review. Current Opin Support Palliat Care 2018;12:495-503.

5. Walker S et al. Palliative care education for medical students: Differences in course evolution, organisation, evaluation and funding: A survey of all UK medical schools. Palliat Med 2017;31(6):575-81.

6.Noguera A, et al. How Do Experienced Professors Teach Palliative Medicine in European Universities? A Cross-Case Analysis of Eight Undergraduate Educational Programs. J Palliat Med. 2018;21(11):1621-1626.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

Albania (Irena Laska), Armenia (Artashes Tadevosyan), Austria (Piret Paal), Azerbaijan (Nabil Seyidov), Belarus (Anna Garkachova, Natalia Narkevich), Belgium (Paul Vanden Berghen, confidential), Bosnia and Herzegovina (Emira Dropic, Ruzica Lazic), Bulgaria (Nikolay Yordanov), Croatia (Anica Jusic), Cyprus (Andreas Charalambous), Czech Republic (Martin Loučka, Ondřej Sláma), Denmark (Mette Asbjoern Neergaard, Helle Timm), Estonia (Pille Sillaste, Kaiu Suija), Finland (Juho T. Lehto, Minna Hökkä), France (Marilene Filbet, Sandrine Bretonniere), Germany (Frank Elsner), Greece (Elisabeth Patiraki, Athina Vadalouca, Kyriaki Mystakidokou), Georgia (Dimitri Kordzaia), Hungary (Katalin Hegedus, Gabor Benyo), Iceland (Valgerður

Sigurðardóttir, Svandís Íris Hálfdánardóttir), Ireland (Michael Connolly, Brian Creedon and Kellie Myers), Israel (Ron Sabar, Glynis Katz), Italy (Chiara Mastroianni, Maria Grazia De Marinis, Monica Beccaro), Kazakhstan (Gulnara Kunirova), Kyrgyzstan (Pirnazarova Guljahan), Latvia (Anda Jansone, Vilnis Sosars), Liechtenstein (Ingrid Frommelt), Lithuania (Rita Kabasinskiene), Luxembourg (Marie-France Liefgen, Frédéric Fogen), Republic of Macedonia (Lidija Veterovska Miljkovic), Malta (Jurgen Abela), Monaco (Jean-François Ciais, Vito Curiale), Montenegro (Bibliographic revision), Norway (Dagny Faksvåg Haugen), Poland (Aleksandra Kotlińska-Lemieszek, Leszek Pawłowski), Portugal (Miguel Julião, Marília Dourado, Manuel Luís Vila Capelas, Ana Querido),

Republic of Moldova (Liliana Gherman, Valerian Isac), Romania (Daniela Mosoiu, Vladimir Poroch), Russian Federation (Diana Nevzorova), Serbia (Mijodrag Bogicevic, Natasa Milicevic), Slovakia (Kristina Križanová), Slovenia (Albina Bobnar), Spain (Antonio Noguera, Salvador Martín-Utrilla, Montserrat Ballesteros García), Sweden (Marit Karlsson), Switzerland (Walter Brunner), Tajikistan (Nigora Abidjanova), The Netherlands (Franca Warmenhoven, Jeroen Hasselaar, Esmé Wiegman-van Meppelen Scheppink), Turkey (Adem Akcaya), Ukraine (KseniiaShapoval-Deinega, Iryna Slugotska, Oryna Detsyk), United Kingdom (John Ellershaw, Stephen Mason, Amy Gadoud, Annie Pettifer), **Uzbekistan** (Bibliographic revision).

AUTHORS

Antonio Noguera

University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Sofía Zambrano, Steffen Eychmüller

University Centre for Palliative Care Inselspital, Bern University Hospital University of Bern Bern, Switzerland

Guido Biasco

Alma Mater Professor-Clinical Oncology, University of Bologna Bologna, Italy

Deborah Bolognesi Fondazione Isabella Serágnoli, Bologna, Italy

Chapter 5. Use of medicines for Palliative Care

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON USE OF MEDICINES FOR PALLIATIVE CARE

Population: 54 countries of the European WHO region and Liechtenstein.

Survey Details

Areas explored: 3 indicators on morphine availability in the public health sector, prescription issues (special forms, time limitations and patients' registrations), professionals allowed to prescribe opioids; and one extra indicator: use of medicines in mg/capita ME (as reported by INCB).

Questionnaire: on-line survey, 7 questions.

Participants: 92 key persons for Palliative Care development, nominated from National Associations or identified through previous publications.

Coverage: 51/54 countries (94%): with two respondents 29/51 countries (57%), with one respondent 20/51 (39%), other sources 2/51 (4%).

Data collection: 12/2018 to 3/2019.

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Jim Cleary (USA) and Liliana de Lima (Colombia/USA).

Promotor: European Association for Palliative Care (EAPC).

PAIN RELIEF IS THE PILLAR OF PALLIA-TIVE CARE (LANCET, 2018). WITHIN IT, MORPHINE IS CONSIDERED THE MOST APPROPRIATE MEDICINE TO TREAT MOD-ERATE-TO-SEVERE PAIN IN CANCER AND PC PATIENTS AND HAS BEEN USED AS A PROXY TO ASSESS PC DEVELOPMENT.

> ccording to the Lancet Commission Report on Palliative Care and Pain Relief, any patient with moderate to severe pain or with termi-

nal dyspnoea must have available morphine in oral immediate release and injectable preparation (Lancet, 20018). Governments should guarantee access and availability to these medicines over more complex and expensive opioids forms like modified-release morphine, fentanyl, or oxycodone. Besides morphine, other medicines were identified as crucial to PC pain and symptom management. In 2018 they were presented as part of an Essential Package (Lancet, 2018) based on WHO's Essential Medicines List for PC (WHO, 2017).

Research has highlighted an abyss on access to pain relief medicines with worrisome inequalities around the world (Lancet, 2018; Human Rights Watch, 2011). Some barriers hindering access to pain relief account for problems related to availability, affordability, and prescription limitations amongst others.

This chapter presents regional data regarding general morphine availability in the public health sector, prescription-related limitations, information on health professionals entitled to prescribe opioids, and data on opioid consumption retrieved from the International Narcotic Control Board.

General availability of immediate release oral

morphine (in liquid or tablet) at the primary care

level is commonly reported across European

countries. 38/51 countries estimate its avail-

ability in over 50% of pharmacies at the prima-

ry care level. However, availability remains an

Morphine Availability

in the Public Health Sector

issue in a number of countries, mostly in Central and Eastern Europe: Armenia, Azerbaijan, Bulgaria, Cyprus, Georgia, Greece, Hungary, Montenegro, Republic of Macedonia, Russian Federation, Tajikistan, Uzbekistan. Some of these report availability limitations restricted to specially-licensed pharmacies (i.e. Armenia), general hospitals (i.e. Cyprus), or to certain type of formulations (i.e. Bulgaria).

Natalia Arias, Eduardo Garralda, Carlos Centeno, Jim Cleary, Liliana de Lima.

Opioid prescription requirements

The majority of European countries (41/51) reported having special opioids prescription forms. Seven countries reported not requiring them: Denmark, Finland, Iceland, Ireland, Netherlands, Portugal, Switzerland, and the United Kingdom. To ease the prescription process, some countries have enabled electronic prescriptions forms (i.e. Finland).

Prescriptions have no time limits in fourteen countries. Four countries reported prescriptions to be limited to over a month, while twenty countries count with prescription limited to few weeks (less than a month). Only nine countries reported having prescriptions limited to few days: Armenia, Belarus, Bosnia and Herzegovina, Georgia, Greece, Kyrgyzstan, Slovakia, Slovenia and Tajikistan. Interestingly, the majority of European countries do not require patients to register as opioid users to qualify for an opioid prescription. However, six countries, mostly in Eastern Europe, still require patients do so (Armenia, Bosnia and Herzegovina, Georgia, Greece, Malta or Macedonia).

Professionals allowed to prescribe opioids

Opioids can be prescribed by all General Physicians and Family Doctors in 42/51 countries. In five countries (Bosnia and Herzegovina, Kyrgyzstan, Macedonia, Slovakia and Tajikistan) these professionals are not allowed to prescribe. In 37 countries, opioid prescription is allowed to all specialists, and in 12 only to some specialists (i.e. Oncologists, Internists, Surgeons). Eleven countries report that only PC-trained physi-

Chapter 5. Use of medicines for Palliative Care

cians can prescribe opioids. Only the United Kingdom and Ireland have registered non-medical prescribers, which are mostly of PC-trained nurses.

Consumption of strong opioid analgesics

Data from 2017 on the consumption of strong opioids strongly oscillates across the region. Countries like Austria and Germany account for high figures on opioid consumption, reporting over 400 milligrams per capita in morphine-equivalent; while opioid consumption in Ukraine, Kazakhstan, Azerbaijan, Armenia, Uzbekistan, or Tajikistan fails to reach the 1 milligram per capita in morphine-equivalents. Figures showing high consumption of opioids are mostly found in Western Europe, where the majority of countries report rates of over 100 milligrams per capita. Twelve countries in Eastern Europe manage consumption figures of less than 12 milligrams per capita: Belarus, Malta, Albania, Moldova, Russian Federation, Georgia, Turkey, Ukraine, Kazakhstan, Azerbaijan, Armenia, Uzbekistan and Tajikistan.

WHO ESSENTIAL MEDICINES LIST FOR PC (2017)

1.	Acetylsalicylic acid
2.	Amitriptylinea
3.	Cyclizine
4.	Codeine
5.	Dexamethasone
6.	Diazepam
7.	Decusate sodium
8.	Fentanyl (transdermal patch)
9.	Fluoxetine
10.	Haloperidol
11.	Hyoscine butylbromide
12.	Hyoscine hydrobromide
13.	Ibuprofen
14.	Lactulose
15.	Loperamide
16.	Metoclopramide
17.	Midazolam
18.	Morphine
19.	Methadone*
20.	Ondansetron
21.	Paracetamol
22.	Senna


* For the management of cancer pain.


CONSUMPTION OF STRONG OPIOIDS ACROSS EUROPE IN 2017

Expressed in milligrams per capita, in Morphine Equivalent (ME), excluding Methadone.

QUARTILE	COUNTRY	MG/CAP ME
Q1	Austria	524,01
Q1	Germany	403,19
Q1	Netherlands	294,21
Q1	Switzerland	281,85
Q1	Denmark	279,34
Q1	Belgium	268,28
Q1	Israel	255,35
Q1	Spain	249,09
Q1	Norway	229,63
Q1	Sweden	204,42
Q1	Ireland	194,51
Q1	Iceland	176,50
Q2	United Kingdom	162,44
Q2	France	151,83
Q2	Luxembourg	148,16
Q2	Finland	126,92
Q2	Greece	116,40
Q2	Slovenia	114,73
Q2	Italy	111,40
Q2	Czech Republic	109,08
Q2	Slovakia	103,09
Q2	Hungary	92,58
Q2	Portugal	86,52
Q2	Cyprus	66,06
Q3	Macedonia	57,18
Q3	Latvia	40,89
Q3	Poland	36,57
Q3	Croatia	35,15
Q3	Serbia	29,91
Q3	Lithuania	28,56
Q3	Estonia	25,08
Q3	Montenegro	23,48
Q3	Romania	23,45
Q3	Bulgaria	17,45
Q3	Bosnia and Herzegovina	11,90
Q4	Belarus	10,37
Q4	Malta	10,20
Q4	Albania	7,31
Q4	Moldova	5,75
Q4	Russian Federation	4,65
Q4	Georgia	4,07
Q4	Turkey	1,28
Q4	Ukraine	0,78
Q4	Kazakhstan	0,77
Q4	Azerbaijan	0,39
Q4	Armenia	0,27
Q4	Uzbekistan	0,22
Q4	Tajikistan	0,00

Only the United Kingdom and Ireland allow Nurses trained in Palliative Care to prescribe opioids





Map 5.1. Consumption of Strong Opioids across Europe in 2017.

SOME KEY NOTES ON PRESCRIPTION OF PAIN MEDICINES

Albania. Patients with end-stage cancer in need of pain relief have unlimited access to morphine.

Bulgaria. Opioids are completely free of charge for cancer patients. There are no limitation stothe amount, administration routes, or types of opioids that can be prescribed to a patient for a period of one month.

Croatia. According to the Croatian Pharmaceutical Country Profile,

the opiates included in the national list of essential medicines are prescription medicines. Starting 2011, a new special prescription form is required and most of these medications are either free or provided with >75% subsidy.

Finland. Finland has incorporated electronic prescriptions.

Latvia. Doctors can prescribe any required dose and indicate for which

period of time the patient should take the medicine. Patients using morphine are registered by their diagnosis according to diagnostic indications e.g. C16.

Lithuania. Electronic prescriptions don't require special forms.

Republic of Moldova. Prescriptions are valid for up to 30 days. Patients do not need to register to be eligible for an opioid prescription. Any citizen is entitled to be prescribed opioids. Once a family doctor prescribes opioids for the first time, the patient automatically receives an "attached card" that matches the patient with an specific dispensing pharmacy.

Sweden. An opioid prescription is valid for one year and can be re-prescribed as many times as needed during this period. There is no limit regarding the amount of opioids that can be prescribed.

SELECTED READINGS

1. ATOME: Access to Opioid Medication in Europe. Final Report and Recommendations to the Ministries of Health, 2014.

2. Human Rights Watch: Global State of Pain Treatment. 2011. Available from:https://www.hrw. org/sites/default/ files/reports/hhro511W.pdf

3. Knaul FM et al. Alleviating the access abyss in palliative care and pain relief—an imperative of universal health coverage: The Lancet Commission report. Lancet 2017;391:1391–1454.

4. De Lima L et al. Global framework for noncommunicable diseases: How can we monitor palliative care? J Palliat Med 2013;16:226-229.

5. Sharkey L et al. National palliative care capacities around the world: Results from the World Health Organization Noncommunicable Disease Country Capacity Survey. Palliat Med 2017;32:106–113.

6. World Health Organisation: Essential Medicines in Palliative Care. Executive Summary. Prepared by International Association of Hospice and Palliative Care (IAHPC) 2013. 7. Gilson AM et al. Multivariate analysis of countries' government and health-care system influences on opioid availability for cancer pain relief and palliative care: More than a function of human development. Palliat Med 2013;27:105-114.

8. Cherny NI et al. The global opioid policy initiative (GOPI) project to evaluate the availability and accessibility of opioids for the management of cancer pain in Africa, Asia, Latin America and the Caribbean, and the Middle East: Introduction and methodology. Ann Oncol 2013;24: xi7–13.

9. Seya MJ et al. A first comparison between the consumption of and the need for opioid analgesics at country, regional, and global levels. J Pain Palliat Care Pharmacother 2011;25:6–18.

10. Gilson AM et al. Using a morphine equivalence metric to quantify opioid consumption: Examining the capacity to provide effective treatment of debilitating pain at the global, regional, and country levels. J Pain Symptom Manage 2013;45: 681–700. **11. Duthey B et al.** Adequacy of opioid analgesic consumption at country, global, and regional levels in 2010, its relationship with development level, and changes compared with 2006. J Pain Symptom Manage 2014;47: 283–297.

12. Berterame S et al. Use of and barriers to access to opioid analgesics: A worldwide, regional, and national study. Lancet 2016;387:1644–1656.

13. De Lima L et al. Crosssectional pilot study to monitor the availability, dispensed prices, and affordability of opioids around the globe. J Pain Symptom Manage 2014;48:649.e1–659.e1.

14. Cherny NI et al. Formulary availability and regulatory barriers to accessibility of opioids for cancer pain in Europe: A report from the ESMO/ EAPC opioid policy initiative. Ann Oncol 2010;21:615–626.

15. World Health Organisation: WHO List of Essential Medicines 2017, 20th Edition. https://apps.who.int/iris/bitstream/ handle/10665/273826/EML-20-eng.pdf?ua=1

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

See the complete list of names and affiliations in the Introduction section. To complete the questionnaire, each National PC Association nominated several 'key persons' with extensive local knowledge on PC. Data on the consumption of strong analgesics opioids was retrieved from the International Narcotics Control Board database provided by prof. Jim Clearly.

AUTHORS

Natalia Arias, Eduardo Garralda, Carlos Centeno University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Jim Cleary

Supportive Oncology Department of Medicine Indiana University Simon Cancer Center Indianapolis (USA)

Liliana de Lima

International Association for Hospice and Palliative Care (IAHPC) Houston TX, USA

Chapter 6. Palliative Care vitality and professional activity

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE VITALITY

Population: 54 countries in the Europe WHO region and Liechtenstein.

Survey Details

Areas explored: 3 indicators on the existence of National PC Associations, existence of the directories of PC services and number of publications on PC in Scopus database.

Questionnaire: on-line survey, 10 questions.

Participants: 92 key persons for Palliative Care development, nominated from National Associations or identified through previous publications.

Coverage: 51/54 countries (94%): with two respondents 29/51 countries (57%), with one respondent 20/51 (39%), other sources 2/51 (4%).

Data collection: 12/2018 to 3/2019.

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Julie Ling (CEO of the European Association for Palliative Care).

Promotor: European Association for Palliative Care (EAPC).

THE EUROPEAN ASSOCIATION FOR PAL-LIATIVE CARE (EAPC), ESTABLISHED IN 1988, IS A MEMBERSHIP ORGANISA-TION THAT AIMS TO ADVANCE, INFLU-ENCE, PROMOTE AND DEVELOP PALLIA-TIVE CARE IN EUROPE. SINCE ITS INCEP-TION, THE EAPC HAS EVOLVED INTO THE LEADING PALLIATIVE CARE ORGANISA-TION IN EUROPE PROVIDING A FORUM FOR ALL OF THOSE EITHER WORKING, OR WITH AN INTEREST IN, PALLIATIVE CARE THROUGHOUT EUROPE AND BEYOND.

urrently the EAPC has 59 member associations from 33 European countries and also has individual members from 52 countries globally. Members are engaged in palliative care from a range of perspectives; specialist clinical practice, education, policy and research. The EAPC is respectful of the cultural and political diversities of our members across Europe but aims to ensure that as collective group that we speak with 'one voice-one vision' on matters important for the practice and development of palliative care.

This chapter will show the degree of PC professional vitality across Europe by examining the existence of National PC associations, directories of PC services, and attendance at the last EAPC congress per country. A new addition to the Atlas is the inclusion of the number of publications in the Scopus database on Palliative Care in the last three years. Future editions will include, further indicators including contribution to congresses (in the form of oral communications and posters), the degree of involvement in EAPC Task forces or reference groups, or other contributions to the EAPC.

Eduardo Garralda, Natalia Arias, Carlos Centeno, Julie Ling.

member associations throughout Europe. To date, 44/51 countries have a national association for PC. Since 1985 when the first was established in the United Kingdom, the number of associations has consistently grown. In the period 1985-1995, there were associations in Italy, France, Denmark, Luxembourg, Germany, Spain, Portugal, Belgium, Croatia, Finland, Hungary and Lithuania. Between 1996 and 2005, a further 15 were established with 16 more added including countries in Central and Eastern European. A second national association has been established in 24 countries; some specifically relating to PC for children (Germany, Norway, the Netherlands, Switzerland, Latvia and Ukraine), and in others PC nursing national associations have been established (United Kingdom, Portugal, Poland, and Moldova).

Directories of PC Services

The development of National Directories for PC services are important in identifying the number of services and the type of PC specialised services available in each country, the setting and the geographical context of the provision of PC. Nearly half of all European countries have a directory (25/51). Many of these are available online and have been developed or updated in the last ten years (19/25). Up until 2008, Austria, France, Germany, Hungary, Norway, Poland and Spain had all developed a directory of existing PC services. Although useful, some countries point out the challenge of maintaining the information. Some directories are incomplete and only present certain services (United Kingdom) or are outdated with the accuracy of data left to providers (Sweden). Others do not reflect the the quality of the PC services (Spain).

National PC Associations across Europe

Over the past three decades, PC professionals have established National PC

Attendance to the latest EAPC congress


The EAPC main congress attracts almost 3000 delegates. 1180 participants attended the 10th World Research Congress of the

Chapter 6. Palliative Care vitality and professional activity

EAPC held in Bern, Switzerland (including local committee, volunteers and invited guests). The United Kingdom had the highest number of delegates (133), followed by the hosting country, Switzerland (130); and the Netherlands (112). Germany had 96 delegates, and was followed by Belgium (55), Sweden (34), Denmark (32), or Spain (30). The use of this as an indicator will be enhanced in future editions of the Atlas by seeking the number of contributions per country to EAPC congresses (in the form of oral and posters presentations).

Scientific publications on Palliative Care in the last three years

The Scopus database has registered nearly 10000 scientific publications regarding Palliative Care by European countries in the period 2015-2018. Differences amongst countries are noticeable, and range from 2448 articles produced in the United Kingdom to countries with less than 10 published articles, most of them pertaining to Central and Eastern Europe. Countries with a high scientific production of over 500 articles include Germany (1153), France (814), Italy (698), Netherlands (650) and Spain (627).




SOME KEY NOTES ON PC PROFESSIONAL ACTIVITY

Belgium. Besides the existence of the National Associations, there are 50 PC networks across Belgium that raise awareness with the general public on PC-related issues, provide continuing education for PC providers, and aim to bridge communication among PC providers in diverse regions.

Germany. The German Association for Palliative Medicine (DGFP) holds biannual congresses, celebrates PC Day organised by the DGFP, organises meetings of working groups (education, ethics, research, children, physiotherapy), publishes the journal Zeitschrift für Palliativmedizin, lobbies governmental ministries and bodies with influence on matters concerning PC, death and dying, and works as an umbrella organisation for inpatient hospices and hospice volunteers. There is also a an association for specialist PC at home (Bundesarbeitsgemeinschaft SAPV) and two PC associations for children (Bundesverband Kinderhospiz and Deutscher Kinderhospizverein). Italy. The Italian Society for Palliative Care (SICP) welcomes PC professionals regardless of their discipline or professional background, including psychosocial fields. A second organisation, the Palliative Care Federation is a Federation of NGOs involved in providing PC and works closely with the SICP.

Netherlands. There are a number of very active professional PC organisations in the Netherlands (PZNL), the National Center for PC (AGORA) with focus on patients and caregivers, the Platform of regional PC Networks (FIBULA), the Netherlands Comprehensive Cancer Organisation (IKNL), a Foundation for PC at home (Stichting PaTz), an Expertise PC centre for Children (Pharos), the Dutch Centre of Expertise on Health Disparities, the Volunteers for Palliative and Terminal Care (VPTZ), the Dutch Association of Hospice Care (AHzN), University centres of Expertise for PC, seven expert centres based in Dutch academic university hospitals, enrolled in the PalZon platform.



Map 6.1. Palliative Care Vitality and Professional Activity.

SOME KEY NOTES ON PC DIRECTORIES


Belgium. A Paediatric PC-specific website will soon be available and additionally, the Austrian Cancer Society published a print-only directory for adult PC services that is regularly update (https://www. hospiz.at/wordpress/wp-content/uploads/2018/09/Palliativ_2018.pdf)

Netherlands. The Dutch College of General Practitioners (Nederlands Huisartsen GeNootschap(N-HG) has developed a directory of all general physicians who have completed the PC accreditation process as a special field of expertise (Kaderopleiding PC).

Furthermore, a free downloadable app PalliArts contains information on services in the regional PC networks.

Republic of Moldova. National Standards were developed in 2011 providing a list of all organisations providing PC services. This is print-only and updated periodically.

NUMBER OF PC PUBLICATIONS 2015-2018 (PER COUNTRY)



Chapter 6. Palliative Care vitality and professional activity

SELECTED READINGS

1. Woitha K, et al. Ranking of Palliative Care Development in the Countries of the European Union. J Pain Symptom Manage. 2016;52(3):370-7. **2. Centeno C, et al.** Facts and indicators on palliative care development in 52 countries of the WHO European region: results of an EAPC Task Force. Palliat Med. 2007 Sep;21(6):463-71.

3. Webster J, Kristjanson LJ. "But isn't it depressing?" The vitality of palliative care. J Palliat Care. 2002 Spring;18(1):15-24.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

See the complete list of names and affiliations in the Introduction section. To complete the questionnaire, each National PC Association nominated several 'key persons' with extensive local knowledge on PC. Where this was not possible, 'key persons' were selected either due to previous participation in similar studies or to the recommendation from other PC institutions, mainly the EAPC Head Office. The mission of this key informant was to provide data regarding the provision of PC services in their respective countries. Information was depurated with received comments and peer reviewed with a second or third informant, whenever possible, and cross-checked with previously available data (see methods section).

AUTHORS

Eduardo Garralda, Natalia Arias, Carlos Centeno University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain Julie Ling European Association for Palliative Care (EAPC), CEO

Chapter 7. Integration of Palliative Care in Long-Term Care Facilities in 18 European countries

Carla Reigada , Katherine Froggatt, Lieve Van den Block.

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE IN LONG-TERM FACILITIES

Population: 54 countries of the Europe WHO region and Lichtenstein.

Survey Details

Areas explored: 7 main indicators for long-term care facilities (LTCFs): Existence of official documents regulating PC interventions and its provision; training in PC; publications regarding the provision of PC; collaboration with PC teams; availability of national funds.

Questionnaire: on line survey, 17 questions, answered in (average): 27 minutes.

Participants: 25 national experts: 6 identified in the EAPC TaskForce on LTCFs or EAPC report, 5 in LTCF-related publications, 9 recommended by PC experts and remaining 5 are from Universities, PC research centres, or PC services' contexts.

Coverage: 18/54 countries (33%): with two respondents or over in 5/18 countries (28%), and one respondent in 13/18 countries (72%).

Data collection: 12/2018 to 3/2019 (4 months).

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain .

Scientific Advice: Katherine Froggatt (UK) and Lieve Van den Block (Belgium).

Promotor: European Association for Palliative Care (EAPC).

LONG-TERM CARE FACILITIES ARE COLLECTIVE INSTITUTIONAL SETTINGS IN WHICH CARE IS PROVIDED TO OLDER PEOPLE ON-SITE 24 HOURS A DAY, 7 DAYS A WEEK, INCLUDING FACILITIES WITH ON-SITE AND OFF-SITE NURSES AND MED-ICAL STAFF. THIS TERM INCLUDES A RANGE OF FACILITIES OFFERING DIFFERENT LEVELS OF SOCIAL AND HEALTH CARE (FROGGATT ET AL, 2017).

he first study on how palliative care (PC) is integrated into Long Term Care Facilities (LTCFs) in Europe was developed in 2013 by the European Association of Palliative Care (EAPC) (1). Thereafter, in 2015, the PACE project (Comparing the effectiveness of PATIENT CARE for older people in LTCFs) provided an overview of mapping PC systems in LTCFs in Europe (2). This chapter intends to evaluate the current state of PC integration into LTCFs in the WHO European Region building on previous experiences through the use of similar indicators.

LTCFs can seek advice from palliative care teams

to better address patient pain and symptom

management, other physical and psycholog-

ical needs and family support . In Europe, this

collaboration between PC teams and LTCFs staff

varies in its frequency. Lithuania and Kyrgyzstan

report that cooperation "always" exist in their

practice, at the time that Belgium and Austria also consider that this partnership happens "most of

the time". Countries such as the Czech Republic,

Israel, Russia, Italy, and Armenia admit a hardly

often to non-existent/never collaboration fre-

quency. A vast majority of European countries

though (9/18) point out occasional collabora-

tions (Greece, Denmark, Poland, The Nether-

lands, France, Switzerland, UK, Germany, Spain).

Regulation of PC provision in LTCFs

Palliative Care provision is often regulated by

documents with national validity, usually refer-

ring to structural features that should be available in LTCFs such as personnel, beds, materials, etcetera. Ten European countries inform having national strategies, plans or policies,

PC provision in LTCFs

and eight state having standards of quality provision of PC services. Likewise, 11/18 countries report having some sort of guidelines or protocols, either as official protocols (four countries) or other non-official documents actually modulating palliative care provision in long-term care facilities in the country.


Funding For PC provision in LTCFs

Only 8/14 countries reported having national funding available to support the provision of palliative care. Funding models vary from grants and loans, to the reception of an annual economic support. Specifically, five countries state getting an annual national support which occur in different ways. Some countries have a contract with the National Health Fund and get a donation for hospices, others report having regional economic rates from regional health and social-care funds, or others where PC at LTCFs is entirely public.


PC training in LTCFs

The estimation of LTCFs staff with PC training is over 90% in Lithuania, followed by Kyrgyzstan, Poland, The Netherlands, Belgium, France, Switzerland and the UK (ranging from 40% to 90%). Half of the reporting countries do not reach a 40% ratio in terms of staff s PC training. Furthermore, 12/18 countries confirm the existence of national studies on the provision of PC in LTCFs and another seven countries declare their participation in an international project on PC provision in LCTFs (Lithuania, Belgium, Poland, The Netherlands, Switzerland, UK, Italy).

Chapter 7. Integration of Palliative Care in Long-Term Care Facilities in 18 European countries



Map 7.1. Staff in Long Term Care Facilities trained in Palliative Care.



Map 7.2. Official documents regulating Palliative Care provision in Long Term Care Facilities.

COLLABORATION BETWEEN PC TEAMS AND LTCFs STAFF (EXPERTS' ESTIMATION)

COUNTRY	COLLABORATION FREQUENCY BETWEEN TEAMS			
Kyrgyzstan				
Lithuania				
Austria				
Belgium		Allways		
Denmark		Most of the times		
France		Sometimnes		
Germany		 Very rarely Never 		
Greece		Never		
Poland				
Spain				
Switzerland				
The Netherlands				
UK				
Czech Republic				
Israel				
Italy				
Russia				
Armenia				

FUNDING FOR PC PROVISION IN LTCFs

Armenia, Austria, Belgium, Czech Republic, France, Germany, Italy, Kyrgyzstan, Lithuania, Russia, The Netherlands, United Kingdom report some sort of funding for palliative care provision in Long Term Care Facilities.

RESEARCH ON PC PROVISION AT LTCFs

COUNTRY	Р	R	COUNTRY	Р	R
Armenia	0	0	Italy		
Austria		0	Kyrgyzstan		0
Belgium			Lithuania		
Czech Republic	0	0	Poland		
Denmark		Θ	Russia	\bigcirc	0
France		0	Spain	0	0
Germany		0	Switzerland	0	
Greece	0	0	The Netherlands		
Israel	•	0	UK	•	

P: Publications on PC provision R: Involvement in international research projects ONo ●Yes ⊖N/S

RELEVANT KEY NOTES

COUNTRY	KEY NOTES	COUNTRY	KEY NOTES
Belgium	Belgium has a Law regulating the 'PC function' for LTCFs and for regulating the responsibility to provide PC.	Kyrgyzstan	The Clinical guidelines and clinical protocol "Chronic pain" on the basis of WHO recommendations were approved by the Ministry of Health of the Kyrgyz Republic in 2013.
	The long-term palliative care is still neglected in Czech		
Czech Republic	Republic. Currently, the attention is focused on mobile palliative care and paediatric palliative care.	Poland	In Poland there are general standards of PC, but they are not specific and adjusted to long term care. Spe- cialist PC services by-law are excluded from LTCFs. If a
Denmark	In Denmark, the LTCF manager is responsible for pro- viding key competencies and training in PC of the staff.		patient is referred to LTCFs cannot receive PC from the specialists of this field.
France	France has guidelines focused in end-of-life care, spe- cifically in nursing homes. They have been published in November 2017 by the French national agency for the assessment and the quality of social and health care services (ANESM), which is now part of the National Authority for Health (HAS).	Spain	In Spain there is no specific document about PC and LTCFs. However, some PC documents refer the neces- sity to provide attention to these institutions. The fact that Spain is divided into autonomous communities with independent health policies and laws.
Greece	The National Strategic Plan for developing and imple- menting PC in Greece is currently being elaborated.	Switzerland	In Switzerland, each canton has his all legislation and regulation on these issues.
	Mapping of existing services did not reveal long-term facilities providing PC.	The Netherlands	A large part of LTCFs in The Netherlands have an Elder- ly Care Physician extra specialized in PC ("kaderarts palliatieve zorg"), often part of a PC team. Several
Italy	In 2012, the National Ministry of Health and State-Re- gions Conference of Italy defined an agreement on the		LTCFs have palliative care units with trained staff.
	definition of Palliative Care Local Network. This defi- nition is only an agreement among National Govern- ment and Regional Governments, because standards quality provision of palliative care in LTCF are defined l every Regional Government.		There are no regulating bodies for PC in LTCFs in UK. The main national document that included LTCFs was pub- lished in 2008 'End of Life Care Strategy'. There are a number of other national projects () and advance care planning policies that are incorporated into care homes.

Chapter 7. Integration of Palliative Care in Long-Term Care Facilities in 18 European countries

SELECTED READINGS

1. Reitinger E et al. Palliative care in longterm care settings for older people : findings from an EAPC taskforce. European Journal Of Palliative Care 2013, 20(5), 251-253.

2. http://www.eupace.eu/pace-mappingpalliative-care-systems-care-or-nursinghomes-europe **3. Albers G et al.** What is the methodological rigour of palliative care research in long-term care facilities in Europe? A systematic review. Palliat Med. 2012;26(5):722-733.

4. Froggatt K et al. Palliative care development in European care homes and nursing homes: application of a typology of implementation. J Am Med Dir Assoc. 2017;18(6):550.e7–550.

6. Van Uden N et al. Quality of dying of nursing home residents with dementia as judged by relatives. Int Psychogeriatr. 2013;25:1697–1707.

7. Smets T et al. Integrating palliative care in long-term care facilities across Europe (PACE): protocol of a cluster randomized controlled trial of the 'PACE Steps to Success' intervention in seven countries. BMC Palliat Care. 2018;17(1):47.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

Armenia (Narie Movsisyan), Austria (Beyer Sigrid, Katharina Heimerl, Thomas Frühwald), Belgium (Lieve Van den Block, Nele Van Den Noortgate), Czech Republic (Marie Macková), Denmark (Mette Raunkiær), France (Lucas Morin), **Germany** (Evelyn Mueller, Sarah Wiefels), **Greece** (Aliki Tserkezoglou), **Israel** (confidential), **Italy** (Fabrizio Giunco, Franco Toscani, Monica Beccaro), **Kyrgyzstan** (Lola Asanalieva), **Lithuania** (Aurelija Blaževičienė), Poland (Katarzyna Szczerbinska), Russia (Nyuta Federmesser), Spain (Javier Gómez Pavón), Switzerland (Pautex Sophie), The Netherlands (confidential), United Kingdom (Jo Hockley, Katherine Froggatt).

AUTHORS

Carla Reigada University of Navarra Institute for Culture and Society (ICS) ATLANTES Research Program Pamplona (Navarra), Spain

Katherine Froggatt

International Observatory on End of Life Care Lancaster University, Lancaster, UK

Lieve Van den Block

Vrije Universiteit Brussel, Brussels, Belgium

Chapter 8. Development of Volunteering in Hospice and Palliative Care in 15 European Countries

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON VOLUNTEERING

Population: 54 countries of the Europe WHO region and Lichtenstein.

Survey Details

Areas explored: 7 main indicators on Volunteering: number of volunteer hospices, people involved as volunteers in hospices and Palliative Care services, systems to track PC volunteers, training programmes for volunteers, funds, compassionate communities, and formal representation in the national PC association.

Questionnaire: on line survey, 17 questions, answered in (average): 26 minutes.

Participants: 28 national experts on PC volunteering: 10 belonging to the EAPC TF on PC volunteering, 4 from National/local PC Volunteer Associations, 4 with PC volunteering publications. Remaining 10 are PC professionals, representatives of PC Associations and Academicians.

Coverage: 15/54 countries (28%): with two respondents or more 6/15 countries (40%), with one respondent 9/15 countries(60%).

Data collection: 12/2018 to 3/2019 (4 months).

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Leena Pelttari (Austria), Lukas Radbruch (Germany) and Ros Scott (United Kingdom).

Promotor: European Association for Palliative Care (EAPC).

VOLUNTEERING HOSPICE IS A MAJOR SOCIAL AND SOCIETAL CHANGE AGENT. THE EUROPEAN ASSOCIATION FOR PAL-LIATIVE CARE (EAPC) ALONG WITH OTH-ER GLOBAL ORGANISATIONS HAVE BEEN WORKING TOGETHER TO ADVO-CATE FOR THE SUPPORT, RECOGNITION, PROMOTION AND DEVELOPMENT OF VOLUNTEERING IN HOSPICE AND PAL-LIATIVE CARE¹.

n recognition of the crucial role of volunteers in the care of PC patients and their families, and in sustaining hospice and palliative care services, this chapter aims to assess the current state of Hospice and Palliative Care (HPC) volunteering in countries in the WHO European region.

Volunteers providing Palliative Care

The majority of the countries reported not having an accurate estimation of the number of people involved as volunteers in hospice or PC services. However, it is estimated that in Austria, Belgium, France, Germany, Italy, the Netherlands, Poland and UK there are over 1000 volunteers involved in hospice or PC provision. The Czech Republic, Hungary, Portugal, Serbia and Armenia register lower numbers of PC volunteers (less than 500/country). In some countries, certain hospices and organizations are only run by volunteers. In Germany for example, the volunteer sector has over 1300 volunteer organizations called Ambulanter Hospizdienst (hospice home services or volunteer hospices -Box 1). Other countries like Switzerland, Poland and the Czech Republic also report having around 30 volunteer hospices in their countries. Volunteer' activity is increasingly recognised as an important part of care, and therefore few countries report the existence of a system for recording the volunteer's activities of Hospices and palliative care services. Specifically six countries (Austria, Czech Republic, France, The Netherlands, Romania and Serbia) report tracking volunteers' activity in different ways. Austria, the Netherlands and Romania report national-level registries, whereas

Carla Reigada, Leena Pelttari, Lukas Radbruch, Ros Scott.

three countries report rather regional or local level ones. Additionally, six countries have individual registries namely: the Czech Republic, France, The Netherlands, Romania, Serbia, and the United Kingdom.

Training programmes for volunteers

Training for HPC volunteers is widely provided in Europe but may differ between countries with regard to the context/level of training. Except for Armenia that does not refer any type of training programme for volunteers in HPC, all European countries report some sort of training for volunteers. Austria, The Netherlands and Switzerland report the existence of training programmes for volunteers at the national, regional, local and specific (care setting) levels. Eight countries report training at the national level, five at the regional level, seven at the local level and eight at the team or palliative care setting' level.

Funds for Hospices and Palliative Care Volunteers activities

Funding to support the activities of volunteers in PC varies overall in its very existence, as well as in which institution is responsible. European countries get funds mostly from donations (12 countries) or grants (9 countries). While Portugal and Belgium do not report receiving any type of funding to support volunteers' activities in HPC, countries like Austria, France, Germany, The Netherlands, the United Kingdom, Switzerland, and Czech Republic report that their respective government sponsors some of the volunteering activities in HPC. Still differences are reported with funded activities (sometimes only training), with responsible bodies for administering funds (sometimes the very service allocates some funding), and even with regard to in-country funding homogeneity (differences by in-country regions).

Chapter 8. Development of Volunteering in Hospice and Palliative Care in 15 European Countries

Palliative Care Volunteers Vitality

Volunteers are represented within the national PC association in six countries (Austria, France, Germany, Italy, The Netherlands, and Hungary). Similarly, further six countries (Austria, France, Germany, Italy, The Netherlands, and United Kingdome) report having compassionate communities for the promotion of care to patients and families who lived with life-threatening or life limiting illness.

Volunteerism in palliative care can be defined as the time freely given by individuals, with no expectation of financial compensation, within some form of organized structure other than the already existing social relations or familial ties, with a palliative approach, i.e. the intention of improving the quality of life of adults and children with terminal illnesses and those close to them (family and others) (Adapted from Goossensen et al. Defining volunteering in hospice and palliative care in Europe: an EAPC White Paper. July 2016, European Journal of Palliative Care 23(4):184-191).

BOX 1. VOLUNTEERING HOSPICES MODEL: AN EXAMPLE FROM GERMANY

In Germany the volunteer sector is organised in over 1300 volunteer services called Ambulanter Hospizdienst (hospice home service). These services should have more than 15 volunteers and one or more professional coordinators. Volunteers should have 80 hours of training (stretching out over half a year) and supervision, coordinators should have nursing, social worker and coordination qualifications. If these requirements are met, staff costs for the coordinators (plus some other expenses) are reimbursed by the sickness funds (health insurance fund), using a complicated formula to calculate the reimbursement with the number of patients cared for in the last year and the number of volunteers as factors.

Lukas Radbruch* is chairing a volunteer service in a town of Germany and share his experience: "We have three part-time coordinators and approximately 50 volunteers, and have accompanied around 30 patients last year until they died. The volunteer service run by our department has also three part-time coordinators and around 60 volunteers. The volunteer services also do a lot of bereavement work, offering counselling, bereavement groups and cafes and other activities. Our home care team (PC) as well as our inpatient units cooperate closely with a volunteer service." The volunteer hospice services in Germany provide psychosocial care centered in the patient's comfort, offering compassion, talking to patients and, and sometimes offering some household help or some respite for family caregivers. Medical care is provided by the general practiciones (GP), other specialists (e.g. oncologists), or by the specialist home care teams.

* Lukas Radbruch is the Director of the Department of Palliative Medicine, University Hospital Bonn, in Germany.

VOLUNTEERS VOLUNTEERS ANYTRAINING ANY DATA COLLECTION COMPASSIONATE VOLUNTEERS GOVERNMENT REPRESENTATION FUNDING FOR PC HOSPICES PROGRAMMES SYSTEMS TO TRACK COMMUNITIES ORGANISATIONS (OR CURRICULA) VOLUNTEERS IN THE NATIONAL VOLUNTEERING ACTIVITIES FOR VOLUNTEERS ACTIVITY PC ASSOCIATION YES N/S COUNTRY YES NO YES NO N/A YES NO YES N/S Armenia 0 0 0-10 Ο \bigcirc 0 \bigcirc 0 \bigcirc 0 0 Austria 184 >1000 \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc Belgium 84 >1000 0 0 0 0 \bigcirc 0 0 **Czech Republic** 100-500 0 0 12 Ο 0 Ο Ο 0 \bigcirc France NA >1000 \bigcirc 0 \bigcirc 0 \bigcirc \bigcirc Germany 1316 >1000 0 0 \bigcirc 0 0 0 \bigcirc \bigcirc \bigcirc \bigcirc 100-500 Hungary 5 0 0 0 0 0 0 0 0 0 Italy 0 0 0 0 0 0 0 NA >1000 Poland 0 0 0 0 0 20 >1000 \bigcirc \bigcirc 0 Portugal 100-500 0 0 NA \bigcirc 0 0 0 \bigcirc Romania NA 500-1000 \bigcirc 0 \bigcirc 0 0 0 0 \bigcirc Serbia 100-500 0 0 0 0 0 0 0 1 \bigcirc Switzerland 30 500-1000 \bigcirc 0 \bigcirc 0 Ο \bigcirc 0 The Netherlands 91 >1000 0 0 0 0 \bigcirc 0 United Kingdom NA >1000 \bigcirc \cap \bigcirc \bigcirc \bigcirc \bigcirc

VOLUNTEERING IN HOSPICE AND PALLIATIVE CARE IN 15 EUROPEAN COUNTRIES

N/A: Not Accurate. N/S: Not stated.

19,049

volunteeers involved in direct patient care in Flanders and Brussels (estimation)

NO

KEY NOTES FROM NATIONAL EXPERTS

United Kingdom. In UK, volunteering within hospices and Palliative Care services is funded by the services themselves. This would mainly be through charitable fundraising. France. Volunteering in palliative care in France is part of the June 1999 Palliative Care law. This is the only volunteering registered by law which defines the model of volunteering in palliative care.

SE

Belgium. The first study on PC volunteering in Flanders and Brussels estimate a total of 19,049 volunteers involved in direct patient care for people with chronic and/or life-threatening conditions.

UA

MD

BG

Italy.Compassionate communities

are non-common in Italy.

FI

SK

BA

ME

SI J HR

The Netherlands. The National

Hospice and Palliative Care Orga-

nization in Holland support volun-

teering in hospice. Many hospices

in Holland have their own trainers/

materials/courses for volunteers.

Austria. Hospice Austria conducts a yearly data collection for all hospices and Palliative Care services in Austria including volunteer hospice teams both for adults and children.

Czech Republic. There are 12 volunteer hospices in Czech Republic in 2017. Also, there are volunteers' programmes in hospitals dedicated to palliative care and a lot of small mobile hospices with volunteers.

KΖ

AZ

Poland. According to the Polish Hospices Forum, in 2018 Poland has 488 hospices (about 500 hospice and palliative care teams). The funding options for volunteering activities depends on particular hospice and palliative care centre.

Hungary. In Hungary, the volunteer hospice teams in a growing field. In A our days, the society is more supportive.

Germany The German system is not government funded, but funded via the mandatory sickness funds. This health insurance fund will reimburse the costs of profession

CY

Armenia. There is a good understanding for the need and importance of volunteers in Palliative Care among Palliative Care specialists in Armenia.

Portugal. The Portuguese Association of Palliative Care volunteering course has 16 hours to promote general training in Palliative Care.

NUMBER OF VOLUNTEERS

ES



1:23.000.000

ATLANTES Program | ICS · University of Navarra

Map 8.1. Palliative Care volunteers across Europe.

Chapter 8. Development of Volunteering in Hospice and Palliative Care in 15 European Countries

SELECTED READINGS

1. Scott R, Pelttari L. The EAPC Madrid Charter on Volunteering in Hospice and Palliative Care (EAPC Website: https://www.eapcnet.eu/eapcgroups/task-forces/volunteering)

2. Goossensen A, Somsen J, Scott R, Pelttari
L. Defining volunteering in hospice and palliative care in Europe: An EAPC white paper.
European Journal of Palliative Care. 2016; 23(4):184-191.

3. Scott R, Pelttari R. Comment EAPC Task Force on Volunteering: What progress has been made. European Journal for Palliative Care. 2015; 22(6):265.

4. Vanderstichelen S et al. Volunteer involvement in the organisation of palliative care: A survey study of the healthcare system in Flanders and Dutch-speaking Brussels, Belgium. Health Soc Care Community. Epub ahead of print 16 October 2018. **5. Morris SM, Payne S, Ockenden N, Hill M.** Hospice volunteers: bridging the gap to the community? Health Soc Care Community. 2017;25(6):1704-1713.

6. Woitha K et al. Volunteers in Palliative Care. A Comparison of Seven European Countries: A Descriptive Study. Pain Pract. 2015;15(6):572-9.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

Armenia (Avetis Babakhanyan), Austria (Leena Pelttari), Belgium (Karen Van Beek Steven Vanderstichelen, Suzy Van Ende Suzy), Czech Republic (Markéta Novotná), France (Renard Catherine), Germany (Lukas Radbruch), **Hungary** (Agnes Zana, Judit Schaffer, Miklos Lukacs), **Italy** (Stefania Bastianello), **Poland** (Piotr Krakowiak, Leszek Pawłowski), **Portugal** (Maria Teresa Flor-de-Lima), **Romania** (Beatrice Paring, confidential), Serbia (Mijodrag Bogicevic, Katarina Sivčević), Switzerland (Sylvette Delaloye, confidential), The Netherlands (Anne Goossensen, Marianne Boone and Fleur Imming), United Kingdom (Ros Scott).

AUTHORS

Carla Reigada University of Navarra, ATLANTES Research Group Institute For Culture and Society (ICS), Pamplona (Navarra), Spain

Leena Pelttari

CEO of Hospice Austria , National Organisation for Hospice and Palliative Care, Austria Chair of Master of Science in Palliative Care Programme Co-Chair EAPC Task Force on Volunteering in Hospice and Palliative Care

Lukas Radbruch

Director of the Department of Palliative Medicine, University Hospital Bonn, Germany Director of the Palliative Care Centre, Malteser Hospital Bonn/Rhein-Sieg Member of the EAPC Task Force on Volunteering

Ros Scott

Honorary Research Fellow, University of Dundee, Scotland (United Kingdom) Co-Chair EAPC Task Force on Volunteering

Chapter 9. Integration of Palliative Care at the Primary Care level

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE AT THE PRIMARY CARE LEVEL

Population: 54 countries of the Europe WHO region and Lichtenstein.

Survey Details

Areas explored: 5 main health indicators: identification of PC patients at the primary care level and months before death cared for, incentives to the identification of PC patients, official policy documents on primary PC (laws or strategies/ plans/policies), primary palliative care education, and the denomination of doctors at the primary care level.

Questionnaire: on-line survey, 10 questions, answered in (average) 16 minutes.

Participants: 52 national experts on Primary Palliative Care and PC.

Profile of experts (affiliation): 22 PC experts, 15 primary care experts, 11 academicians, and 4 NGOs or Oncology Centres' experts.

Coverage: 34/54 countries (63%): with one respondent 22/34 (65%) countries and with two or more respondents 12/34 (35%) countries.

Data collection: 12/2018 to 3/2019 (4 months).

Project Management: ATLANTES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Scott Murray (United Kingdom), Sébastien Moine (France).

Promotor: European Association for Palliative Care (EAPC).

PALLIATIVE CARE PROVISION IN EUROPE ONLY REACHES A SMALL PROPORTION OF THE POPULATION AND VARIES GREATLY DEPENDING ON THE DISEASE, PATIENT'S STAGE OF THE ILLNESS, AND GEOGRAPHICAL CONTEXT.

art of this variation in coverage could be ameliorated by partnering with primary care providers, who often already play a major role in providing palliative care. Partnership with primary care providers could improve early identification of patients eligible for palliative care, strengthen continuity among various levels of care, and provide greater access to person-centred care.

The European Association for Palliative Care Primary Care Reference Group and the World Health Organisation share the conviction that a coordinated primary care and public health approach is necessary to gain universal coverage and early access to palliative care in the community (1, 2, 3, 4).

Identifying PC patients at the primary level

Although we know that more patients receive palliative care by primary care staff than by palliative care specialists in hospices and the community, only 12 countries reported primary care teams identifying more than 20% of their patients for palliative care before they died (across all diseases). Three countries (Finland, Poland, and The Netherlands) report the highest proportions of palliative care needs identified at the primary care level, ranging from 61 to 80%.

The average number of months before death that patients are cared for by primary care professionals ranges from one week to one month (11/34 countries, 32%), and one month to six months (12/34 countries, 35%). Germany and Switzerland report better figures that range from six months to one year or over.

Eduardo Garralda, Scott Murray, Sébastien Moine.

Some European countries promote the identification of palliative care need through incentives for primary health professionals. However, there is no clear correlation between incentives and proportion of patients in need of palliative care identified at the primary care level. In fact, up to 10/34 countries (29%) have at least some sort of incentive system in the form of economic compensation (the most common), academic/ curricular awards, or time off, such as free days, extra hours of leave, or early leaves.


Official documents regulating Primary PC provision

Palliative care is included in primary care official documents: 31/34 European countries (92%) at least specifically mention palliative care provision within these documents. Specifically, 20 countries have a national or regional law (38%) and 22 report a national or regional plan/strategy/policy specifically mentioning PC provision at the primary care level. Other types of official documents include clinical guidelines, orders of the Ministry of Health (Kyrgyzstan), national quality frameworks, and position papers on palliative care (The Netherlands).

Primary PC education in Medical Schools

Inclusion of palliative care at the primary care level in undergraduate institutions is documented in 21 countries (62%). However, this varies greatly from country-to-country. For example, 12 countries teach palliative care at the primary care level in all medical schools, two countries in half of medical schools, and seven countries in less than a 40% of their medical schools. Variations are even bigger if we look at the number of dedicated hours, medical schools where these components are mandatory, and when taking into account a lack of official, up-to-date information. Generally, residency programs for family physicians incorporates some palliative care training in 22 countries (65%), and 17 countries (50%) report having these components included in the training for general physicians (GPs).

Chapter 9. Integration of Palliative Care at the Primary Care level



Map 9.1. Palliative Care provision at the Primary Care Level.

INCENTIVES FOR EARLY IDENTIFICATION OF PC PATIENTS AT THE PRIMARY CARE LEVEL

WORK	1/34	L		
ACADEMIC/CURRICULAR		5/34		
TIME	2/3	34		
MONEY			9/34	
NONE				24/34
34 COUNTRIES				

TYPE OF INCENTIVES



Luxembourg, Spain,

Croatia,

Kyrgyzstan



Money and academic/ curricular rewards: Armenia, Germany, The Netherlands, United Kingdom



Time and curricular rewards: Serbia

MENTION OF PC PROVISION AT THE PRIMARY CARE LEVEL IN OFFICIAL DOCUMENTS


LAW	PLAN	COL
		Alba
		Hun
		Irela
		Italy
		Kaz
		Lux
		Mal
		Nor
		Pola
		Port
		Ron
		Serl
	0	Swe
0		Swi
0		Ukra
0		Sco

COUNTRY	LAW	PLAN
Albania		0
Hungary		0
Ireland	0	
Italy		0
Kazakhstan		۲
Luxembourg		0
Malta	0	۲
Norway	0	•
Poland		0
Portugal		٠
Romania	٠	0
Serbia	0	
Sweden	0	۲
Switzerland	0	٠
Ukraine		0
Scotland	0	•

LAW: National or Regional Law PLAN: National or Regional Plan/strategy/policy

●Yes ○No






PRIMARY PC EDUCATION

Countries teach primary PC in some medical schools

- All medical schools
- Half of medical schools
- Less than half medical schools
- No teaching

PRIMARY PC TRAINING FOR FAMILY DOCTORS AND GENERAL PHYSICIANS



- Primary care PC components in residency programme of Family Doctors
- Primary care PC components included in the training of General Physician

Chapter 9. Integration of Palliative Care at the Primary Care level

SELECTED READINGS

1. World Health Organization. Integrating palliative care and symptom relief into primary health care: a WHO guide for planners, implementers and managers. World Health Organization (2018) (https://apps.who.int/iris/ handle/10665/274559)

2. Murray SA et al. Promoting palliative care in the community: Production of the primary palliative care toolkit by the European Association of Palliative Care Taskforce in primary palliative care. Palliative Medicine 2015, 29(2), 101-111.

3. https://www.eapcnet.eu/eapc-groups/ reference/primary-care **4. World Health Organisation.** Why palliative care is an essential function of primary health care. Geneva: WHO, 2018.

5. Maetens A et al. Policy Measures to Support Palliative Care at Home: A Cross-Country Case Comparison in Three European Countries. J Pain Symptom Manage. 2017;54(4):523-529.

6. De Roo ML et al (EURO IMPACT). Actual and preferred place of death of home-dwelling patients in four European countries: making sense of quality indicators. PLoS One 2014 8;9(4). **7. Penders YWH et al (EUROIMPACT).** End-oflife care for people dying with dementia in general practice in Belgium, Italy and Spain: A crosssectional, retrospective study. Geriatr Gerontol Int 2017;17(10):1667-1676.

8. Plat FM et al. Availability of Dutch General Practitioners for After-Hours Palliative Care. J Palliat Care 2018;33(3):182-186.

9. Murray S, et al. Toolkit for the Development of Palliative Care in the Community. EAPC 2014

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

Albania (Confidential), Armenia (Anahit Papikyan, Violeta Zopunyan), Belgium (Johan Wens), Bulgaria (Gergana Foreva), Croatia (Karmen Lončarek), Cyprus (Pansemni Aristodemou), Czech Republic (Adam Houska), Denmark (Thomas Gorlén), Finland (Tiina Saarto), France (Sebastien Moine), Germany (Nils Schneider), Greece (Athina Vadalouka), Hungary (Agnes Csikos, Csilla Busa), Ireland (Deirdre Shanagher, Paul Gregan), Italy (Confidential), Kazakhstan (Tatyana Ostretsova), Kyrgyzstan (Lola Asanalieva, Taalaigul Sabyrbekova), Luxembourg (Fogen Frederic), Malta (Jurgen Abela), Norway (Dagny Faksvåg Haugen), Poland (Aleksandra kotlinska-Lemieszek, Wojciech Leppert, Jacek Łuczak), Portugal (Miguel Julião), Republic of Moldova (Vadim Pogonet), Romania (Malina Dumitrescu), Serbia (Predrag Rosić), Slovenia (Erika Zelko), **Spain** (semFYC, María del Carmen García Casas, Confidential, María Luisa Martín Roselló), **Sweden** (Confidential), Switzerland (Confidential), **Tajikistan** (Ilhom Bandaev, Dzhonova Bunafsha, Nigora Abidjanova), **The Netherlands** (Carel Veldhoven, Yvonne Engels, Eva E. Bolt), **Turkey** (Imatullay Akyar), **Ukraine** (Viktoriia Tymoshevska), **United Kingdom** (Scott A Murray, Kirsty Boyd, Keri Thomas).

AUTHORS

Eduardo Garralda University of Navarra, ATLANTES Research Group Institute For Culture and Society (ICS), Pamplona (Navarra), Spain Scott Murray

University of Edinburgh Edinburgh, Scotland, United Kingdom

Sébastien Moine

Université Paris 13 Nord Laboratoire Education et Pratiques de Santé [LEPS], Villetaneuse, France

Chapter 10. Integration of Palliative Care into Cardiology

Eduardo Garralda, Manuel Martínez Selllés, Pablo Díez Villanueva.

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE INTO CARDIOLOGY

Population: 54 countries of the Europe WHO region and Lichtenstein.

Survey Details

Areas explored: 5 indicators on PC provision in Cardiology services, inclusion of PC topics in Cardiology congresses (and vice versa), meetings between experts from the national cardiology and PC associations, and publications on PC provision in cardiology services.

Questionnaire: on-line survey, 12 questions, time answered in (average) 16 minutes.

Participants: 14 national experts in Palliative Care and Cardiology.

Profile of experts (affiliation):

8 from Cardiology Departments (5 Cardiology departments, 3 Cardiology Associations), 5 from PC centres (4 from PC services, 1 from PC Association) and 1 from University.

Coverage: 12/54 countries (22%): with one respondent 9/12 (75%) countries, with two respondents 3/12 (25%)

Data collection: 12/2018 to 3/2019 (4 months)

Project Management: ATLAN-TES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Manuel Martínez Sellés (Spain) y Pablo Díez Villanueva (Spain).

Promotor: European Association for Palliative Care (EAPC).

HEART FAILURE PATIENTS MAY HAVE GENERIC PALLIATIVE CARE NEEDS AND THEREFORE THERE EXISTS AN INCREASING CONVICTION THAT IN ORDER TO ENHANCE CARE FOR PATIENTS WITH ADVANCED HEART DISEASES, PALLIATIVE CARE SHOULD BECOME A USUAL COMPONENT.

owadays according to the EAPC dedicated Taskforce on Heart Failure and the Heart Failure Association of the European Society of Cardiology, just a few people with advanced heart failure and those approaching end of life, as well as their families, receive appropriate PC support (1,2). Further existing information show that large gaps exist in addressing symptom burden and PC needs of cardiac patients (3,4, 5).

In consequence, this chapter will intend to provide a view on the degree to which Palliative Care is integrated into Cardiology in 12 European countries (Albania, Czech Republic, Denmark, Germany, Ireland, Italy, Portugal, Spain, Sweden, Switzerland, The Netherlands and the United Kingdom) by looking at the very provision of Palliative Care in cardiology services but also at the level professional collaboration between disciplines. In 42 European countries the research team was unable to identify a reference person for PC in Cardiology.

PC Provision in Cardiology Services

In Europe, the provision of palliative care for cardiac patients remains scarce, and solely **eight countries** report the existence of pioneering cardiology services providing Palliative Care. All these countries (Czech Republic, Denmark, Ireland, Portugal, Spain, Sweden, The Netherlands and the United Kingdom) identify at least an integrated service where often seems to have dedicated protocols for Palliative Care delivery (Denmark, Italy, Spain, Netherlands and United Kingdom).

The frequency with which cardiology services and PC professionals collaborate is occasional. A higher ratio has been identified in Spain and Italy, where good experiences in different centres mediated by the oncology experience (Italy) or a close relationship with intra-hospital PC teams (Spain), exist.


PC topics inclusion in National Cardiology Congresses and vice versa

Palliative care topics have been included at least in the last three years in **11 European** countries (11/12). The extent to which this is a common issue varies from country to country. The Czech Republic reports the inclusion of a session on Advanced heart failure and palliative care with four lectures within as an extraordinary and new achievement, whereas Spain for instance, report having PC topics included every year. Similarly, 10 countries (10/12) report the inclusion of cardiology topics in the National Palliative Care Congresses in the last three years though in the perception of some respondents inclusion of Cardiology topics in PC Congresses is somehow more difficult than the other way round. Only Italy and Spain report the existence of periodical meetings between experts from the national cardiology and PC association.

Publications regarding PC provision in Cardiology Services

Seven countries report the existence of publications regarding palliative care provision in cardiology services. The National experts reported diverse amount of scientific publications per country, ranging from seven in Spain, three in the United Kingdom, two in Italy, and at least one in the Czech Republic, Denmark, Portugal, and the Netherlands (a sample of some of these articles can be seen in the bibliographic references' section).

Chapter 10. Integration of Palliative Care into Cardiology



Map 10.1. Palliative Care provision in Cardiology.

FREQUENCY OF COLLABORATION BETWEEN PC AND CARDIOLOGY SERVICES


8/1

countries report that collaboration between PC services and Cardiology Services occurs sometimes. Italy and Spain report often collaborations.

PIONEERING CARDIOLOGY SERVICES PROVIDING PC

COUNTRY	SERVICE, HOSPITAL OR INSTITUTION
Czech Republic	Department of Cardiology, Tomas Bata Regional Hospital, Zlin
Denmark	Department of Cardiology, Vejle Hospital, Vejle
Ireland	Heart failure service, University Hospital Waterford, Waterford
Portugal	Unidade Mais Sentido, Centro Hospital Universitario Lisboa Norte, Lisboa
Spain	Department of Cardiology Hospital Gregorio Marañón, Madrid Hospital La Princesa, Madrid
Sweden	Vrinnevy Hospital, Vrinnevy
The Netherlands	Radboud University Nijmegen Medical Centre, Nijmegen
United Kingdom	Cardiac Palliative Care service, NHS Greater Glasgow and Clyde. Hub base Glasgow Royal Infirmary Scotland

CONGRESSES INTERACTIONS BETWEEN PC AND CARDIOLOGY



10/12 PC topics in National Cardiology Congresses



11/12 Cardiology topics in

National Palliative Care Congresses

PERIODICAL MEETINGS BETWEEN NATIONAL PC AND CARDIOLOGY ASSOCIATIONS



recurrent meetings between National PC and Cardiology Associations

PUBLICATIONS REGARDING PC PROVISION IN CARDIOLOGY SERVICES

7/12

countries (17%) report scientific publications with regard to Palliative Care provision in Cardiology Services. Seven in Spain, three in the United Kingdom, two in Italy, and at least one in the Czech Republic, Denmark, Portugal, and The Netherlands.

Chapter 10. Integration of Palliative Care into Cardiology

SELECTED READINGS

Jaarsma T et al. Palliative care in heart failure: A position statement from the palliative care workshop of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure 2009, 11(5), 433 443.

2. https://www.eapcnet.eu/eapc-groups/
task-forces/heart-disease)

3. Kavalieratos D et al. Comparing Unmet Needs between Community-Based Palliative Care Patients with Heart Failure and Patients with Cancer. J Palliat Med 2014;17:475-481

4. Xu J et al. Symptom frequency, severity, and quality of life among persons with three disease trajectories: cancer, ALS, and CHF. Appl Nurs Res 2015;28:311-315.

5. Evangelista LS, Liao S, Motie M, De Michelis N, Ballard-Hernandez J, Lombardo D. Does the type and frequency of palliative care services received by patients with advanced heart failure impact symptom burden? J Palliat Med 2014;17:75-79.

6. Gřiva M et al. End-of-life preferences of cardiac patients. Cent Eur J Nurs Midw 2018;9(4):932–938.

7. Wong FK et al. Effects of a transitional palliative care model on patients with end-stage heart failure: a randomised controlled trial. Heart. 2016;102(14):1100-8.

8. Antonione R et al. Documento di consenso sulle cure palliative in ambito cardiologico G Ital Cardiol 2019;20(1):46-61.

9. Vicent L et al. Degree of dyspnoea at admission and discharge in patients with heart failure and respiratory diseases. BMC Palliat Care. 2017 22;16(1):35.

10. Ruiz García J, Díez Villanueva, P. End-of-life care in a cardiology department: have we improved? J Geriatr Cardiol. 2016;13(7):587-92.

11. Johnson M. The feasibility of a randomised controlled trial to compare the cost-effectiveness of palliative cardiology or usual care in people with advanced heart failure: Two exploratory prospective cohorts. Palliative Medicine 2018; 32 (6):1133-1141.

NATIONAL EXPERTS COLLABORATING IN THIS CHAPTER

Albania (Irena Laska), Czech Republic (Martin Griva), **Denmark** (Ann Dorthe Zwisler), Germany (Bernd Alt-Epping), **Ireland** (Norma Caples), Italy (Giuseppe Di Stolfo), **Portugal** (Luis Parente Martins), **Spain** (Manuel Martínez-Sellés, Pablo Díez Villanueva), **Sweden** (confidential), Switzerland (confidential), The Netherlands (L. Bellersen, and D.J.A. Janssen), United Kingdom (Confidential and Karen Hogg).

AUTHORS

Eduardo Garralda

University of Navarra, ATLANTES Research Group Institute For Culture and Society (ICS), Pamplona (Navarra), Spain Manuel Martínez Sellés Hopital Gregorio Marañón Madrid, Spain Pablo Díez Villanueva Hospital Universitario de La Princesa Madrid, Spain

Chapter 11. Integration of Oncology and Palliative Care

Rafael Martínez, Amaia Urritzola.

TECHNICAL DATA ON THE 2019 EAPC SURVEY ON PALLIATIVE CARE INTO ONCOLOGY

Population: 54 countries of the Europe WHO region and Lichtenstein.

Complementary Survey

Areas explored: 5a) existence of centres certified for the integration of integrated Oncology and PC, b) Clinical trials on early integration of PC in Oncological treatments and c) publications on integration of PC in Oncology.

Method: on-line search in public databases: ESMO, Clinical Trials.gov and Scopus.

Data collection: April 2019.

Project Management: ATLAN-TES Research Group, Institute for Culture and Society, University of Navarra, Pamplona (Navarra), Spain.

Scientific Advice: Carlos Centeno (Spain).

Promotor: European Association for Palliative Care (EAPC).

"PALLIATIVE CARE IS APPLICABLE EARLY IN THE COURSE OF ILLNESS, IN CON-JUNCTION WITH OTHER THERAPIES THAT ARE INTENDED TO PROLONG LIFE, SUCH AS CHEMOTHERAPY OR RADIATION THERAPY, AND INCLUDES THOSE INVESTIGATIONS NEEDED TO BETTER UNDERSTAND AND MANAGE DISTRESS-ING CLINICAL COMPLICATIONS" (1).

he sentence from WHO's current definition of palliative care emphasizes the importance of integrating oncology and palliative care. Same concept of the integration of PC throughout the course of an illness is also contained in the modern definition of IAHPC result of a broad international consensus process (6).


Evidence from multiple randomized clinical trials support the early integration of PC within the oncological treatments: "true integration of palliative and oncology care provides patients with optimal oncology care" (VR & Temel). From research and international consensus the integrated care model has also become a topic in cardiology, pneumology, and other specialties.

In this chapter we aim to review the situation in Europe looking at three main indicators: a) The existence of certified centres of integrated Oncology and Palliative Care, b) the increasing number of clinical trials addressing questions regarding the early integration of Palliative Care with anti-cancer treatments and c) the growing number of scientific publications in the last few years concerning our topic. Our first search looked at the initiative of the European Society of Medical Oncology (ESMO) to improve the delivery of supportive and PC by oncologists, oncology departments and cancer centres. Through a rigorous process, since 2001, ESMO nominate centres that achieve high standards of integration of both disciplines. In 2018 there are more than 150 centres from 25 countries.


Another test for the integration of PC with Oncology could be the rising number of clinical trials focusing on early PC in Oncology. Across Europe more than 25 Clinical Trials started in recent years. Eight of them are already concluded and other are currently in recruitment phase. France, Italy and Switzerland are leaders in this research with over three trials running.

Regarding the publications of any kind, a quick search ("oncology AND palliative care AND integration") performed by the Scopus scientific database found 359 documents from European countries published in the past 10 years. To compare the situation, in the same period the USA published almost 200. The country ahead in this scientific interest is Germany, with 49 publications, followed by Italy, United Kingdom and Israel with around 21 publications.

Chapter 11. Integration of Oncology and Palliative Care




Map 11.1. ESMO Centers 2008.



ESMO PROGRAMME OF DESIGNATED CENTRES OF INTEGRATED ONCOLOGY AND PALLIATIVE CARE


Back in 1999 the National Representatives of European Society for Medical Oncology (ESMO) created a Palliative Care Working Group (renamed the ESMO Designated Centres Working Group in 2016 to improve the delivery of supportive and palliative care by oncologists, oncology departments and cancer centres. They have addressed this task through initiatives in policy, education, research and incentives.

In 2003, as an incentive programme for oncology departments and centres, ESMO developed an accreditation programme of Designated Centres of Integrated Oncology and Palliative Care, in which cancer centres can receive special recognition for achieving a high standard of integration of medical oncology and PC. The ESMO Designated Centres of Oncology and Palliative Care Incentive Programme has grown rapidly over the past decade, and now includes more than 200 institutions from 44 countries worldwide. As shown in the table 1, currently in WHO European Region, 155 centres have been accredited. (source: www.esmo.org)




Graphic 11.1. ESMO Designated Centers of Integrated Oncology and Palliative Care years 2014-2018.

Map 11.2. ESMO Centers years 2018.



Map 11.3. Clinical Trials registered on Early Palliative Care integration 2004-2019 (Source: ClinicalTrials.gov) .



Graphic 11.2. Scientific Publications on Integration of Palliative care in Oncology from European countries 1996-2018. (Source: Scopus database) **Graphic 11.3.** Scientific Publications on Integration of Palliative care in Oncology by country 2009-2018. (Source: Scopus database) **Graphic 11.4.** Type of Scientific Publications on Integration of Palliative care in Oncology from European Countries 2009-2018. (Source: Scopus database)

Chapter 11. Integration of Oncology and Palliative Care

SELECTED READINGS

1. Ambroggi M, et al. Can early palliative care with anticancer treatment improve overall survival and patient-related outcomes in advanced lung cancer patients? A review of the literatura. Supportive Care in Cancer 2018, 26 (9): 2945–2953.

2. Beek KV, et al. To what degree is palliative care integrated in guidelines and pathways for adult cancer patients in Europe: a systematic literature review. BMC Palliative Care 2016, 15:26.

3. Cassel JB, Albrecht TA. Emerging Models of Providing Oncology Palliative Care. Semin Oncol Nurs. 2018;34(3):202-214. **4. Dalgaard KM, et al.** Early integration of palliative care in hospitals: A systematic review on methods, barriers, and outcome. Palliative and Supportive Care 2013, 12 (6): 495–513.

5. Ferrell BR. Integration of Palliative Care Into Standard Oncology Care: American Society of Clinical Oncology Clinical Practice Guideline Update. J Clin Oncol. 2017;35(1):96-112.

6. Greer JA, et al. Early integration of palliative care services with standard oncology care for patients with advanced cancer. CA Cancer J Clin. 2013 Sep;63(5):349-63.

7. Hui D, Bruera E. Models of integration of oncology and palliative care. Ann Palliat Med. 2015;4(3):89-98.

8. Kaasa S, et al. Integration of oncology and palliative care: a Lancet Oncology Commission. Lancet Oncol. 2018;19(11):e588-e653. Roenn JH V, et al. The integration of palliative care and oncology: the evidence. Oncology (Williston Park) 2011, 25 (13): 1258-60, 1262, 1264-5.

9. Siouta N, et al. Integrated palliative care in Europe: a qualitative systematic literature review of empirically-tested models in cancer and chronic disease. BMC Palliative Care 2016, 15:56.

AUTHORS

Rafael Martínez

Insituto Nacional de Ciencias Médicas y Nutrición Salvador Zubirán Departamento de Geriatria, Ciudad de México, Mexico

Palliative Care Clinical Fellow Clinica Universidad de Navarra Departament of Palliative Medicine and Symptom Control, Pamplona, Navarra, Spain

Amaia Urritzola

Clinica Universidad de Navarra Departament of Oncology, Pamplona, Navarra, Spain



How to read the country information

ANSWER TO THE QUESTIONS

HIGHLIGHTED ICO

Political/Technical

50-99%

All physicians

100%

Nurses trained in PC

Role

Scientific

< 10%

Only specialists

Highlighted icons indicate the case

corresponding to

the country. Icons

in blank do not

apply for the dis-

played country.

Dedicated time to PC

10-50%

Professionals allowed to prescribe

Ν

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES
National legislation on end of life issues	YES NO
National general law on health care with refe	rence to PC YES NO
	Affirmative answers are highlighted in yellow, negative

ones in black.


50% N/A N/A offering specific offering specific Full Professors mandatory PC mandatory PC course course +50% 50% N/A offering PC course offering PC course Associate in combination in combination Professors with other with other disciplines disciplines

READING THE GRAPHICS

The large number in the middle of the circle indicates the number of medical schools in the country. The base circle represents the hundred percent. The size of the inner blue circle indicates the percentage of medical schools offering specific madatory PC course. Dashed lines indicate that data is not available.



The contour of the black-lined circle indicates the proportion of PC services in Europe per 100,000 inhabitants. The colored circle indicates the proportion of PC services per 100,000 inhabitants in the displayed country.




Albania





28,750 Surface area (km2), 2018

104.9 Population density (Inh/km2), 2017





Hospital

The Oncology Hematology Children Hospital "Mother Theresa provides PPC as part of the paediatric oncology and hematology service. Home care programmes are coordinated by two NGOs: Ryder and Mary Potter and one public team called S.O.B. .

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role



Scientific





Dedicated time to PC



YES

YES NO

YES NO

Allocated funds from the national health budget for PC NO Inclusion of PC in the list of health services provided YES at the primary care level

Inclusion of PC in the basic package of health services



N/A offering specific mandatory PC course

50% offering PC course in combination with other disciplines

50% offering PC course in combination with other disciplines

offering specific

mandatory PC

50%

course

Professorship in PC at medical schools

N/A Full Professors


+

N/A Associate Professors

Specialisation in Palliative Medicine	YES NO
Type of training programme	-
Denomination	N/A
Estimated certified physicians (abroad)	5

EDUCATION


PC RESOURCES FOR CHILDREN




programmes

Nursing Schools

teaching PC



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




Morphine Hydromorphine Codeine Fentanyl Oxycodone

General availability of oral morphine (inmediate release)		
Opioid prescription requirements		
Special prescription form	YES NO	

Prescription limits	Nolimit
Patient registration as an opioid user	YES NO







Nurses trained in PC

PROFESSIONAL ACTIVITY

National PC association	YES
NAME Albanian Palliative Care Association SHOQATA Shqiptare ne Kurave Paliative	2002
Other associations	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Rama et al. Palliative Care-Albania. J Pain Symptom Manage. 2018;55(2S):S14-S18.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov;20(11):1195-1204.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Irena Laska.

See more information in online version










29.740 Surface area (km2). 2018

102.9 Population density (İnh/km2), 2017





PCRESOURCES FOR CHILDREN

Hospital programmes programmes Adult services like Masis Hospice or national hospitals provides in few cases PPC. The NGO Gayush provides non-PPC services for children in home settings. Some orphanages for children with severe disabilities provide PPC.

POLICIES

National PC plan or strategy

The plan was audited

Political/Technical

at the primary care level

Role


Scientific

EDUCATION

Hospices

facilities)

(stand-alone



Professorship in PC at medical schools

Professors

Associate Professors


YES NO

Sub-specialty


Palliative medicine Palliative care specialisation course (4 months) Amoqich (paliativ) bzhshkutjun Ամոքիչ (պալիատիվ) բժշկություն. Ամոքիչ խնամքի մասնագիտացման կու[1ս



EAPC Atlas of Palliative Care in Europe 98



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few days

Patient registration as an opioid user


Professionals allowed to prescribe





ری Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Barros de Luca G, et al. Palliative care and human rights in patient care: an Armenia case study. Public Health Rev. 2017 7;38:18. Papikyan A, et al. Development of Palliative Care in Armenia. J Pain Symptom Manage. 2018;55(2S):S19-S24 Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Artashes Tadevosyan, Avetis Babakhanyan.

See more information in online version



EAPC Atlas of Palliative Care in Europe **99**

YES NO







Hospices

facilities)

(stand-alone


EDUCATION

Medical Schools

teaching PC

83.879 Surface area (km2), 2018

106.7 Population density (lnh/km2), 2017



Inpatient Home

PC RESOURCES FOR CHILDREN

Hospital programmes programmes The inpatient children's hospice "Sterntalerhof" has a psychosocial focus and doesn't count with PPC beds. There are five paediatric PC beds in two hospitals that provide short-term care and treatment. There are 12 volunteer children's hospice teams, one in day care, and 14 home PC teams.

Professorship

in PC at medical schools

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health



Scientific












YES

YES NO









100% 100% 3 offering specific offering specific Full mandatory PC mandatory PC Professors course course +

0% offering PC course in combination with other

disciplines

Denomination

0% offering PC course in combination with other disciplines

Nursing Schools

teaching PC

Associate Professors

5


Specialisation in Palliative Medicine	YES NO
Type of training programme	Sub-specialty

Specialisation in Palliative Medicine Spezialisierung in Palliativmedizin


Estimated certified physicians







Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



0 Morphine


Only specialists

Codeine

Professionals allowed to prescribe

All physicians

Fentanyl Hydromorphine Oxycodone



Nurses trained in PC

Bangerter LR, et Schur S, et al; al. Recommendations from the Salzburg Global Seminar

PROFESSIONAL ACTIVITY

Austrian Association for Palliative Care Österreichische Palliativgesellschaft

National PC association

Other associations

Directory of services

NAME

AUPACS (Austrian **Palliative Care Study** Group). Sedation at the end of life - a nation-wide study in palliative care units in Austria. BMC Palliat Care. 2016 14;15:50.

Masel EK, et al. Establishing end-oflife boards for palliative care of patients with advanced diseases. Wien Klin Wochenschr. 2018;130(7-8):259-263.

YES NO

SINCE

Hospice Austria

YES NO

KEY INFORMANTS

on Rethinking Care

Toward the End of Life.

Int J Qual Health Care.

20181;30(5):408-413.

Austrian Association for Palliative Care, Leena Pelttari.

See more information in online version



RELEVANT REFERENCES ON PC DEVELOPMENT


Azerbaijan





86,600 Surface area (km2), 2018

119.3 Population density (İnh/km2), 2017



PC RESOURCES FOR CHILDREN

Inpatient Home Hospices (stand-alone facilities)

EDUCATION

- Hospital
- programmes

programmes

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO


National standards for PC services

Designated person responsible for PC in the Ministry of Health















YES NO

YES

YES NO




Inclusion of PC in the basic package of health services




Specialisation in Pall	auve meuici	
Type of training progra	imme	Special field of competence
Denomination Cert		course taught by the Ministry of Health's dvanced Postgraduate Training Institute for Physicians named after A.Aliyev

Estimated certified physicians



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)


Opioid prescription requirements

 Special prescription form
 YES
 NO

 Prescription limits
 Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe



PROFESSIONAL ACTIVITY

National PC association	YES NO
Other associations	N/A
Directory of services	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov;20(11):1195-1204. Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Asso-

KEY INFORMANTS

Nabil Seyidouv.

See more information in online version

ciation for Pallia-

tive Care Task Force

survey of 53 Coun-

tries. Palliat Med.

2016;30(4):351-62.



EAPC Atlas of Palliative Care in Europe 103

YES NO








207,600 Surface area (km2), 2018

46.8 Population density (İnh/km2), 2017



Inpatient Home Hospital Hospices programmes

PC RESOURCES FOR CHILDREN

programmes

The charity Belarusian Children's Hospice provides psychological support, young adults PC, physiotherapy services, bereavement program, legal support and 24 hours nursing hotline. It doesn't count with medical license. The state organization Palliative Care Center for Children provides PPC. Both organizations have one home PC program.

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National cancer plan with a section for PC	
	YES
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health YES NO



Scientific








YES NO





Inclusion of PC in the basic package of health services

Nursing Schools teaching PC 15 0/16

27% offering specific mandatory PC course

27%

offering PC course in combination with other disciplines

0% offering PC course in combination with other

offering specific

mandatory PC

0%

course

disciplines

Professorship

in PC at medical schools

Full Professors


+


Associate Professors

Specialisation in Palliative Medicine		
Type of training prog	ramme	Special field of competence
Denomination	of Belarusian Курс врачей н	te courses for physicians on the basis Academy of Postgraduate education ы повышения квалификации для а базе Белорусской медицинской ии постдипломного образования


Estimated certified physicians







Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




Morphine Codeine Hydromorphine Fentanyl Oxycodone

General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO

Prescription limits Few days YES NO Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

National PC association	YES NO
Other associations	YES NO
Directory of services	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Downing J, et al. Children's palliative care in low- and middle-income countries. Arch Dis Child. 2016;101:85-90.


Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017;20(11):1195-1204.

Centeno C, et al.

Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Confidential.












30.530 Surface area (km2), 2018

375.6 Population density (İnh/km2), 2017



PC RESOURCES FOR CHILDREN Inpatient

Home Hospices (stand-alone facilities)

Hospital programmes programmes The university hospitals in Gent, Leuven and St Luc Brussels treat most of the paediatric oncology patients. They offer dedicated PPC teams that support children, parents and caregivers both in the hospital setting and at home. These mixed and mobile teams prove specialized PPC in close collaboration with GP's, pediatricians, home nurses and physiotherapists. Two more initiatives offer respite care and social support for PC and NCD patients.

POLICIES

EDUCATION

YES	Medical Schools teaching PC	Nursing Schools teaching PC	Professorship in PC at medical schools
YES NO	6/6		5
YES NO YES NO YES NO	100% offering specific mandatory PC course	offering specific mandatory PC course	- Full Professors +
YES NO YES NO YES NO	0% offering PC course in combination with other disciplines	- offering PC course in combination with other disciplines	5 Associate Professors
YES NO	 Specialisation in Palliati	ive Medicine	YES NO

National PC plan or strategy

National PC plan or strategy

National legislation to regulate PC provision

National legislation or decrees relating PC National legislation on end of life issues

National general law on health care with reference to PC

National laws specific to PC

National cancer plan with a section for PC	YES
National non-communicable diseases plan with a section for PC	YES
National HIV plan with a section for PC	YES
The plan was implemented	YES
The plan was audited	YES

National standards for PC services


Designated person responsible for PC in the Ministry of Health











Inclusion of PC in the basic package of health services

Type of training programme Other Interuniversitary Postgraduate Course

Denomination

Palliative Care for Physicians


Estimated certified physicians






N/A

100%



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



7 0

Codeine

Morphine

Hydromorphine Fentanyl Oxycodone

2

General availability of oral morphine (inmediate release)	YES
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Nolimit
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY

National PC association YES NO NAME SINCE Federation Palliative Care of Flanders, Brussels Federation of Palliative Care, Wallonne Federation of Palliative Care. Federatie Palliatieve Zorg Vlaanderen vzw; FédérationBruxelloise des Soins Palliatifs et Continus asbl; Fédération Wallonne des Soins Palliatifs asbl Other associations YES NO **Directory of services**

RELEVANT REFERENCES ON PC DEVELOPMENT

De Schreye R, et al. Applying Quality Indicators For Administrative Databases To Evaluate End-Of-Life Care For Cancer Patients In Belgium. Health Aff (Millwood). 2017;36(7):1234-43.

Maetens A, et al. Policy Measures to Support Palliative Care at Home: A Cross-Country Case Comparison in Three European Countries. J Pain Symptom Manage. 2017;54(4):523-9 e5.

De Roo ML, et al. Actual and preferred place of death of home-dwelling patients in four European countries: making sense of quality indicators. PLoS One. 2014;9(4):e93762.

KEY INFORMANTS


Paul Vanden Berghe, Confidential.

See more information in online version



Bosnia and Herzegovina





51,210

Surface area (km2), 2018

POLICIES

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

Natio	nal PC plan or strategy			YES	NO
Natio	nal cancer plan with a sec	tion for PC		YES	NO
Natio	nal non-communicable dis	eases plan with a sec	ction for PC	YES	NO
Natio	nal HIV plan with a section	for PC		YES	NO
The p	an was implemented			YES	NO
The p	an was audited			YES	NO
Nationals	tandards for PC services			YES	NO
Designate	d person responsible for	PC in the Ministry o	fHealth	YES	NO
Role	Political/Technical	Dedicated time to P 10% 10-50%	50-99%		N/A
Allocated	funds from the national	health budget for F	PC .	YES	NO
	of PC in the list of health nary care level	services provided		YES	NO

Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools teaching PC teaching PC

in PC at medical schools offering specific offering specific Full mandatory PC mandatory PC Professors course course +offering PC course offering PC course Associate in combination in combination Professors with other with other disciplines disciplines

Specialisation in Palliative Medicine	YES NO
Type of training programme	YES NO
Denomination	-
Estimated certified physicians	-

3,507,017

Population, 2015

 \bigcirc


EDUCATION

YES NO


68.5

Population density (Inh/km2), 2017

Professorship



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release) YES NO

Opioid prescription requirements

YES NO Special prescription form

Prescription limits

Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

NAME Sisters of the Cross and Passion / Association	
of Palliative Care in Bosnia and Herzegovina	1998
Otherassociations	N/A

RELEVANT REFERENCES ON PC DEVELOPMENT

Aebischer Perone S,et al. Addressing the needs of terminally-ill patients in Bosnia-Herzegovina: patients' perceptions and expectations. BMC Palliat Care. 2018 19;17(1):123.

Vrdoljak E, et al. Cancer Control in Central and Eastern Europe: Current Situation and Recommendations for Improvement. Oncologist. 2016 Oct;21(10):1183-1190.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Emira Dropic, Ruzica Lazic.

See more information in online version



EAPC Atlas of Palliative Care in Europe 109

Few days

YES NO










EDUCATION

111.000 Surface area (km2), 2018

65.2 Population density (İnh/km2), 2017








POLICIES


National legislation to regulate PC provision

6 6 1	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO


National PC plan or strategy

	o plan of othatog	9		
Nation	al PC plan or strat	tegy	YES	NO
Nation	al cancer plan wit	h a section for PC	YES	NO
Nationa	al non-communic	able diseases plan with a section for PC	YES	NO
Nation	al HIV plan with a	section for PC	YES	NO
The pla	ın was implement	ted	YES	NO
The pla	n was audited		YES	NO
Nationalst	andards for PC se	ervices	YES	NO
Designated	l person responsi	ible for PC in the Ministry of Health	YES	NO
Role	J	Dedicated time to PC		N/A
	$\left(\begin{array}{c} \bullet \end{array}\right)$			






Specialisation in Palliative Medicine	YES NO
Type of training programme	N/A
Denomination	-
Estimated certified physicians	-



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few weeks
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





Only specialists

PROFESSIONAL ACTIVITY

National PC association	YES
NAME Bulgarian Association for Long Term Care and Palliative Medicine Българско дружество по продължителни грижи и палиативна медицина	2015
Otherassociations	YES NO
Directory of services	YES

RELEVANT REFERENCES ON PC DEVELOPMENT

Vranken MJM, et al. Subataite M, Schutjens MDB. Barriers to access to opioid medicines for patients with opioid dependence: a review oflegislation and regulations in eleven central and eastern European countries. Addiction. 2017;112(6):1069-1076. Vrdoljak E, et al.Smichkoska S, Bajić Ž, Šikić BI. Cancer Control in Central and Eastern Europe: Current Situation and Recommendations for Improvement. Oncologist. 2016;21(10):1183-1190. Aleksandrova-Yankulovska S. Survey of staff and family members of patients in Bulgarian hospices on the concept of "good death". Am J Hosp Palliat Care. 2015;32(2):226-32.

KEY INFORMANTS

Gergana Foreva, Nikolay Yordanov.

See more information in online version










56,590 Surface area (km2), 2018

73.7 Population density (Inh/km2), 2017



PC RESOURCES FOR CHILDREN Home

Inpatient Hospices programmes (stand-alone facilities)

EDUCATION

Hospital programmes

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	N/A

National standards for PC services

Political/Technical

Designated person responsible for PC in the Ministry of Health

Role



Scientific









YES NO

YES NO

YES NO


Allocated funds from the national health budget for PC YES NO Inclusion of PC in the list of health services provided YES at the primary care level

Inclusion of PC in the basic package of health services


Medical Schools Nursing Schools Professorship teaching PC teaching PC in PC at medical schools 0% offering specific offering specific Full mandatory PC mandatory PC Professors course course +0% offering PC course offering PC course Associate in combination in combination Professors with other with other disciplines disciplines

Specialisation in Palliative Medicine	YES NO
Type of training programme	N/A
Denomination	-
Estimated certified physicians	-

EAPC Atlas of Palliative Care in Europe



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO

Pres	cription limits	3		

Patient registration as an opioid user

Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Loncarek K, et al. Origins and effects of the 2014-2016 national strategy for palliative care in Croatia. Health Policy. 2018;122(8):808-14

Golčić M, et al. Do Physicians Underestimate Pain in Terminal Cancer Patients? A Prospective Study in a Hospice Setting. Clin J Pain. 2018;34(12):1159-1163.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov;20(11):1195-1204.

KEY INFORMANTS

Bibliographic revision, Confidential.

See more information in online version



N/A

N/A




0



9,250 Surface area (km2), 2018

12.7 Population density (Inh/km2), 2017



PC RESOURCES FOR CHILDREN Inpatient Home

Hospices programmes (stand-alone facilities)

EDUCATION

disciplines

Hospital programmes

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health



Scientific









NO YES NO





Inclusion of PC in the basic package of health services




Specialisation in Palliative Medicine YES NO YES NO Type of training programme


disciplines

Estimated certified physicians (abroad)






Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few weeks
Patient registration as an opioid user	YES NO


Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Pallari E, et al. The contribution of Cyprus to non-communicable diseases and biomedical research from 2002 to 2013: implications for evidence-based health policy. Health Res Policy Syst. 2018 17;16(1):82.

Vranken MJ. Barriers to access to opioid medicines: a review of national legislation and regulations of 11 central and eastern European countries. Lancet Oncol. 2016;17(1):e13-22. Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.


KEY INFORMANTS

Kyriakos Stylianides, Sophia Nestoros.

See more information in online version



Czech Republic



PC RESOURCES FOR CHILDREN Inpatient Home Hospital Hospices programmes (stand-alone facilities)

78,870 Surface area (km2), 2018

There are two PPC services providing care at Motol University Hospital and Hospital Hořovice. No inpatient hospices exist. There is one organization providing respite care. Some adult inpatient hospices may rarely accept paediatric patients. Home PPC programmes vary largely in team composition.

Professorship

in PC at medical schools

POLICIES

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES
National legislation on end of life issues	YES
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy			
National PC plan or strategy	YES NO		
National cancer plan with a section for PC			
National non-communicable diseases plan with a section for PC	YES NO		
National HIV plan with a section for PC	YES NO		
The plan was implemented	YES NO		
The plan was audited	YES NO		
National standards for PC services	YES NO		
Designated person responsible for PC in the Ministry of Health			
Role Dedicated time to PC	N/A		
Scientific Political/Technical	100%		
Allocated funds from the national health budget for PC			
Inclusion of PC in the list of health services provided at the primary care level	YES NO		

Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools teaching PC teaching PC

YES NO Sub-specialty Subspeciality in Palliative Medicine Nástavbová atestáce Paliativní medicína

Estimated certified physicians






137.2

EDUCATION


10,591,323

Population, 2015


 \bigcirc



YES NO




Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Nolimit
Patient registration as an opioid user	YES NO


Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT


Slama O, et al. [Palliative care in Czech Republic in 2016]. Cas Lek Cesk.155(8):445-50.

Závadová I. [Palliative care for patients at home]. Cas Lek Cesk. 2018;157(1):9-12. Czech. PubMed PMID: 29564901.

Kisvetrová H, a tsl. Dying Care Nursing Intervention in the Institutional Care of End-of-Life Patients. Int J Nurs Knowl. 2017 Jul;28(3):131-137.

KEY INFORMANTS

Martin Loučka, Ondřej Sláma.





Denmark






EDUCATION

42,920 Surface area (km2), 2018

137.4 Population density (İnh/km2), 2017





There is one mixed and mobile PPC programme in each of the five regions of the country. In 2016, One children's hospice was established in eastern Denmark, another one is planned for the western part.

POLICIES

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy


_		
	National PC plan or strategy	YES NO
	National cancer plan with a section for PC	YES NO
	National non-communicable diseases plan with a section for PC	YES NO
	National HIV plan with a section for PC	YES NO
	The plan was implemented	YES NO
	The plan was audited	YES NO
	tional standards for BC sonvices	
		VES

National standards for PC services

Designated person responsible for PC in the Ministry of Health












NO

N/A

YES NO



Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools teaching PC teaching PC schools 4 24/24 / 0% 0% 2 offering specific offering specific Full mandatory PC mandatory PC Professors course course +100% 100% 5 offering PC course offering PC course Associate in combination in combination Professors with other with other disciplines disciplines Specialisation in Palliative Medicine YES NO Type of training programme Special field of competence

Denomination Fagområde specialist AND Nordisk palliativ efteruddannelse for læger Specialist in Palliative Medicine and Nordic certification in PC for physician


Estimated certified physicians (in 2017)




Professorship in PC at medical

EAPC Atlas of Palliative Care in Europe 118





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



79 0

124


Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)	YES
Opioid prescription requirements	

Special prescription form	YES NO
Prescription limits	Nolimit
Patient registration as an opioid user	YES NO


·-----

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY



KEY INFORMANTS

Helle Timm, Mai-Britt Guldin.

See more information in online version










Hospices

facilities)

(stand-alone

45,340 Surface area (km2), 2018

30.3 Population density (Inh/km2), 2017










programmes

POLICIES

National legislation to regulate PC provision National laws specific to PC NO YES NO National legislation or decrees relating PC YES NO National legislation on end of life issues YES NO National general law on health care with reference to PC

National PC plan or strategy

National PC plan or strategy	
National cancer plan with a section for PC	YES
National non-communicable diseases plan with a section for PC	YES
National HIV plan with a section for PC	YES
The plan was implemented	YES
The plan was audited	YES
ional standards for PC services	YES
signated person responsible for PC in the Ministry of Health	YES









N/A


NO

YES NO







Inclusion of PC in the basic package of health services



Specialisation in Palliative Medicine	YES NO
Type of training programme	-
Denomination	-
Estimated certified physicians	-



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine Fentanyl Oxycodone Hydromorphine

Opioid prescription requirements

YES NO Special prescription form **Prescription limits** Few weeks


Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY



Directory of services

RELEVANT REFERENCES ON PC DEVELOPMENT

Vranken MJM et al. Barriers to access to opioid medicines for patients with opioid dependence: a review of legislation and regulations in eleven central and eastern European countries. Addiction. Jun;112(6):1069-1076.

Suija K et al. Palliative home care for cancer patients in estonia.J Pain Symptom Manage. 201243(4):e4-5.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Pille Sillaste, Kaiu Suija.

See more information in online version






Ο



338,450 Surface area (km2), 2018

18.1 Population density (Inh/km2), 2017

Professorship




PC RESOURCES FOR CHILDREN

Inpatient Home Hospices programmes (stand-alone facilities)

Hospital

programmes

EDUCATION



Inclusion of PC in the basic package of health services

Special field of competence

Special competence for palliative medicine Palliatiivisen lääketieteen erityispätevyys



YES NO



National legislation to regulate PC provision	
	National laws specific to PC
	National legislation or decrees relating PC

National legislation of decrees relating re		
National legislation on end of life issues	YES	NO
National general law on health care with reference to PC	YES	NO

National PC plan or strategy


POLICIES

National PC plan or strategy	YES	NO
National cancer plan with a section for PC	YES	NO
National non-communicable diseases plan with a section for PC	YES	NO
National HIV plan with a section for PC	YES	NO
The plan was implemented	YES	NO
The plan was audited	YES	NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health


Role




at the primary care level







Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO

Prescription limits	Nolimit
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

National PC association		YES
NAME Finnish Association for Pallia Suomen palliatiivisen hoido		1995
Other associations	Finnish Asso	ciation for Palliative Medicine

Directory of services

RELEVANT REFERENCES ON PC DEVELOPMENT

Froggatt K1, Palliative Care Development in European Care Homes and Nursing Homes: Application of a Typology of Implementation. J Am Med Dir Assoc. 2017 Jun 1;18(6):550.e7-550. e14. Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62. Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017;20(11):1195-1204.

YES NO

KEY INFORMANTS

Tiina Saarto, Minna Kiljunen.

See more information in online version










549.087 Surface area (km2), 2018

122.6 Population density (İnh/km2), 2017



PC RESOURCES FOR CHILDREN




Inpatient Home Hospices programmes (stand-alone facilities)

Hospital programmes The 22 teams are organised under the umbrella of the **Regional Paediatric** PC Resource Teams Federation. These pediatric PC teams work in hospital support consultations, in home PC programs, day care, and run additional programmes related to social and spiritual support.

POLICIES

EDUCATION



National PC plan or strategy National PC plan or strategy

National legislation to regulate PC provision

National legislation or decrees relating PC National legislation on end of life issues

National laws specific to PC

National cancer plan with a section for PC	YES
National non-communicable diseases plan with a section for PC	YES
National HIV plan with a section for PC	YES
The plan was implemented	YES
The plan was audited	YES

National standards for PC services

Designated person responsible for PC in the Ministry of Health




Scientific










Inclusion of PC in the basic package of health services


Special field of competence

University diploma of specialised training in palliative care Diplome d'Etudes Specialisées Complementaire (DESC) Universitaire de Soins Palliatifs






Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine

Oxycodone Fentanyl Hydromorphine



YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY

National PC association	YES
NAME French Society for Accompaniment and Palliative Care Société Française d'Accompagnement et de Soins Palliatifs	
Otherassociations	YES NO
Directory of services	YES

RELEVANT REFERENCES ON PC DEVELOPMENT

Fogliarini A, et al. Evolution of palliative care in the French Cancer Centers-Unicancer. World Hosp Health Serv. 2015;51(4):33-4.

Poulalhon C, et al. Use of hospital palliative care according to the place of death and disease one year before death in 2013: a French national observational study. BMC Palliat Care. 2018;17(1):75.

Weeks WB, et al. Is the French palliative care policy effective everywhere? Geographic variation in changes in inpatient death rates among older patients in France, 2010-2013. Ann Palliat Med.2016;5(4):242-7.


KEY INFORMANTS

Sandrine Bretonniere, Marilène Filbet, Lynn Silove.

See more information in online version







0

POLICIES

tional legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

Natior	National PC plan or strategy				YES NO
Natior	National cancer plan with a section for PC				YES NO
Natior	National non-communicable diseases plan with a section for PC				YES NO
Nation	nal HIV plan with a s	ection for PC			YES NO
The pl	The plan was implemented				YES NO
The pl	The plan was audited				YES NO
National standards for PC services				YES NO	
Designate	Designated person responsible for PC in the Ministry of Health				YES NO
Role)	Dedicate	d time to F	PC .	N/A
Scientific	Political/Technical	<10%	10-50%	50-99%	
Allocated	Allocated funds from the national health budget for PC				

Inclusion of PC in the basic package of health services

Inclusion of PC in the list of health services provided

at the primary care level

Medical Schools Nursing Schools teaching PC teaching PC 23% 33% 2 offering specific offering specific Full mandatory PC mandatory PC course course +38% 33% 3 offering PC course offering PC course

in combination with other disciplines

in combination with other disciplines

Professorship in PC at medical schools

Professors

Associate Professors

Specialisation in Palliative Medicine	YES
Type of training programme	Sub-specialty

Denomination

Sub-specialization in Palliative Medicine Subspetsializacia paliatiur meditsinashi

Estimated certified physicians



69,700

Surface area (km2), 2018

3,717,100

Population, 2015




65.0

Population density (Inh/km2), 2017




EAPC Atlas of Palliative Care in Europe
LAI CALLOSOJI ULLULIC CUICTILLULOPC
126

YES



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few days
Patient registration as an opioid user	YES NO


Professionals allowed to prescribe





Only specialists

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Kiknadze N, Dzotsenidze P. Palliative Care Development in Georgia. the International Pain J Pain Symptom Manage. Policy Fellowship in 2018;55(2S):S25-S29.

Dzotsenidze P, et al. The Contribution of Improving Opioid Availability in Georgia. J Pain Symptom Manage. 2017;54(5):749-757.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Dimitri Kordzaia.

See more information in online version









Inpatient

Hospices


facilities)

(stand-alone

EDUCATION

357,580 Surface area (km2), 2018

236.7 Population density (Inh/km2), 2017



Home programmes

Hospital programmes

There are three PPC units. Some PC departments offer one bed for PPC. There are a large number of volunteer services specialised on children, for more information see https://www.weg-weiser-hospiz-palliativmedizin.de/en

POLICIES

tional legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services


Designated person responsible for PC in the Ministry of Health



Scientific












YES

YES NO






Inclusion of PC in the basic package of health services

Medical Schools teaching PC	Nursing Schools teaching PC	Professorship in PC at medical schools
38/38		12
100% offering specific mandatory PC course	- offering specific mandatory PC course	10 Full Professors +
0% offering PC course in combination with other disciplines	- offering PC course in combination with other disciplines	2 Associate Professors
pecialisation in Palliat	ive Medicine	YES
ype of training program	me	Sub-specialty
enomination		raining in palliative care nung Palliativmedizir
stimated certified phys	sicians	7000





PC RESOURCES FOR CHILDREN





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017





General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few weeks
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe






Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Berendt J, et al. Early palliative care: current status of integration within German comprehensive cancer centers. Support Care Cancer. 2017;25(8):2577-80.

Hess S, et al. Trends in specialized palliative care for non-cancer patients in Germany--data from the national hospice and palliative care evaluation (HOPE). Eur J Intern Med. 2014;25(2):187-92.

Scholten N, et al. The size of the population potentially in need of palliative care in Germany--an estimation based on death registration data. BMC Palliat Care. 2016;15:29.

KEY INFORMANTS

Friedmann Nauck, Birgit Jaspers, Boris Zernikow, Lukas Radbruch.

See more information in online version










131,960 Surface area (km2), 2018

83.5 Population density (İnh/km2), 2017





"Merimna: Society for the Care of Children and Families in Illness and Death" (www. merimna.org.gr) is the only specialized interdisciplinary home care team for children and adolescents with life limiting illnesses. It counts with ISO accreditation and also provides psychological and bereavement support.

POLICIES

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health



Scientific







NO

YES NO

YES NO

Allocated funds from the national health budget for PC NO Inclusion of PC in the list of health services provided YES NO at the primary care level

Inclusion of PC in the basic package of health services

teaching PC

Medical Schools

EDUCATION

facilities)

0% offering specific mandatory PC course

57% offering PC course in combination with other disciplines

50% offering PC course in combination with other disciplines

offering specific

mandatory PC

40%

course

Nursing Schools

teaching PC

Professorship in PC at medical schools

2


Full Professors

+1


Associate Professors

Specialisation in Palliative Medicine	YES NO
Type of training programme	-
Denomination	-
Estimated certified physicians	-

EAPC Atlas of Palliative Care in Europe 130




Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES
Prescription limits	Few weeks
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe



PROFESSIONAL ACTIVITY



Directory of services

YES NO


RELEVANT REFERENCES ON PC DEVELOPMENT

Woitha K, et al. Ranking of Palliative Care Development in the Countries of the European Union. J Pain Symptom Manage. 2016;52(3):370-7. **Centeno C, et al.** The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov;20(11):1195-1204.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Athina Vadalouca, Kyriaki Mystakidou, Aliki Tserkezoglou.














93.030 Surface area (km2), 2018

108.0 Population density

(İnh/km2), 2017





Inpatient Hospices programmes (stand-alone facilities)

EDUCATION

Hospital programmes

POLICIES

tional legislation to regulate PC provision		
National laws specific to PC	YES NO	
National legislation or decrees relating PC	YES NO	
National legislation on end of life issues	YES NO	
National general law on health care with reference to PC	YES NO	

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health














YES

YES NO





Inclusion of PC in the basic package of health services




1. Palliatív orvoslás licensz | 2. Palliatív licenc képzés és vizsga palliatív orvos


Estimated certified physicians



EAPC Atlas of Palliative Care in Europe




Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



${\it General} \ availability of oral \ morphine \ (inmediate \ release)$	YES NO		
Opioid prescription requirements			
Special prescription form	YES NO		
Prescription limits	Few weeks		
Patient registration as an opioid user	YES NO		

Professionals allowed to prescribe






Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Hegedus K, Lukacs M, Schaffer J, Csikos A. [The current state, the possibilities and difficulties of palliative and hospice care in Hungary]. Orv Hetil. 2014;155(38):1504-9.

Benyó G, et al [Current situation of palliative care in Hungary. Integrated palliative care model as a breakout possibility]. Magy Onkol. 2017 20;61(3):292-299.

Csikos A, et al. Hospice Palliative Care Development in Hungary. J Pain Symptom Manage. 2018 Feb;55(2S):S3O-S35.

KEY INFORMANTS

Agnes Csikos, Katalin Hegedus.

See more information in online version










103.000 Surface area (km2), 2018

3.4 Population density (İnh/km2), 2017

A large number of the children with neuro-

care nurses work very

close together.






logical and oncological diseases are receiving PPC from multidisciplinary teams, consisting on nurses, physicians, social workers and psychologists. Very experienced nurses provide specialized home care. Children's Hospital and home

POLICIES

EDUCATION

(stand-alone

facilities)



National PC plan or strategy

National legislation to regulate PC provision

National legislation or decrees relating PC

National legislation on end of life issues

National laws specific to PC


National non-communicable diseases plan with a section for PC	YES NO
	YES
National HIV plan with a section for PC	
	YES
The plan was implemented	YES
The plan was audited	YES

National standards for PC services


Designated person responsible for PC in the Ministry of Health













Inclusion of PC in the basic package of health services

EAPC Atlas of Palliative Care in Europe 134



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Gunnarsdottir S, et al. A multicenter study of attitudinal barriers to cancer pain management. Support Care Cancer. 2017;25(11):3595-3602. Gestsdottir B, et al. Symptoms and functional status of palliative care patients in Iceland. Br J Nurs. 2015 14-27;24(9):478-83. Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Valgerdur Sigurdardottir, Svandis Iris Halfdanardottir.

See more information in online version










70.280 Surface area (km2), 2018

69.9 Population density (Inh/km2), 2017



Inpatient Home programmes Hospices (standalone

Hospital

programmes

gramme for Children and Neonatology, which provides PPC. A PPC Team works in Crumlin Children's Hospital. There is a home care service that works out of the Laura Lynn Children's Hospice, covering Dublin and the North East. Approximately eight nurse specialists around the country act as liaison between rural adult PC services, children's services (general paediatrics) and the Medical Consultants based in Dublin.

EDUCATION

facilities)

PC provision		Medical Schools teaching PC	Nursing Schools teaching PC	Professorship in PC at medical
	YES NO			schools
es relating PC	YES NO			
flifeissues	YES NO	AIA \	0/11	
h care with reference to PC	YES NO	U/D	U/4	-
	YES NO			
ection for PC	YES NO	- offering specific mandatory PC	- offering specific mandatory PC	- Full Professors
diseases plan with a section for PC	YES NO	course	course	
on for PC	YES NO	-		+
	YES NO	offering PC course in combination	offering PC course in combination	Associate Professors
	YES NO	with other disciplines	with other disciplines	
25	YES NO			
or PC in the Ministry of Health	YES NO	Specialisation in Palliativ	ve Medicine	YES
Dedicated time to PC	N/A	Type of training programm	ne	Specialty
		Denomination Specialist Accreditation for Palliative Care Physicians; provided by the Royal College of Physicians of Ireland (RCPI).		
<10% 10-50% 50-99%	100%	Estimated certified physi	icians	JD
al health budget for PC	YES NO			$\cup \cup$

POLICIES

National legislation to regulate PC pro

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES	NO
National cancer plan with a section for PC	YES	NO
National non-communicable diseases plan with a section for PC $$	YES	NO
National HIV plan with a section for PC	YES	NO
The plan was implemented	YES	NO
The plan was audited	YES	NO
tional standarda far DC aga jigga	VEO	1.10

National standards for PC services


Designated person responsible for PC

Role










Inclusion of PC in the basic package of health services

ialisation in	Palliative Medicine	YES NO
oftrainingp	rogramme	Specialty
mination	Specialist Accreditation for Palliative	e Care Physicians;




PC RESOURCES FOR CHILDREN There is a National Clinical Pro-

EAPC Atlas of Palliative Care in Europe 136



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine

Oxycodone Hydromorphine Fentanyl

YES NO General availability of oral morphine (inmediate release) **Opioid prescription requirements** YES NO Special prescription form **Prescription limits** Few months YES NO Patient registration as an opioid user

Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



Directory of services

RELEVANT REFERENCES ON PC DEVELOPMENT

Kane PM, et al. The need for palliative care in Ireland: a population-based estimate of palliative care using routine mortality data, inclusive of nonmalignant conditions. J Pain Symptom Manage. 2015;49(4):726-33 e1.

May P, et al. Policy analysis: palliative care in Ireland. Health Policy. 2014;115(1):68-74.

McIlfatrick S, Muldrew DHL, Hasson F, Payne S. Examining palliative and end of life care research in Ireland within a global context: a systematic mapping review of the evidence. BMC Palliat Care. 2018;17(1):109.

KEY INFORMANTS

Michael Connolly, Brian Creedon, Kellie Myers, Julie Ling.

See more information in online version











22,070 Surface area (km2), 2018

402.6 Population density (Inh/km2), 2017







Professorship in PC at medical schools

POLICIES

EDUCATION

National legislation to regulate PC provision		Medical Schools teaching PC	Nursing Schools teaching PC
National laws specific to PC	YES NO	teaching PC	teaching PC
National legislation or decrees relating PC	YES NO		
National legislation on end of life issues	YES NO		10/10
National general law on health care with reference to PC	YES NO	(3/5)	16/16
National PC plan or strategy			
National PC plan or strategy	YES NO	0%	0%
National cancer plan with a section for PC	YES NO	offering specific mandatory PC	offering specific mandatory PC
National non-communicable diseases plan with a section for Pr	C YES NO	course	course
National HIV plan with a section for PC	YES NO	60%	100%
The plan was implemented	YES NO	offering PC course in combination	offering PC course in combination
The plan was audited	YES NO	with other disciplines	with other disciplines
National standards for PC services	YES NO		
Designated person responsible for PC in the Ministry of Health	YES NO	Specialisation in Palliat	ive Medicine
Role Dedicated time to PC	N/A	Type of training program	me
		Denomination	Sub-specialty זמתה תת
Scientific Political/Technical <10% 10-50% 50-99%	100%	Estimated certified physical sectors and the sector of the	sicians
Allocated funds from the national health budget for PC	YES NO		
Inclusion of PC in the list of health services provided at the primary care level	YES NO		
Inclusion of PC in the basic package of health services	YES NO		

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or st

National PC plan or strategy	YES
National cancer plan with a section for PC	YES
National non-communicable diseases plan with a section for PC	YES
National HIV plan with a section for PC	YES
The plan was implemented	YES
The plan was audited	YES
onal standards for PC services	Y







Full Professors


Associate Professors

+


	YES	NO
Sub-sp	pecia	alty


lty in Palliative Medicine תיביטאילפ האופרב תוחכ






Opioid consumption per capita in morphine equivalent, excluding methadone, 2017





General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Nolimit
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe






Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY



Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT


Kislev L, et al. The Israel Cancer Association's role as a volunteer organization in forecasting, establishing, implementing and upgrading palliative care services in Israel. Palliat Support Care. 2013;11(5):367-71.

Brezis M, et al. What can we learn from simulation-based training to improve skills for end-of-life care? Insights from a national project in Israel. Isr J Health Policy Res. 20176;6(1):48.

Braun M, et al. Quality of dying and death with cancer in Israel. Support Care Cancer. 2014;22(7):1973-80.

KEY INFORMANTS

Ron Sabar, Glynis Katz.











Hospices


facilities)


(stand-alone

EDUCATION

301,340 Surface area (km2). 2018

205.9 Population density (İnh/km2), 2017





PC RESOURCES FOR CHILDREN

Hospital Home programmes programmes

Fourteen regions are currently working on developing PPC networks to improve PPC provision. Currently there are two children hospices in Padua/Veneto and Liguria Region. A Foundation is building one in Bologna, and another one, one in Milan. Two other regions are working on children hospices. PPC home care teams are not frequent.

POLICIES

Nati

tional legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy


	National PC plan or strategy	YES	NO
	National cancer plan with a section for PC	YES	NO
	National non-communicable diseases plan with a section for PC	YES	NO
	National HIV plan with a section for PC	YES	NO
	The plan was implemented	YES	NO
	The plan was audited	YES	NO
Ja	tional standards for PC services	YES	NO
-0		.20	

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role










YES NO





Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools Professorship teaching PC teaching PC in PC at medical schools |43* 98|222 **2** 16% 2 offering specific offering specific Full mandatory PC mandatory PC Professors course course +28% offering PC course offering PC course Associate in combination in combination Professors with other with other disciplines disciplines **Specialisation in Palliative Medicine** YES NO

Type of training programme

Denomination


Master of advanced training in palliative care ad pain therapy Master di Alta formazione in Cure Palliative e Terapia del Dolor

Special field of competence


Estimated certified physicians

taly will soon implement PC mandatory teaching hours for medical and nursing schools (25 and 50, respectively) to be transversally taught in oncology, geriatrics and pediatrics.

EAPC Atlas of Palliative Care in Europe 140



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release) YES NO **Opioid prescription requirements** YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user


Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Mercadante S. The low opioid consumption in Italy depends on late palliative care. Ann Oncol. 2013;24(2):558.

Penders YWH, et al. End-of-life care for people dying with dementia in general practice in Belgium, Italy and Spain: A cross-sectional, retrospective study. Geriatr Gerontol Int. 2017;17(10):1667-76.

Rusalen F. et al. Pain therapy, pediatric palliative care and end-of-life care: training, experience, and reactions of pediatric residents in Italy. Eur J Pediatr. 2014;173(9):1201-7.


KEY INFORMANTS

Italo Penco, Carlo Peruselli.

See more information in online version



Kazakhstan



PC RESOURCES FOR CHILDREN Inpatient Home programmes Hospices



2,724,902

Surface area (km2), 2018

> Children with cancer were included in Palliative Care legislation as a special category of patients needing palliative care in 2015. However, there is still place to improve support of families, pain treatment and end-of-life care for children.

Professorship

schools

in PC at medical

6.7

Population density (Inh/km2), 2017

POLICIES

EDUCATION

(stand-alone

facilities)

18,037,646

Population, 2015

0

ational legislation to reg	ulate PC provision		Medical Schools teaching PC	Nursing School teaching PC
National laws specific to	D PC	YES NO	teaching r c	teaching r c
National legislation or c	lecrees relating PC	YES NO		
National legislation on e	end of life issues	YES NO		
National general law on	health care with reference to PC	YES NO		U/00
ational PC plan or strateg	Ŷ			
National PC plan or stra	tegy	YES NO	0%	0%
National cancer plan wi	th a section for PC	YES NO	offering specific mandatory PC	offering specific mandatory PC
National non-communicable diseases plan with a section for PC		YES NO	course	course
National HIV plan with a	section for PC	YES NO	45%	0%
The plan was implemer	ited	YES NO	offering PC course in combination	offering PC cours in combination
The plan was audited		N/A	with other disciplines	with other disciplines
itional standards for PC s	ervices	YES NO		
esignated person respons	sible for PC in the Ministry of Health	YES NO	Specialisation in Palliat	ive Medicine
ole ,	Dedicated time to PC	N/A	Type of training program	me
7 6				

%

Professors +

Full


Associate Professors

Specialisation in Palliative Medicine	YES NO
Type of training programme	N/A
Denomination	-
Estimated certified physicians	-


		alth services	امما بالمرا		YES NO
Allocate	d funds from the nati	ional health b	udget for F	РС О	YES NO
Scientific	Political/Technical	<10%	10-50%	50-99%	100%
\square	\bigcirc	Kur			

Inclusion of PC in the basic package of health services

EAPC Atlas of Palliative Care in Europe 142



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




General availability of oral morphine (inmediate release)	YES

Opioid prescription requirements

YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe





Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY

National PC association	YES
NAME Kazakhstan Association for Palliative Care Qazaqstan pallıatıvtik járdem qaýymdastyģy	2013
Otherassociations	YES NO
Directory of services	YES

RELEVANT REFERENCES ON PC DEVELOPMENT

Kunirova G, Shakenova A. Palliative Care in Kazakhstan. J Pain Symptom Manage. 2018;55(2S):S36-S40. Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017;20(11):1195-1204.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Gulnara Kunirova.

See more information in online version








4th Quartile



199,950 Surface area (km2), 2018

KZ Bishkek KG TJ TJ TOTAL PC SERVICES PER POPULATION St Quartile and Quartile and Quartile and Quartile and Quartile



POLICIES

1:25.000.000

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES

National PC plan or strategy

ivationat r	c planor strategy					
Natior	nal PC plan or strategy	/			YES	NO
Natior	nal cancer plan with a	section for P	С		YES	NO
Natior	nal non-communicabl	e diseases pla	an with a se	ction for PC	YES	NC
Natior	nal HIV plan with a sec	tion for PC			YES	NO
The pl	an was implemented				YES	NC
The pl	an was audited				YES	NC
Nationals	tandards for PC servi	ces			YES	NC
Designated person responsible for PC in the Ministry of Health				YES	NC	
Role	,	Dedicate	ed time to F	PC .		N/
Scientific						
	Political/Technical funds from the natio	<10%	10-50%	50-99%	100 YES	NO

Inclusion of PC in the list of health services provided at the primary care level Inclusion of PC in the basic package of health services

EDUCATION Medical Schools teaching PC 07/07

100% offering specific mandatory PC course

> offering PC course in combination with other disciplines

-Full

Professorship

in PC at medical schools

Professors

+

-Associate Professors

Specialisation in Palliative Medicine	YES NO
Type of training programme	N/A
Denomination	-
Estimated certified physicians	-

32.3 Population density (Inh/km2), 2017

	YES NO	with other disciplines
	YES NO	
alth	YES NO	Specialisation in Palliative I
	N/A	Type of training programme
$\overline{\left\langle \cdot \right\rangle}$		Denomination
<u>را</u> 99%	100%	Estimated certified physicia

offering specific


offering PC course

in combination


mandatory PC

course

YES



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)

Opioid prescription requirements

Special prescription form	YES NO


Prescriptionlimits	Few days
--------------------	----------

Patient registration as an opioid user

Professionals allowed to prescribe







RELEVANT REFERENCES ON PC DEVELOPMENT

Mukambetov A, Sabyrbekova T, Asanalieva L, Sadykov I, Connor SR. Palliative Care Development in Kyrgyzstan. J Pain Symptom Manage. 2018 Feb;55(2S):S41-S45. Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017;20(11):1195-1204.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Confidential.

See more information in online version



N/A








64,490 Surface area (km2). 2018

31.2 Population density (İnh/km2), 2017





PC RESOURCES FOR CHILDREN


Hospital programmes Children's Palliative Care model in Latvia is a hospital-based PC team. The country counts with two PPC in hospital programmes at the Children's Clinical University Hospital - Palliative Care service and the Liepaja Regional Hospital both institutions provides home care.


POLICIES

EDUCATION

(stand-alone

facilities)





The plan was implemented

National legislation to regulate PC provision

National legislation or decrees relating PC

National legislation on end of life issues

National laws specific to PC

The plan was audited

National standards for PC services


Designated person responsible for PC in the Ministry of Health

Role


Scientific








Inclusion of PC in the basic package of health services



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Hydromorphine Codeine Fentanyl Oxycodone


General availability of oral morphine (inmediate release)	YES

Opioid prescription requirements

YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe





Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY

National PC association	YES
NAME Children's Palliative Care Society Bērnu paliatīvās aprūpes biedrība	SINCE
Otherassociations	Palliative Care Association of Latvia

Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Vranken MJ, et al. Barriers to access to opioid medicines: a review of national legislation and regulations of 11 central and eastern European countries. Lancet Oncol. 2016;17(1):e13-22.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017;20(11):1195-1204.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Anda Jansone, Vilnis Sosars.

See more information in online version




Liechtenstein



PC RESOURCES FOR CHILDREN Home Hospital

160 Surface area (km2), 2018

237.0 Population density (Inh/km2), 2017



37,922

Population, 2015

 \bigcirc

programmes

EDUCATION

ovision		Medical Schools teaching PC	Nursing Schools teaching PC	Professorship in PC at medical
	YES NO			schools
ting PC	YES NO			
sues	YES NO		171	
with reference to PC	YES NO			-
	YES NO	The second state of the	0%	-
for PC	YES NO	offering specific mandatory PC	offering specific mandatory PC	Full Professors
es plan with a section for PC	YES NO	course	course	+
PC	YES NO	-	100%	-
	YES NO	offering PC course in combination	offering PC course in combination	Associate Professors
	YES NO	with other disciplines	with other disciplines	
	YES NO			
in the Ministry of Health	YES NO	Specialisation in Palliativ	ve Medicine	YES NO
licated time to PC	N/A	Type of training programm	ne	YES NO
		Denomination		-
→ → → → → → → → → → → → → →	100%	Estimated certified physi	icians	-

POLICIES

National legislation to regulate PC prov

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy


rtacionat	optanoi stratogy				
Natio	nal PC plan or strate	gy			YES NO
Natio	nal cancer plan with	a section for PO	C		YES NO
Natio	nal non-communical	ole diseases pla	in with a se	ction for PC	YES NO
Natio	nal HIV plan with a se	ection for PC			YES NO
The p	lan was implemente	d			YES NO
The plan was audited				YES NO	
Nationals	standards for PC ser	vices			YES NO
Designated person responsible for PC in the Ministry of Health				YES NO	
Role	J	Dedicate	d time to F	PC 24	N/A
Scientific	Political/Technical	<10%	10-50%	50-99%	
Allocated	l funds from the nat	ional health b	udget for I	PC	YES NO

Allocated funds from the national health budget for PC Inclusion of PC in the list of health services provided at the primary care level


Inclusion of PC in the basic package of health services


EAPC Atlas of Palliative Care in Europe 148

N/A



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017





YES NO Special prescription form Nolimit **Prescription limits**


Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY



Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Linsi K, et al. 12 Community palliative care in Eastern Switzerland. Compassionate Communities: Case Studies from Britain and Europe. 2015 26:165.

Eychmüller S, et al. Community palliative care in Switzerland: from assessment to action. InParticipatory Research in Palliative Care: Actions and Reflections 2012 Dec 6 (pp. 76-84). Oxford **University Press** Oxford.

KEY INFORMANTS

Ingrid Frommelt.

See more information in online version



N/A

Lithuania





Inpatient

Hospices

(stand-


facilities)

EDUCATION

alone

65,286 Surface area (km2), 2018

45.1 Population density (İnh/km2), 2017



PC RESOURCES FOR CHILDREN



Home programmes

Hospital programmes

There are three programs providing PPC in hospitals. One is the pediatric intensive care unit at the main teaching hospital in Vilnius. It offers 4 PC beds, which in 2018 admitted 26 PPC patients. The other two account for the paeditric oncological clinics in Vilnius and Kaunas, offering inpatient, outpatient and home nursing service. The first children's hospice in the country is being built as part of an adult hospice complex in Vilnius.

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES
National non-communicable diseases plan with a se	ection for PC YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	N/A
The plan was audited	N/A

National standards for PC services

Designated person responsible for PC in the Ministry of Health



Scientific









100%

YES NO

NO YES NO



Inclusion of PC in the basic package of health services




disciplines Specialisation in Palliative Medicine Type of training programme

Denomination


disciplines

Estimated certified physicians

NO



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate rele	ease) YES NO
Opioid prescription requirements	
Special prescription form	YES
Prescription limits	Few weeks
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





Only specialists

PROFESSIONAL ACTIVITY

National PC association	YES
NAME Lithuanian Association of Palliative Medicine Lietuvos paliatyvios mediciNos draugija (LPMD)	1995
Other associations	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Brereton L, et al. Lay and professional stakeholder involvement in scoping palliative care issues: Methods used in seven European countries. Palliat Med. 2017;31(2):181-192

Vranken MJ, et sl. Legal barriers in accessing opioid medicines: results of the ATOME quick scan of national legislation of eastern European countries. J Pain Symptom Manage. 2014 Dec;48(6):1135-44.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017; 20(11): 1195-1204.

KEY INFORMANTS

Rita Kabasinskiene.

See more information in online version



Luxembourg 2,590 599,449 246.7 \bigcirc Population density (Inh/km2), 2017 Population, 2015 Surface area (km2), 2018 PC RESOURCES FOR CHILDREN National Paediatric Oncology and Palliative Care Services are under construction since 2017. LU Inpatient Home Hospital programmes Hospices programmes (stand-alone TOTAL PC SERVICES facilities)

PER POPULATION

Ist Quartile

2nd Quartile

3rd Quartile

4th Quartile


POLICIES

ational legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy


INALION	arre planoi strategy			
Na	tional PC plan or strategy	YES NO		
National cancer plan with a section for PC				
National non-communicable diseases plan with a section for PC				
National HIV plan with a section for PC				
The plan was implemented				
Th	The plan was audited			
Nation	al standards for PC services	YES NO		
Design	ated person responsible for PC in the Ministry of Health	YES NO		
Role) Dedicated time to PC	N/A		
Scientific	Political/Technical			
Allocat	Allocated funds from the national health budget for PC			
	on of PC in the list of health services provided primary care level	YES NO		

Inclusion of PC in the basic package of health services




Specialisation in Palliative Medicine	YES NC
Type of training programme	YES NC
Denomination	
Estimated certified physicians	

EDUCATION



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release) YES NO **Opioid prescription requirements** YES NO Special prescription form **Prescription limits** Few weeks YES NO Patient registration as an opioid user


Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



Directory of services

RELEVANT REFERENCES ON PC DEVELOPMENT

Woitha K, et al. Ranking of Palliative Care Development in the Countries of the European Union. J Pain Symptom Manage. 2016;52(3):370-7.

Gove D, et al. Palliative care covers more than end-of-life issues: why is this not common practice in dementia care and what are the implications? Ann Palliat Med. 2017;6(4):390-392.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

YES NO

KEY INFORMANTS

Marie-France Liefgen, Frédéric Fogen.


See more information in online version



POLICIES

The plan was audited

Republic of Macedonia



PC RESOURCES FOR CHILDREN

Inpatient Home Hospices (stand-alone facilities)

2,083,160

Population, 2015

 \bigcirc

25.710

Surface area (km2),

2018

programmes

Hospital programmes

82.6 Population density (İnh/km2), 2017

EDUCATION

Medical Schools Nursing Schools National legislation to regulate PC provision teaching PC teaching PC National laws specific to PC NO National legislation or decrees relating PC NO National legislation on end of life issues NO YES NO National general law on health care with reference to PC National PC plan or strategy YES NO National PC plan or strategy 40% 50% offering specific offering specific YES NO National cancer plan with a section for PC mandatory PC mandatory PC course course National non-communicable diseases plan with a section for PC NO YES National HIV plan with a section for PC YES NO 20% 50% offering PC course offering PC course YES NO The plan was implemented in combination in combination with other with other YES NO disciplines disciplines National standards for PC services NO Designated person responsible for PC in the Ministry of Health NO YES Dedicated time to PC <10% 10-50% 50-99% 100% YES

Professorship in PC at medical schools


Full

Professors

Associate Professors


+

Specialisation in Palliative Medicine	YES NO
Type of training programme	YES NO
Denomination	YES NO
Estimated certified physicians	YES NO




Inclusion of PC in the list of health services provided at the primary care level

Inclusion of PC in the basic package of health services



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	

Special prescription form

Prescription limits

Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Sholjakova M, et al. Pain Relief as an Integral Part of the Palliative Care. Open Access Maced J Med Sci. 2018, 6;6(4):739-741.

Vrdoljak E, et al. Cancer Control in Central and Eastern Europe: Current Situation and Recommendations for Improvement. Oncologist. 2016 Oct;21(10):1183-1190.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017; 20(11): 1195-1204.

KEY INFORMANTS

Confidential.

See more information in online version




YES NO

Nolimit





1,454.0 Population density (İnh/km2), 2017





EDUCATION



programmes programmes

POLICIES

National legislation to regulate PC provision National laws specific to PC NO National legislation or decrees relating PC NO National legislation on end of life issues NO YES NO National general law on health care with reference to PC

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	N/A

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role



Scientific









NO

NO

YES NO




Inclusion of PC in the basic package of health services




Specialisation in Palliative Medicine	YES
Type of training programme	Specialty
Denomination	Palliative Medicine Kura Paljattiva
Estimated certified physicians	, ai a' a' a' a' a' a' a' a' a' a' a' a' a'

Estimated certified physicians



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)	YES	
Opioid prescription requirements		

 Special prescription form
 YES
 NO

 Prescription limits
 Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe



PROFESSIONAL ACTIVITY

National PC association	YES NO
Otherassociations	N/A
Directory of services	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Aquilina FF, Agius M. Palliative Care in Dementia. Psychiatr Danub. 2015;27 Suppl 1:S506-11. PubMed PMID: 26417829. Murray SA, et al. Promoting palliative care in the community: production of the primary palliative care toolkit by the European Association of Palliative Care Taskforce in primary palliative care. Palliat Med. 2015;29(2):101-11.

Woitha K, et al. Ranking of Palliative Care Development in the Countries of the European Union. J Pain Symptom Manage. 2016;52(3):370-7.

KEY INFORMANTS

Jurgen Abela.

See more information in online version



EAPC Atlas of Palliative Care in Europe 157








EDUCATION

33,850 Surface area (km2), 2018

123.7 Population density (İnh/km2), 2017







POLICIES

National legislation to regulate PC provision National laws specific to PC NO National legislation or decrees relating PC YES NO National legislation on end of life issues NO YES NO National general law on health care with reference to PC

National PC plan or strategy

	National PC plan or strategy	YES NO
	National cancer plan with a section for PC	YES NO
	National non-communicable diseases plan with a section for PC	YES NO
	National HIV plan with a section for PC	YES NO
	The plan was implemented	YES NO
	The plan was audited	YES NO
12	tional standards for PC services	YES NO
la	tional standards for PC services	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role









YES NO

YES NO

N/A




Inclusion of PC in the basic package of health services




Estimated certified physicians (abroad)





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	YES	

Opioid prescription requirements

YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY



Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Gherman L, et al. Palliative Care in Moldova. J Pain Symptom Manage. 2018;55(2S):S55-S58.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017;20(11):1195-1204.

KEY INFORMANTS

Valerian Isac, Natalia Carafizi, Liliana Gherman.

See more information in online version





Ο




Surface area (km2), 2018

1,9347,5

Population density

(lnh/km2), 2017



PC RESOURCES FOR CHILDREN Inpatient Home

Hospices programmes (stand-alone facilities)

EDUCATION

Hospital

programmes

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

tional standards for PC services	YES N
The plan was audited	YES
The plan was implemented	YES
National HIV plan with a section for PC	YES
National non-communicable diseases plan with a section for PC	YES
National cancer plan with a section for PC	YES
National PC plan or strategy	YES

Role



Scientific





Dedicated time to PC





YES NO

N/A

Political/Technical 50-99% Allocated funds from the national health budget for PC YES NO Inclusion of PC in the list of health services provided YES NO at the primary care level


Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools Professorship teaching PC teaching PC in PC at medical schools 0% offering specific offering specific Full Professors mandatory PC mandatory PC course course +100% offering PC course offering PC course Associate in combination in combination Professors with other with other disciplines disciplines Specialisation in Palliative Medicine NO Type of training programme -


Denomination

Estimated certified physicians (abroad)





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




General availability of oral morphine (inmediate release) YES NO

Opioid prescription requirements

YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

NAME JATALV (Jusqu'Au Terme Accompagner La Vie)	2001
Otherassociations	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Rietjens JAC, et al; European Association for Palliative Care. Definition and recommendations for advance care planning: an international consensus supported by the European Association for Palliative Care. Lancet Oncol. 2017;18(9):e543-e551.

Erel M, et al. Barriers to palliative care for advanced dementia: a scoping review. Ann Palliat Med. 2017;6(4):365-379.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017; 20(11): 1195-1204.

KEY INFORMANTS

Jean-François Ciais, Vito Curiale.

See more information in online version



Montenegro



PCRESOURCES FOR CHILDREN



Inpatient Home programmes Hospices (stand-alone

facilities)

622,471

Population, 2015

 \bigcirc

Hospital

13,810

Surface area (km2), 2018



POLICIES

ational legislation to regulate PC provision	
National laws specific to PC	N/A
National legislation or decrees relating PC	N/A
National legislation on end of life issues	N/A
National general law on health care with reference to PC	N/A

National PC plan or strategy

National PC plan or strategy	YES	NO
National cancer plan with a section for PC	YES	NO
National non-communicable diseases plan with a section for PC	YES	NO
National HIV plan with a section for PC	YES	NO
The plan was implemented		N/A
The plan was audited		N/A

National standards for PC services

Designated person responsible for PC in the Ministry of Health



Scientific







N/A

N/A

N/A

N/A

Allocated funds from the national health budget for PC N/A Inclusion of PC in the list of health services provided N/A at the primary care level

Inclusion of PC in the basic package of health services

offering PC course in combination with other disciplines

fessorship C at medical ools

essors

Associate Professors

Specialisation in Palliative Medicine	N/A
Type of training programme	N/A
Denomination	N/A
Estimated certified physicians	N/A


in combination

with other


disciplines

46.3 Population density (Inh/km2), 2017

_		EDUCATION		
		Medical Schools teaching PC	Nursing Schools teaching PC	Prof in PC
	N/A	-	-	scho
	N/A			
	N/A			
	N/A			-
	YES NO	-	-	
	YES NO	offering specific mandatory PC	offering specific mandatory PC	Full Profe
С	YES NO	course	course	
	YES NO	-	_	+
	N/A	offering PC course	offering PC course	Asso



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)

pioid prescription requirements	N/A
Special prescription form	N/A
Prescription limits	N/A
Patient registration as an opioid user	N/A
Professionals allowed to prescribe	N/A



PROFESSIONAL ACTIVITY

National PC association	N/A
Other associations	N/A
Directory of services	N/A

RELEVANT REFERENCES ON PC DEVELOPMENT

Vrdoljak E,et al. Cancer Control in Central and Eastern Europe: Current Situation and Recommendations for Improvement. Oncologist. 2016;21(10):1183-1190.

KEY INFORMANTS

Literature search.

See more information in online version



EAPC Atlas of Palliative Care in Europe

163








41.540 Surface area (km2). 2018

508.5 Population density (İnh/km2), 2017



PCRESOURCES FOR CHILDREN



Inpatient Home Hospices programmes

Hospital programmes A special expertise-centre on PPC is present: Kenniscentrum Kinderpalliatieve zorg https:// www.kinderpalliatief.nl/.Alluniversity hospitals offer a specific PPC service called Kinder Comfort Teams. There are 45 day care programmes available for children and their families, mostly nursing day-care services. Every child in need of PC has a nurse at home. Additionally, several services especially for respite care for families with terminally ill children are available in the country.

POLICIES

National laws specific to PC

National PC plan or strategy

National PC plan or strategy

The plan was implemented

Political/Technical

at the primary care level

Allocated funds from the national health budget for PC

Inclusion of PC in the list of health services provided

Inclusion of PC in the basic package of health services

The plan was audited

Role


Scientific

EDUCATION

(stand-

facilities)

alone



in PC at medical schools

Professorship

11 Full Professors

5

+

Associate Professors


NO

EAPC Atlas of Palliative Care in Europe 164

YES NO

YES NO


YES



11

0

Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




59

2

Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate relea	ISE) YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few months
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe



PROFESSIONAL ACTIVITY

2010
YES

RELEVANT REFERENCES ON PC DEVELOPMENT

Ko W, et al. Care provided and care setting transitions in the last three months of life of cancer patients: a nationwide monitoring study in four European countries. BMC Cancer. 2014;14:960. **Plat FM, et al.** Availability of Dutch General Practitioners for After-Hours Palliative Care. J Palliat Care. 2018;33(3):182-6. Woitha K, et al. Volunteers in Palliative Care - A Comparison of Seven European Countries: A Descriptive Study. Pain Pract. 2015;15(6):572-9.

KEY INFORMANTS

Jeroen Hasselaar, Esmé Wiegman-van Meppelen Scheppink, Centers Palliative Care in the Netherlands (EPZ), Expertise Center Palliative Care for children, Association Hospice Care the Netherlands (AHzN), the Foundation Perspect, and the Ministry of Health, Welfare and Sports (VWS).










625,217 Surface area (km2), 2018

14.5 Population density (Inh/km2), 2017







POLICIES

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES	Ν
National cancer plan with a section for PC	YES	N
National non-communicable diseases plan with a section for PC	YES	N
National HIV plan with a section for PC	YES	N
The plan was implemented	YES	Ν
The plan was audited	YES	\square
ional standards for PC services	YES	ľ
ignated person responsible for PC in the Ministry of Health	YES	

Designated person responsible for PC in the Ministry of Health












N/A

YES NO



Inclusion of PC in the basic package of health services

Medical Schools teaching PC	Nursing Schools teaching PC	Professorship in PC at medica schools
4/4	14/14	6
75% offering specific mandatory PC course	0% offering specific mandatory PC course	5 Full Professors
		+
25% offering PC course in combination with other disciplines	100% offering PC course in combination with other disciplines	1 Associate Professors

Specialisation in Pallia	tive Medicine	YES
Type of training program	nme	Special Fielf of Competence
Denomination		edicine special area of competence petanseområde palliativ medisi

Estimated certified physicians



PC RESOURCES FOR CHILDREN

Hospital programmes


EAPC Atlas of Palliative Care in Europe 166

. cal


EDUCATION

(stand-alone

facilities)



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



23 0 Codeine

Morphine

Hydromorphine Fentanyl Oxycodone

1

87

General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Nolimit
Patient registration as an opioid user	YES NO


Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Groeneveld EI,et al.Funding models in palliative care: Lessons from international experience. Palliat Med. 2017 Apr;31(4):296-305.

Kaasa S, et al. Integration between oncology and palliative care: a plan for the next decade? Tumori. 2017 Jan 21;103(1):1-8.

Sommerbakk R, et al. Barriers to and facilitators for implementing quality improvements in palliative care - results from a qualitative interview study in Norway. BMC Palliat Care. 2016 Jul 15;15:61.

KEY INFORMANTS

Dagny Faksvåg Haugen.






 \bigcirc



312,680 Surface area (km2), 2018 124.0 Population density (Inh/km2), 2017



3 66 (

Home

programmes

Inpatient Hospices (stand-alone facilities)

EDUCATION

Hospital programmes

POLICIES

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health




Scientific Political/Technical



Scientific Political/Technical <10% 10-50% 50-99% 100%
Allocated funds from the national health budget for PC VES NO

Inclusion of PC in the list of health services provided at the primary care level	YES
Inclusion of PC in the basic package of health services	YES




Specjalizacja w dziedzinie medycyny paliatywnej

Estimated certified physicians




PC RESOURCES FOR CHILDREN

168



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




7 Morphine Codeine


0

Fentanyl Oxycodone Hydromorphine


0



Professionals allowed to prescribe



PROFESSIONAL ACTIVITY



Other associations

1. Polish Society of Palliative Care Nursing since (2006) 2. Polish Association for Palliative Care (1996)

Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Bogusz H, et. al. Under the British Roof: The **British Contribution** to the Development of Hospice and Palliative Care in Poland. J Palliat Care. 2018 Apr;33(2):115-119.

Krakowiak P, et al. Walls and Barriers. **Polish Achievements** and the Challenges of Transformation: Building a Hospice Movement in Poland. J Pain Symptom Manage. 2016;52(4):600-604.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Aleksandra Ciałkowska-Rysz, Aleksandra Kotlinska-Lemieszek.









Inpatient

Hospices

facilities)


(stand-alone

EDUCATION

Medical Schools

92,226 Surface area (km2), 2018

112.4 Population density (Inh/km2), 2017





Home

Hospital programmes programmes

Nursing Schools

Children's Palliative Care model in Portugal is hospital-based with public hospital support teams in Universitary hospitals (4) and the Portuguese Institute of Cancer (2)."

Professorship

POLICIES

National legislation to regulate PC provision National laws specific to PC YES NO National legislation or decrees relating PC YES NO National legislation on end of life issues YES NO YES NO National general law on health care with reference to PC

National PC plan or strategy

National PC plan or strategy	YES	NO
National cancer plan with a section for PC	YES	NO
National non-communicable diseases plan with a section for PC	YES	NO
National HIV plan with a section for PC	YES	NO
The plan was implemented	YES	NO
The plan was audited	YES	NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health











YES

YES NO

<10% 10-50% 50-99% 100% Allocated funds from the national health budget for PC YES Inclusion of PC in the list of health services provided YES


at the primary care level Inclusion of PC in the basic package of health services YES NO

teaching PC	teaching PC	in PC at medical schools
4/8	28/40	2
25% offering specific mandatory PC course	70% offering specific mandatory PC course	- Full Professors +
25% offering PC course in combination with other disciplines	- offering PC course in combination with other disciplines	2 Associate Professors
Specialisation in Palliative	Medicine	YES
Type of training programme	s Spe	ecial field of competence
Denomination		ve Medicine Competence ia em Medicina Paliativa
Estimated certified physic	ians	00


limated certified physicians



EAPC Atlas of Palliative Care in Europe 170




Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Nolimit
Patient registration as an opioid user	YES NO


Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Martins S. et al. Palliative care nursing education features more prominently in 2015 than 2005: Results from a nationwide survey and qualitative analysis of curricula. Palliat Med. 2016;30(9):884-8.

Pereira A, et al. Academic Palliative Care Research in Portugal: Are We on the Right Track? Healthcare (Basel). 2018 12;6(3). pii: E97.

Da Cruz M, et al. Palliative care and the Portuguese health system. Porto Biomedical Journal vol. 1, 2, 2016, P72-76.

KEY INFORMANTS

Edna Gonçalves, Manuel Luís Capelas, Duarte Soares, and Paula Sapeta.



POLICIES


Romania





238,400 Surface area (km2), 2018







Inpatient Hospices (stand-alone facilities)

Hospital

programmes

programmes

Home

PCRESOURCES FOR CHILDREN

EDUCATION

Medical Schools National legislation to regulate PC provision **Nursing Schools** teaching PC teaching PC National laws specific to PC NO National legislation or decrees relating PC YES NO National legislation on end of life issues NO 2)) YES NO National general law on health care with reference to PC YES NO 33% 25% offering specific offering specific YES NO mandatory PC mandatory PC course course NO YES YES NO 17% 25% offering PC course YES NO The plan was implemented in combination in combination with other with other YES NO disciplines disciplines YES NO YES NO Specialisation in Palliative Medicine Dedicated time to PC Type of training programme Denomination Palliative c Atestat de <10% 10-50% 50-99% 100% Estimated certified physicians Allocated funds from the national health budget for PC YES NO YES YES NO

National PC plan or strategy National PC plan or strategy National cancer plan with a section for PC National non-communicable diseases plan with a section for PC National HIV plan with a section for PC


The plan was audited


National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role







Inclusion of PC in the basic package of health services

offering PC course

Professorship in PC at medical schools

Full Professors


2 Associate Professors

+


are subspecialty ingrijiri palliative

Sub-specialty





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	YES	

Opioid prescription requirements

YES NO Special prescription form **Prescription limits** Nolimit YES NO

Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Mosoiu D, et al. Palliative Care in Romania. J Pain Symptom Manage. 2018;55(2S):S67-S76.

Mosoiu D, Dumitrescu M, Connor SR. Developing a costing framework for palliative care services. J Pain Symptom Manage. 2014 Oct;48(4):719-29.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Daniela Mosoiu.



Russian Federation



PC RESOURCES FOR CHILDREN

Inpatient Hospices (stand-alone facilities)

144,495,044

Population, 2015

0

Hospital programmes

17.098.250

Surface area (km2), 2018

8.8 Population density (İnh/km2), 2017







POLICIES

ational legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

	National PC plan or strategy	YES	NO
	National cancer plan with a section for PC	YES	NO
	National non-communicable diseases plan with a section for PC	YES	NO
	National HIV plan with a section for PC	YES	NO
	The plan was implemented	YES	NO
	The plan was audited	YES	NO
la	tional standards for PC services	YES	NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health










YES NO



Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools Professorship teaching PC teaching PC in PC at medical 62/62 425/425 3% 0% offering specific offering specific Full mandatory PC mandatory PC course course +100% 97% offering PC course offering PC course in combination in combination with other with other disciplines disciplines Specialisation in Palliative Medicine

Special field of competence Type of training programme Denomination Advanced training - thematic improvement повышение квалификации - тематическое усовершенствование

Estimated certified physicians

YES NO


schools

Professors


Associate Professors

YES NO

EAPC Atlas of Palliative Care in Europe 174



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



$General \ availability \ of \ or al \ morphine \ (inmediate \ release)$	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Few weeks
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Schepin VO, et al. [About Problems of Palliative Care]. Probl Sotsialnoi Gig Zdravookhranenniiai Istor Med. 2019 Jan;27(1):36-40.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov;20(11):1195-1204.


Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Diana Nevzorova, Advisory Board of the Russian Association for Palliative Care.







Hospital programmes

88,360

Surface area (km2), 2018

7,022,268

Population, 2015

EDUCATION

0%

course

20%

offering specific

offering PC course

in combination

with other

disciplines

mandatory PC

Ο



80.3

Population density (Inh/km2), 2017

teams are either for adults or there are a few linked to the DZs for both adults and children, coverage of children is very low.

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for PC	YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	YES NO

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role







Dedicated time to PC



YES NO

NO

N/A

YES NO



Allocated funds from the national health budget for PC YES NO Inclusion of PC in the list of health services provided N/A at the primary care level

Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools teaching PC teaching PC

0% offering specific mandatory PC course

0% offering PC course in combination with other disciplines

Professorship in PC at medical schools


Full Professors

+


Specialisation in Palliative Medicine	YES NO
Type of training programme	-
Denomination	-
Estimated certified physicians	-

Associate Professors

EAPC Atlas of Palliative Care in Europe 176



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017




Morphine Codeine Hydromorphine Fentanyl Oxycodone

	General availability of oral morphine (inmediate release)	
--	---	--

Opioid prescription requirements

Special prescription form	YES
Prescription limits	Few weeks
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

National PC association	YES NO
Other associations	YES NO
Directory of services	N/A

RELEVANT REFERENCES ON PC DEVELOPMENT

Bosnjak SM, et al. A Multifaceted Approach to Improve the Availability and Accessibility of Opioids for the Treatment of Cancer Pain in Serbia: Results From the International Pain Policy Fellowship (2006-2012) and Recommendations for Action. J Pain Symptom Manage. 2016;52(2):272-83.

Milicevic N, et al. Palliative care development in Serbia, five years after the national strategy. European Journal of Palliative Care, 2015; 22(1).

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Confidential, Natasa Milicevic.

See more information in online version



EAPC Atlas of Palliative Care in Europe 177




Õ



49.030 Surface area (km2), 2018

113.1 Population density (İnh/km2), 2017




Home

programmes

- Inpatient Hospices (stand-alone facilities)
- Hospital programmes

EDUCATION



POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES	NO
National cancer plan with a section for PC	YES	NO
National non-communicable diseases plan with a section for PC	YES	NO
National HIV plan with a section for PC	YES	NO
The plan was implemented	YES	NO
The plan was audited	1	N/A

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role

Scientific






Inclusion of PC in the list of health services provided at the primary care level


Inclusion of PC in the basic package of health services



PC RESOURCES FOR CHILDREN



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017





Special prescription form	YES
Prescription limits	Few days
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

National PC associa	tion	YES
NAME Slovak Society for Pal of the Slovak Medical Slovenská spoločNos Slovenskej lekárskej s	Society ť paliatívnej medicíny	2015
Other associations	Association for hospice an	d palliative care in Slovakia
Directory of service	5	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Vranken M, et al. Barriers to access to opioid medicines: a review of national legislation and regulations of 11 central and eastern European countries. Lancet Oncol. 2016 ;17(1):e13-22.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov;20(11):1195-1204.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Andrea Skripekova.

See more information in online version



EAPC Atlas of Palliative Care in Europe 179







EDUCATION

20.675 Surface area (km2), 2018



SI 🛛 Ljub TOTAL PC SERVICES PER POPULATION 1st Quartile 2nd Quartile 3rd Quartile 4th Quartile



All paediatric hospitals count with paediatric PC hospital support teams and PCU.

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO
National cancer plan with a section for PC	YES NO
National non-communicable diseases plan with a section for I	PC YES NO
National HIV plan with a section for PC	YES NO
The plan was implemented	YES NO
The plan was audited	N/A

National standards for PC services

Political/Technical

Designated person responsible for PC in the Ministry of Health





Scientific










YES NO

YES NO









Estimated certified physicians





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate relea	ase) YES NO
Opioid prescription requirements	
Special prescription form	YES
Prescription limits	Few days
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





Only specialists

PROFESSIONAL ACTIVITY

NAME Slovenian Association for Palliative and Hospice Care Slovensko združenje za paliativnoin hospic oskrbo	2011
Other associations	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Vranken M, et al. Barriers to access to opioid medicines: a review of national legislation and regulations of 11 central and eastern European countries. Lancet Oncol. 2016;17(1):e13-22.

Centeno C, et al. The Palliative Care Challenge: Analysis of Barriers and Opportunities to Integrate Palliative Care in Europe in the View of National Associations. J Palliat Med. 2017 Nov;20(11):1195-1204.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Confidential, Nevenka Krcevski Skvarc.










505.935 Surface area (km2), 2018

93.2 Population density (İnh/km2), 2017



PCRESOURCES FOR CHILDREN

Home



Hospital programmes programmes

Eight programmes are providing care both at the home and hospital settings. Current efforts are developing more programmes to provide care in both settings.

POLICIES

National PC plan or strategy

The plan was audited

Political/Technical

Inclusion of PC in the basic package of health services

at the primary care level

Role

Scientific


EDUCATION

Inpatient

Hospices

facilities)

(stand-alone




Professorship in PC at medical schools

Full Professors


+3

Associate Professors

Palliative Medicine	YES NO
ogramme	-
	-




Opioid consumption per capita in morphine equivalent, excluding methadone, 2017






Fentanyl Oxycodone Hydromorphine

2



Professionals allowed to prescribe






Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Garralda E, Hasselaar J, Carrasco JM, Van Beek K, Siouta N, Csikos A, et al. Integrated palliative care in the Spanish context: a systematic review of the literature. BMC Palliat Care. 2016;15:49.

Penders YWH, Albers G, Deliens L, Miccinesi G, Vega Alonso T, Miralles M, et al. Endof-life care for people dying with dementia in general practice in Belgium, Italy and Spain: A cross-sectional, retrospective study. Geriatr Gerontol Int. 2017;17(10):1667-76.

Vilarrubi SN. [the Challenge of Complex Chronicity and Palliative Care in Paediatrics]. An Pediatr (Barc). 2018;88(1):1-2.

KEY INFORMANTS

Javier Rocafort Gil, Rafael Mota.










447,430 Surface area (km2), 2018







POLICIES


lational legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

Natio	nal PC plan or strategy	/			YES NO
Natio	nal cancer plan with a	section for PC	2		YES NO
Natio	nal non-communicable	e diseases pla	in with a se	ction for PC	YES NO
Natio	nal HIV plan with a sec	tion for PC			YES NO
The p	lan was implemented				YES NO
The p	lan was audited				YES NO
Nationals	standards for PC servi	ces			YES NO
Designate	ed person responsible	for PC in the	Ministry o	fHealth	YES NO
Role	,	Dedicate	d time to F	PC 24	N/A
Scientific	Political/Technical	<10%	10-50%	50-99%	

Allocated funds from the national health budget for PC	YES NO
Inclusion of PC in the list of health services provided at the primary care level	YES NO
Inclusion of PC in the basic package of health services	YES NO

EDUCATION




Type of training programme Sub-specialty & cercificate of competence

Speciality training for palliative medicine
 Add-on specialty in palliative medicine.
 Specialisttjänstgöring i palliativ medicin
 Tilläggsspecialitet.


Estimated certified physicians

Denomination





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



24 0

94 82 4

Morphine Codeine Fentanyl Oxycodone Hydromorphine

General availability of oral morphine (inmediate release)	YES NO
Opioid prescription requirements	
Special prescription form	YES NO
Prescription limits	Nolimit
Patient registration as an opioid user	YES NO

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

National PC association	YES
NAME Swedish Association for Palliative Medicine Svensk Förening för Palliativ Medicin	1997
Other associations	YES

RELEVANT REFERENCES ON PC DEVELOPMENT

Henoch I, Carlander I, Holm M, James I, Sarenmalm EK, Hagelin CL, et al. Palliative Care Research--A Systematic Review offoci, designs and methods of research conducted in Sweden between 2007 and 2012. Scand J Caring Sci. 2016;30(1):5-25. Lind S, Wallin L, Brytting T, Furst CJ, Sandberg J. Implementation of national palliative care guidelines in Swedish acute care hospitals: A qualitative content analysis of stakeholders' perceptions. Health Policy. 2017;121(11):1194-201. **Centeno C, et al.** Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Carl Johan Fürst, Carl-Magnus Edenbrandt.




Û


Switzerland





41,290 Surface area (km2), 2018 214.2 Population density (Inh/km2), 2017





PC RESOURCES FOR CHILDREN



In recent years, some individual and hospital initiatives have been conducted, to professionalise the staff and services in paediatric palliative care. A few units have also specific concepts. In addition, since 2012 a PPC network in Switzerland exists, mainly composed by nurses.

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy


Natio	nal PC plan or strategy	N/	YES NO
· · · · · · · · · · · · · · · · · · ·			
Natio	hal cancer plan with a	section for PC	YES NO
Nation	nal non-communicabl	e diseases plan with a section for PC	YES NO
Natio	nal HIV plan with a sec	ction for PC	YES NO
The pl	an was implemented		YES NO
The pl	an was audited		YES NO
	tandards for PC servi		YES NO
Designate	d person responsible	e for PC in the Ministry of Health	YES NO
Role	, N/A	Dedicated time to PC	N/A
Scientific	Political/Technical	(10%) 10-50% 50-39%	100%
Allocated	funds from the natio	onal health budget for PC	YES NO
	of PC in the list of hea nary care level	alth services provided	N/A

Inclusion of PC in the basic package of health services


Medical Schools Nursing Schools Professorship teaching PC teaching PC in PC at medical schools 100% offering specific offering specific Full mandatory PC mandatory PC Professors course course +offering PC course offering PC course Associate in combination in combination Professors with other with other disciplines disciplines

Specialisation in Palliative Medicine	YES
Type of training programme	Sub-specialty
Denomination	-
Estimated certified physicians	-


EDUCATION



N/A



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Oxycodone Codeine Fentanyl Hydromorphine

General availability of oral morphine (inmediate release) YES NO

53

7

Opioid prescription requirements

0


- Special prescription form
- **Prescription limits**
- Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Eychmuller S, Forster M, Gudat H, Lutolf UM, Borasio GD. Undergraduate palliative care teaching in Swiss medical faculties: a nationwide survey and improved learning objectives. BMC Med Educ. 2015;15:213.

Robinson J, Gott M, Gardiner C, Ingleton C. The 'problematisation' of palliative care in hospital: an exploratory review of international palliative care policy in five countries. BMC Palliat Care. 2016;15:64.

Centeno C, et al. Coverage and development of specialist palliative care services across the World Health Organization European Region (2005-2012): Results from a European Association for Palliative Care Task Force survey of 53 Countries. Palliat Med. 2016;30(4):351-62.

KEY INFORMANTS

Walter Brunner.

See more information in online version



N/A

N/A

N/A








141,380 Surface area (km2), 2018

64.3 Population density (İnh/km2), 2017



Inpatient Home

PC RESOURCES FOR CHILDREN

programmes (stand-alone

Hospices

facilities)

EDUCATION

Hospital programmes

POLICIES

National legislation to regulate PC provision National laws specific to PC NO National legislation or decrees relating PC NO National legislation on end of life issues NO YES NO National general law on health care with reference to PC

National PC plan or strategy

ional standards for PC services	YES
The plan was audited	YES
The plan was implemented	YES
National HIV plan with a section for PC	YES
National non-communicable diseases plan with a section for PC	YES
National cancer plan with a section for PC	YES
National PC plan or strategy or equivalent	YES

Role











YES NO


N/A

100%






Inclusion of PC in the basic package of health services




Denomination

Estimated certified physicians

EAPC Atlas of Palliative Care in Europe 188



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)

Opioid prescription requirements

Special prescription form

Prescription limits Few days

Patient registration as an opioid user

Professionals allowed to prescribe



PROFESSIONAL ACTIVITY

National PC association	YES NO
NAME National Association of Palliative care in the Republic of Tajikistan Ташкилоти чамъиятии "Ассотсиатсияи миллии ёрии паллиативии Чумхурии Точикистон"	2015
Otherassociations	YES NO
Directory of services	YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Abidjanova N. Palliative Care Development in Tajikistan. J Pain Symptom Manage. 2018; 55(2S):S81-S84.

N/A

YES NO

KEY INFORMANTS

Nigora Abidjanova.












104.9 Population density (Inh/km2), 2017



PC RESOURCES FOR CHILDREN

Inpatient Home Hospices programmes (stand-alone facilities)

Hospital programmes

EDUCATION

Medical Schools Nursing Schools teaching PC teaching PC /98 0/138 N/A 0% 0% offering specific offering specific mandatory PC mandatory PC course course 0 0 0% 1% offering PC course offering PC course in combination in combination with other with other disciplines disciplines YES YES NO Dedicated time to PC 5 10-50% 50-99% 100%

Professorship in PC at medical schools



N/A Full Professors

+

N/A Associate Professors

Specialisation in Palliative Medicine	YES NO
Type of training programme	Sub-specialty
Denomination	-
Estimated certified physicians	-

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES	N
National cancer plan with a section for PC		
National non-communicable diseases plan with a section for PC		
National HIV plan with a section for PC	YES	N
The plan was implemented		
The plan was audited	YES	N
·····		•

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role









Allocated funds from the national health budget for PC YES NO Inclusion of PC in the list of health services provided YES

at the primary care level	
Inclusion of PC in the basic package of health services	




Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release) YES NO **Opioid prescription requirements** YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user


Professionals allowed to prescribe





Nurses trained in PC

PROFESSIONAL ACTIVITY



RELEVANT REFERENCES ON PC DEVELOPMENT

Hacikamiloglu E, et al. Community Palliative Care in Turkey: A Collaborative Promoter to a New Concept in the Middle East. J Public Health Manag Pract. 2016;22(1):81-8.

Hacıkamiloglu E, et. al. Community Palliative Care in Turkey: A Collaborative Promoter to a New Concept in the Middle East. J Public Health Manag Pract. 2016;22(1):81-8.

Emuk Y. et.al. The current situation of palliative care in Turkey. Journal of Cancer Policy 13 (2017) 33-37.

KEY INFORMANTS

Confidential, Seref Komurcu.

See more information in online version




Ukraine

0




603,550 Surface area (km2), 2018

77.4 Population density (İnh/km2), 2017



PC RESOURCES FOR CHILDREN





EDUCATION



Hospital programmes

POLICIES

National legislation to regulate PC provision

National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy	YES NO	
National cancer plan with a section for PC		
National non-communicable diseases plan with a section for PC		
National HIV plan with a section for PC	YES NO	
The plan was implemented	YES NO	
The plan was audited	YES NO	

National standards for PC services

Designated person responsible for PC in the Ministry of Health












YES

YES NO

YES NO



Inclusion of PC in the basic package of health services

Medical Schools Nursing Schools teaching PC teaching PC 7))

6% offering specific mandatory PC course

0% offering PC course in combination with other disciplines

3% offering PC course in combination with other disciplines

offering specific

mandatory PC

3%

course

Professorship in PC at medical schools

/108 N/A

N/A Full Professors

+4


Associate Professors

Specialisation in Palliative Medicine	
Type of training programme	Sub-specialty
Denomination	National Medical Academy of Postgraduate Education named after P Shupik; Ivano-Frankivsk National Medical University; Kharkiv National Medical University Національна медична академія


післядипломної освіти імені П.Л.Шупика

Estimated certified physicians





Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release) YES NO

Opioid prescription requirements

YES NO Special prescription form **Prescription limits** Few weeks

Patient registration as an opioid user

Professionals allowed to prescribe





Only specialists

Nurses trained in PC

PROFESSIONAL ACTIVITY

NAME All-Ukrainian Association (and hospice care (http://u БО "Асоціація паліативн		2011
Other associations	All Ukrainian Children Palliat	ive Care Association

RELEVANT REFERENCES ON PC DEVELOPMENT

Tymoshevska V. et al. Palliative Care Development in Ukraine. J Pain Symptom Manage. 2018;55(2S):S85-S91.

Lohman D, et al. Evaluating a Human **Rights-Based Advocacy** Approach to Expanding Access to Pain Medicines and Palliative Care: Global Advocacy and Case Studies from India, Kenya, and Ukraine. Health Hum Rights. 2015 10;17(2):149-65.

Wolf A. How Palliative and Hospice Care are Organized in Ukraine (Review). Clinical Social Work and Health Intervention. 2017; 8(4):99-106.


KEY INFORMANTS

Lyudmyla-Oksana Andriyishyn, Kseniya Shapoval, Confidential.

See more information in online version



United Kingdom



PC RESOURCES FOR CHILDREN



66,022,273

Population, 2015

Inpatient

Hospices

(stand-

facilities)

EDUCATION

Medical Schools

teaching PC

alone

Ο

Home programmes

243.610

Surface area (km2),

2018

port from hospital-based oncology teams. The pediatric oncology outreach nurse specialist is responsible for liaising between oncology centre, primary health care team and family. Three charities are dedicated to providing children's palliative care support at home. There are also 2 Community Children's Nursing Teams, which provide non-specialist PC support for children with a range of complex health needs at home. Many PPC programs are mixed.

272.9

Population density

(İnh/km2), 2017

Care is home centered with sup-

POLICIES

National legislation to regulate PC provision National laws specific to PC N/A National legislation or decrees relating PC N/A National legislation on end of life issues N/A National general law on health care with reference to PC N/A

National PC plan or strategy

	National PC plan or strategy	YES	NO
	National cancer plan with a section for PC	YES	NO
	National non-communicable diseases plan with a section for PC	YES	NO
	National HIV plan with a section for PC	YES	NO
	The plan was implemented	YES	NO
	The plan was audited	YES	NO
	tional standards for PC services	YES	NO
٩đ	LIVIIAL SLAIIUAI US IVI FC SCI VICES	163	140

National standards for PC services

Designated person responsible for PC in the Ministry of Health

Role









YES NO

N/A

EAPC Atlas of Palliative Care in Europe 194



Inclusion of PC in the basic package of health services



offering PC course in combination with other disciplines

Professorship in PC at medical schools

Λ	
Ί	Δ
	T

12 Full Professors

+2 Associate Professors

Specialisation in Palliative Medicine	YES NO
Type of training programme	Specialty

Denomination Specialist training AND Consultant in Palliative Care Specialist training AND Consultant in Palliative Care

offering PC course

in combination

with other

disciplines


Estimated certified physicians




Nursing Schools

teaching PC

Hospital programmes



Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



Morphine Codeine

0 Oxycodone Hydromorphine Fentanyl

General availability of oral morphine (inmediate release)	YES NO	
Opioid prescription requirements		
Special prescription form	YES NO	
Prescription limits	Nolimit	
Patient registration as an opioid user	YES NO	

Patient registration as an opioid user

Professionals allowed to prescribe





PROFESSIONAL ACTIVITY

National PC associat	ion	YES
NAME Association for Palliat of Great Britain & Irela Association for Pallia of Great Britain & Irelo	nd tive Medicine	1985
Other associations	International Associa	ation of Nurses in Palliative Care

Directory of services

YES NO

RELEVANT REFERENCES ON PC DEVELOPMENT

Burbeck R, et al. Volunteers in specialist palliative care: a survey of adult services in the United Kingdom. J Palliat Med. 2014;17(5):568-74.


Inbadas H, et al. The level of provision of specialist palliative care services in Scotland: an international benchmarking study. **BMJ Support Palliat** Care. 2018;8(1):87-92. Walker S, et al. Palliative care education for medical students: Differences in course evolution, organisation, evaluation and funding: A survey of all UK medical schools. Palliat Med. 2017;31(6):575-81.

KEY INFORMANTS

Pam Firth, Andrew Davies.



Uzbekistan



PC RESOURCES FOR CHILDREN

Home

programmes

Inpatient Hospices (stand-alone facilities)

EDUCATION

Medical Schools

teaching PC

with other

disciplines

32,387,200

Population, 2015

 \bigcirc

447,400

Surface area (km2), 2018

> Hospital programmes

POLICIES

National legislation to regulate PC provision	
National laws specific to PC	YES NO
National legislation or decrees relating PC	YES NO
National legislation on end of life issues	YES NO
National general law on health care with reference to PC	YES NO

National PC plan or strategy

National PC plan or strategy				YES NO	
Natio	National cancer plan with a section for PC				YES NO
Natio					YES NO
Natio	National HIV plan with a section for PC			YES NO	
The p	lan was implemente	d			YES NO
Thep	lan was audited				YES NO
Nationals	tandards for PC ser	vices			YES NO
Designated person responsible for PC in the Ministry of Health			YES NO		
Role	J	Dedicate	d time to F	C	
Scientific	Political/Technical	<10%	10-50%	50-99%	
Allocated funds from the national health budget for PC				YES NO	

Allocated funds from the national health budget for PC	YES
Inclusion of PC in the list of health services provided at the primary care level	

Inclusion of PC in the basic package of health services

schools Full Professors

Nursing Schools

teaching PC

in combination with other disciplines

Professors

Associate

+


Professorship

in PC at medical

Specialisation in Palliative Medicine	YES NO
Type of training programme	-
Denomination	-
Estimated certified physicians	-


76.1 Population density (Inh/km2), 2017

	TES NO			
	YES NO			
	YES NO			
PC	YES NO			
	YES NO	-		
	YES NO	offering specific mandatory PC	offering specific mandatory PC	
on for PC	YES NO	course	course	
	YES NO	-	-	
	YES NO	offering PC course in combination	offering PC course in combination	



PROFESSIONAL ACTIVITY

Opioid consumption per capita in morphine equivalent, excluding methadone, 2017



General availability of oral morphine (inmediate release)	
Opioid prescription requirements	
Special prescription form	-
Prescription limits	-
Patient registration as an opioid user	-
Professionals allowed to prescribe	-



197

National PC association YES NO Other associations _ YES NO **Directory of services**

RELEVANT REFERENCES ON PC DEVELOPMENT

KEY INFORMANTS

World Map and Lit review.



With the generous financial support of



