
# Report of 2009 Bottlenose Dolphin (*Tursiops truncatus*) Life History Workshop: Expanding Network Capabilities

July 6-9, 2009

Compiled by Margaret Lynott Contributors: Megan Stolen, Wayne McFee, Wendy Noke Durden, James Powell, Teresa Mazza, Susan Barco





NOAA Technical Memorandum NOS NCCOS 151

This report has been reviewed by the National Ocean Service of the National Oceanic and Atmospheric Administration (NOAA) and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for their use by the United States government.



#### **Citation for this Report**

Lynott, M., Stolen M., McFee, W, Durden, W., Powell, J, Mazza, T. Barco, S. 2012. Report of 2009 Bottlenose Dolphin (*Tursiops truncatus*) Life History Workshop: Expanding Network Capabilities. NOAA Technical Memorandum NOS NCCOS 151. 22 pp.

# Report of 2009 Bottlenose Dolphin (*Tursiops truncatus*) Life History Workshop: Expanding Network Capabilities

July 6-9, 2009

Compiled by Margaret Lynott<sup>1</sup> Contributors: Megan Stolen<sup>2</sup>, Wayne McFee<sup>3</sup>, Wendy Noke Durden<sup>2</sup>, James Powell<sup>3</sup>, Teresa Mazza<sup>2</sup>

<sup>3</sup>NOAA, National Ocean Service National Centers for Coastal Ocean Science Center for Coastal Environmental Health and Biomolecular Research 219 Fort Johnson Road Charleston, South Carolina 29412-9110

NOAA Technical Memorandum NOS NCCOS 151

May, 2012



United States Department of Commerce

National Oceanic and Atmospheric Administration

National Ocean Service

John E. Bryson

Jane Lubchenco
Under Secretary of Commerce
for Oceans and Atmosphere,
NOAA Administrator

**David Kennedy** 

**Assistant Administrator** 

**Secretary** 

Virginia Aquarium Stranding Response Program
 717 General Booth Blvd
 Virginia Beach, VA 23451

<sup>&</sup>lt;sup>2</sup> Hubbs-SeaWorld Research Institute 3830 South Highway A1A #4-181 Melbourne Beach, FL 32951

# **Table of Contents**

LIST OF TABLES	i
LIST OF FIGURES	i
LIST OF APPENDICES	i
Acknowledgments	1
Executive Summary	2
Introduction	3
Workshop Presentations	5
<b>Demonstrations</b>	10
Discussion and Challenges	12
Future Research and Publications	15

# LIST OF TABLES

Table 1. Correlation Report for Blind Age Estimation Exercise
LIST OF FIGURES
Figure 1. Growth layer groups and dental anatomy. Hohn et al. (1989)5
Figure 2. Histological preparation of immature and mature <i>Tursiops</i> testes8
Figure 3. A sectioned sperm whale tooth. Stolen demonstrates tooth reading techniques and common complications
Figure 4. Ovaries from a mature <i>Tursiops</i> 11
Figure 5. <i>Tursiops</i> teeth showing accessory layers, wear and dark staining13
Figure 6. Comparison of a histological preparation and gross cut from the same <i>Tursiops</i> ovary
LIST OF APPENDICES
Appendix 1. Life History Workshop Proceedings
Appendix 2. List of Participants
Appendix 3. Female Reproductive Sampling Datasheet
Appendix 4. Male Reproductive Sampling Protocol21

#### **ACKNOWLEDGEMENTS**

We would like to acknowledge many groups and organizations who contributed to the workshop. The National Oceanic and Atmospheric Administration (NOAA) John H. Prescott Grant Program funded the travel and lodging for the workshop. We thank the NOAA National Ocean Service's Center for Coastal Environmental Health & Biomolecular Research (NOS) for hosting, providing the center free of cost as a meeting site for the workshop and the equipment for training purposes. We would like to thank Chris Marshall, Rachel Nueunhoff and Ann Pabst for attending.

Images used in this document were provided by the contributors (Stolen, Durden, and Powell).

#### EXECUTIVE SUMMARY

The Virginia Aquarium & Marine Science Center Foundation's Stranding Response Program (VAQS) was awarded a grant in 2008 to conduct life history analysis on over 10 years of *Tursiops truncatus* teeth and gonad samples from stranded animals in Virginia. A major part of this collaborative grant included a workshop involving life historians from Hubbs-Sea World Research Institute (HSWRI), NOS, Texas A & M University (TAMU), and University of North Carolina Wilmington (UNCW). The workshop was held at the NOAA Center for Coastal Environmental Health & Biomolecular Research in Charleston, SC on 7-9 July 2009. The workshop convened to 1) address current practices among the groups conducting life history analysis, 2) decide on protocols to follow for the collaborative Prescott grant between VAQS and HSWRI, 3) demonstrate tissue preparation techniques and discuss shortcuts and pitfalls, 4) demonstrate data collection from prepared testes, ovaries, and teeth, and 5) discuss data analysis and prepare an outline and timeline for a future manuscript. The workshop concluded with discussions concerning the current collaborative *Tursiops* Life History Prescott grant award and the beginnings of a collaborative Prescott proposal with members of the Alliance of Marine Mammal Parks and Aquariums to further clarify reproductive analyses. This technical memorandum serves as a record of this workshop.

#### INTRODUCTION

Life history sampling of cetaceans is a fundamental component of population assessments but is complicated due to sampling limitations of live free-ranging animals, and the fact that these animals spend the majority of their lives underwater. While not an exact replication of the live population, consistent data and sample collection from stranded cetaceans can provide an efficient and cost-effective method of obtaining life history samples for analysis and management purposes.

The most important data involved in life history analyses include age, morphometrics and reproductive status and history. In odontocete cetaceans, teeth provide information on age, while gonads provide information on reproductive status. Population parameters based on life history analyses include: longevity, reproductive history, and social structure of specific groups (*e.g.* mass strandings, distribution, animals with human interaction). Finally, changes in life history data over time, coupled with information on population stressors such as disease, fishery by-catch and other human interaction, can be detected by monitoring parameters such as age at sexual maturity and calving intervals (Reynolds *et al.*, 2000).

The definitive life history study on western north Atlantic bottlenose dolphins (*Tursiops truncatus*) was conducted by Mead and Potter (1990) and included dolphins from what are now considered several stocks/management units along the entire Atlantic coast of the United States. Growth curves and ages at sexual maturity published by Mead and Potter differ from more recently published growth curves for resident *Tursiops* populations in the Sarasota Bay and Indian River Lagoon regions of Florida (McFee *et al.*, 2009; Stolen *et al.*, 2002; Read *et al.*, 1993).

The most recent international cetacean life history workshop was conducted by the International Whaling Commission (IWC) in 1980. Scientists convened at the Scripps Institution of Oceanography in La Jolla, California in September of 1978 to discuss findings and techniques on both aging and reproductive analysis of marine mammals. This workshop was summarized in two publications, both by the IWC (Perrin and Myrick, 1980; Perrin *et al.*, 1984). Since that time, cetacean life history analysis has been conducted by a relatively limited number of scientists. This workshop was planned in part to increase the number of investigators in the eastern United States who are capable of preparing and analyzing life history data, and to develop a consortium of researchers who will collaborate on future marine mammal life history projects.

Wayne McFee of the Charleston NOS lab in South Carolina offered to host this *Tursiops* Life History Workshop. At this workshop, the participants discussed life history analysis techniques and received training in gonad analysis and tooth preparation. Wayne McFee, Megan Stolen of HSWRI, and their staffs provided the technical expertise for the five day training event. The goals of the workshop included: a comparison of current practices (among HSWRI and NOS), demonstrations and discussions of tissue preparation techniques, demonstration of data collection from prepared testes, ovaries and teeth and a discussion of data analyses for future manuscript(s).

Techniques covered at the workshop included: mounting and sectioning teeth on an Isomet© saw; decalcifying teeth; sectioning teeth on a sledge microtome; staining teeth; mounting tooth sections on a slide; gross sectioning of formalin-preserved ovaries; gross preparation of testes of different sizes; and histology of reproductive samples.

#### WORKSHOP PRESENTATIONS

Dolphin Tooth Anatomy and Sectioning Methods, Wayne McFee

Wayne McFee provided a background in dolphin tooth anatomy and sectioning methods. Methods covered staining thin sections, formic acid etching and xylene-based etching techniques. McFee described standard procedures for sectioning and staining according to Myrick *et al.* (1983) and Hohn *et al.* (1989). He covered common concerns with tooth selection such as mandibular location and shape. Traditionally teeth #13-16 of the lower left jaw are selected (Perrin and Myrick, 1980). Straight teeth cut along the bucco-lingual axis best capture the post-natal dentine necessary for accurate age estimation. Mounting, cutting, and decalcification techniques were all discussed.

McFee also briefly discussed formic acid and xylene-based etching procedures and the potential, novel use of laser ablation-inductively coupled plasma mass spectrometry (LA-ICPMS for age estimation. LA-ICPMS provides lateral and depth resolved trace element analyses in solid samples and could be used to validate classical aging techniques.

Reading Teeth for Age Estimation, Megan Stolen

Megan Stolen presented standard procedures, common pitfalls and recommendations for most efficiently estimating age once samples are prepared.

Stolen cited the procedures employed by Myrick *et al.* (1983) for *Stenella* spp. and Hohn *et al.* (1989) for




Figure 1: Growth layer groups and dental anatomy. Hohn et al. (1989)

Tursiops sp. (Figure 1). In addition, she described her process for verifying and resolving

any discrepancies in readings which includes multiple blind readings spaced several days to weeks apart. If two of the three readings agree, provided the third reading is close, this duplicative reading would be considered the estimate. If the three readings are close (within two growth layer groups (GLG)), the median is used as the estimated. If larger discrepancies occur (three or more GLGs apart), a fourth reading is used to resolve the issue. Any tooth that cannot be resolved is recut and the process starts over. Several teeth were presented in slides for demonstration of this process.

Problems described for readings included intensity of stain, off-center sectioning, misinterpretation of accessory layers as GLG's, restructuring, and damage sustained by the tooth either from extraction or wear and attrition. Again, Stolen used slides of stained teeth to demonstrate these common problems.

Although the determination of female reproductive maturity is straightforward, the interpretation of ovarian scars is convoluted and not definitively understood.

Reproductive biology and age at maturation are critical to managing cetacean stocks.

Wendy Durden discussed this and began her presentation with a general description of the female mammalian reproductive cycle, citing Akin *et al.* (1993). She stressed the complications of cetacean biology and the lack of knowledge on the persistence of ovarian scars throughout life. One question that arises with cetaceans is whether, unlike other mammals, the *corpus albicantia* increase in length and persist with age (Mackintosh and Wheeler, 1929; Dempsey and Wislocki, 1941; Miyazaki, 1977; Marsh and Kasuya, 1984; Akin *et al.*, 1993, Boyd *et al.*, 1999; Halldorsson and Vikingsson,

2001). Durden suggested that the presence of scars can determine the onset of reproductive maturity but research has found that some cetaceans absorb the scar tissue with time (Harrison, 1949; Sergeant, 1962; Harrison *et al.*, 1972; Harrison *et al.*, 1981; Brook, 2002; Dabin *et al.*, 2008) and that they are likely not representative of ovulation rate (Benirschke *et al.*, 1980; Kirby and Ridgway, 1984; Schroeder, 1990; Brook, 2000; Robeck *et al.*, 2005; Sawyer-Steffan and Kirby, 1980; Yoshioka *et al.*, 1986). One problem that photo-identification (i.e – sighting) data represents for studies on these animals, even for well documented groups such as the Indian River Lagoon population, is that calves that die in dystocia may not have been documented and thus cannot be correlated to a scar observed during post-mortem analyses once the mother dies. A suggestion for testing the hypothesis that scars persist post-parturition in *Tursiops* would be to study animals born in captivity whose reproductive behavior is well documented. Upon death, the scars from these animals could be compared with the number of known births.

Durden stressed that the entire female reproductive tract should be collected upon necropsy and stored in formalin with the left and right ovaries marked for later examination. This protocol would provide the opportunity to examine ovaries as well as vascular changes within the uterine horns and body indicative of previous pregnancy (Meisner and McFee, 2004). A datasheet (Appendix 3) and method for processing ovaries by 2 mm sections was presented to the group. *Corpora lutea* were classified based on the typical presence of a globular bulge and "yellow-colored" granulosa cells, while *corpora albicantia* were typed (Perrin *et al.*, 1976) 1-6 based on internal and external appearance and diameter (internal) (Akin *et al.*, 1993).

Gross and histological descriptions for *corpora lutea* and *albicantia* were covered during the presentation. The two descriptions were then compared for accuracy. The benefits of histological preparation seemed to outweigh the cost since 9% of *corpora* are missed during gross examination alone.

Male Reproductive Development and Testis Histology, James Powell

James Powell presented on research findings for cetacean testes, basic anatomy and spermatogenesis, brief background on male reproductive studies, current South Carolina research, sampling techniques, histology techniques, and examples of histology findings.

Much life history information can be obtained by studying the testes, including: the

age at maturity, the best location for testis sampling, and whether bottlenose dolphins exhibit reproductive senescence. Due to the abundance of *Tursiops* samples from Virginia and other regions, it would be possible to compare the age at maturity between various populations, geographical regions, and areas with differing anthropogenic environmental effects. Testis sampling would provide descriptions of the differences between testes of different species, between individuals or even between testes within the same

animal.




Figure 2: Histological preparation of an immature (top) and mature (bottom) *Tursiops* testis. H&E stain

Historically, age at attainment of sexual maturity in cetaceans has relied on data from captive animals or on the presence or absence of sperm with limited histology collected.

In this workshop, past research on male reproductive development in *Tursiops* was discussed, including life history studies by Harrison and Ridgway (1971) and Sergeant *et al.* (1973). Harrison and Ridgway found that male *Tursiops* reach sexual maturity at a mean length of 260 cm and 10 years of age. Sergeant *et al.* found that male *Tursiops* reach sexual maturity at a mean length of 245 cm and at 13 years of age. Both studies had a relatively small *n* (11, 31, respectively) which alone would not be representative of the much larger populations. Other studies discussed lag time between spermatogenesis and the appearance of sperm in the epididymis demonstrated with short-finned pilot whales (*Globicephala macrorhynchus*) and zonality and asymmetry of testicular development and maturity which has been demonstrated in sperm whales (*Physeter macrocephalus*), sei whales (*Balaenoptera borealis*) and long-finned pilot whales (*Globicephala melas*) (Kasuya and Marsh, 1984; Best, 1969; Masaki, 1976).

The NOS laboratory in Charleston has initiated research which includes age estimates on all archived male *Tursiops* teeth and two separate phases of gonad analysis. Phase I will consist of an age-based analysis of development on all archived testes and Phase II will be a longitudinal gradient study on whole testes from future strandings.

Powell discussed problems concerning storage based on the size of testis. He also presented sampling protocols which would maximize data that can be obtained from the testis while minimizing their storage size (Appendix 4). A brief overview of the histology technique for sampled sections was detailed during the talk and a datasheet with sampling protocols was developed (Appendix 4). Powell concluded the presentation with histology slides detailing anatomical features indicative of sexual maturity (presence of

spermatogenesis, decreased abundance of interstitial tissue) and discussing signs of decomposition which could compromise analysis (Figure 2).

#### **DEMONSTRATIONS**

Following the presentations, the workshop continued in the life history laboratory, which is led by Wayne McFee.

VAQS had purchased an Isomet© 4000 precision saw which was brought to the workshop for training purposes. While both NOS and HSWRI utilize the slow cut precision saw manufactured by Buehler, teeth sectioning was demonstrated with both saws. McFee, Stolen and Lynott cut *Tursiops* teeth and a sperm whale tooth using the



Figure 3: A sectioned sperm whale tooth (top). Stolen demonstrating tooth reading techniques and common complications (bottom).

larger Isomet 4000 (Figure 3). Powell and McFee compared and discussed techniques with HSWRI using the slower precision saw, such as plating of samples and angles of blade contact with the samples.

Megan Stolen discussed proper tooth selection. Examples of angled teeth, tooth damage and problems associated with the age of the tooth were presented to the group (Figure 5). Stolen provided suggestions on how to overcome and avoid these problems when selecting and cutting such teeth. McFee demonstrated the process of formic acid etching with teeth from a young *Tursiops* that stranded in Virginia.

James Powell provided the group with a demonstration of the testis sampling protocol employed in the male reproductive research being conducted by NOS. Testes from a male *Tursiops* that stranded in Virginia were used for the demonstration. A tour of the lab and a demonstration of the histology process at the South Carolina Department of Natural

Resources Marine Resources Laboratory were presented that afternoon. The group was shown how to plate and stain reproductive samples for histological review. That afternoon, Powell presented several slides from male *Tursiops* of different stages of sexual maturity and discussed identifying factors such as the presence of sperm, the size and appearance of seminiferous tubules, and Leydig cells. He also discussed and presented examples associated with advanced decomposition and poor preservation techniques.

Wendy Durden and Teresa Mazza demonstrated their protocol of analyzing and documenting scars on cetacean ovaries on the last day of the workshop. The ovaries from a mature female *Tursiops* that stranded in Virginia were used as an example (Figure 4). The ovaries were photographed, measured, and each external scar was measured and documented. One ovary was cut into 2mm sections and scars



Figure 4: Ovaries from a mature *Tursiops*.

within each section were measured and documented. Each section was placed in an individually labeled cassette and stored in formalin. The animal (VAQS20091041) was found to have nine total scars on this particular ovary.

#### DISCUSSION AND CHALLENGES

Blind Age Estimation

McFee, Stolen, Chris Marshall and Rachel Nueunhoff participated in the blind readings of 32 sets of teeth from *Tursiops* that either stranded (n= 30) or were caught during a capture-release study (n = 2) along the southeastern United States. Slides were provided by McFee, Stolen and Nueunhoff. Each participant separately read each tooth to the nearest growth layer group (GLG) using a Nikon 1500 stereomicroscope. Ages were estimated using the model for *Tursiops* by Hohn *et al.* (1989). Once ages had been estimated for all teeth by one reader, the next reader completed readings for all teeth. Following the completion

*Table 1*: Correlation Report for Blind Age Estimation Exercise

Estimation Exercise						
Correlation Coefficients Matrix:						
	Stolen	McFee	Nueunhoff			
McFee	0.9832					
Nueunhoff	0.9762	0.9794				
Marshall	0.9482	0.9336	0.9369			
Probability	Matrix:					
	Stolen	McFee	Nueunhoff			
McFee	0.0000					
Nueunhoff	0.0000	0.0000				
Marshall	0.0000	0.0000	0.0000			
z Value Ma	trix:					
St	olen M	cFee N	ueunhoff			
McFee	2.3861					
Nueunhoff	2.2098	2.2824				
Marshall	1.8136	1.6854	1.7118			
Degree of Freedom Matrix:						
Stolen McFee Nueunhoff						
McFee	27					
Nueunhoff	27	27				
Marshall	27	27	27			
Marshall	21	21	21			

of the blind readings, discrepancies were discussed among readers. A Correlation Report (Table 1) was compiled from the results of all readers to demonstrate similar technique and reliability of the methodology. The analysis showed strong concordance among all readers (between 0.93 - 0.98 correlation coefficient). The two most experienced readers showed the strongest concordance between them (0.98). Differences in readings among readers generally occurred for very young animals (<3 y) and older animals (>25 y). This pattern is not an uncommon occurrence among readers of varying experience, especially

for young animals as the first GLG is sometimes difficult to identify. These problems are further discussed in Hohn and Fernandez (1999).

Inter-laboratory comparisons are important to determine what biases or techniques may produce disagreement between readers. The results from this comparative study show a strong agreement between readings by Stolen and McFee and a reasonable correlation with Nuenhoff followed by Marshall. This may be due to the greater expertise by McFee and Stolen or due to tooth preparation technique differences between the HSWRI and NOS labs and the lab at TAMU.

#### Common Challenges and Road Blocks in Age Estimation

Stolen presented possible age estimation
pitfalls in her presentation which included:
intensity of stain, off-center sectioning,
misinterpretation of accessory layers as GLG's,
restructuring, and damage sustained by the tooth
either from extraction or wear and attrition (Figure




Figure 5: (right to left). Tursiops teeth showing (A) accessory layers, (B) wear and (C) dark staining.

5). Stolen demonstrated the problems that these issues present to the reader with slides and a stereomicroscope in the lab.

#### Problems with Female Reproductive Analysis

The driving force for research on female cetacean reproductive analysis is to address the lack of concrete evidence on the persistence of ovarian corpora. It is unclear how long they persist and if these scars are true representations of the animals' complete reproductive (ovulation) history.

Durden also discussed the inconsistency in corpora counts between gross and

histological assessments. Histological preparation techniques can make corpora appear more visible (Figure 6). Durden found that 9% of corpora were missed prior to the histological examination, suggesting that gross examination may underestimate



Figure 6: Comparison of histological preparation (left) and the gross view (right) of the same *Tursiops* ovary.

corpora counts. While we can assess ovaries to determine age at reproductive maturity, further research could better describe the production and persistence of corpora.

#### Problems with Male Reproductive Analysis

James Powell described complications that accompany the analysis of male reproductive organs in cetaceans including size, preservation, and decomposition. Mature testes can be large and present logistical problems for long-term storage and preservation. Powell described a sampling protocol of the anatomical areas in the testes that may provide the most information about the cetaceans' reproductive status and functionality yet overcome the challenges in storage and preservation. The large amount of formalin that is needed to preserve testes can be logistically problematic and, if insufficient, would result in sample decomposition. Decomposition renders the samples useless for histological examination and prohibits the assessment of seminiferous tubules and detection of sperm presence within the cells.

#### **FUTURE RESEARCH**

The meeting concluded by discussing possible future research projects to better understand *Tursiops* life history. It was suggested that we continue to investigate ovarian scars and male senescence and begin to investigate neonatal characteristics using captive animals as controls. The reproductive history of captive and previously studied free-ranging animals is well documented (Read *et al.*, 1993, Urian *et al.*, 1996). Therefore, it was suggested that samples from these animals be used to test hypotheses on the retention of corpora, senescence, and zonality and asymmetry in testes. Arrangements were made to contact members of the Alliance of Marine Mammal Parks and Aquariums (AMMPA) for the availability of such samples from captive and free-ranging animals.

In 2009, VAQS submitted a collaborative Prescott with HSWRI, NOS, Chicago Zoological Society, and the Mote Marine Laboratory titled *The evaluation of corpora persistence, senescence, and variation in sperm production and their influence on the assessment of reproductive maturity in bottlenose dolphins stranded along the Southeastern United States.* This grant was not funded but received excellent comments and scores. Mote Marine Laboratory submitted a similar proposal to the John H. Prescott Grant Program in 2010 for further collaborative life history work. That project was funded and the work is currently being conducted.

#### LITERATURE CITED

- Akin, P.A., Peltier, K.M., and Miller, R.B. 1993. Techniques for the preparation and examination of reproductive samples collected from dolphins in the eastern tropical Pacific. NOAA Technical Memorandum. NMFS– SWFSC No. 192
- Best, P.B. 1969. The sperm whale (*Physeter catodon*) off the west coast of South Africa 3. Reproduction in the male. Investigational Report, Division of Sea Fisheries, South Africa. 72. 1-20.
- Benirschke, K.M., M.L. Johnson and Benirschke R.J.. 1980. Is ovulation in dolphins, *Stenella longirostris* and *Stenella attenuata*, always copulation induced? Fisheries Bulletin 78: 507-528.
- Boyd, I.L., Lockyer, C., and Marsh, H.D. 1999. Reproduction in marine mammals. In Biology of marine mammals. J.E. Reynolds III and S.A. Rommel (Eds). Smithsonian Institution Press, Washington, D.C. pp. 218–286.
- Brook, F. M. 2002. Histology of the ovaries of a bottlenose dolphin, *Tursiops aduncus*, of known reproductive history. Marine Mammal Science 18:540–544.
- Brook, F. M. 2000. Sonographic testicular and ovarian assessment in the bottlenose dolphin, *Tursiops truncatus aduncus*. In Report from the Bottlenose Dolphin Breeding Workshop. D. A. Duffield & T. R. Robeck (Eds.), (pp. 207-222). Silver Spring, MD: American Zoological Association Marine Mammal Taxon Advisory Group.
- Dabin, W., F.Cossais, G.J. Pierce and Ridoux V.. 2008. Do ovarian scars persist with age in all Cetaceans: new insight from the short-beaked common dolphin (*Delphinus delphis* Linnaeus, 1758). Marine Biology 156: 127-139.
- Dempsey, E. W., and Wislocki G. B.. 1941. The structure of the ovary of the humpback whale (*Megaptera nodosa*). The Anatomical Record 80:243–251.
- Halldorsson, S. D., and G. A.V'ikingsson. 2001. Analysis of seasonal changes in reproductive organs from Icelandic harbour porpoises (*Phocoena phocoena*). NAMMCO Scientific Publications 5:121–142.
- Harrison, R. J., M. M. Bryden, D. A. Mcbrearty and R. L. Brownell JR. 1981. The ovaries and reproduction in *Pontoporia blainvillei* (Cetacea, Platanistidae). Journal of Zoology, London 193:563–580.
- Harrison, R.J., Brownell, R.L., Jr., and Boice, R.C. 1972.
  Reproduction and gonadal appearances in some
  odontocetes. In Functional anatomy of marine mammals.
  R.J. Harrison (Ed.). Academic Press, London. pp. 409–
- Harrison, R. J., and S. H. Ridgway, 1971. Gonadal activity in some bottlenosed dolphins (*Tursiops truncatus*). Journal of Zoology, London 165:355-366.
- Harrison, R. J. 1949. Observations on the female reproductive organ of the ca'aing whale *Globicephala melaena* Trail. Journal of Anatomy 83:238–253.

- Hohn, A.A., Scott, M.D., Wells, R.S., Sweeny, J.C. and A.B. Irvine. 1989. Growth layers in teeth from known age, free-ranging bottlenose dolphins. Marine Mammal Science 5: 315-342.
- Hohn, A. A., and S. Fernandez. 1999. Biases in dolphin age structure due to age estimation technique. Marine Mammal Science. 15: 1124-1132.
- Kasuya, T. and H. Marsh. 1984. Life history and reproductive biology of the short-finned pilot whale, Globicephala macrorhynchus, off the Pacific coast of Japan. Report of the International Whaling Commission Special Issue 6: 259-310.
- Kirby, V.L. and S.H. Ridgway. 1984. Hormonal evidence of spontaneous ovulation in captive dolphins (*Tursiops truncatus* and *Delphinus delphis*). Report of the International Whaling Commission Special Issue 6: 459-464.
- Mackintosh, N. A., and J. F. G.Wheeler. 1929. Southern blue and fin whales. Discovery Reports 1:257–540.
- Marsh, H., and T. Kasuya. 1984. Change in the ovaries of the short-finned pilot whale, *Globicephala* macrorhynchus, with age and reproductive activity. Report of the International Whaling Commission (Special Issue 6):311–334.
- Masaki, Y. 1976. Biological studies on the North Pacific sei whale. Bulletin of the Far Seas Fisheries Research Laboratory. 14: 1-104.
- McFee, W, Schwacke, J., Stolen, M., Mullin, K., Schwacke, L. 2009. Investigation of growth phases for bottlenose dolphins using a Bayesian modeling approach. Marine Mammal Science: 67–85.
- Mead, J.G. and C.W. Potter. 1990. Natural history of bottlenose dolphins along the central Atlantic coast of the United States. 165-95pp. In: S. Leatherwood and R.R. Reeves (eds.) The Bottlenose Dolphin. Academic Press, San Diego. 653pp.
- Meisner, R. and W.E. McFee. 2004. Preliminary report on bottlenose dolphin (*Tursiops truncatus*) uterine samples for parity analysis. NOAA Technical Memorandum NOS NCCOS 3. 10pp.
- Miyazaki, N. 1977. Growth and reproduction of *Stenella* coerueoalba off the Pacific coast of Japan. Scientific Reports of Whales Research Institute, Tokyo 29:21–48.
- Myrick, A.C., Hohn, A.A., Sloan, P.A., Kimura, M. and D.D. Stanley. 1983. Estimating age of spotted and spinner dolphins (*Stenella attenuata* and *Stenella longirostris*) from teeth. NOAA Technical Report NMFS 30, 17 pp.
- Perrin.W.F., Brownell, R.L, Demaster, D.P. Reproduction in Whales, Dolphins and Porpoises. 1984. Report of the International Whaling Commission (Special Issue 6).
- Perrin, W.F., Myrick Jr. A.C.. 1980. Age Determination of Whale and Sirenians. Report of the International Whaling Commission (special issue 3).

- Perrin, W.F., Coe, J.M., and Zweifel, J.R. 1976. Growth and reproduction of the spotted porpoise, *Stenella attenuata*, in the offshore eastern tropical Pacific. Fishery Bulletin. (Wash., D.C.), **74**: 229–269.
- Read, A.J., Wells, R.S., Hohn, A.A. and M.D. Scott. 1993. Patterns of growth in wild bottlenose dolphins, *Tursiops truncatus*. Journal of Zoology, London. 231:107-123.
- Reynolds, J.E. III, R.S. Wells, and S. D. Eide. 2000. The Bottlenose Dolphin: Biology and Conservation. University Press of Florida, Gainesville, FL.
- Robeck, T.R., K.J. Steinman, M. Yoshioka, E. Jensen, J.K. O'brien, E. Katsumata, C. Gili, J.F. Mc Bain, J. Sweeney, and S.L. Monfort. 2005. Estrous cycle characterization and artificial insemination using frozen-thawed spermatozoa in the bottlenose dolphin (*Tursiops truncatus*). Reproduction 129: 659-674.
- Sawyer-Steffan, J.E. and V.L. Kirby. 1980. A study of serum steroid hormone levels in captive female bottlenose dolphins, their correlation with reproductive status, and their application to ovulation induction in captivity. Springfield, VA, USA: National Technical Information Services, PB80-177199.
- Schroeder, J.P. 1990. Reproductive aspects of marine mammals. In Handbook of Marine

- Mammal Medicine: Health, Disease, and Rehabilitation, pp 353-369. LA Dierauf (Ed.). Boca Raton, FL, USA: CRC Press.
- Sergeant, D.E., D.K. Caldwell and M.C. Caldwell. 1973. Age, growth and maturity of bottelnosed dolphins (*Tursiops truncatus*) from northeast Florida. Journal of the Fisheries Research Board of Canada 30: 1009-1011.
- Sergeant, D. E. 1962. The biology of the pilot or pothead whale *Globicephala melaena* (Traill) in Newfoundland waters. Bulletin of the Fisheries Research Board of Canada 132:1–84.
- Stolen, M.K., Odell, D. K. and N. B. Barros. 2002.
  Growth of bottlenose dolphins (*Tursiops truncatus*) from the Indian River Lagoon system,
  East Florida, USA. Marine Mammal Science. 18:348
  357
- Urian, K. W., D. A. Duffield, A. J. Read, R. S. Wells, and E. Shell. 1996. Seasonality of reproduction in bottlenose dolphins, *Tursiops truncatus*. Journal of Mammalogy 77:394-403.
- Yoshioka, M., E. Mohri, T. Tobayama, K. Aida, and I. Hanyu. 1986. Annual changes in serum reproductive hormone levels in captive female bottlenose dolphins. Bulletin of the Japanese Society of Scientific Fisheries 11: 1939-1946

### **Life History Workshop Proceedings**

July 7- 9, 2009 Charleston, SC

### Day 1 (July 7<sup>th</sup>)

- Presentations
  - o Dolphin Tooth Anatomy (McFee)
  - o Sectioning and Methods (McFee)
  - o Reading Teeth for Age Estimation (Stolen)
  - o Evaluating Female Reproductive Maturity in Stranded Cetaceans (Durden)
  - o Male Reproductive Development and Testis Histology (Powell)
- Lunch
- Lab
  - o Equipment Setup
  - o Selecting the best tooth for aging purposes
  - o Preparing teeth for sectioning
  - o Demonstrations on reading teeth and common roadblocks in the process
  - o Tooth Sectioning practiced (bottlenose dolphin teeth)

# Day 2 (July 8<sup>th</sup>)

- AM
  - o Continue Tooth Sectioning (sperm whale tooth)
  - o Formic Acid Etching practiced
  - Blind Readings conducted
    - McFee, Stolen, Marshall, Neuenhoff
- PM
  - o Testis sampling protocol (Powell)
  - o Testis histology preparation tour (Powell)
  - o Identifying signs of sexual maturity in Testis (Powell)
  - o Discussion of Blind Readings, common mistakes

# Day 3 (July 9<sup>th</sup>) Pabst in attendance

- AM
  - Overview of female reproductive sampling protocol
    - Uterine samples (McFee)
    - Ovaries (Mazza/Durden)
  - o Sectioning and describing ovaries and scars
  - o Reading age of a tooth prepared with formic acid
- PM
  - o Discussion of future publication (NOAA Tech Memo)
  - Discussion of collaboration with AMMPA members for "ground truth"-ing reproductive analysis and neonatal characteristics

#### **List of Participants**

Susan Barco VA Aquarium Stranding Response Program 717 General Booth Blvd Virginia Beach, VA 23451 SGBarco@VirginiaAquarium.com Ph. (757)437-6159

Wendy Noke Durden Hubbs-SeaWorld Research Institute 3830 South Highway A1A #4-181 Melbourne Beach, FL 32951 WNoke@hswri.org Ph. (321)327-8966

Margaret Cook Lynott VA Aquarium Stranding Response Program 717 General Booth Blvd Virginia Beach, VA 23451 MLynott@VirginiaAquarium.com Ph. (757)437-6159

Christopher Marshall
Texas A & M University
Department of Marine Biology
5007 Avenue U
Galveston, TX 77551
marshalc@tamug.edu
Ph. (409)740-4884

Teresa Mazza Hubbs-SeaWorld Research Institute 3830 South Highway A1A #4-181 Melbourne Beach, FL 32951 TMazza@hswri.org Ph. (321)327-8966 Wayne McFee NOAA National Ocean Service Center for Coastal Environmental Health and Biomolecular Research 219 Ft. Johnson Road Charleston, SC 29412 Wayne.Mcfee@noaa.gov Ph. (843)762-8555

Rachel Neuenhoff
Texas A & M University
Department of Marine Biology
5007 Avenue U
Galveston, TX 77551
rneuenhoff@yahoo.com
Ph. (409)741-4318

D. Ann Pabst
University of North Carolina Wilmington
Biology and Marine Biology
601 S. College Rd
Wilmington, NC 28403
pabsta@uncw.edu
Ph. (910)962-7266


James Powell
NOAA National Ocean Service
Center for Coastal Environmental Health
and Biomolecular Research
219 Ft. Johnson Road
Charleston, SC 29412
James.Powell@noaa.gov
Ph. (843)762-8555

Megan Stolen Hubbs-SeaWorld Research Institute 3830 South Highway A1A #4-181 Melbourne Beach, FL 32951 MStolen@hswri.org Ph. (321)327-8966

# Female Reproductive Sampling Datasheet

Field Number: Photos:			Follices Present in Sections:	:
Date of Stranding: Code: Total Length:			Left ovary sketch:	
Ovaries:	Left: Length (cm) Width (cm) Height (cm) Weight (g) Uterine Body Sampled Left horn diameter			
Ca/CI #1 Present in: Cassette Letters:			Ca/CI #2 Present in: Cassette Letters:	
Diameter (external-mm)	Int	ernal:	Diameter (external-mm)	Internal:
Measured in section:			Measured in section:	
Туре:			Туре:	
Description:			Description:	
Ca/CI #3 Present in: Cassette Letters:			Ca/CI #4 Present in: Cassette Letters:	
Diameter (external-mm)	Int	ernal:	Diameter (external-mm)	Internal:
Measured in section: Type:			Measured in section:  Type:	
Description:			Description:	
Ca/CI #5 Present in:			Ca/CI #6 Present in:	
Cassette Letters:			Cassette Letters:	
Diameter (external-mm)	Int	ernal:	Diameter (external-mm)	Internal:
Measured in section:			Measured in section:	
Туре:			Туре:	
Description:			Description:	

# **Male Reproductive Sampling Protocol**



# United States Department of Commerce John E. Bryson Secretary

National Oceanic and Atmospheric Administration

Jane Lubchenco

Under Secretary of

Commerce for Oceans and Atmosphere,

NOAA Administrator

National Ocean Service

David Kennedy

Assistant Administrator for Ocean Service and Coastal Zone Management



