

Haruo UEMATSU* : A list of the plants distributed on
the Southern Japanese Alps (3)

植松春雄* 南アルプス産植物目録 (三)

Carpesium divaricatum SIED. et ZUCC.

- Distr. : (1) D, H
(2) I
(3) Korea, Manchuria, China,
Ryukyu, and Formosa
Note : Aug. -Sept., Castanea-zone,
900m, rare

C. glossophyllum MAXIM.

- Distr. : (1) B, C, H
(2) I
(3) Ryukyu and Korea
Note : Aug. -Sept., Castanea-zone,
900m, rare

C. Koidzumii MAKINO

- Distr. : (1) B, C
(2) I
Note : Sept., Castanea-zone, 900-1,100
m, rare

C. macrocephalum FR. et SAV.

- Distr. : (1) A, B, H
(2) V
(3) Korea and Manchuria
Note : Sept. -Oct., Castanea-zone,
1,000m, rare

C. rosulatum MIQ.

- Distr. : (1) C, D
(2) VII
(3) Korea
Note : Aug. -Sept., Castanea-zone,
700m, rare

Carpesium triste MAXIM.

- Distr. : (1) D, F, H
(2) I
Note : Sept., Fagus-zone, 1,500m,
common

Chrysanthemum Makinoi MATSUM.

- Distr. : (1) A, B, D, G, H
(2) VII
Note : Aug.-Sept., Castanea-zone,
700m, very common

C. rupestre MATSUM. et KOIDZ.

- Distr. : (1) A, B, F, G, H
(2) IV-C
Note : Sept., Pinus pumila-zone.
2,600-3,000m, rare

C. dipsacolepis MATSUM.

- Distr. : (1) A, B
(2) I
Note : Oct., Castanea-zone, 1,000m,
common

C. effusum MATSUM.

- Distr. : (1) C, E, F, G, H
(2) IV-A
Note : Sept., Castanea-zone, 800m,
rare

var. *alpinum* NAKAI

- Distr. : (1) G
(2) Endemic
Note : Sept., Fagus-zone, 1,500m,
very rare

*山梨県立教育研修所 Teacher Consultant, Institute for Educational Research and
Inservice Training in Yamanashi Prefecture

Cirsium gratosum KITAM.

- Distr. : (1) H
(2) Endemic

Note : Sept., Castanea-zone, 1,000m,
very rare

C. japonicum DC.

- Distr. : (1) A, B, C, D, H, I
(2) I

Note : July, Castanea-zone, common

C. microspicatum NAKAI

- Distr. : (1) D, H
(2) IV-C

Note : Sept., Castanea-zone, 800m, rare

C. nipponicum MAKINO

- Distr. : (1) A, B
(2) V

Note : Sept., Castanea-zone, 1,200-
1,400m, rare

var. *yatsugatakense* KITAM.

- Distr. : (1) H
(2) IV-C

Note : Sept., Castanea-zone, 1,000m,
very rare

C. purpuratum MATSUM.

- Distr. : (1) A, B, C, D, E, F, H, I
(2) IV-C

Note : Sept.-Oct., Fagus-zone, common

C. senjense KITAM.

- Distr. : (1) B, E, F, G, H
(2) Endemic

Note : Aug., Fagus-zone, Abies-zone
1,300-2,300m, common

var. *Kurosawae* KITAM.

- Distr. : (1) G, I
(2) Endemic

Note : Aug., Fagus-zone, Abies-zone,
1,300-2,300m, rare

Cirsium Tanakae MATSUM.

- Distr. : (1) A, B
(2) IV-C

Note : Sept., Castanea-zone, 700-1,000
m, very common

Conyza japonica LESS.

- Distr. : (1) D, H
(3) III
(3) Ryukyu, Formosa, China,
India, and Malay

Note : July, Castanea-zone, Fagus-
zone, 800-1,500m, very rare

Erechtites hieracifolia RAFIN.

- Distr. : (1) B, D
(2) I
(3) America, Naturalized plant

Note : Aug., Machilus-zone-Abies-
zone, 500-2,500m, rare

Erigeron acris L. var. *kamtschaticus*
HERDER

- Distr. : (1) G, H
(2) V
(3) Kurile, Saghalien and
Siberia

Note : Aug., Pinus pumila-zone, 2,500
m, very rare

var. *linearifolius* KITAM.

- Distr. : (1) A, H
(2) VII
Note : Aug., Fagus-zone, 1,400m,
very rare

E. canadensis L.

- Distr. : (1) H
(2) I
(3) Northern America, Natu-
ralized plant

Note : Sept., Machilus-zone, Castanea-

- zone, 500-800m, very common
- Erigeron flahaultianus* THELLUNG
Distr. : (1) D
(2) I
(3) Brazil, Naturalized plant
Note : Sept., Machilus-zone, Castanea-zone, rare
- E. strigosus* MUHL.
Distr. : (1) D
(2) V
Note : Aug., Castanea-zone, 600-1,300 m, common
- E. Thunbergii* A. GRAY
Distr. : (1) A, B
(2) V
Note : June, Castanea-zone, 700m, rare
- Eupatorium chinense* L. var. *simplicifolium* KITAM.
Distr. : (1) A, B, C, D, H, I
(2) I
(3) Korea, Manchuria, China and Philippine
Note : Sept., Castanea-zone, 800m, common
- var. *hakonense* KITAM.
Distr. : (1) H
(2) VII
Note : Aug., Fagus-zone, 1,500m, very rare
- E. fortunei* TURCZ.
Distr. : (1) H
(2) VII
(3) Korea and China
Note : Aug., Machilus-zone, Castanea-zone, 500-700m, very rare
- E. Glehnii* FR. SCHMIDT
Distr. : (1) F
- (2) V
(3) Saghalien and Kurile
Note : Aug., Fagus-zone, 1,300-2,000 m, very common
- Eupatorium lindleyanum* DC.
Distr. : (1) A, B, C, H, I
(2) I
(3) Ryukyu, Formosa, Korea, Manchuria, China and Philippine
Note : Sept., Castanea-zone, Fagus-zone, 700-1,500m, rare
- Gnaphalium hypoleucum* DC.
Distr. : (1) A, D, H
(2) I
(3) Korea, China, Ryukyu, Formosa, India and Philippine
Note : Sept.-Oct., Machilus-zone, Castanea-zone, 400m, rare
- G. affine* D. DONE
Distr. : (1) A, B, C, D, H
(2) I
(3) Korea, China, Formosa, India and Philippine
Note : July., Machilus-zone, Castanea-zone, 500-700m, common
- G. hypoleucum* DC.
Distr. : (1) A, B, H, I
(2) I
(3) Korea, China, Formosa, India and Philippine
Note : Sept., Castanea-zone, 700m, rare
- Hemistepta lyrata* BUNGE
Distr. : (1) B, F
(2) I
(3) Ryukyu, Formosa, China,

- Korea, Manchuria, India
and Australia
Note : July, Castanea-zone, 800-900m,
common
- Hieracium japonicum* FR. et SAV.
Distr. : (1) B, E, F, G, H, I
(2) V
Note : July, Pinus pumila-zone,
2,500-2,800m, very common
- H. umbellatum* L. var. *japonicum* HARA
Distr. : (1) A, B, H
(2) I
(3) Kurile, Saghalien and
Korea
Note : Aug., Castanea-zone, 800-1,400
m, common
- Inula salicina* L. var. *asiatica* KITAM.
Distr. : (1) A, B, D, H
(2) I
(3) Korea, Manchuria, China
and Siberia
Note : Sept., Castanea-zone, 900 m
common
- Ixeris chiensis* NAKAI var. *strigosa* OHWI
Distr. : (1) A, B, C, D, E, H, I
(2) I
(3) Korea
Note : June, Castanea-zone, 800m,
common
- I. dentata* NAKAI
Distr. : (1) A, B, C, D, E, F, H, I
(2) I
(3) Kurile, Ryukyu and
Korea
Note : June, Castanea-zone, 500 m,
very common
- var. *alpicola* OHWI
Distr. : (1) B, E, G, H
(2) I
Note : Aug., Pinus pumila-zone, 2,600
-2,900m, common
- var. *amplifolia* KITAM.
Distr. : (1) B, F, G
(2) I
Note : Aug., Castanea-zone, 900m, rare
- var. *Kimurana* OHWI
Distr. : (1) H
(2) V
Note : Aug., Pinus pumila-zone, 2,000
m, very rare
- Ixeris polycephala* CASS.
Distr. : (1) H
(2) I
Note : May-June, Castanea-zone, 800
m, rare
- I. stolonifera* A. GRAY
Distr. : (1) A, B, C, D, E, H, I
(2) I
(3) Korea, Manchuria and
China
Note : July, Fagus-zone, 1,400m,
common
- forma *sinuata* OHWI
Distr. : (1) G
(2) V
Note : July, Fagus-zone, Pinus
pumila-zone, 1,400-2,500m,
very rare
- form. *capillaris* OHWI
Distr. : (1) F
Note : July-Aug., Pinus pumila-zone,
2,500m, very rare
- I. tamagawaensis* KITAM.
Distr. : (1) A, D, E, F, H(次号につゞく)