

## Kosa transport over Japan Sea

著者	Iwasaka Yasunobu
journal or publication title	金沢21世紀COEプログラム主催国際シンポジウム「東アジアの大気環境汚染と健康生態系への影響」講演要旨集（東京）
page range	7-8
year	2006-09-23
URL	<a href="http://hdl.handle.net/2297/2413">http://hdl.handle.net/2297/2413</a>

# Kosa Transport over Japan Sea

Y. Iwasaka

Institute of Nature and Environmental Technology, Kanazawa University

## Abstract

Kosa (Asian dust) particles, according to balloon-borne and aircraft-borne measurements made intensively in Nagoya Japan and Dunhuang, China, frequently shows noticeable chemical-physical transformation of Kosa particles during long-range transport (Zhang et al., 2000; Iwasaka et al., 2003; Trochkin et al., 2003; Matsuki et al., 2005).

It is strongly suggested that not only geographic and climatic condition of northern east Asia but also rapid expansion of human activities are important factors controlling the chemical-physical modification of Kosa particles during those long-range transport. Iwasaka et al. (1988) firstly suggested that there is large possibility of chemical modification of Kosa particles with pollutant such as SO<sub>x</sub> and NO<sub>x</sub> in the free troposphere on the basis of aircraft-borne measurements over Japan islands, and after then lots of investigations showed possible chemical modifications. Concerning with the microphysical processes controlling chemical modification of Kosa particles, there are many problems remaining unsolved, and thus more studies, especially contribution of atmospheric humidity to surface chemical reactions, are necessary.

Sakamoto et al. (2004) showed on the basis of laboratory experiment that oxidation of sulfur dioxide on dust particles were possibly controlled by ozone content and humidity. From field measurements, Matsuki et al. (2005) also suggested the important contribution to surface reaction on Kosa particles. Taking into large contribution of water vapor supplied to the Atmosphere from the surface of Japan sea to modification of quality of air masses, existence of Japan sea seems to be very large in chemical-physical transformation of Kosa particles.

Recently scientific project of ADOES (Asian Dust and Ocean EcoSystem) was established under the leadership of Chinese scientific community collaborating with international project of SOLAS (Surface Ocean and Lower Atmosphere Studies) in 2004, and intensive measurements of Kosa particles and other relating gases and particles have been made over the China continent and the East China Sea. In Spring of 2006, we tried balloon-borne measurements over the East China Sea (Observation with Ocean Traversing Balloon under the effect of westerly) to understand aerosol distribution in the marine boundary layer as joint program of Kanazawa University 21 COE program and ADOES. The measurements are still on the first step, but new type monitoring style seems to grow in ADOES; 1) Not only Chinese scientists but also Japan and Korean scientists work for making research plan of ADOES including field observation plan over the ocean. 2) Intensive collaboration between Japan and China scientists has been made for balloon-borne measurements over the East China Sea. 3) Observational data are completely shared each

others, and coauthor ship is encouraged for publications. Collaboration of those tree countries are essential to protect environment of pan Japan sea areas, and collaboration of China, Korea and Japan scientist communities possibly well contributes. The Kanazawa University 21 COE program is desired to establish more active collaboration program near future and contribute to obtain much better understanding of environment and to protect environment of pan Japan sea areas.

## References

- Iwasaka, Y., G-Y. Shi, Z. Chen, Y. -S. Kim, D. Trochkin, A. Matsuki, D. Zhang, T. Shibata, M. Nagatani, and H. Nakata, Nature of atmospheric aerosols over the desert areas in the Asian continent: Chemical state and number concentration of particles measured at Dunhuang, China, *Water, Air and Soil Pollution, Focus* 3, 129-145, 2003.
- Iwasaka, Y., M. Yamato, R. Imasu and A. Ono, Transport of Asian dust (KOSA) particles: importance of weak KOSA events on the geochemical cycle of soil particles, *Tellus*, 40B, 494-503, 1988.
- Matsuki, A., Y. Iwasaka, G-Y. Shi, H.-B. Chen, K. Osada, D. Zhang, M. Kido, Y. Inomata, Y. S. Kim, D. Trochkin, C. Nishita, M. Yamada, M. Nagatani, and H. Nakata, Heterogeneous sulfate formation on the dust surface and its dependence on the mineralogy: Observational insight from balloon-borne measurements in the surface atmosphere, *Water, Air and Soil Pollution, Focus* 5, 101-132, 2005.
- Sakamoto, K., Takada, H., and Sekiguchi, K., Influence of ozone and relative humidity, and flow rate on the deposition and oxidation of sulfur oxide on yellow sand, *Atmos. Environ.*, 38, 6961-6967, 2004.
- Trochkin, D., Y. Iwasaka, A. Matsuki, M. Yamada, Y. S. Kim, T. Nagatani, D. Zhang, G-y. Shi, Z. Chen, Mineral aerosol particles collected in Dunhuang, China and their comparison with chemically modified particle collected over Japan, *J. Geophys. Res.*, 108, 8642, doi:10.1029/2002JD003268, 2003.
- Zhang, D., G-Y. Shi, Y. Iwasaka, and M. Hu, Mixture of sulfate and nitrate in coastal atmospheric aerosols: in individual studies in Qingdao (36° 04' N, 120° 21' E), *Atmos. Environ.*, 34, 2669-2679, 2000.