

Nature Biotechnology 2017 vol.35 N9, pages 872-878

An integrated expression atlas of miRNAs and their promoters in human and mouse

De Rie D., Abugessaisa I., Alam T., Arner E., Arner P., Ashoor H., Åström G., Babina M., Bertin N., Burroughs A., Carlisle A., Daub C., Detmar M., Deviatiiarov R., Fort A., Gebhard C., Goldowitz D., Guhl S., Ha T., Harshbarger J., Hasegawa A., Hashimoto K., Herlyn M., Heutink P., Hitchens K., Hon C., Huang E., Ishizu Y., Kai C., Kasukawa T., Klinken P., Lassmann T., Lecellier C., Lee W., Lizio M., Makeev V., Mathelier A., Medvedeva Y., Mejhert N., Mungall C., Noma S., Ohshima M., Okada-Hatakeyama M., Persson H., Rizzu P., Roudnick F., Sætrom P., Sato H., Severin J., Shin J., Swoboda R., Tarui H., Toyoda H., Vitting-Seerup K., Winteringham L., Yamaguchi Y., Yasuzawa K., Yoneda M., Yumoto N., Zabierowski S., Zhang P., Wells C., Summers K., Kawaji H., Sandelin A., Rehli M., Hayashizaki Y.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 Nature America, Inc., part of Springer Nature. MicroRNAs (miRNAs) are short non-coding RNAs with key roles in cellular regulation. As part of the fifth edition of the Functional Annotation of Mammalian Genome (FANTOM5) project, we created an integrated expression atlas of miRNAs and their promoters by deep-sequencing 492 short RNA (sRNA) libraries, with matching Cap Analysis Gene Expression (CAGE) data, from 396 human and 47 mouse RNA samples. Promoters were identified for 1,357 human and 804 mouse miRNAs and showed strong sequence conservation between species. We also found that primary and mature miRNA expression levels were correlated, allowing us to use the primary miRNA measurements as a proxy for mature miRNA levels in a total of 1,829 human and 1,029 mouse CAGE libraries. We thus provide a broad atlas of miRNA expression and promoters in primary mammalian cells, establishing a foundation for detailed analysis of miRNA expression patterns and transcriptional control regions.

<http://dx.doi.org/10.1038/nbt.3947>

References

- [1] Bartel, D.P. MicroRNAs: Genomics, biogenesis, mechanism, and function. *Cell* 116, 281-297 (2004).
- [2] Shenoy, A., Blelloch, R.H. Regulation of microRNA function in somatic stem cell proliferation and differentiation. *Nat. Rev. Mol. Cell Biol.* 15, 565-576 (2014).
- [3] Li, M., Izpisua Belmonte, J.C. Roles for noncoding RNAs in cell-fate determination and regeneration. *Nat. Struct. Mol. Biol.* 22, 2-4 (2015).
- [4] Mehta, A., Baltimore, D. MicroRNAs as regulatory elements in immune system logic. *Nat. Rev. Immunol.* 16, 279-294 (2016).
- [5] Hasuwa, H., Ueda, J., Ikawa, M., Okabe, M. miR-200b and miR-429 function in mouse ovulation and are essential for female fertility. *Science* 341, 71-73(2013).
- [6] Sun, K., Lai, E.C. Adult-specific functions of animal microRNAs. *Nat. Rev. Genet.* 14, 535-548 (2013).
- [7] Mendell, J.T., Olson, E.N. MicroRNAs in stress signaling and human disease. *Cell* 148, 1172-1187 (2012).

- [8] Adams, B.D., Kasinski, A.L., Slack, F.J. Aberrant regulation and function of microRNAs in cancer. *Curr. Biol.* 24, R762-R776 (2014).
- [9] Lin, S., Gregory, R.I. MicroRNA biogenesis pathways in cancer. *Nat. Rev. Cancer* 15, 321-333 (2015).
- [10] Jonas, S., Izaurrealde, E. Towards a molecular understanding of microRNA-mediated gene silencing. *Nat. Rev. Genet.* 16, 421-433 (2015).
- [11] Ha, M., Kim, V.N. Regulation of microRNA biogenesis. *Nat. Rev. Mol. Cell Biol.* 15, 509-524 (2014).
- [12] Kozomara, A., Griffiths-Jones, S. miRBase: Annotating high confidence microRNAs using deep sequencing data. *Nucleic Acids Res.* 42, D68-D73 (2014).
- [13] Pritchard, C.C., Cheng, H.H., Tewari, M. MicroRNA profiling: Approaches and considerations. *Nat. Rev. Genet.* 13, 358-369 (2012).
- [14] Chang, T.C., Pertea, M., Lee, S., Salzberg, S.L., Mendell, J.T. Genome-wide annotation of microRNA primary transcript structures reveals novel regulatory mechanisms. *Genome Res.* 25, 1401-1409 (2015).
- [15] Kanamori-Katayama, M., et al. Unamplified cap analysis of gene expression on a single-molecule sequencer. *Genome Res.* 21, 1150-1159 (2011).
- [16] Takahashi, H., Lassmann, T., Murata, M., Carninci, P. 5-end-centered expression profiling using cap-analysis gene expression and next-generation sequencing. *Nat. Protoc.* 7, 542-561 (2012).
- [17] Forrest, A.R.R., et al. A promoter-level mammalian expression atlas. *Nature* 507, 462-470 (2014).
- [18] Arner, E., et al. Transcribed enhancers lead waves of coordinated transcription in transitioning mammalian cells. *Science* 347, 1010-1014 (2015).
- [19] Fort, A., et al. Deep transcriptome profiling of mammalian stem cells supports a regulatory role for retrotransposons in pluripotency maintenance. *Nat. Genet.* 46, 558-566 (2014).
- [20] Fromm, B., et al. A uniform system for the annotation of vertebrate microRNA genes and the evolution of the human microRNAome. *Annu. Rev. Genet.* 49, 213-242 (2015).
- [21] Nepal, C., et al. Transcriptional, post-transcriptional and chromatin-associated regulation of pri-miRNAs, pre-miRNAs and moRNAs. *Nucleic Acids Res.* 44, 3070-3081 (2016).
- [22] Djebali, S., et al. Landscape of transcription in human cells. *Nature* 489, 101-108 (2012).
- [23] Taft, R.J., et al. Tiny RNAs associated with transcription start sites in animals. *Nat. Genet.* 41, 572-578 (2009).
- [24] Westholm, J.O., Lai, E.C. Mirtrons: MicroRNA biogenesis via splicing. *Biochimie* 93, 1897-1904 (2011).
- [25] Matera, A.G., Terns, R.M., Terns, M.P. Non-coding RNAs: Lessons from the small nuclear and small nucleolar RNAs. *Nat. Rev. Mol. Cell Biol.* 8, 209-220 (2007).
- [26] Friedländer, M.R., Mackowiak, S.D., Li, N., Chen, W., Rajewsky, N. miRDeep2 accurately identifies known and hundreds of novel microRNA genes in seven animal clades. *Nucleic Acids Res.* 40, 37-52 (2012).
- [27] Londin, E., et al. Analysis of 13 cell types reveals evidence for the expression of numerous novel primate-A and tissue-specific microRNAs. *Proc. Natl. Acad. Sci. USA* 112, E1106-E1115 (2015).
- [28] Freeman, T.C., et al. Construction, visualisation, and clustering of transcription networks from microarray expression data. *PLOS Comput. Biol.* 3, 2032-2042 (2007).
- [29] Ludwig, N., et al. Distribution of miRNA expression across human tissues. *Nucleic Acids Res.* 44, 3865-3877 (2016).
- [30] Meehan, T.F., et al. Logical development of the cell ontology. *BMC Bioinformatics* 12, 6 (2011).
- [31] Lizio, M., et al. Gateways to the FANTOM5 promoter level mammalian expression atlas. *Genome Biol.* 16, 22 (2015).
- [32] Batut, P., Dobin, A., Plessy, C., Carninci, P., Gingras, T.R. High-fidelity promoter profiling reveals widespread alternative promoter usage and transposon-driven developmental gene expression. *Genome Res.* 23, 169-180 (2013).
- [33] Georgakilas, G., et al. DiANA-miRGen v3.0: Accurate characterization of microRNA promoters and their regulators. *Nucleic Acids Res.* 44D1, D190-D195 (2016).
- [34] Chien, C.H., et al. Identifying transcriptional start sites of human microRNAs based on high-throughput sequencing data. *Nucleic Acids Res.* 39, 9345-9356 (2011).
- [35] Guo, Z., et al. Genome-wide survey of tissue-specific microRNA and transcription factor regulatory networks in 12 tissues. *Sci. Rep.* 4, 5150 (2014).
- [36] Ding, J., et al. Trbp regulates heart function through microRNA-mediated Sox6 repression. *Nat. Genet.* 47, 776-783 (2015).
- [37] Suzuki, H., et al. The transcriptional network that controls growth arrest and differentiation in a human myeloid leukemia cell line. *Nat. Genet.* 41, 553-562 (2009).
- [38] Landgraf, P., et al. A mammalian microRNA expression atlas based on small RNA library sequencing. *Cell* 129, 1401-1414 (2007).
- [39] Carninci, P., et al. The transcriptional landscape of the mammalian genome. *Science* 309, 1559-1563 (2005).

- [40] Kapranov, P., et al. RNA maps reveal new RNA classes and a possible function for pervasive transcription. *Science* 316, 1484-1488 (2007).
- [41] Meunier, J., et al. Birth and expression evolution of mammalian microRNA genes. *Genome Res.* 23, 34-45 (2013).
- [42] Francia, S., et al. Site-specific DiCER and DROSHA RNA products control the DNA damage response. *Nature* 488, 231-235 (2012).
- [43] Valen, E., et al. Biogenic mechanisms and utilization of small RNAs derived from human protein-coding genes. *Nat. Struct. Mol. Biol.* 18, 1075-1082 (2011).
- [44] Siepel, A., et al. Evolutionarily conserved elements in vertebrate, insect, worm, and yeast genomes. *Genome Res.* 15, 1034-1050 (2005).
- [45] Abugessaisa, I., et al. FANTOM5 transcriptome catalog of cellular states based on Semantic MediaWiki. *Database (Oxford)* 2016, baw105 (2016).
- [46] Lassmann, T., Hayashizaki, Y., Daub, C.O. TagDust-a program to eliminate artifacts from next generation sequencing data. *Bioinformatics* 25, 2839-2840 (2009).
- [47] Li, H., Durbin, R. Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics* 25, 1754-1760 (2009).
- [48] De Hoon, M.J.L., et al. Cross-mapping and the identification of editing sites in mature microRNAs in high-throughput sequencing libraries. *Genome Res.* 20, 257-264 (2010).
- [49] Lorenz, R., et al. ViennaRNA Package 2.0. *Algorithms Mol. Biol.* 6, 26 (2011).
- [50] Vijayan, D., Radford, K.J., Beckhouse, A.G., Ashman, R.B., Wells, C.A. Mincle polarizes human monocyte and neutrophil responses to *Candida albicans*. *Immunol. Cell Biol.* 90, 889-895 (2012).
- [51] Busk, P.K. A tool for design of primers for microRNA-specific quantitative RT-qPCR. *BMC Bioinformatics* 15, 29 (2014).
- [52] Schwarzenbach, H., da Silva, A.M., Calin, G., Pantel, K. Data normalization strategies for microRNA quantification. *Clin. Chem.* 61, 1333-1342 (2015).
- [53] Nagpal, N., Kulshreshtha, R. miR-191: An emerging player in disease biology. *Front. Genet.* 5, 99 (2014).
- [54] Moon, H.G., Yang, J., Zheng, Y., Jin, Y. miR-15a/16 regulates macrophage phagocytosis after bacterial infection. *J. Immunol.* 193, 4558-4567 (2014).
- [55] Vinod, M., et al. miR-206 controls LXRE expression and promotes LXRE-mediated cholesterol efflux in macrophages. *Biochim. Biophys. Acta* 1841, 827-835 (2014).
- [56] Cobos Jiménez, V., et al. Next-generation sequencing of microRNAs in primary human polarized macrophages. *Genom. Data* 2, 181-183 (2014).
- [57] Zhang, L., et al. miR-153 supports colorectal cancer progression via pleiotropic effects that enhance invasion and chemotherapeutic resistance. *Cancer Res.* 73, 6435-6447 (2013).
- [58] Srivastava, S.K., et al. MicroRNA-345 induces apoptosis in pancreatic cancer cells through potentiation of caspase-dependent and-independent pathways. *Br. J. Cancer* 113, 660-668 (2015).
- [59] Robinson, M.D., McCarthy, D.J., Smyth, G.K. edgeR: A Bioconductor package for differential expression analysis of digital gene expression data. *Bioinformatics* 26, 139-140 (2010).
- [60] Anders, S., Huber, W. Differential expression analysis for sequence count data. *Genome Biol.* 11, R106 (2010).
- [61] Harrow, J., et al. GENCODE: The reference human genome annotation for The ENCODE Project. *Genome Res.* 22, 1760-1774 (2012).
- [62] Brown, G.R., et al. Gene: A gene-centered information resource at NCBI. *Nucleic Acids Res.* 43, D36-D42 (2015).
- [63] Kent, W.J. BLAT-the BLAST-like alignment tool. *Genome Res.* 12, 656-664 (2002).
- [64] Karolchik, D., et al. The UCSC Genome Browser database: 2014 update. *Nucleic Acids Res.* 42, D764-D770 (2014).
- [65] Notredame, C., Higgins, D.G., Heringa, J. T-Coffee: A novel method for fast and accurate multiple sequence alignment. *J. Mol. Biol.* 302, 205-217 (2000).
- [66] Arnold, P., Erb, I., Pachkov, M., Molina, N., van Nimwegen, E. MotEvo: Integrated Bayesian probabilistic methods for inferring regulatory sites and motifs on multiple alignments of DNA sequences. *Bioinformatics* 28, 487-494 (2012).
- [67] Pachkov, M., Balwierz, P.J., Arnold, P., Ozonov, E., van Nimwegen, E. SwissRegulon, a database of genome-wide annotations of regulatory sites: Recent updates. *Nucleic Acids Res.* 41, D214-D220 (2013).