

Quality assessment of integrated water vapour measurements at the St. Petersburg site, Russia: FTIR vs. MW and GPS techniques

Virolainen Y., Timofeyev Y., Kostsov V., Ionov D., Kalinnikov V., Makarova M., Poberovsky A., Zaitsev N., Imhasin H., Polyakov A., Schneider M., Hase F., Barthlott S., Blumenstock T.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

The cross-comparison of different techniques for atmospheric integrated water vapour (IWV) measurements is the essential part of their quality assessment protocol. We inter-compare the synchronised data sets of IWV values measured by the Bruker 125 HR Fourier-transform infrared spectrometer (FTIR), RPG-HATPRO microwave radiometer (MW), and Novatel ProPak-V3 global navigation satellite system receiver (GPS) at the St. Petersburg site between August 2014 and October 2016. As the result of accurate spatial and temporal matching of different IWV measurements, all three techniques agree well with each other except for small IWV values. We show that GPS and MW data quality depends on the atmospheric conditions; in dry atmosphere (IWV smaller than 6mm), these techniques are less reliable at the St. Petersburg site than the FTIR method. We evaluate the upper bound of statistical measurement errors for clear-sky conditions as 0.29 ± 0.02 mm (1.6 \pm 0.3%), 0.55 ± 0.02 mm (4.7 \pm 0.4%), and 0.76 ± 0.04 mm (6.3 \pm 0.8%) for FTIR, GPS, and MW methods, respectively. We propose the use of FTIR as a reference method under clear-sky conditions since it is reliable on all scales of IWV variability.

<http://dx.doi.org/10.5194/amt-10-4521-2017>

References

- [1] Askne, J. And Nordius, H.: Estimation of tropospheric delay for microwaves from surface weather data, *Radio Sci.*, 22, 379-386, 1987
- [2] Barthlott, S., Schneider, M., Hase, F., Blumenstock, T., Kiel, M., Dubravica, D., García, O. E., Sepúlveda, E., Mengistu Tsidu, G., Takele Kenea, S., Grutter, M., Plaza-Medina, E. F., Stremme, W., Strong, K., Weaver, D., Palm, M., Warneke, T., Notholt, J., Mahieu, E., Servais, C., Jones, N., Griffith, D. W. T., Smale, D., and Robinson, J.: Tropospheric water vapour isotopologue data (H16 2 O, H18 2 O, and HD16O) as obtained from NDACC/FTIR solar absorption spectra, *Earth Syst. Sci. Data*, 9, 15-29, <https://doi.org/10.5194/essd-9-15-2017>, 2017.
- [3] Berezin, I. A., Timofeyev, Yu. M., Virolainen, Ya. A., and Volkova, K. A.: Comparison of ground-based microwave measurements of precipitable water vapor with radiosounding data, *Atmos. Ocean. Opt.*, 29, 274-281, <https://doi.org/10.1134/S1024856016030040>, 2016.
- [4] Berezin, I. A., Timofeyev, Yu. M., Virolainen, Ya. A., Frantsuzova, I. S., Volkova, K. A., Poberovsky, A. V., Holben, B. N., Smirnov, A., and Slutsker, I: Error analysis of integrated water vapor measured by ñIMEL Photometer, *Izv. Atmos. Ocean. Phy.+*, 53, 58-64, <https://doi.org/10.1134/S0001433817010030>, 2017.
- [5] Bevis, M., Businger, S., Herring, T., Rocken, C., Anthes, R., and Wave, R.: GPS meteorology: remote sensing of atmospheric water vapor using the global positioning system, *J. Geophys. Res.*, 97, 787-801, <https://doi.org/10.1029/92JD01517>, 1992.

- [6] Buehler, S. A., Stman, S., Melsheimer, C., Holl, G., Eliasson, S., John, V. O., Blumenstock, T., Hase, F., Elgered, G., Raffalski, U., Nasuno, T., Satoh, M., Milz, M., and Mendrok, J.: A multiinstrument comparison of integrated water vapour measurements at a high latitude site, *Atmos. Chem. Phys.*, 12, 10925-10943, <https://doi.org/10.5194/acp-12-10925-2012>, 2012.
- [7] Businger, S., Chiswell, S. R., Bevis, M., Duan, J., Anthes, R. A., Rocken, C., Ware, R. H., Exner, M., van Hove, T. T., and Solheim, F. S.: The promise of GPS in atmospheric monitoring, *B. Am. Meteorol. Soc.*, 77, 5-18, [https://doi.org/10.1175/1520-0477\(1996\)0770005:TPOGIA2.0.CO;2](https://doi.org/10.1175/1520-0477(1996)0770005:TPOGIA2.0.CO;2), 1996.
- [8] Dai, A., Meehl, G. A., Washington, W. M., Wigley, T. M. L., and Arblaster, J. A.: Ensemble simulation of twenty-first century climate changes: Business-as-usual vs. CO₂ stabilization, *B. Am. Meteorol. Soc.*, 82, 2377-2388, [https://doi.org/10.1175/1520-0477\(2001\)0822377:ESOTFC2.3.CO;2](https://doi.org/10.1175/1520-0477(2001)0822377:ESOTFC2.3.CO;2), 2001.
- [9] Hase, F., Hannigan, J., Coffey, M., Goldman, A., Hopfner, M., Jones, N., Rinsland, C., and Wood, S.: Intercomparison of retrieval codes used for the analysis of high-resolution, groundbased FTIR measurements, *J. Quant. Spectrosc. Ra.*, 87, 25-52, <https://doi.org/10.1016/j.jqsrt.2003.12.008>, 2004.
- [10] Hase, F.: Improved instrumental line shape monitoring for the ground-based, high-resolution FTIR spectrometers of the Network for the Detection of Atmospheric Composition Change, *Atmos. Meas. Tech.*, 5, 603-610, <https://doi.org/10.5194/amt-5-603-2012>, 2012.
- [11] Hegglin, M. I., Plummer, D. A., Shepherd, T. G., Scinocca, J. F., Anderson, J., Froidevaux, L., Funke, B., Hurst, D., Rozanov, A., Urban, J., von Clarmann, T., Walker, K. A., Wang, H. J., Tegtmeier, S., and Weigel, K.: Vertical structure of stratospheric water vapour trends derived from merged satellite data, *Nat. Geosci.*, 7, 768-776, <https://doi.org/10.1038/ngeo2236>, 2014.
- [12] Ionov, D. V., Kalinnikov, V. V., Timofeyev, Y. M., Zaitsev, N. A., Virolainen, Y. A., Kostsov, V. S., and Poberovskii, A. V.: Comparison of radiophysical and optical infrared ground-based methods for measuring integrated content of atmospheric water vapor in atmosphere, *Radiophys. Quant. El.*, 60, 300-308, <https://doi.org/10.1007/s11141-017-9800-4>, 2017.
- [13] IPCC: The Physical Science Basis, Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change (IPCC 2007), edited by: Solomon, S., Qin, D., Manning, M., Chen, Z., Marquis, M., Averyt, R. B., Tignor, M., and Miller, H. L., Cambridge University Press, Cambridge, UK and New York, NY, USA, 2007.
- [14] Kalinnikov, V. V. And Khutorova, O. G.: Diurnal variations in integrated water vapor derived from a GPS ground network in the Volga-Ural region of Russia, *Ann. Geophys.*, 35, 453-464, <https://doi.org/10.5194/angeo-35-4-3-2017>, 2017.
- [15] Kämpfer, N. (Ed.): *Monitoring Atmospheric Water Vapour Ground-Based Remote Sensing and Insitu Methods*. Series: ISSI Scientific Report Series, 10 (VIII), Springer, New York, 2013.
- [16] Kiehl, J. T. And Trenberth, K. E.: Earth's annual global mean energy budget, *B. Am. Meteorol. Soc.*, 78, 197-208, [https://doi.org/10.1175/1520-0477\(1997\)0780197:EAGMEB2.0.CO](https://doi.org/10.1175/1520-0477(1997)0780197:EAGMEB2.0.CO), 1997.
- [17] Kostsov, V. S.: Retrieving cloudy atmosphere parameters from RPG-HATPRO radiometer data, *Izv. Atmos. Ocean. Phy.*, 51, 156-166, <https://doi.org/10.1134/S0001433815020085>, 2015.
- [18] Kostsov, V. S.: General approach to the formulation and solution of the multi-parameter inverse problems of atmospheric remote sensing with measurements and constraints of different types, *Int. J. Remote Sens.*, 36, 2973-3004, <https://doi.org/10.1080/01431161.2015.1054961>, 2015.
- [19] Kostsov, V. S., Timofeyev, Yu. M., Zaitsev, N. A., Poberovsky, A. V., and Osipov, S. I.: Application of the information approach to the analysis of two-year microwave observations of the atmosphere by the RPG-HATPRO radiometer at St. Petersburg University, *Int. J. Remote Sens.*, 37, 3346-3364, <https://doi.org/10.1080/01431161.2016.1199060>, 2016.
- [20] Kouba, J.: A guide to using International GNSS Service (IGS) products, available at: <http://kb.igs.org/hc/en-us/article-attachments/203088448/UsingIGSProductsVer21-cor.pdf> (last access: 19 September 2017), 2015.
- [21] Makarova, M., Serdyukov, V., Arshinov, M., Voronin, B., Belan, B., Sinitsa, L., Polovtseva, E., Vasilchenko, S., and Kabanov, D.: First results of ground-based Fourier Transform Infrared Measurements of the H₂O total column in the atmosphere over West Siberia, *Int. J. Remote Sens.*, 35, 5637-5650, <https://doi.org/10.1080/01431161.2014.945016>, 2014.
- [22] Makarova, M. V., Poberovskii, A. V., Hase, F., Timofeyev, Yu. M., and Imhasin, K. K.: Determination of the characteristics of ground-based IR spectral instrumentation for environmental monitoring of the atmosphere, *J. Appl. Spectrosc.*, 83, 429-436, <https://doi.org/10.1007/s10812-016-0306-1>, 2016.
- [23] Memmo, A., Fionda, E., Paolucci, T., Cimini, D., Ferretti, R., Bonafoni, D., and Ciotti, P.: Comparison of MM5 integrated water vapor with microwave radiometer, GPS, and radiosonde measurements, *IEEE Geosci. Remote S.*, 43, 1050-1058, <https://doi.org/10.1109/20.101109>, 2005.
- [24] Mendes, V. B.: Modeling the neutral-atmospheric propagation delay in radiometric space techniques, UNB, New Brunswick, Canada, Tech. Report No. 199, 1999.

- [25] Mengistu Tsidu, G., Blumenstock, T., and Hase, F.: Observations of precipitable water vapour over complex topography of Ethiopia from ground-based GPS, FTIR, radiosonde and ERA-Interim reanalysis, *Atmos. Meas. Tech.*, 8, 3277-3295, <https://doi.org/10.5194/amt-8-3277-2015>, 2015.
- [26] Mieruch, S., Noël, S., Bovensmann, H., and Burrows, J. P.: Analysis of global water vapour trends from satellite measurements in the visible spectral range, *Atmos. Chem. Phys.*, 8, 491-504, <https://doi.org/10.5194/acp--491-2008>, 2008.
- [27] Morland, J., Deuber, B., Feist, D. G., Martin, L., Nyeki, S., Kämpfer, N., Mätzler, C., Jeannot, P., and Vuilleumier, L.: The STARTWAVE atmospheric water database, *Atmos. Chem. Phys.*, 6, 2039-2056, <https://doi.org/10.5194/acp-6-2039-2006>, 2006.
- [28] Navas-Guzmán, F., Fernández-Gálvez, J., Granados-Muñoz, M. J., Guerrero-Rascado, J. L., Bravo-Aranda, J. A., and Alados-Arboledas, L.: Tropospheric water vapour and relative humidity profiles from lidar and microwave radiometry, *Atmos. Meas. Tech.*, 7, 1201-1211, <https://doi.org/10.5194/amt-7-1201-2014>, 2014.
- [29] Niell, A. E.: Global mapping functions for the atmosphere delay at radio wavelengths, *J. Geophys. Res.-Sol. Ea.*, 101, 3227-3246, 1996.
- [30] Nilsson, T. And Elgered, G.: Long-term trends in the atmospheric water vapor content estimated from groundbased GPS data, *J. Geophys. Res.-Atmos.*, 113, D19101, <https://doi.org/10.1029/2008JD010110>, 2008.
- [31] Ning, T., Wang, J., Elgered, G., Dick, G., Wickert, J., Bradke, M., Sommer, M., Querel, R., and Smale, D.: The uncertainty of the atmospheric integrated water vapour estimated from GNSS observations, *Atmos. Meas. Tech.*, 9, 79-92, <https://doi.org/10.5194/amt-9-79-2016>, 2016.
- [32] Oltmans, S. J., Vomel, H., Hofmann, D. J., Rosenlof, K. H., and Kley, D.: The increase in stratospheric water vapor from balloonborne frost-point hygrometer measurements at Washington, D. C., and Boulder, Colorado, *Geophys. Res. Lett.*, 21, 3453-3456, <https://doi.org/10.1029/2000GL012133>, 2000.
- [33] Pam, M., Melsheimer, C., Noël, S., Heise, S., Notholt, J., Burrows, J., and Schrems, O.: Integrated water vapor above Ny Alesund, Spitsbergen: A multi-sensor intercomparison, *Atmos. Chem. Phys.*, 10, 1215-1226, <https://doi.org/10.5194/acp-10-1215-2010>, 2010.
- [34] Park, M., Randel, W. J., Kinnison, D. E., Emmons, L. K., Bernath, P. F., Walker, K. A., Boone, C. D., and Livesey, N. J.: Hydrocarbons in the upper troposphere and lower stratosphere observed from ACE-FTS and comparisons with WACCM, *J. Geophys. Res.-Atmos.*, 118, 1964-1980, <https://doi.org/10.1029/2012JD018327>, 2013.
- [35] Perez-Ramirez, D., Whiteman, D. N., Smirnov, A., Lyamani, H., Holben, B. N., Pinker, R., Andrade, M., and Alados-Arboledas, L.: Evaluation of AERONET precipitable water vapor vs. microwave radiometry, GPS, and radiosondes at ARM Sites, *J. Geophys. Res.-Atmos.*, 119, 9596-9613, <https://doi.org/10.1002/2014JD021730>, 2014.
- [36] Petit, G. And Luzum, B.: IERS Conventions, Bundesamt für Kartographie und Geodäsie, Frankfurt am Main, Germany, 2010.
- [37] Phillips, D.: A technique for the numerical solution of certain integral equations of the first kind, *J. ACM*, 9, 84-97, <https://doi.org/10.1145/321105.321114>, 1962.
- [38] Poberovsky, A. V.: High-resolution ground measurements of the IR spectra of solar radiation, *Atmos. Ocean. Opt.*, 23, 161-163, <https://doi.org/10.1134/S1024856010020132>, 2010.
- [39] Reagan, J., Thome, K., Herman, B., Stone, R., Deluisi, J., and Snider, J.: A comparison of columnar water-vapor retrievals obtained with near-IR solar radiometer and microwave radiometer measurements, *J. Appl. Meteorol.*, 34, 1384-1391, [https://doi.org/10.1175/1520-0450\(1995\)034<1384:ACOCWV2.0.CO>2](https://doi.org/10.1175/1520-0450(1995)034<1384:ACOCWV2.0.CO>2), 1995.
- [40] Rodgers, C. D.: Inverse methods for atmospheric sounding, Theory and practice, Vol.2 of Series on Atmospheric, Oceanic and Planetary Physics, World Scientific, Singapore-New Jersey-London-Hong-Kong, 2000.
- [41] Roman, J., Knuteson, R., August, T., Hultberg, T., Ackerman, S., and Revercomb, H.: A global assessment of NASA AIRS v6 and EUMETSAT IASI v6 precipitable water vapor using groundbased GPS SuomiNet stations, *J. Geophys. Res.-Atmos.*, 121, 8925-8948, <https://doi.org/10.1002/2016JD024806>, 2016.
- [42] Rothman, L. S., Gordon, I. E., Barbe, A., Benner, D. C., Bernath, P. F., Birk, M., Boudon, V., Brown, L. R., Campargue, A., Champion, J.-P., Chance, K., Coudert, L. H., Dana, V., Devi, V. M., Fally, S., Flaud, J.-M., Gamache, R. R., Goldman, A., Jacquemart, D., Kleiner, I., Lacome, N., Lafferty, W. J., Mandin, J.-Y., Massie, S. T., Mikhailenko, S. N., Miller, C. E., Moazzen-Ahmadi, N., Naumenko, O. V., Nikitin, A. V., Orphal, J., Perevalov, V. I., Perrin, A., Predoi-Cross, A., Rinsland, C. P., Rotger, M., Simeckova, M., Smith, M. A. H., Sung, K., Tashkun, S. A., Tennyson, J., Toth, R. A., Vandaele, A. C., and Vander Auwera, J.: The HITRAN 2008 molecular spectroscopic database, *J. Quant. Spectrosc. Ra.*, 110, 533-572, <https://doi.org/10.1016/j.jqsrt.2009.02.013>, 2009.
- [43] Saastamioinen, J.: Contributions to then theory atmospheric refraction, Part II. Refraction corrections in satellite Geodesy, *B. Geod.*, 107, 13-34, 1973.
- [44] Schaer, S.: Mapping and predicting Earth's ionosphere using the Global Positioning System, Ph. D. dissertation, Astronomical Institute, University of Berne, Switzerland, 1999.
- [45] Schneider, M. And Hase, F.: Improving spectroscopic line parameters by means of atmospheric spectra: Theory and example for water vapour and solar absorption spectra, *J. Quant. Spectrosc. Ra.*, 110, 1825-1839, <https://doi.org/10.1016/j.jqsrt.2009.04.011>, 2009.

- [46] Schneider, M., Romero, P. M., Hase, F., Blumenstock, T., Cuevas, E., and Ramos, R.: Continuous quality assessment of atmospheric water vapour measurement techniques: FTIR, Cimel, MFRSR, GPS, and Vaisala RS92, *Atmos. Meas. Tech.*, 3, 323-338, <https://doi.org/10.5194/amt-3-323-2010>, 2010.
- [47] Schneider, M., Toon, G. C., Blavier, J.-F., Hase, F., and Leblanc, T.: H₂O and-D profiles remotely-sensed from ground in different spectral infrared regions, *Atmos. Meas. Tech.*, 3, 1599-1613, <https://doi.org/10.5194/amt--1599-2010>, 2010.
- [48] Schneider, M., Hase, F., Blavier, J.-F., Toon, G. C., and Leblanc, T.: An empirical study on the importance of a speed-dependent Voigt line shape model for tropospheric water vapor profile remote sensing, *J. Quant. Spectrosc. Ra.*, 112, 465-474, <https://doi.org/10.1016/j.jqsrt.2010.09.008>, 2011.
- [49] Schneider, M., Wiegeler, A., Barthlott, S., González, Y., Christner, E., Dyroff, C., García, O. E., Hase, F., Blumenstock, T., Sepúlveda, E., Mengistu Tsidu, G., Takele Kenea, S., Rodríguez, S., and Andrey, J.: Accomplishments of the MUSICA project to provide accurate, long-term, global and high-resolution observations of tropospheric {H₂O,-D} pairs-a review, *Atmos. Meas. Tech.*, 9, 2845-2875, <https://doi.org/10.5194/amt-9-2845-2016>, 2016.
- [50] Semenov, A. O., Virolainen, Y. A., Timofeyev, Y. M., and Poberovsky, A. V.: Comparison of ground-based FTIR and radio sounding measurements of water vapor total content, *Atmos. Ocean. Opt.*, 28, 121-125, <https://doi.org/10.1134/S1024856015020116>, 2015.
- [51] Steinke, S., Eikenberg, S., Löhnert, U., Dick, G., Klocke, D., Di Girolamo, P., and Crewell, S.: Assessment of smallscale integrated water vapour variability during HOPE, *Atmos. Chem. Phys.*, 15, 2675-2692, <https://doi.org/10.5194/acp-15-2675-2015>, 2015.
- [52] Sussmann, R., Borsdorff, T., Rettinger, M., Camy-Peyret, C., Demoulin, P., Duchatelet, P., Mahieu, E., and Servais, C.: Technical Note: Harmonized retrieval of column-integrated atmospheric water vapor from the FTIR network-first examples for longterm records and station trends, *Atmos. Chem. Phys.*, 9, 8987-8999, <https://doi.org/10.5194/acp-9-8987-2009>, 2009.
- [53] Tikhonov, A.: On the solution of incorrectly stated problems and a method of regularization, *Dokl. Akad. Nauk SSSR+*, 151, 501-504, 1963.
- [54] Timofeyev, Y., Virolainen, Y., Makarova, M., Poberovsky, A., Polyakov, A., Ionov, D., Osipov, S., and Imhasin, H.: Groundbased spectroscopic measurements of atmospheric gas composition near Saint Petersburg (Russia), *J. Mol. Spectrosc.*, 323, 2-14, <https://doi.org/10.1016/j.jms.2015.12.007>, 2016.
- [55] Trenberth, K. E., Fasullo, J., and Smith, L.: Trends and variability in column-integrated atmospheric water vapor, *Clim. Dynam.*, 24, 741-758, <https://doi.org/10.1007/s00382-005-0017-4>, 2005.
- [56] Van Baelen, J., Aubagnac, J., and Dabas, A.: Comparison of near-real time estimates of integrated water vapor derived with GPS, radiosondes, and microwave radiometer, *J. Atmos. Ocean. Tech.*, 22, 201-210, <https://doi.org/10.1175/JTECH-1697.1>, 2005.
- [57] Virolainen, Y., Timofeyev, Y., Berezin, I., Poberovsky, A., Polyakov, A., Zaitsev, N., and Imhasin, H.: Atmospheric integrated water vapour measured by IR and MW techniques at the Peterhof site (Saint Petersburg, Russia), *Int. J. Remote Sens.*, 37, 3771-3785, <https://doi.org/10.1080/01431161.2016.1204025>, 2016.
- [58] Vogelmann, H., Sussmann, R., Trickl, T., and Borsdorff, T.: Intercomparison of atmospheric water vapor soundings from the differential absorption lidar (DIAL) and the solar FTIR system on Mt. Zugspitze, *Atmos. Meas. Tech.*, 4, 835-841, <https://doi.org/10.5194/amt-4-835-2011>, 2011.
- [59] Vogelmann, H., Sussmann, R., Trickl, T., and Reichert, A.: Spatiotemporal variability of water vapor investigated using lidar and FTIR vertical soundings above the Zugspitze, *Atmos. Chem. Phys.*, 15, 3135-3148, <https://doi.org/10.5194/acp-15-3135-2015>, 2015.
- [60] Weaver, D., Strong, K., Schneider, M., Rowe, P. M., Sioris, C., Walker, K. A., Mariani, Z., Uttal, T., McElroy, C. T., Vömel, H., Spassiani, A., and Drummond, J. R.: Intercomparison of atmospheric water vapour measurements at a Canadian High Arctic site, *Atmos. Meas. Tech.*, 10, 2851-2880, <https://doi.org/10.5194/amt-10-2851-2017>, 2017.