

Physical Review B 2017 vol.96 N7

---

# Strain broadening of the 1042-nm zero phonon line of the NV- center in diamond: A promising spectroscopic tool for defect tomography

Biktagirov T., Smirnov A., Davydov V., Doherty M., Alkauskas A., Gibson B., Soltamov V.  
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

---

## Abstract

© 2017 American Physical Society. The negatively charged nitrogen-vacancy (NV-) center in diamond is a promising candidate for many quantum applications. Here, we examine the splitting and broadening of the center's infrared (IR) zero-phonon line (ZPL). We develop a model for these effects that accounts for the strain induced by photodependent microscopic distributions of defects. We apply this model to interpret observed variations of the IR ZPL shape with temperature and photoexcitation conditions. We identify an anomalous temperature-dependent broadening mechanism and that defects other than the substitutional nitrogen center significantly contribute to strain broadening. The former conclusion suggests the presence of a strong Jahn-Teller effect in the center's singlet levels and the latter indicates that major sources of broadening are yet to be identified. These conclusions have important implications for the understanding of the center and the engineering of diamond quantum devices. Finally, we propose that, once the major sources of broadening are identified, the IR ZPL has the potential to be a sensitive spectroscopic tool for probing microscopic strain fields and performing defect tomography.

<http://dx.doi.org/10.1103/PhysRevB.96.075205>

---

## References

- [1] G. R. Balasubramanian, P. Neumann, D. Twitchen, M. Markham, R. Kolesov, N. Mizuochi, J. Isoya, J. Achard, J. Beck, J. Tissler, V. Jacques, P. R. Hemmer, F. Jelezko, and J. Wrachtrup, Ultralong spin coherence time in isotopically engineered diamond, *Nat. Mater.* 8, 383 (2009). 1476-1122 10.1038/nmat2420
- [2] K. Arai, C. Belthangady, H. Zhang, N. Bar-Gill, S. J. DeVience, P. Cappellaro, A. Yacoby, and R. L. Walsworth, Fourier magnetic imaging with nanoscale resolution and compressed sensing speed-up using electronic spins in diamond, *Nat. Nanotechnol.* 10, 859 (2015). 1748-3387 10.1038/nnano.2015.171
- [3] F. Dolde, H. Fedder, M. W. Doherty, T. Nbauer, F. Rempp, G. Balasubramanian, T. Wolf, F. Reinhard, L. C. L. Hollenberg, F. Jelezko, and J. Wrachtrup, Electric-field sensing using single diamond spins, *Nat. Phys.* 7, 459 (2011). 1745-2473 10.1038/nphys1969
- [4] G. Kucsko, P. C. Maurer, N. Y. Yao, M. Kubo, H. J. Noh, P. K. Lo, H. Park, and M. D. Lukin, Nanometre-scale thermometry in a living cell, *Nature* 500, 54 (2013). NATUAS 0028-0836 10.1038/nature12373
- [5] M. W. Doherty, V. V. Struzhkin, D. A. Simpson, L. P. McGuinness, Y. Meng, A. Stacey, T. J. Karle, R. J. Hemley, N. B. Manson, L. C. L. Hollenberg, and S. Prawer, Electronic Properties and Metrology Applications of the Diamond (Equation presented) Center Under Pressure, *Phys. Rev. Lett.* 112, 047601 (2014). PRLTAO 0031-9007 10.1103/PhysRevLett.112.047601
- [6] D. R. Glenn, K. Lee, H. Park, R. Weissleder, A. Yacoby, M. D. Lukin, H. Lee, R. L. Walsworth, and C. B. Connolly, Single-cell magnetic imaging using a quantum diamond microscope, *Nat. Methods* 12, 736 (2015). 1548-7091 10.1038/nmeth.3449

- [7] L. Jin, M. Pfender, N. Aslam, P. Neumann, S. Yang, J. Wrachtrup, and R.-B. Liu, Proposal for a room-temperature diamond maser, *Nat. Commun.* 6, 8251 (2015). 2041-1723 10.1038/ncomms9251
- [8] G. Waldherr, Y. Wang, S. Zaiser, M. Jamali, T. Schulte-Herbrüggen, H. Abe, T. Ohshima, J. Isoya, J. F. Du, P. Neumann, and J. Wrachtrup, Quantum error correction in a solid-state hybrid spin register, *Nature* 506, 204 (2014). NATUAS 0028-0836 10.1038/nature12919
- [9] N. Y. Yao, L. Jiang, A. V. Gorshkov, P. C. Maurer, G. Giedke, J. I. Cirac, and M. D. Lukin, Scalable architecture for a room temperature solid-state quantum information processor, *Nat. Commun.* 3, 800 (2012). 2041-1723 10.1038/ncomms1788
- [10] B. Hensen, H. Bernien, A. E. Drau, A. Reiserer, N. Kalb, M. S. Blok, J. Ruitenberg, R. F. L. Vermeulen, R. N. Schouten, C. Abellán, W. Amaya, V. Pruneri, M. W. Mitchell, M. Markham, D. J. Twitchen, D. Elkouss, S. Wehner, T. H. Taminau, and R. Hanson, Loophole-free Bell inequality violation using electron spins separated by 1.3 kilometres, *Nature* 526, 682 (2015). NATUAS 0028-0836 10.1038/nature15759
- [11] A. M. Stoneham, Shapes of inhomogeneously broadened resonance lines in solids, *Rev. Mod. Phys.* 41, 82 (1969). RMPHAT 0034-6861 10.1103/RevModPhys.41.82
- [12] G. Davies, No phonon lineshape and crystal strain fields in diamonds, *J. Phys. C: Solid State Phys.* 3, 2474 (1970). JPSOAW 0022-3719 10.1088/0022-3719/3/12/014
- [13] G. Davies, Approximate widths of zero phonon lines broadened by point defect strain fields, *J. Phys. D: Appl. Phys.* 4, 1340 (1971). JPAPBE 0022-3727 10.1088/0022-3727/4/9/314
- [14] M. W. Doherty, N. B. Manson, P. Delaney, F. Jelezko, J. Wrachtrup, and L. C. L. Hollenberg, The nitrogen-vacancy color center in diamond, *Phys. Rep.* 528, 1 (2013). PRPLCM 0370-1573 10.1016/j.physrep.2013.02.001
- [15] M. L. Goldman, A. Sipahigil, M. W. Doherty, N. Y. Yao, S. D. Bennett, M. Markham, D. J. Twitchen, N. B. Manson, A. Kubanek, and M. D. Lukin, Phonon-Induced Population Dynamics and Intersystem Crossing in Nitrogen-Vacancy Centers, *Phys. Rev. Lett.* 114, 145502 (2015). PRLTAO 0031-9007 10.1103/PhysRevLett.114.145502
- [16] M. L. Goldman, M. W. Doherty, A. Sipahigil, N. Y. Yao, S. D. Bennett, N. B. Manson, A. Kubanek, and M. D. Lukin, State-selective intersystem crossing in nitrogen-vacancy centers, *Phys. Rev. B* 91, 165201 (2015). PRBMDO 1098-0121 10.1103/PhysRevB.91.165201
- [17] Y. Mita, Change of absorption spectra in type-Ib diamond with heavy neutron irradiation, *Phys. Rev. B* 53, 11360 (1996). PRBMDO 0163-1829 10.1103/PhysRevB.53.11360
- [18] V. M. Acosta, E. Bauch, M. P. Ledbetter, C. Santori, K.-M. C. Fu, P. E. Barclay, R. G. Beausoleil, H. Linget, J. F. Roch, F. Treussart, S. Chemerisov, W. Gawlik, and D. Budker, Diamonds with a high density of nitrogen-vacancy centers for magnetometry applications, *Phys. Rev. B* 80, 115202 (2009). PRBMDO 1098-0121 10.1103/PhysRevB.80.115202
- [19] L. J. Rogers, M. W. Doherty, M. S. J. Barson, S. Onoda, T. Ohshima, and N. B. Manson, Singlet levels of the (Equation presented) center in diamond, *New J. Phys.* 17, 013048 (2015). NJOPFM 1367-2630 10.1088/1367-2630/17/1/013048
- [20] M. W. Doherty, N. B. Manson, P. Delaney, and L. C. L. Hollenberg, The negatively charged nitrogen-vacancy center in diamond: the electronic solution, *New J. Phys.* 13, 025019 (2011). NJOPFM 1367-2630 10.1088/1367-2630/13/2/025019
- [21] J. H. N. Loubser and J. A. van Wyk, Electron spin resonance in the study of diamond, *Rep. Prog. Phys.* 41, 1201 (1978). RPPHAG 0034-4885 10.1088/0034-4885/41/8/002
- [22] R. G. Farrer, On the substitutional nitrogen donor in diamond, *Solid State Commun.* 7, 685 (1969). SSCO44 0038-1098 10.1016/0038-1098(69)90593-6
- [23] J. Isberg, A. Tajani, and D. J. Twitchen, Photoionization measurement of deep defects in single-crystalline CVD diamond using the transient-current technique, *Phys. Rev. B* 73, 245207 (2006). PRBMDO 1098-0121 10.1103/PhysRevB.73.245207
- [24] A. M. Stoneham, Theoretical status of diamond and its defects, excited states and atomic motion, *Mater. Sci. Eng. B* 11, 211 (1992). MSBTEK 0921-5107 10.1016/0921-5107(92)90215-U
- [25] S. A. Klimin, D. S. Pytalev, M. N. Popova, B. Z. Malkin, M. V. Vanyunin, and S. L. Korableva, High-resolution optical spectroscopy of (Equation presented) ions in LiYF<sub>4</sub>: Crystal-field energies, hyperfine and deformation splittings, and the isotopic structure, *Phys. Rev. B* 81, 045113 (2010). PRBMDO 1098-0121 10.1103/PhysRevB.81.045113
- [26] B. Z. Malkin, D. S. Pytalev, M. N. Popova, E. I. Baibekov, M. L. Falin, K. I. Gerasimov, and N. M. Khaidukov, Random lattice deformations in rare-earth-doped cubic hexafluoroelpasolites: High-resolution optical spectroscopy and theoretical studies, *Phys. Rev. B* 86, 134110 (2012). PRBMDO 1098-0121 10.1103/PhysRevB.86.134110
- [27] J. E. Field, The mechanical and strength properties of diamond, *Rep. Prog. Phys.* 75, 126505 (2012). RPPHAG 0034-4885 10.1088/0034-4885/75/12/126505
- [28] K.-M. C. Fu, C. Santori, P. E. Barclay, L. J. Rogers, N. B. Manson, and R. G. Beausoleil, Observation of the Dynamic Jahn-Teller Effect in the Excited States of Nitrogen-Vacancy Centers in Diamond, *Phys. Rev. Lett.* 103, 256404 (2009). PRLTAO 0031-9007 10.1103/PhysRevLett.103.256404

- [29] K. D. Jahnke, A. Sipahigil, J. M. Binder, M. W. Doherty, M. Metsch, L. J. Rogers, N. B. Manson, M. D. Lukin, and F. Jelezko, Electron-phonon processes of the silicon-vacancy center in diamond, *New J. Phys.* **17**, 043011 (2015). NJOPFM 1367-2630 10.1088/1367-2630/17/4/043011
- [30] V. Hizhnyakov, V. Boltrushko, H. Kaasik, and I. Sildos, Phase relaxation in the vicinity of the dynamic instability: Anomalous temperature dependence of zero-phonon line, *J. Lumin.* **107**, 351 (2004). JLUMA8 0022-2313 10.1016/j.jlumin.2003.12.025
- [31] P. Kehayias, M. W. Doherty, D. English, R. Fischer, A. Jarmola, K. Jensen, N. Leeper, P. Hemmer, N. B. Manson, and D. Budker, Infrared absorption band and vibronic structure of the nitrogen-vacancy center in diamond, *Phys. Rev. B* **88**, 165202 (2013). PRBMDO 1098-0121 10.1103/PhysRevB.88.165202
- [32] D. J. Twitchen, M. E. Newton, J. M. Baker, T. R. Anthony, and W. F. Banholzer, Electron-paramagnetic-resonance measurements on the divacancy defect center R4/W6 in diamond, *Phys. Rev. B* **59**, 12900 (1999). PRBMDO 0163-1829 10.1103/PhysRevB.59.12900
- [33] A. M. Zaitsev, *Optical Properties of Diamond: A Data Handbook* (Springer-Verlag, Berlin, 2010).
- [34] A. R. Lang, M. Moore, A. P. W. Makepeace, W. Wierzchowski, and C. M. Welbourn, On the dilation of synthetic type Ib diamond by substitutional nitrogen impurity, *Phil. Trans. R. Soc. London A* **337**, 497 (1991). PTRMAD 1364-503X 10.1098/rsta.1991.0135
- [35] G. Kresse and J. Furthmüller, Efficient iterative schemes for ab initio total-energy calculations using a plane-wave basis set, *Phys. Rev. B* **54**, 11169 (1996) PRBMDO 0163-1829 10.1103/PhysRevB.54.11169;
- [36] G. Kresse and D. Joubert, From ultrasoft pseudopotentials to the projector augmented-wave method, *Phys. Rev. B* **59**, 1758 (1999). PRBMDO 0163-1829 10.1103/PhysRevB.59.1758
- [37] J. Heyd, G. E. Scuseria, and M. Ernzerhof, Hybrid functionals based on a screened Coulomb potential, *J. Chem. Phys.* **118**, 8207 (2003). JCPSA6 0021-9606 10.1063/1.1564060
- [38] F. Bruneval, C. Varvenne, J.-P. Crocombette, and E. Clouet, Pressure, relaxation volume, and elastic interactions in charged simulation cells, *Phys. Rev. B* **91**, 024107 (2015). PRBMDO 1098-0121 10.1103/PhysRevB.91.024107
- [39] Y.-H. Li, X. G. Gong, and S.-H. Wei, Ab initio all-electron calculation of absolute volume deformation potentials of IV-IV, III-V, and II-VI semiconductors: The chemical trends, *Phys. Rev. B* **73**, 245206 (2006). PRBMDO 1098-0121 10.1103/PhysRevB.73.245206