

134

S. P. KURZIN *et al.*

1. L. M. SERGEYEVA, Vysokomol. soyed. A22: 1359, 1980 (Translated in Polymer Sci. U.S.S.R. 22: 6, 1492, 1980)
2. Yu. S. LIPATOV, V. F. BABICH, L. V. KARABANOVA, N. I. KORZHUK and L. M. SERGEYEVA, Dokl. Akad. Nauk Ukr. S.S.R., Seriya B, No. 1, 39, 1976
3. Yu. S. LIPATOV, L. V. KARABANOVA and L. M. SERGEYEVA, Vysokomol. soyed. A19: 1073, 1977 (Translated in Polymer Sci. U.S.S.R. 19: 5, 1237, 1977)
4. Yu. S. LIPATOV, A. Ye. NESTEROV, L. M. SERGEYEVA, L. V. KARABANOVA and T. D. IGNATOVA, Dokl. Akad. Nauk SSSR 220: 637, 1975
5. Yu. S. LIPATOV, L. V. KARABANOVA, T. S. KHRAMOVA and L. M. SERGEYEVA, Vysokomol. soyed. A20: 46, 1978 (Translated in Polymer Sci. U.S.S.R. 20: 1, 51, 1978)
6. A. REMBAUM, Adv. Urethane Sci. and Technol. 2: 109, 1973
7. A. REMBAUM, W. BAUMGARTEN and A. EISENBERG, J. Polymer Sci. B6: 159, 1968
8. A. KISHIMOTO and H. FUGITA, J. Phys. Chem. 65: 594, 1960
9. R. I. BEARMAN, J. Phys. Chem. 65: 1961, 1961
10. A. A. TAGER, Vysokomol. soyed. A14: 2690, 1972 (Translated in Polymer Sci. U.S.S.R. 14: 12, 3129, 1972)
11. V. N. KULEZNEV, V kn.: Mnogokomponentnye polimernye sistemy (In: Multi-Component Polymer Systems). p. 10, "Khimiya", 1974
12. H. F. FUGITA and A. KISHIMOTO, Trans. Faraday Soc. 56: 424, 1960
13. H. F. FUGITA, Fortschr. Hoch. Forsch. 3: 3, 1961
14. J. FERRI, Vyazkouprugie svoistva polimerov (The Visco-elastic Properties of Polymers) p. 530, "Khimiya", 1965
15. O. LORENZ, F. HAULENA and D. KLEBORN, Angew. Markomol. Chemie 33: 159, 1973

Polymer Science U.S.S.R. Vol. 24, No. 1, pp. 134-141, 1982
Printed in Poland

0032-3950/82/010134-08\$07.50/0
© 1982 Pergamon Press Ltd.

THE ELECTRON SPIN-LATTICE RELAXATION IN PYROLYZED POLY-2-METHYL-5-ETHINYL PYRIDINE*

S. P. KURZIN, B. F. TARASOV, N. F. FATKULLIN and R. M. ASEYEEVA

V. I. Ul'yanov-Lenin State University, Kazan

(Received 12 September 1980)

The temperature and field dependences of the rate of electron spin-lattice relaxation (ESLR) have been studied on poly-2-methyl-5-ethinyl pyridine (PMEP), which had been pyrolyzed at various temperatures. The experimental results are interpreted from the aspect of the theoretical calculations predicting the diversity of these dependences in the case of linear- and laminar-structure polymers. The results of the evaluations are compared with those of elemental analysis and IR-spectroscopy.

* Vysokomol. soyed. A24: No. 1, 117-123, 1982.