

Catalysis in Industry 2013 vol.5 N1, pages 50-60

Investigating the mechanism of the effect of cerium additives on the properties of the iron-potassium system-the active component of dehydrogenation catalysts of hydrocarbons Report 2

Lamberov A., Gilmanov K., Dementeva E., Kuzmina O.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

The properties of the Fe₂O₃-K₂O and Fe₂O₃-K₂O-CeO₂ model systems with weight ratios of 80: 20 and 50: 20: 30, respectively, are studied by means of thermal, magnetic, X-ray and dispersion analysis, and low-temperature nitrogen adsorption. It is found that the successive formation of mono- and polyferrite phase occurs during the interaction of iron oxide and potassium carbonate. It is proposed that the activity of the iron-potassium catalyst is proportional to the content of the surface monoferrite phase. It is found that introducing cerium into the iron-potassium system leads to a redistribution of potassium mono- and polyferrites in the ferrite phase, raising the proportion of monoferrite. Introducing cerium therefore promotes the activity of the catalyst system. The results from this study will be used to develop new iron-potassium catalysts with high catalytic activity in the dehydrogenation of isoamylenes into isoprene. © 2013 Pleiades Publishing, Ltd.

<http://dx.doi.org/10.1134/S2070050413010054>

Keywords

catalytically active phase, cerianite, hematite, potassium carbonate, potassium mono- and polyferrites, solid-phase topochemical transformations