

Astrophysical Journal 2017 vol.839 N1

NuSTAR and Swift Observations of the Ultraluminous X-Ray Source IC 342 X-1 in 2016: Witnessing Spectral Evolution

Shidatsu M., Ueda Y., Fabrika S.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017. The American Astronomical Society. All rights reserved. We report on an X-ray observing campaign of the ultraluminous X-ray source IC 342 X-1 with NuSTAR and Swift in 2016 October, in which we captured the very moment when the source showed spectral variation. The Swift/XRT spectrum obtained in October 9-11 has a power-law shape and is consistent with those observed in the coordinated XMM-Newton and NuSTAR observations in 2012. In October 16-17, when the 3-10 keV flux became ≈ 4 times higher, we performed simultaneous NuSTAR and Swift observations. In this epoch, the source showed a more round-shaped spectrum like that seen with ASCA 23 years ago. Thanks to the wide energy coverage and high sensitivity of NuSTAR, we obtained hard X-ray data covering up to ~ 30 keV for the first time during the high-luminosity state of IC 342 X-1. The observed spectrum has a broader profile than the multi-color disk blackbody model. The X-ray flux decreased again in the last several hours of the NuSTAR observation, when the spectral shape approached those seen in 2012 and 2016 October 9-11. The spectra obtained in our observations and in 2012 can be commonly described with disk emission and its Comptonization in cool ($T_e \approx 4$ keV), optically thick ($\tau \approx 5$) plasma. The spectral turnover seen at around 5-10 keV shifts to higher energies as the X-ray luminosity decreases. This behavior is consistent with that predicted from recent numerical simulations of super-Eddington accretion flows with Compton-thick outflows. We suggest that the spectral evolution observed in IC 342 X-1 can be explained by a smooth change in mass-accretion rate.

<http://dx.doi.org/10.3847/1538-4357/aa67e7>

Keywords

accretion, accretion disks, black hole physics, X-rays: binaries, X-rays: individual (IC 342 X-1)

References

- [1] Abramowicz M. A., Czerny B., Lasota J. P. and Szuszkiewicz E. 1988 ApJ 332 646
- [2] Bachetti M., Harrison F. A., Walton D. J. et al 2014 Natur 514 202
- [3] Bachetti M., Rana V., Walton D. J. et al 2013 ApJ 778 163
- [4] Belczynski K., Bulik T., Fryer C. L. et al 2010 ApJ 714 1217
- [5] Colbert E. J. M. and Mushotzky R. F. 1999 ApJ 519 89
- [6] Dexter J. and Quataert E. 2012 MNRAS 426 L71
- [7] Done C., Gierliński M. and Kubota A. 2007 A&ARv 15 1

- [8] Ebisawa K., Życki P., Kubota A., Mizuno T. and Watarai K.-Y. 2003 ApJ 597 780
- [9] Fabbiano G. 1989 ARA&A 27 87
- [10] Fabrika S. and Mescheryakov A. 2001 Proc. IAU Symp. 205, Galaxies and their Constituents at the Highest Angular Resolutions ed R. T. Schilizzi 268
- [11] Fabrika S., Ueda Y., Vinokurov A., Sholukhova O. and Shidatsu M. 2015 NatPh 11 551
- [12] Farrell S. A., Webb N. A., Barret D., Godet O. and Rodrigues J. M. 2009 Natur 460 73
- [13] Feng H. and Kaaret P. 2009 ApJ 696 1712
- [14] Fürst F., Walton D. J. and Harrison F. A. 2016 ApJL 831 L14
- [15] Gehrels N., Chincarini G., Giommi P. et al 2004 ApJ 611 1005
- [16] Gladstone J. C., Roberts T. P. and Done C. 2009 MNRAS 397 1836
- [17] Harrison F. A., Craig W. W., Christensen F. E. et al 2013 ApJ 770 103
- [18] Hori T., Ueda Y., Shidatsu M. et al 2014 ApJ 790 20
- [19] Israel G. L., Belfiore A., Stella L. et al 2017a Sci 355 817
- [20] Israel G. L., Papitto A., Esposito P. et al 2017b MNRAS 466 L48
- [21] Kajava J. J. E. and Poutanen J. 2009 MNRAS 398 1450
- [22] Kalberla P. M. W., Burton W. B., Hartmann D. et al 2005 A&A 440 775
- [23] Kawashima T., Ohsuga K., Mineshige S. et al 2012 ApJ 752 18
- [24] King A. R., Davies M. B., Ward M. J., Fabbiano G. and Elvis M. 2001 ApJL 552 L109
- [25] Kubota A. and Done C. 2004 MNRAS 353 980
- [26] Kubota A. and Makishima K. 2004 ApJ 601 428
- [27] Kubota A., Mizuno T., Makishima K. et al 2001 ApJL 547 L119
- [28] Kubota A., Tanaka Y., Makishima K. et al 1998 PASJ 50 667
- [29] Makishima K., Kubota A., Mizuno T. et al 2000 ApJ 535 623
- [30] Mapelli M., Colpi M. and Zampieri L. 2009 MNRAS 395 L71
- [31] Marlowe H., Kaaret P., Lang C. et al 2014 MNRAS 444 642
- [32] McClintock J. E. and Remillard R. A. 2006 Compact Stellar X-Ray Sources ed W. H. G. Lewin and M. van der Klis (Cambridge: Cambridge Univ. Press) 157
- [33] Middleton M. J., Walton D. J., Roberts T. P. and Heil L. 2014 MNRAS 438 L51
- [34] Miller J. M., Bachetti M., Barret D. et al 2014 ApJL 785 L7
- [35] Miller J. M., Fabbiano G., Miller M. C. and Fabian A. C. 2003 ApJL 585 L37
- [36] Miller J. M., Fabian A. C., Kaastra J. S. et al 2015 ApJ 814 87
- [37] Miller J. M., Walton D. J., King A. L. et al 2013 ApJL 776 L36
- [38] Mineshige S., Hirano A., Kitamoto S., Yamada T. T. and Fukue J. 1994 ApJ 426 308
- [39] Mitsuda K., Inoue H., Koyama K. et al 1984 PASJ 36 741
- [40] Mizuno T., Kubota A. and Makishima K. 2001 ApJ 554 1282
- [41] Neilsen J., Rahoui F., Homan J. and Buxton M. 2016 ApJ 822 20
- [42] Neilsen J., Remillard R. A. and Lee J. C. 2011 ApJ 737 69
- [43] Ohsuga K. and Mineshige S. 2011 ApJ 736 2
- [44] Ohsuga K., Mori M., Nakamoto T. and Mineshige S. 2005 ApJ 628 368
- [45] Okada K., Dotani T., Makishima K., Mitsuda K. and Mihara T. 1998 PASJ 50 26
- [46] Pinto C., Middleton M. J. and Fabian A. C. 2016 Natur 533 64
- [47] Pintore F. and Zampieri L. 2012 MNRAS 420 1107
- [48] Pintore F., Zampieri L., Wolter A. and Belloni T. 2014 MNRAS 439 3461
- [49] Poutanen J., Lipunova G., Fabrika S., Butkevich A. G. and Abolmasov P. 2007 MNRAS 377 1187
- [50] Rana V., Harrison F. A., Bachetti M. et al 2015 ApJ 799 121
- [51] Shakura N. I. and Sunyaev R. A. 1973 A&A 24 337
- [52] Shidatsu M., Done C. and Ueda Y. 2016 ApJ 823 159
- [53] Soria R. and Kong A. 2016 MNRAS 456 1837
- [54] Sutton A. D., Roberts T. P. and Middleton M. J. 2013 MNRAS 435 1758
- [55] Sutton A. D., Roberts T. P., Walton D. J., Gladstone J. C. and Scott A. E. 2012 MNRAS 423 1154
- [56] Swartz D. A., Soria R., Tennant A. F. and Yukita M. 2011 ApJ 741 49
- [57] Tamura M., Kubota A., Yamada S. et al 2012 ApJ 753 65

- [58] Tikhonov N. A. and Galazutdinova O. A. 2010 *AstL* 36 167
- [59] Titarchuk L. 1994 *ApJ* 434 570
- [60] Ueda Y., Honda K., Takahashi H. et al 2010 *ApJ* 713 257
- [61] Ueda Y., Yamaoka K. and Remillard R. 2009 *ApJ* 695 888
- [62] Urquhart R. and Soria R. 2016 *MNRAS* 456 1859
- [63] Uttley P. and Klein-Wolt M. 2015 *MNRAS* 451 475
- [64] Walton D. J., Harrison F. A., Grefenstette B. W. et al 2014 *ApJ* 793 21
- [65] Walton D. J., Middleton M. J., Pinto C. et al 2016 *ApJL* 826 L26
- [66] Walton D. J., Miller J. M., Harrison F. A. et al 2013 *ApJL* 773 L9
- [67] Walton D. J., Roberts T. P., Mateos S. and Heard V. 2011 *MNRAS* 416 1844
- [68] Watarai K.-Y., Mizuno T. and Mineshige S. 2001 *ApJL* 549 L77
- [69] Wilms J., Allen A. and McCray R. 2000 *ApJ* 542 914
- [70] Yoshida T., Isobe N., Mineshige S. et al 2013 *PASJ* 65 48