

Extraordinary behavior of β -hydroxy sulfoxides and sulfone of pinane series

Nikitina L., Lodochnikova O., Startseva V., Bodrov A., Artemova N., Klimovitskii A., Klochkov V.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 Taylor & Francis Group, LLC. The “racemic compound-like” behavior, low-temperature conformational rearrangement and “crystallization-induced diastereomerization” of β -hydroxysulfoxides and sulfone of pinane series have been studied. It was established, that the sample of sulfoxide crystallizes as an asymmetric dimer containing a supramolecularcentro-symmetric moiety formed through $S=O\cdots H-O$ interactions between two independent molecules. Moreover, it was found that this dimer can crystallize in two so-called “packing polymorphs”—monoclinic and triclinic ones. By transition from the room temperature to 150 K for both polymorphic forms conformational restructuring of a stable hydrogen-bonded synthon from “unfolded” form to “folded” one has been observed. The sample of sulfoxide is interesting as the first example of the co-crystallization of chiral sulfur compounds. Surprisingly we have found a similar H-bonded dimer, formed by independent molecules, where all sulfone molecules are identical in stereochemical aspect. We suggested to use the new term “crystallization-induced diastereomerization” for the description of the stereochemical process leading to the formation of sulfone dimer. From a supramolecular chemistry point of view, we can speak of the finding of a new robust and reproducible synthon. From a stereochemical point of view, an “enantiophilic” fragment was discovered—a β -hydroxysulfoxide or sulfone group, capable of recognizing its mirror image.

<http://dx.doi.org/10.1080/10426507.2016.1255619>

Keywords

($-$)- β -pinene, crystallization-induced diastereomerization, polymorphic modifications, β -hydroxysulfone, β -Hydroxysulfoxide, “racemic compound-like” crystallization

References

- [1] Nikitina, L. E.; Startseva, V. A.; Artemova, N. P.; Dorofeeva, L. Yu.; Kuznetsov, I. V.; Lisovskaya, S. A.; Glushko, N. P.; Kutyreva, M. P., Pharm. Chem. J. 2012, 45, 664-667.
- [2] Nikitina, L. E.; Akulina, I. V.; Garaev, R. S.; Artemova, N. P.; Dorofeeva, L. Yu.; Startseva, V. A.; Sirazieva, E. V., Pharm. Chem. J. 2012, 46, 20-22.
- [3] Gavrilov, V. V.; Klimovitskii, E. N.; Startseva, V. A.; Nikitina, L. E.; Lodochnikova, O. A.; Gnezdilov, O. I.; Lisovskaya, S. A.; Glushko, N. I., Pharm. Chem. J. 2010, 44, 126-129.
- [4] Aref'ev, A. V.; Startseva, V. A.; Nikitina, L. E.; Lodochnikova, O. A.; Klimovitskii, E. N.; Klimovitskii, A. E., Russ. J. Gen. Chem. 2012, 82, 440-445.
- [5] Startseva, V. A.; Nikitina, L. E.; Aref'ev, A. V.; Artemova, N. P.; Bodrov, A. V.; Lodochnikova, O. A.; Klimovitskii, A. E.; Klimovitskii, E. N.; Musin, R. Z., Phosphorus, Sulfur, and Silicon 2014, 189, 615-629.

- [6] Lodochnikova, O. A.; Krivolapov, D. B.; Startseva, V. A.; Nikitina, L. E.; Bodrov, A. V.; Artemova, N. P.; Klochkov, V. V.; Madzhidov, T. I.; Chmutova, G. A.; Litvinov, I. A., Phosphorus, Sulfur, and Silicon 2015, 190, 2222-2231.
- [7] Lodochnikova, O. A.; Litvinov, I. A.; Startseva, V. A.; Nikitina, L. E.; Bodrov, A. V.; Klimovitskii, A. E.; Klimovitskii, E. N., Cryst. Eng. Comm. 2014, 16, 4314-4321.
- [8] Steed, K. M.; Steed, J. W., Chem. Rev. 2015, 115, 2895-2933.