

Frontiers in Microbiology, 2017, vol.8, N MAY

Microbial metabolism in soil at subzero temperatures: Adaptation mechanisms revealed by position-specific¹³C labeling

Bore E., Apostel C., Halicki S., Kuzyakov Y., Dippold M.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2017 Bore, Apostel, Halicki, Kuzyakov and Dippold. Although biogeochemical models designed to simulate carbon (C) and nitrogen (N) dynamics in high-latitude ecosystems incorporate extracellular parameters, molecular and biochemical adaptations of microorganisms to freezing remain unclear. This knowledge gap hampers estimations of the C balance and ecosystem feedback in high-latitude regions. To analyze microbial metabolism at subzero temperatures, soils were incubated with isotopomers of position-specifically ¹³C-labeled glucose at three temperatures: +5 (control), -5, and -20°C. ¹³C was quantified in CO₂, bulk soil, microbial biomass, and dissolved organic carbon (DOC) after 1, 3, and 10 days and also after 30 days for samples at -20°C. Compared to +5°C, CO₂ decreased 3- and 10-fold at -5 and -20°C, respectively. High ¹³C recovery in CO₂ from the C-1 position indicates dominance of the pentose phosphate pathway at +5°C. In contrast, increased oxidation of the C-4 position at subzero temperatures implies a switch to glycolysis. A threefold higher ¹³C recovery in microbial biomass at -5 than +5°C points to synthesis of intracellular compounds such as glycerol and ethanol in response to freezing. Less than 0.4% of ¹³C was recovered in DOC after 1 day, demonstrating complete glucose uptake by microorganisms even at -20°C. Consequently, we attribute the fivefold higher extracellular ¹³C in soil than in microbial biomass to secreted antifreeze compounds. This suggests that with decreasing temperature, intracellular antifreeze protection is complemented by extracellular mechanisms to avoid cellular damage by crystallizing water. The knowledge of sustained metabolism at subzero temperatures will not only be useful for modeling global C dynamics in ecosystems with periodically or permanently frozen soils, but will also be important in understanding and controlling the adaptive mechanisms of food spoilage organisms.

<http://dx.doi.org/10.3389/fmicb.2017.00946>

Keywords

Cryoprotectants, Freeze tolerance, Metabolic pathways, Position-specific labeling, Psychrophiles

References

- [1] Amato, P., and Christner, B. C. (2009). Energy metabolism response to low-temperature and frozen conditions in *Psychrobacter cryohalolentis*. *Appl. Environ. Microbiol.* 75, 711-718. doi: 10.1128/AEM.02193-08

- [2] Apostel, C., Dippold, M., Glaser, B., and Kuzyakov, Y. (2013). Biochemical pathways of amino acids in soil: assessment by position-specific labeling and ¹³C-PLFA analysis. *Soil Biol. Biochem.* 67, 31-40. doi: 10.1016/j.soilbio.2013.08.005
- [3] Apostel, C., Dippold, M., and Kuzyakov, Y. (2015). Biochemistry of hexose and pentose transformations in soil analyzed by position-specific labeling and ¹³C-PLFA. *Soil Biol. Biochem.* 80, 199-208. doi: 10.1016/j.soilbio.2014.09.005
- [4] Berry, E. D., and Foegeding, P. M. (1997). Cold temperature adaptation and growth of microorganisms. *J. Food Prot.* 60, 1583-1594. doi: 10.4315/0362-028X-60.12.1583
- [5] Blagodatskaya, E., Yuyukina, T., Blagodatsky, S., and Kuzyakov, Y. (2011). Three-source-partitioning of microbial biomass and of CO₂ efflux from soil to evaluate mechanisms of priming effects. *Soil Biol. Biochem.* 43, 778-786. doi: 10.1016/j.soilbio.2010.12.011
- [6] Block, W. (2003). Water or Ice?-the challenge for invertebrate cold survival. *Sci. Prog.* 86, 77-101. doi: 10.3184/003685003783238680
- [7] Brooks, D. P., Schmidt, K. S., and Williams, W. M. (1997). Winter production of CO₂ and N₂O from alpine tundra: environmental controls and relationship to inter-system C and N fluxes. *Oecologia* 110, 403-413. doi: 10.1007/PL00008814
- [8] Caspi, R., Foerster, H., Fulcher, C. A., Kaipa, P., Krummenacker, M., Latendresse, M., et al. (2008). The metacyc database of metabolic pathways and enzymes and the biocyc collection of Pathway/Genome Databases. *Nucl. Acids Res.* 36, D623-D631.
- [9] Cayol, J.-L., Ollivier, B., Alazard, D., Amils, R., Godfroy, A., Piette, F., et al. (2015). "The extreme conditions of life on the planet and exobiology," in *Environmental Microbiology: Fundamentals and Applications: Microbial Ecology*, eds J. C. Bertrand, P. Caumette, P. Lebaron, R. Matheron, P. Normand, and T. Sime-Ngando (Dordrecht: Springer), 353-394.
- [10] Chattopadhyay, M. K. (2006). Mechanism of bacterial adaptation to low temperature. *J. Biosci.* 31, 157-165. doi: 10.1007/BF02705244
- [11] Coombe, D. R. (2002). Cells, gels and the engine of life. *Immun. Cell Biol.* 80, 506-506. doi: 10.1046/j.1440-1711.2002.01110.x
- [12] D'Amico, S., Collins, T., Marx, J. C., Feller, G., Gerday, C., and Gerday, C. (2006). Psychrophilic microorganisms: challenges for life. *EMBO Rep.* 7, 385-389. doi: 10.1038/sj.embor.7400662
- [13] Davidson, E. A., and Janssens, I. A. (2006). Temperature sensitivity of soil carbon decomposition and feedbacks to climate change. *Nature* 440, 165-173. doi: 10.1038/nature04514
- [14] De Maayer, P., Anderson, D., Cary, C., and Cowan, D. A. (2014). Some like it cold: understanding the survival strategies of psychrophiles. *EMBO Rep.* 15, 508-517. doi: 10.1002/embr.201338170
- [15] Dijkstra, P., Blankinship, J. C., Selmants, P. C., Hart, S. C., Koch, G. W., Schwartz, E., et al. (2011a). Probing carbon flux patterns through soil microbial metabolic networks using parallel position-specific tracer labeling. *Soil Biol. Biochem.* 43, 126-132. doi: 10.1016/j.soilbio.2010.09.022
- [16] Dijkstra, P., Dalder, J. J., Selmants, P. C., Hart, S. C., Koch, G. W., Schwartz, E., et al. (2011b). Modeling soil metabolic processes using isotopologue pairs of position-specific C-13-labeled glucose and pyruvate. *Soil Biol. Biochem.* 43, 1848-1857. doi: 10.1016/j.soilbio.2011.05.001
- [17] Dijkstra, P., Thomas, S. C., Heinrich, P. L., Koch, G. W., Schwartz, E., and Hungate, B. A. (2011c). Effect of temperature on metabolic activity of intact microbial communities: evidence for altered metabolic pathway activity but not for increased maintenance respiration and reduced carbon use efficiency. *Soil Biol. Biochem.* 43, 2023-2031. doi: 10.1016/j.soilbio.2011.05.018
- [18] Dippold, M., Biryukov, M., and Kuzyakov, Y. (2014). Sorption affects amino acid pathways in soil: implications from position-specific labeling of alanine. *Soil Biol. Biochem.* 72, 180-192. doi: 10.1016/j.soilbio.2014.01.015
- [19] Dippold, M. A., and Kuzyakov, Y. (2013). Biogeochemical transformations of amino acids in soil assessed by position-specific labelling. *Plant Soil* 373, 385-401. doi: 10.1007/s11104-013-1764-3
- [20] Drotz, S. H., Sparrman, T., Nilsson, M. B., Schleucher, J., and Oquist, M. G. (2010). Both catabolic and anabolic heterotrophic microbial activity proceed in frozen soils. *Proc. Natl. Acad. Sci. U.S.A.* 107, 21046-21051. doi: 10.1073/pnas.1008885107
- [21] Fischer, H., Ingwersen, J., and Kuzyakov, Y. (2010). Microbial uptake of low-molecular-weight organic substances out-competes sorption in soil. *Eur. J. Soil Sci.* 61, 504-513. doi: 10.1111/j.1365-2389.2010.01244.x
- [22] Fletcher, G. L., Hew, C. L., and Davies, P. L. (2001). Antifreeze proteins of teleost fishes. *Annu. Rev. Physiol.* 63, 359-390. doi: 10.1146/annurev.physiol.63.1.359
- [23] Fuhrer, T., and Sauer, U. (2009). Different biochemical mechanisms ensure network-wide balancing of reducing equivalents in microbial metabolism. *J. Bacteriol.* 191, 2112-2121. doi: 10.1128/JB.01523-08
- [24] Gearing, P. J., Gearing, J. N., Maughan, J. T., and Oviatt, C. A. (1991). Isotopic distribution of carbon from sewage-sludge and eutrophication in the sediments and food web of estuarine ecosystems. *Environ. Sci. Technol.* 25, 295-301. doi: 10.1021/es00014a012

- [25] Gilichinsky, D., Rivkina, E., Shcherbakova, V., Laurinavichuis, K., and Tiedje, J. (2003). Supercooled water brines within permafrost-an unknown ecological niche for microorganisms: a model for astrobiology. *Astrobiology* 3, 331-341. doi: 10.1089/153110703769016424
- [26] Haei, M., Öquist, M. G., Buffam, I., Ågren, A., Blomkvist, P., Bishop, K., et al. (2010). Cold winter soils enhance dissolved organic carbon concentrations in soil and stream water. *Geophys. Res. Lett.* 37:L08501. doi: 10.1029/2010GL042821
- [27] Hentschel, K., Borcken, W., and Matzner, E. (2008). Repeated freeze-thaw events affect leaching losses of nitrogen and dissolved organic matter in a forest soil. *J. Plant Nut. Soil Sci.* 171, 699-706. doi: 10.1002/jpln.200700154
- [28] Herbert, R. A. (1989). "Microbial growth at low temperature," in *Mechanisms of Action of Food Preservation Procedures*, ed. G. W. Gould (London: Elsevier Applied Science Publishers Ltd), 71-96.
- [29] Herbert, R. A., and Bell, C. R. (1977). Growth-characteristics of an obligatory psychrophilic *Vibrio*-spp. *Arch. Microbiol.* 113, 215-220. doi: 10.1007/BF00492028
- [30] Hoehler, T. M., and Jorgensen, B. B. (2013). Microbial life under extreme energy limitation. *Nat. Rev. Microbiol.* 11, 83-94. doi: 10.1038/nrmicro2939
- [31] Holt, C. B. (2003). Substances which inhibit ice nucleation: a review. *Cryolett.* 24, 269-274.
- [32] Hughes, K. A. (1997). *Bacterial Biofilms and Their Exopolysaccharides*. Edinburgh: University of Edinburgh.
- [33] Kawahara, H. (2002). The structures and functions of ice crystal-controlling proteins from bacteria. *J. Biosci. Bioeng.* 94, 492-496. doi: 10.1016/S1389-1723(02)80185-2
- [34] Krembs, C., Eicken, H., Junge, K., and Deming, J. W. (2002). High concentrations of exopolymeric substances in Arctic winter sea ice: implications for the polar ocean carbon cycle and cryoprotection of diatoms. *Deep Sea Res. Part I: Oceanogr. Res. Papers* 49, 2163-2181. doi: 10.1016/S0967-0637(02)00122-X
- [35] Kuzyakov, Y. (2010). Priming effects: interactions between living and dead organic matter. *Soil Biol. Biochem.* 42, 1363-1371. doi: 10.1016/j.soilbio.2010.04.003
- [36] Lorv, J. S. H., Rose, D. R., and Glick, B. R. (2014). Bacterial ice crystal controlling proteins. *Scientifica* 2014:20. doi: 10.1155/2014/976895
- [37] Lovelock, J. E. (1954). The protective action of neutral solutes against haemolysis by freezing and thawing. *Biochem. J.* 56, 265-270. doi: 10.1042/bj0560265
- [38] Mazur, P. (2004). "Principles of cryobiology," in *Life in Frozen State*, eds B. J. Fuller, N. Lane, and E. E. Benson (London: CRC press), 3-66. doi: 10.1201/9780203647073.ch1
- [39] Monson, R. K., Lipson, D. L., Burns, S. P., Turnipseed, A. A., Delany, A. C., Williams, M. W., et al. (2006). Winter forest soil respiration controlled by climate and microbial community composition. *Nature* 439, 711-714. doi: 10.1038/nature04555
- [40] Mykytczuk, N. C. S., Foote, S. J., Omelon, C. R., Southam, G., Greer, C. W., and Whyte, L. G. (2013). Bacterial growth at -15 degrees C: molecular insights from the permafrost bacterium *Planococcus halocryophilus* Or1. *ISME J.* 7, 1211-1226. doi: 10.1038/ismej.2013.8
- [41] Nakagawa, T., Fujimoto, Y., Uchino, M., Miyaji, T., Takano, K., and Tomizuka, N. (2003). Isolation and characterization of psychrophiles producing cold-active beta-galactosidase. *Lett. Appl. Microbiol.* 37, 154-157. doi: 10.1046/j.1472-765X.2003.01369.x
- [42] Nelson, D. L., Nelson, D. L., Lehninger, A. L., and Cox, M. M. (2008). *Lehninger Principles of Biochemistry*. New York, NY: W.H. Freeman.
- [43] Nichols, C. A. M., Guezennec, J., and Bowman, J. P. (2005). Bacterial exopolysaccharides from extreme marine environments with special consideration of the southern ocean, sea ice, and deep-sea hydrothermal vents: a review. *Mar. Biotechnol.* 7, 253-271. doi: 10.1007/s10126-004-5118-2
- [44] Nikrad, M. P., Kerkhof, L. J., and Haggblom, M. M. (2016). The subzero microbiome: microbial activity in frozen and thawing soils. *FEMS Microbiol. Ecol.* 92:fiw081. doi: 10.1093/femsec/fiw081
- [45] Öquist, M. G., Sparrman, T., Klemetsson, L., Drotz, S. H., Grip, H., Schleucher, J., et al. (2009). Water availability controls microbial temperature responses in frozen soil CO₂ production. *Glob. Change Biol.* 15, 2715-2722. doi: 10.1111/j.1365-2486.2009.01898.x
- [46] Panikov, N. S., Flanagan, P. W., Oechel, W. C., Mastepanov, M. A., and Christensen, T. R. (2006). Microbial activity in soils frozen to below -39°C. *Soil Biol. Biochem.* 38, 785-794. doi: 10.1073/pnas.1008885107
- [47] Price, P. B. (2000). A habitat for psychrophiles in deep Antarctic ice. *Proc. Natl. Acad. Sci. U.S.A.* 97, 1247-1251. doi: 10.1073/pnas.97.3.1247
- [48] Price, P. B., and Sowers, T. (2004). Temperature dependence of metabolic rates for microbial growth, maintenance, and survival. *Proc. Natl. Acad. Sci. U.S.A.* 101, 4631-4636. doi: 10.1073/pnas.0400522101
- [49] Qin, G. K., Zhu, L. Z., Chen, X. L., Wang, P. G., and Zhang, Y. Z. (2007). Structural characterization and ecological roles of a novel exopolysaccharide from the deep-sea psychrotolerant bacterium *Pseudoalteromonas* spp SM9913. *Microbiol. Soc.* 153, 1566-1572. doi: 10.1099/mic.0.2006/003327-0

- [50] Razavi, B. S., Blagodatskaya, E., and Kuzyakov, Y. (2015). Nonlinear temperature sensitivity of enzyme kinetics explains canceling effect—a case study on loamy haplic Luvisol. *Front. Microbiol.* 6:1126. doi: 10.3389/fmicb.2015.01126
- [51] Razavi, B. S., Blagodatskaya, E., and Kuzyakov, Y. (2016). Temperature selects for static soil enzyme systems to maintain high catalytic efficiency. *Soil Biol. Biochem.* 97, 15-22. doi: 10.1016/j.soilbio.2016.02.018
- [52] Rivkina, E. M., Friedmann, E. I., McKay, C. P., and Gilichinsky, D. A. (2000). Metabolic activity of permafrost bacteria below the freezing point. *Appl. Environ. Microbiol.* 66, 3230-3233. doi: 10.1128/AEM.66.8.3230-3233.2000
- [53] Rummel, J. D., Beaty, D. W., Jones, M. A., Bakermans, C., Barlow, N. G., Boston, P. J., et al. (2014). A new analysis of Mars "Special Regions": findings of the second MEPAG special regions science analysis group (SR-SAG2). *Astrobiology* 14, 887-968. doi: 10.1089/ast.2014.1227
- [54] Scandellari, F., Hobbie, E. A., Ouimette, A. P., and Stucker, V. K. (2009). Tracing metabolic pathways of lipid biosynthesis in ectomycorrhizal fungi from position-specific ¹³C-labelling in glucose. *Environ. Microbiol.* 11, 3087-3095. doi: 10.1111/j.1462-2920.2009.02013.x
- [55] Schaefer, K., and Jafarov, E. (2016). A parameterization of respiration in frozen soils based on substrate availability. *Biogeosciences* 13, 1991-2001. doi: 10.5194/bg-13-1991-2016
- [56] Schaefer, K., Zhang, T., Bruhwiler, L., and Barrett, A. P. (2011). Amount and timing of permafrost carbon release in response to climate warming. *Tellus B* 63, 165-180. doi: 10.1111/j.1600-0889.2011.00527.x
- [57] Schimel, J. P., and Mikan, C. (2005). Changing microbial substrate use in Arctic tundra soils through a freeze-thaw cycle. *Soil Biol. Biochem.* 37, 1411-1418. doi: 10.1016/j.soilbio.2004.12.011
- [58] Stevenson, A., Burkhardt, J., Cockell, C. S., Cray, J. A., Dijksterhuis, J., Fox-Powell, M., et al. (2015). Multiplication of microbes below 0.690 water activity: implications for terrestrial and extraterrestrial life. *Environ. Microbiol.* 17, 257-277. doi: 10.1111/1462-2920.12598
- [59] Tuorto, S. J., Darias, P., McGuinness, L. R., Panikov, N., Zhang, T., Häggblom, M. M., et al. (2014). Bacterial genome replication at subzero temperatures in permafrost. *ISME J.* 8, 139-149. doi: 10.1038/ismej.2013.140
- [60] Welman, A. D., and Maddox, I. S. (2003). Exopolysaccharides from lactic acid bacteria: perspectives and challenges. *Trends Biotechnol.* 21, 269-274. doi: 10.1016/S0167-7799(03)00107-0
- [61] Wouters, J. A., Kamphuis, H. H., Hugenholtz, J., Kuipers, O. P., De Vos, W. M., and Abee, T. (2000). Changes in glycolytic activity of *Lactococcus lactis* induced by low temperature. *Appl. Environ. Microbiol.* 66, 3686-3691. doi: 10.1128/AEM.66.9.3686-3691.2000
- [62] Wu, J., Joergensen, R. G., Pommerening, B., Chaussod, R., and Brookes, P. C. (1990). Measurement of soil microbial biomass C by fumigation extraction—an automated procedure. *Soil Biol. Biochem.* 22, 1167-1169. doi: 10.1016/0038-0717(90)90046-3
- [63] Yu, S. O., Brown, A., Middleton, A. J., Tomczak, M. M., Walker, V. K., and Davies, P. L. (2010). Ice restructuring inhibition activities in antifreeze proteins with distinct differences in thermal hysteresis. *Cryobiology* 61, 327-334. doi: 10.1016/j.cryobiol.2010.10.158