

BioNanoScience 2017 vol.7 N2, pages 366-367

Does Acute Pharmacological Test with Indomethacin Affect Nitrite Ion Blood Level?

Titarenko A., Valeeva I., Ziganshina L.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2016, Springer Science+Business Media New York. A single dose of 75 mg indomethacin (acute pharmacological test with indomethacin) reduced the blood serum nitrite ion level in patients who had been taking non-steroidal anti-inflammatory drugs for at least 6 months, as well as in “resistant” healthy volunteers; blood serum nitrite ion levels following the acute pharmacological test with indomethacin were consistently lower in men than in women.

<http://dx.doi.org/10.1007/s12668-016-0366-y>

Keywords

Indomethacin, Nitrite ion, Non-steroidal anti-inflammatory drugs

References

- [1] Kubes, P., & Wallace, J. L. (1995). Nitric oxide as mediator of gastrointestinal mucosal injury? Say it ain't so. *Mediators of Inflammation*, 4, 397-405.
- [2] Titarenko, A., Valeeva, I., Ziganchina, L. (2002). The new method of predicting NSAIDs-induced gastrotoxicity and gastroprotective effects of Dimethosphone. *Clinical Pharmacology & Therapeutics*, N2, 84.
- [3] Ziganshina, L., Titarenko, A., Valeeva, I., Ziganshin, A. (2003). The types of biochemical responses in healthy volunteers to the acute pharmacological test with indomethacin. *Experimental and Clinical Pharmacology*, N5, 30-34.