

Synthetic Communications 2018 vol.48 N17, pages 2288-2304

---

# Synthesis, antibacterial and antitumor activity of methylpyridinium salts of pyridoxine functionalized 2-amino-6-sulfanylpuridine-3,5-dicarbonitriles

Grigor'ev A., Shtyrlin N., Gabbasova R., Zeldi M., Yu. Grishaev D., Gnezdilov O., Balakin K., Nasakin O., Shtyrlin Y.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

---

## Abstract

© 2018, © 2018 Taylor & Francis. A library of 29 2-amino-6-sulfanylpuridine-3,5-dicarbonitriles functionalized with a pyridoxine moiety was synthesized using a three-component one-pot reaction of aldehyde derivative of pyridoxine, malononitrile, and thiophenol. The obtained bipyridine structures were converted into methylpyridinium salts. Several compounds demonstrated expressed antibacterial activity with MICs (minimum inhibitory concentrations) in the range of 0.5–4 µg/mL against the three studied Gram-positive strains and 8–64 µg/mL against the Gram-negative *E. coli* strain, which was comparable or better than the activity of the reference antimicrobial agents. At the same time, all the synthesized compounds were inactive against the Gram-negative *P. aeruginosa*. Several compounds also demonstrated high cytotoxic activity against the studied tumor cells, but without selectivity for the normal HSF (human foreskin fibroblast) cells. Despite the preliminary character of the performed biological studies, the obtained results make the obtained structural chemotype a promising starting point for the design of physiologically active compounds.

<http://dx.doi.org/10.1080/00397911.2018.1501487>

---

## Keywords

2-Amino-6-sulfanylpuridine-3,5-dicarbonitriles, antibacterial activity, antitumor activity, pyridoxine, quaternary ammonium salts

## References

- [1] Makawana, J. A.; Patel, M. P.; Patel, R. G. Synthesis and In Vitro Antimicrobial Evaluation of Pentasubstituted Pyridine Derivatives Bearing the Quinoline Nucleus. *Med. Chem. Res.* 2012, 21, 616–623. DOI: 10.1007/s00044-011-9568-6
- [2] Kanani, M. B.; Patel, M. P. Synthesis and in Vitro Antimicrobial Evaluation of Novel 2-Amino-6-(Phenylthio)-4-(2-(Phenylthio)Quinolin-3-Yl)pyridine-3,5-Dicarbonitriles. *Med. Chem. Res.* 2013, 22, 2912–2920. DOI: 10.1007/s00044-012-0292-7
- [3] Abbas, H.-A. S.; El Sayed, W. A.; Fathy, N. M. Synthesis and Antitumor Activity of New Dihydropyridine Thioglycosides and Their Corresponding Dehydrogenated Forms. *Eur. J. Med. Chem.* 2010, 45, 973–982. DOI: 10.1016/j.ejmech.2009.11.039
- [4] Brandt, W.; Mologni, L.; Preu, L.; Lemcke, T.; Gambacorti-Passerini, C.; Kunick, C. Inhibitors of the RET Tyrosine Kinase Based on a 2-(Alkylsulfanyl)-4-(3-Thienyl)Nicotinonitrile Scaffold. *Eur. J. Med. Chem.* 2010, 45, 2919–2927. DOI: 10.1016/j.ejmech.2010.03.017

- [5] Nirschl, A. A.; Hamann, L. G. Method of using 3-cyano-4-arylpyridine derivatives as modulators of androgen receptor function. U.S. Patent Application 20050182105A1, August 18, 2005
- [6] Adams, N. D.; Benowitz, A. B.; Rueda Benede, M. L.; Evans, K. A.; Fosbenner, D. T.; King, B. W.; Li, M.; Luengo, J. I.; Miller, W. H.; Reif, A. J.; et al. Substituted pyridines as inhibitors of DNMT1. WO 2017216727, June 13, 2017
- [7] Perrier, V.; Wallace, A. C.; Kaneko, K.; Safar, J.; Prusiner, S. B.; Cohen, F. E. Mimicking Dominant Negative Inhibition of Prion Replication through Structure-Based Drug Design. *Proc. Natl. Acad. Sci.* 2000, 97, 6073-6078. DOI: 10.1073/pnas.97.11.6073
- [8] Reddy, T. R. K.; Mutter, R.; Heal, W.; Guo, K.; Gillet, V. J.; Pratt, S.; Chen, B. Library Design, Synthesis, and Screening: Pyridine Dicarbonitriles as Potential Prion Disease Therapeutics. *J. Med. Chem.* 2006, 49, 607-615. DOI: 10.1021/jm050610f
- [9] May, B. C. H.; Zorn, J. A.; Witkop, J.; Sherrill, J.; Wallace, A. C.; Legname, G.; Prusiner, S. B.; Cohen, F. E. Structure-Activity Relationship Study of Prion Inhibition by 2-Aminopyridine-3,5-Dicarbonitrile-Based Compounds: Parallel Synthesis, Bioactivity, and in Vitro Pharmacokinetics. *J. Med. Chem.* 2000, 97, 6073-6073. DOI: 10.1021/jm061045z
- [10] Auchampach, J. A.; Kreckler, L. M.; Wan, T. C.; Maas, J. E.; van der Hoeven, D.; Gizewski, E.; Narayanan, J.; Maas, G. E. Characterization of the A Adenosine Receptor from Mouse, Rabbit, and Dog. *J. Pharmacol. Exp. Ther.* 2009, 329, 2-13. DOI: 10.1124/jpet.108.148270
- [11] Beukers, M. W.; Chang, L. C. W.; von Frijtag Drabbe Kunzel, J. K.; Mulder-Krieger, T.; Spanjersberg, R. F.; Brussee, J.; IJzerman, A. P. New, Non-Adenosine, High-Potency Agonists for the Human Adenosine A Receptor with an Improved Selectivity Profile Compared to the Reference Agonist N-Ethylcarboxamidoadenosine. *J. Med. Chem.* 2004, 47, 3707-3709. DOI: 10.1021/jm049947s
- [12] Chang, L. C. W.; von Frijtag Drabbe Kunzel, J. K.; Mulder-Krieger, T.; Spanjersberg, R. F.; Roerink, S. F.; van den Hout, G.; Beukers, M. W.; Brussee, J.; IJzerman, A. P. A Series of Ligands Displaying a Remarkable Agonistic-Antagonistic Profile at the Adenosine A Receptor. *J. Med. Chem.* 2005, 48, 2045-2053. DOI: 10.1021/jm049597+
- [13] Nell, P.; Huebsch, W.; Albrecht-Kuepper, B.; Keldenich, J.; Knorr, A. Substituted bipyridine derivatives and their use as adenosine receptor ligands. U.S. Patent 8,653,109, February 18, 2014.
- [14] Meibom, D.; Vakalopoulos, A.; Albrecht-Kuepper, B.; Zimmermann, K.; Nell, P.; Suessmeier, F. Heteroaryl-substituted dicyanopyridines and use thereof for treatment of cardiovascular diseases. U.S. Patent 8,426,602, April 23, 2013
- [15] Louvel, J.; Guo, D.; Soethoudt, M.; Mocking, T. A. M.; Lenselink, E. B.; Mulder-Krieger, T.; Heitman, L. H.; IJzerman, A. P. Structure-Kinetics Relationships of Capadenoson Derivatives as Adenosine A Receptor Agonists. *Eur. J. Med. Chem.* 2015, 101, 681-691. DOI: 10.1016/j.ejmech.2015.07.023. (b) Meibom, D.; Albrecht-Kuepper, B.; Diedrichs, N.; Hubsch, W.; Kast, R.; Kramer, T.; Krenz, U.; Lerchen, H.-G.; Mittendorf, J.; Nell, P. G.; Susmeier, F.; Vakalopoulos, A.; Zimmermann, K. Neladenoson Bialanate Hydrochloride: A Prodrug of a Partial Adenosine A Receptor Agonist for the Chronic Treatment of Heart Diseases. *ChemMedChem.* 2015, 101, 681-737. DOI: 10.1002/cmcd.201700151
- [16] Yamazaki, R.; Matsuzaki, K.; Shimizu, H.; Umeyama, H.; Shitaka, M.; Yaegashi, T.; Sawada, S.; Komatsu, K.; Fuchigami, K.; Kanou, K. Plk-1 inhibitors. J.P. Patent 80329, 2008
- [17] Grigor'ev, A. A.; Karpov, S. V.; Kayukov, Y. S.; Belikov, M. Y.; Nasakin, O. E. Synthesis of Novel 4-Acyl-2-Amino-6-Sulfanylpyridine-3,5-Dicarbonitriles. *Tetrahedron Lett.* 2015, 56, 6279-6281. DOI: 10.1016/j.tetlet.2015.09.130004
- [18] Grigor'ev, A. A.; Karpov, S. V.; Kayukov, Y. S.; Nasakin, O. E.; Gracheva, I. A.; Tafeenko, V. A. A New Route to Highly Substituted Thieno[2,3-b]Pyridines via Cascade Heterocyclization of 2-Acyl-1,1,3,3-Tetracyanopropenide Salts. *Chem. Heterocycl. Comp.* 2017, 53, 230-235. DOI: 10.1007/s10593-017-2044-6
- [19] Grigor'ev, A. A.; Karpov, S. V.; Kayukov, Y. S.; Gracheva, I. A.; Tafeenko, V. A. Cascade Regioselective Heterocyclization of 2-Acyl-1,1,3,3-Tetracyanopropenides: Synthesis of Pyrrolo[3,4-c]Pyridine and Pyrrolo[3,4-d]Thieno[2,3-b]Pyridine Derivatives. *Synlett.* 2017, 28, 1592-1595. DOI: 10.1055/s-0036-1588823
- [20] Pugachev, M. V.; Pavelyev, R. S.; Nguyen, T. N. T.; Iksanova, A. G.; Lodochnikova, O. A.; Shtyrlin, Y. G. Synthesis and Antitumor Activity of Pyridoxine Monoalkenyl Derivatives. *Russ. Chem. Bull.* 2016, 65, 532-536. DOI: 10.1007/s11172-016-1333-z. (b)
- [21] Pugachev, M. V.; Nguyen, T. N. T.; Bulatov, T. M.; Pavelyev, R. S.; Iksanova, A. G.; Bondar, O. V.; Balakin, K. V.; Shtyrlin, Y. G. Synthesis and Antitumor Activity of Novel Pyridoxine-Based Bioisosteric Analogs of Trans-Stilbenes. *J. Chem.* 2017, 2017, Article ID 8281518. DOI: 10.1155/2017/8281518. (c)
- [22] Pugachev, M. V.; Bulatov, T. M.; Nguyen, T. N. T.; Pavelyev, R. S.; Gnezdilov, O. I.; Lodochnikova, O. A.; Islamov, D. R.; Kataeva, O. N.; Balakin, K. V.; Shtyrlin, Y. G. Wittig Reactions of a Bis-Triphenylphosphonium Pyridoxine Derivative. *Tetrahedron Lett.* 2017, 58, 766-769. DOI: 10.1016/j.tetlet.2017.01.031

- [23] Sapozhnikov, S. V.; Shtyrlin, N. V.; Kayumov, A. R.; Zamaldinova, A. E.; Iksanova, A. G.; Nikitina, E. V.; Krylova, E. S.; Grishaev, D. Y.; Balakin, K. V.; Shtyrlin, Y. G. New Quaternary Ammonium Pyridoxine Derivatives: synthesis and Antibacterial Activity. *Med. Chem. Res.* 2017, 26, 3188–3202. DOI: 10.1007/s00044-017-2012-9; (b) Shtyrlin, N. V.; Sapozhnikov, S. V.; Koshkin, S. A.; Iksanova, A. G.; Sabirov, A. H.; Kayumov, A. R.; Nureeva, A. A.; Zeldi, M. I.; Shtyrlin, Y. G. Synthesis and Antibacterial Activity of Novel Quaternary Ammonium Pyridoxine Derivatives. *Mc.* 2015, 11, 656–665. DOI: 10.2174/1573406411666150504122930; (c) Pugachev, M. V.; Shtyrlin, N. V.; Nikitina, E. V.; Sysoeva, L. P.; Abdullin, T. I.; Iksanova, A. G.; Ilaeva, A. A.; Berdnikov, E. A.; Musin, R. Z.; Shtyrlin, Y. G. Synthesis and Antibacterial Activity of Novel Phosphonium Salts on the Basis of Pyridoxine. *Bioorg. Med. Chem.* 2013, 21, 4388–4395. DOI: 10.1016/j.bmc.2013.04.051
- [24] Strel'nik, A. D.; Petukhov, A. S.; Zueva, I. V.; Zobov, V. V.; Petrov, K. A.; Nikolsky, E. E.; Balakin, K. V.; Bachurin, S. O.; Shtyrlin, Y. G. Novel Potent Pyridoxine-Based Inhibitors of AChE and BChE, Structural Analogs of Pyridostigmine, with Improved in Vivo Safety Profile. *Bioorg. Med. Chem. Lett.* 2016, 26, 4092–4094. DOI: 10.1016/j.bmcl.2016.06.070
- [25] Evdokimov, N. M.; Magedov, I. V.; Kireev, A. S.; Kornienko, A. One-Step, Three-Component Synthesis of Pyridines and 1,4-Dihydropyridines with Manifold Medicinal Utility. *Org. Lett.* 2006, 8, 899–902. DOI: 10.1021/ol052994+; (b) Evdokimov, N. M.; Kireev, A. S.; Yakovenko, A. A.; Antipin, M. Y.; Magedov, I. V.; Kornienko, A. One-Step Synthesis of Heterocyclic Privileged Medicinal Scaffolds by a Multicomponent Reaction of Malononitrile with Aldehydes and Thiols. *J. Org. Chem.* 2007, 72, 3443–3453. DOI: 10.1021/jo070114u
- [26] Guo, K.; Mutter, R.; Heal, W.; Reddy, T. R. K.; Cope, H.; Pratt, S.; Thompson, M. J.; Chen, B. Synthesis and Evaluation of a Focused Library of Pyridine Dicarbonitriles against Prion Disease. *Eur. J. Med. Chem.* 2008, 43, 93–106. DOI: 10.1016/j.ejmech.2007.02.018
- [27] Sridhar, M.; Ramanaiah, B. C.; Narsaiah, C.; Mahesh, B.; Kumaraswamy, M.; Mallu, K. K. R.; Ankathi, V. M.; Shanthan Rao, P. Novel ZnCl<sub>2</sub>-Catalyzed One-Pot Multicomponent Synthesis of 2-Amino-3,5-Dicarbonitrile-6-Thio-Pyridines. *Tetrahedron Lett.* 2009, 50, 3897–3900. DOI: 10.1016/j.tetlet.2009.04.051; (b) Kottawar, S. S.; Siddiqui, S. A.; Bhusare, S. R. Scandium Triflate-Catalyzed One-Pot Multi-Component Synthesis of 2-Amino-6-Thiopyridine-3,5-Dicarbonitriles. *Heterocycl. Comm.* 2012, 18, 249–252. DOI: 10.1515/hc-2012-0103
- [28] Shinde, P. V.; Sonar, S. S.; Shingate, B. B.; Shingare, M. S. Boric Acid Catalyzed Convenient Synthesis of 2-Amino-3,5-Dicarbonitrile-6-Thio-Pyridines in Aqueous Media. *Tetrahedron Lett.* 2010, 51, 1309–1312. DOI: 10.1016/j.tetlet.2009.12.146
- [29] Sobhani, S.; Honarmand, M. Ionic Liquid Immobilized on  $\gamma$ -FeO Nanoparticles: A New Magnetically Recyclable Heterogeneous Catalyst for One-Pot Three-Component Synthesis of 2-Amino-3,5-Dicarbonitrile-6-Thio-Pyridines. *Appl. Catal., A.* 2013, 467, 456–462. DOI: 10.1016/j.apcata.2013.08.006; (b) Rahmani, F.; Mohammadpoor-Baltork, I.; Khosropour, A. R.; Moghadam, M.; Tangestaninejad, S.; Mirkhani, V. Propylphosphonium Hydrogen Carbonate Ionic Liquid Supported on Nano-Silica as a Reusable Catalyst for the Efficient Multicomponent Synthesis of Fully Substituted Pyridines and Bis-Pyridines. *RSC Adv.* 2015, 5, 39978–39991. DOI: 10.1039/c5ra03569d
- [30] Kumari, S.; Shekhar, A.; Pathak, D. D. Graphene Oxide-TiO<sub>2</sub> Composite: An Efficient Heterogeneous Catalyst for the Green Synthesis of Pyrazoles and Pyridines. *New J. Chem.* 2016, 40, 5053–5060. DOI: 10.1039/c5nj03380b
- [31] Thimmaiah, M.; Li, P.; Regati, S.; Chen, B.; Zhao, J. C.-G. Multi-Component Synthesis of 2-Amino-6-(Alkylthio)Pyridine-3,5-Dicarbonitriles Using Zn(II) and Cd(II) Metal-Organic Frameworks (MOFs) under Solvent-Free Conditions. *Tetrahedron Lett.* 2012, 53, 4870–4872. DOI: 10.1016/j.tetlet.2012.06.139
- [32] Guo, K.; Thompson, M. J.; Reddy, T. R. K.; Mutter, R.; Chen, B. Mechanistic Studies Leading to a New Procedure for Rapid, Microwave Assisted Generation of Pyridine-3,5-Dicarbonitrile Libraries. *Tetrahedron.* 2007, 63, 5300–5311. DOI: 10.1016/j.tet.2007.03.139
- [33] Pagadala, R.; Maddila, S.; Jonnalagadda, S. B. Eco-Efficient Ultrasonic Responsive Synthesis of Pyrimidines/Pyridines. *Ultrason. Sonochem.* 2014, 21, 472–477. DOI: 10.1016/j.ultsonch.2013.08.024
- [34] Cohen, A.; Hughes, E. Synthetical Experiments in the B Group of Vitamins. Part V. Novel Derivatives of Pyridoxine. *J. Chem. Soc.* 1952, 4384–4386. DOI: 10.1039/JR9520004384
- [35] Khan, M. N.; Pal, S.; Parvin, T.; Choudhury, L. H. A Simple and Efficient Method for the Facile Access of Highly Functionalized Pyridines and Their Fluorescence Property Studies. *RSC Adv.* 2012, 2, 12305–12314. DOI: 10.1039/C2RA21385K
- [36] Tischer, M.; Pradel, G.; Ohlsen, K.; Holzgrabe, U. Quaternary Ammonium Salts and Their Antimicrobial Potential: Targets or Nonspecific Interactions?. *ChemMedChem.* 2012, 7, 22–31. DOI: 10.1002/cmdc.201100404
- [37] Tetko, I. V.; Tanchuk, V. Y. Application of Associative Neural Networks for Prediction of Lipophilicity in ALOGPS 2.1 Program. *J. Chem. Inf. Comput. Sci.* 2002, 42, 1136–1145. DOI: 10.1021/ci025515j
- [38] Peter, A.; Lio, M. D.; Elaine, T.; Kaye, M. D. Topical Antibacterial Agents. *Med. Clin. N. Am.* 2011, 95, 703–721. DOI: 10.1016/j.mcna.2011.03.008
- [39] Vasil'eva, T. V.; Raskidaïlo, A. S.; Arutcheva, A. A.; Okropiridze, G. G.; Petrakov, A. A.; Urazgil'deev, Z. I.; Kovalenko, T. M. Antibacterial Activity and Clinical Effectiveness of the New Antiseptic Miramistin. *Antibiot. Khimioter.* 1993, 38, 61–63

- [40] Pham, V.; Zhang, W.; Chen, V.; Whitney, T.; Yao, J.; Froese, D.; Friesen, A. D.; Diakur, J. M.; Haque, W. Design and Synthesis of Novel Pyridoxine 5'-Phosphonates as Potential Antiischemic Agents. *J. Med. Chem.* 2003, 46, 3680-3687. DOI: 10.1021/jm0300678