

Study of ceramics color development on the basis of Nizhneuvelsky kaolin clay

Ariskina K., Mukhametzyanov R., Salakhov A., Vagizov F., Nikolaev A.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2018 BRNSS Publication Hub. All rights reserved. Aim: They analyzed the influence of iron-containing phases on the ceramics color development made of Kaolin clay of Nizhneuvelsky deposit. Materials and Methods: The result of the complex application of modern study methods - thermal, electron microscopic, radiographic, Mossbauer, optical - it was established that the change of kaolin clay calcination temperature from 1000°C to 1200°C leads to the increase of L* luminance from 75 to 79 NBS units (National Bureau of Standards, USA), which correlates with the analysis of Mössbauer spectra, reflecting the decrease of the strongly staining phase of hematite. The crystallization of the mullite mineral is the consequence of ceramics clarification process based on Kaolin clay with the calcination temperature increase from 1000°C to 1200°C. Results: It was found that the absorption bands in the calcined clay of the Nizhneuvelsk deposit with the wavelengths of 432 and 480 nm, baked at 1000°C, are associated with spin-forbidden transitions $6A_1(6S) \rightarrow 4A_1(4G)$ in Fe^{3+} ions that have an octahedral environment. Conclusion: It was found that Fe^{3+} ions could produce the absorption lines at the wavelengths of 432 and 480 nm, only being in the structure of mullite. At 1200°C, the partial amorphization of the mineral composition of clay takes place, which leads to the averaging and broadening of the absorption band in the area of 400-550 nm.

Keywords

Ceramics color, Hematite, Kaolin clay, Kaolinite, Mossbauer spectrum, Mullite, Optical spectrum

References

- [1] Gorbachev BF, Krasnikova EV. State and possible ways of raw material base development for kaolins and refractory clays in Russian Federation. *Buil Mater* 2015;4:6-17.
- [2] Petelin AD, Saprykin VI, Klevakin VA, Klevakina EV. The features of clay application from Nizhneuvelsky deposit during the production of ceramic bricks. *Constr Mater* 2015;4:28-30.
- [3] Wilczek F. *The Beauty of Physics: Comprehending Nature*. Translation from English. Moscow: Alpina Nonfiction; 2016. p. 604.
- [4] Zubehin AP, Yatsenko ND, Golovanova SP. Theoretical bases of whitening and the staining of ceramics and Portland cement. Moscow: OOO RIF "Stroymaterialy"; 2014. p. 152.
- [5] Maslennikova GN, Pisch IV. *Ceramic Pigments*. Moscow: OOO RIF "Stroymaterialy"; 2009. p. 224.
- [6] Sidelnikova MB, Pogrebenkov VB. *Ceramic Pigments Based on Natural and Technogenic Mineral Raw Materials*. Tomsk: Publishing house of Tomsk Polytechnic University; 2014. p. 262.
- [7] Hess J, Perlman I. Mossbauer spectra of iron in ceramics and their relation to pottery colors. *Archaeometry* 1974;16:137-52.

- [8] Nodari L, Marcuz E, Maritan L, Mazzoli C, Russo U. Hematite nucleation and growth in the firing of carbonate-rich clay for pottery production. *J Eur Ceramic Soc* 2007;27:4665-73.
- [9] Valanciene V, Siauciunas R, Baltusnikaite J. The influence of mineralogical composition on the colour of clay body. *J Eur Ceramic Soc* 2010;30:1609-17.
- [10] Bulatov FM. Methodical methods of Mossbauer spectroscopy, which increase its crystallochemical informativity during the solution of applied mineralogy issues of nonmetallic minerals. *Georesources* 2012;6:31-4.
- [11] Bulatov FM. Typomorphism and crystal-chemical features of layered silicates according to Mössbauer spectroscopy. *Georesources* 2012;6:3-8.
- [12] Matsnev ME, Rusakov VS. Spectr relax – an application for Mossbauer spectra modeling and fitting. *AIP Conf Proc* 2012;1489:178-85.
- [13] Stevens JG, Khasanov AM., Miller JW, Pollak H, Li Z. Mössbauer Mineral Handbook. *Mössbauer Mineral Handbook*. Ashville, NC: Biltmore Press; 2005. p. 626.
- [14] Jefferson DA, Tricker MJ, Winterbottom AJ. Electron-microscopic Mossbauer spectroscopic studies of iron-stained kaolinite minerals. *Clays Minerals* 1975;23:355-60.
- [15] Timoshenko TI, Shamshurov VM, Timoshenko KV. The Study of the Phase Formation Process During Kaolinite Heat Treatment. *Scientific Researches, Nanosystems and Resource-saving Technologies in the Building Materials Industry*. Belgorod: Collection of Reports from International Scientific and Practical Conference; 2010. p. 5-8.
- [16] Soro N, Aldon L, Olivier-Fourcade J, Jumas JC, Laval JP, Blanchart P. Role of Iron in mullite formation from kaolins by mössbauer spectroscopy and rietveld Refinement. *J Am Ceramic Soc* 2003;86:129-34.
- [17] Djemai A, Calas G, Muller JP. Role of structural Fe (III) and iron oxide nanophases in mullite coloration. *J Am Ceramic Soc* 2001;84:1627-31.
- [18] Platonov AP. The Nature of Mineral Coloring. Kiev: Science Thought; 1976. p. 264.
- [19] Sviridov DT, Sviridova RK, Yu FS. Optical Spectra of Transition Metal Ions in Crystals. Moscow: The Publishing House “Science”; 1976. p. 266.
- [20] Rossman GR. The colors of sillimanite. *Am Mineral* 1982;67:749-61.