

Molecular Emission near Metal Interfaces: The Polaritonic Regime

Yuen-Zhou J., Saikin S., Menon V.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

Copyright © 2018 American Chemical Society. The strong coupling of a dense layer of molecular excitons with surface-plasmon modes in a metal gives rise to polaritons (hybrid light-matter states) called plexcitons. Surface plasmons cannot directly emit into (or be excited by) free-space photons due to the fact that energy and momentum conservation cannot be simultaneously satisfied in photoluminescence. Most plexcitons are also formally nonemissive, even though they can radiate via molecules upon localization due to disorder and decoherence. However, a fraction of them are bright even in the presence of such deleterious processes. In this Letter, we theoretically discuss the superradiant emission properties of these bright plexcitons, which belong to the upper energy branch and reveal huge photoluminescence enhancements compared to bare excitons, due to near-divergences in the density of photonic modes available to them. Our study generalizes the well-known problem of molecular emission next to a metal interface to the polaritonic regime.

<http://dx.doi.org/10.1021/acs.jpcllett.8b02980>

References

- [1] ACS Photonics 2018, 5 (1), 167-176
- [2] Drexhage, K. H.; Kuhn, H.; Schäfer, F. P. Variation of the fluorescence decay time of a molecule in front of a mirror. Ber. Bunsenges. Phys. Chem. 1968, 72, 329-329, 10.1002/bbpc.19680720261
- [3] Drexhage, K. H. Influence of a dielectric interface on fluorescence decay time. J. Lumin. 1970, 1-2, 693-701, 10.1016/0022-2313(70)90082-7
- [4] Chance, R. R.; Prock, A.; Silbey, R. Lifetime of an emitting molecule near a partially reflecting surface. J. Chem. Phys. 1974, 60, 2744-2748, 10.1063/1.1681437
- [5] Chance, R. R.; Prock, A.; Silbey, R. Molecular fluorescence and energy transfer near interfaces. Adv. Chem. Phys. 2007, 37, 1-65, 10.1002/9780470142561.ch1
- [6] Sommerfeld, A. Über die ausbreitung der wellen in der drahtlosen telegraphie. Ann. Phys. 1909, 333, 665-736, 10.1002/andp.19093330402
- [7] González-Tudela, A.; Huidobro, P. A.; Martín-Moreno, L.; Tejedor, C.; García-Vidal, F. J. Theory of strong coupling between quantum emitters and propagating surface plasmons. Phys. Rev. Lett. 2013, 110, 126801, 10.1103/PhysRevLett.110.126801
- [8] Törmä, P.; Barnes, W. Strong coupling between surface plasmon polaritons and emitters: a review. Rep. Prog. Phys. 2015, 78, 013901, 10.1088/0034-4885/78/1/013901
- [9] Bellessa, J.; Bonnand, C.; Plenat, J. C.; Mugnier, J. Strong coupling between surface plasmons and excitons in an organic semiconductor. Phys. Rev. Lett. 2004, 93, 036404, 10.1103/PhysRevLett.93.036404
- [10] Fofang, N. T.; Grady, N. K.; Fan, Z.; Govorov, A. O.; Halas, N. J. Plexciton dynamics: exciton-plasmon coupling in a J-Aggregate-Au nanoshell complex provides a mechanism for nonlinearity. Nano Lett. 2011, 11, 1556-1560, 10.1021/nl104352j

- [11] Ozel, T.; Hernandez-Martinez, P. L.; Mutlugun, E.; Akin, O.; Nizamoglu, S.; Ozel, I. O.; Zhang, Q.; Xiong, Q.; Demir, H. V. Observation of selective plasmon-exciton coupling in nonradiative energy transfer: donor-selective versus acceptor-selective plexcitons. *Nano Lett.* 2013, 13, 3065-3072, 10.1021/nl4009106
- [12] Kochuveedu, S. T.; Kim, D. H. Surface plasmon resonance mediated photoluminescence properties of nanostructured multicomponent fluorophore systems. *Nanoscale* 2014, 6, 4966-4984, 10.1039/C4NR00241E
- [13] Yuen-Zhou, J.; Saikin, S. S.; Zhu, T.; Onbasli, M. C.; Ross, C. A.; Bulovic, V.; Baldo, M. A. Plexciton Dirac points and topological modes. *Nat. Commun.* 2016, 7, 11783, 10.1038/ncomms11783
- [14] Bigeon, J.; Le Liepvre, S.; Vassant, S.; Belabas, N.; Bardou, N.; Minot, C.; Yacomotti, A.; Levenson, A.; Charra, F.; Barbay, S. Strong coupling between self-assembled molecules and surface plasmon polaritons. *J. Phys. Chem. Lett.* 2017, 8, 5626-5632, 10.1021/acs.jpcllett.7b02586
- [15] Balci, S.; Kucukoz, B.; Balci, O.; Karatay, A.; Kocabas, C.; Yaglioglu, G. Tunable plexcitonic nanoparticles: a model system for studying plasmon-exciton interaction from the weak to the ultrastrong coupling regime. *ACS Photonics* 2016, 3, 2010-2016, 10.1021/acsp Photonics.6b00498
- [16] Brumer, P. W.; Shapiro, M. *Principles of the Quantum Control of Molecular Processes*; Wiley-Interscience, 2003.
- [17] Galego, J.; Garcia-Vidal, F. J.; Feist, J. Cavity-induced modifications of molecular structure in the strong-coupling regime. *Phys. Rev. X* 2015, 5, 041022, 10.1103/PhysRevX.5.041022
- [18] Schmidt, M. K.; Esteban, R.; Gonzalez-Tudela, A.; Giedke, G.; Aizpurua, J. Quantum mechanical description of Raman scattering from molecules in plasmonic cavities. *ACS Nano* 2016, 10, 6291-6298, 10.1021/acsnano.6b02484
- [19] Chikkaraddy, R.; de Nijs, B.; Benz, F.; Barrow, S. J.; Scherman, O. A.; Rosta, E.; Demetriadou, A.; Fox, P.; Hess, O.; Baumberg, J. J. Single-molecule strong coupling at room temperature in plasmonic nanocavities. *Nature* 2016, 535, 127-130, 10.1038/nature17974
- [20] Kowalewski, M.; Bennett, K.; Mukamel, S. Cavity femtochemistry: manipulating nonadiabatic dynamics at avoided crossings. *J. Phys. Chem. Lett.* 2016, 7, 2050-2054, 10.1021/acs.jpcllett.6b00864
- [21] Flick, J.; Ruggenthaler, M.; Appel, H.; Rubio, A. Atoms and molecules in cavities, from weak to strong coupling in quantum-electrodynamics (QED) chemistry. *Proc. Natl. Acad. Sci. U. S. A.* 2017, 114, 3026-3034, 10.1073/pnas.1615509114
- [22] Szidarovszky, T.; Halasz, G. J.; Császár, A. G.; Cederbaum, L. S.; Vibók, á. Conical intersections induced by quantum light: field-dressed spectra from the weak to the ultrastrong coupling regimes. *J. Phys. Chem. Lett.* 2018, 9, 6215-6223, 10.1021/acs.jpcllett.8b02609
- [23] Ebbesen, T. W. Hybrid light-matter states in a molecular and material science perspective. *Acc. Chem. Res.* 2016, 49, 2403-2412, 10.1021/acs.accounts.6b00295
- [24] Herrera, F.; Spano, F. C. Cavity-controlled chemistry in molecular ensembles. *Phys. Rev. Lett.* 2016, 116, 238301, 10.1103/PhysRevLett.116.238301
- [25] Galego, J.; Garcia-Vidal, F. J.; Feist, J. Suppressing photochemical reactions with quantized light fields. *Nat. Commun.* 2016, 7, 13841, 10.1038/ncomms13841
- [26] Baranov, D. G.; Wersall, M.; Cuadra, J.; Antosiewicz, T. J.; Shegai, T. Novel nanostructures and materials for strong light-matter interactions. *ACS Photonics* 2018, 5, 24-42, 10.1021/acsp Photonics.7b00674
- [27] Sukharev, M.; Nitzan, A. Optics of exciton-plasmon nanomaterials. *J. Phys.: Condens. Matter* 2017, 29, 443003, 10.1088/1361-648X/aa85ef
- [28] Ribeiro, R. F.; Martínez-Martínez, L. A.; Du, M.; Campos-González-Angulo, J.; Yuen-Zhou, J. Polariton chemistry: controlling molecular dynamics with optical cavities. *Chem. Sci.* 2018, 9, 6325-6339, 10.1039/C8SC01043A
- [29] Flick, J.; Rivera, N.; Narang, P. Strong light-matter coupling in quantum chemistry and quantum photonics. *Nanophotonics* 2018, 7, 1479-1501, 10.1515/nanoph-2018-0067
- [30] Groenhof, G.; Toppari, J. J. Coherent light harvesting through strong coupling to confined light. *J. Phys. Chem. Lett.* 2018, 9, 4848-4851, 10.1021/acs.jpcllett.8b02032
- [31] Vergauwe, R. M. A.; George, J.; Chervy, T.; Hutchison, J. A.; Shalabney, A.; Torbeev, V. Y.; Ebbesen, T. W. Quantum strong coupling with protein vibrational modes. *J. Phys. Chem. Lett.* 2016, 7, 4159-4164, 10.1021/acs.jpcllett.6b01869
- [32] Kolaric, B.; Maes, B.; Clays, K.; Durt, T.; Caudano, Y. Strong light-matter coupling as a new tool for molecular and material engineering: quantum approach. *Adv. Quantum Technol.* 2018, 1, 1800001, 10.1002/qute.201800001
- [33] Zhong, X.; Chervy, T.; Zhang, L.; Thomas, A.; George, J.; Genet, C.; Hutchison, J. A.; Ebbesen, T. W. Energy transfer between spatially separated entangled molecules. *Angew. Chem., Int. Ed.* 2017, 56, 9034-9038, 10.1002/anie.201703539
- [34] Du, M.; Martínez-Martínez, L. A.; Ribeiro, R. F.; Hu, Z.; Menon, V.; Yuen-Zhou, J. Theory for polariton-assisted remote energy transfer. *Chem. Sci.* 2018, 9, 6659-6669, 10.1039/C8SC00171E

- [35] Sáez-Blázquez, R.; Feist, J.; Fernández-Domínguez, A. I.; García-Vidal, F. J. Organic polaritons enable local vibrations to drive long-range energy transfer. *Phys. Rev. B: Condens. Matter Mater. Phys.* 2018, 97, 241407, 10.1103/PhysRevB.97.241407
- [36] Gao, W.; Li, X.; Bamba, M.; Kono, J. Continuous transition between weak and ultrastrong coupling through exceptional points in carbon nanotube microcavity exciton-polaritons. *Nat. Photonics* 2018, 12, 362-367, 10.1038/s41566-018-0157-9
- [37] Bittner, E. R.; Silva, C. Estimating the conditions for polariton condensation in organic thin-film microcavities. *J. Chem. Phys.* 2012, 136, 034510, 10.1063/1.3678015
- [38] Ćwik, J.; Reja, S.; Littlewood, P.; Keeling, J. Polariton condensation with saturable molecules dressed by vibrational modes. *Europhys. Lett.* 2014, 105, 47009, 10.1209/0295-5075/105/47009
- [39] Daskalakis, K.; Maier, S.; Murray, R.; Kéna-Cohen, S. Nonlinear interactions in an organic polariton condensate. *Nat. Mater.* 2014, 13, 271-278, 10.1038/nmat3874
- [40] Zaster, S.; Bittner, E. R.; Piryatinski, A. Quantum symmetry breaking of exciton/polaritons in a metal-nanorod plasmonic array. *J. Phys. Chem. A* 2016, 120, 3109-3116, 10.1021/acs.jpca.5b10726
- [41] Dicke, R. H. Coherence in spontaneous radiation processes. *Phys. Rev.* 1954, 93, 99, 10.1103/PhysRev.93.99
- [42] Spano, F. C.; Mukamel, S. Superradiance in molecular aggregates. *J. Chem. Phys.* 1989, 91, 683-700, 10.1063/1.457174
- [43] Maier, S. A. *Plasmonics: Fundamentals and Applications*; Springer, 2007.
- [44] Novotny, L.; Hecht, B. *Principles of Nano-Optics*; Cambridge University Press, 2012.
- [45] Aravind, P. K.; Metiu, H. Use of a perfectly conducting sphere to excite the plasmon of a flat surface. 1. Calculation of the local field with applications to surface-enhanced spectroscopy. *J. Phys. Chem.* 1982, 86, 5076-5084, 10.1021/j100223a007
- [46] Schatz, G. C.; Ratner, M. A. *Quantum Mechanics in Chemistry*; Dover, 2002.
- [47] Scully, M. O.; Zubairy, M. S. *Quantum Optics*; Cambridge University Press, 1997.
- [48] Arnoldus, H. F.; George, T. F. Spontaneous decay and atomic fluorescence near a metal surface or an absorbing dielectric. *Phys. Rev. A: At., Mol., Opt. Phys.* 1988, 37, 761, 10.1103/PhysRevA.37.761
- [49] Ford, G. W.; Weber, W. H. Electromagnetic interactions of molecules with metal surfaces. *Phys. Rep.* 1984, 113, 195-287, 10.1016/0370-1573(84)90098-X
- [50] Barnes, W. Fluorescence near interfaces: the role of photonic mode density. *J. Mod. Opt.* 1998, 45, 661-699, 10.1080/09500349808230614
- [51] Kong, J. A. *Theory of electromagnetic waves*; Wiley-Interscience, 1975.
- [52] Tai, C.-T. *Dyadic Green Functions in Electromagnetic Theory*; Institute of Electrical & Electronics Engineers (IEEE), 1994.
- [53] Dung, H. T.; Knöll, L.; Welsch, D.-G. Spontaneous decay in the presence of dispersing and absorbing bodies: general theory and application to a spherical cavity. *Phys. Rev. A: At., Mol., Opt. Phys.* 2000, 62, 053804, 10.1103/PhysRevA.62.053804
- [54] Vogel, W.; Welsch, D.-G. *Quantum Optics*; John Wiley & Sons, 2006.
- [55] Scheel, S.; Buhmann, S. Macroscopic quantum electrodynamics-concepts and applications. *Acta Phys. Slovaca* 2008, 58, 675-809, 10.2478/v10155-010-0092-x
- [56] Van Hove, L. The occurrence of singularities in the elastic frequency distribution of a crystal. *Phys. Rev.* 1953, 89, 1189, 10.1103/PhysRev.89.1189
- [57] Andreani, L. C.; Tassone, F.; Bassani, F. Radiative lifetime of free excitons in quantum wells. *Solid State Commun.* 1991, 77, 641-645, 10.1016/0038-1098(91)90761-j
- [58] Cortes, C. L.; Jacob, Z. Photonic analog of a van Hove singularity in metamaterials. *Phys. Rev. B: Condens. Matter Mater. Phys.* 2013, 88, 045407, 10.1103/PhysRevB.88.045407
- [59] Remeika, M.; Leonard, J. R.; Dorow, C. J.; Fogler, M. M.; Butov, L. V.; Hanson, M.; Gossard, A. C. Measurement of exciton correlations using electrostatic lattices. *Phys. Rev. B: Condens. Matter Mater. Phys.* 2015, 92, 115311, 10.1103/PhysRevB.92.115311
- [60] García de Abajo, F. J. Colloquium: Light scattering by particle and hole arrays. *Rev. Mod. Phys.* 2007, 79, 1267, 10.1103/RevModPhys.79.1267
- [61] Zou, S.; Janel, N.; Schatz, G. C. Silver nanoparticle array structures that produce remarkably narrow plasmon lineshapes. *J. Chem. Phys.* 2004, 120, 10871-10875, 10.1063/1.1760740
- [62] Wood, R. W. Anomalous diffraction gratings. *Phys. Rev.* 1935, 48, 928, 10.1103/PhysRev.48.928
- [63] Fano, U. The theory of anomalous diffraction gratings and of quasi-stationary waves on metallic surfaces. *J. Opt. Soc. Am.* 1941, 31, 213-222, 10.1364/JOSA.31.000213
- [64] Viasnoff-Schwoob, E.; Weisbuch, C.; Benisty, H.; Olivier, S.; Varoutsis, S.; Robert-Philip, I.; Houdré, R.; Smith, C. J. M. Spontaneous emission enhancement of quantum dots in a photonic crystal wire. *Phys. Rev. Lett.* 2005, 95, 183901, 10.1103/PhysRevLett.95.183901

- [65] Jang, S.; Dempster, S. E.; Silbey, R. J. Characterization of the static disorder in the B850 band of LH2. *J. Phys. Chem. B* 2001, 105, 6655-6665, 10.1021/jp010169e
- [66] Agranovich, V. M.; Litinskaia, M.; Lidzey, D. G. Cavity polaritons in microcavities containing disordered organic semiconductors. *Phys. Rev. B: Condens. Matter Mater. Phys.* 2003, 67, 085311, 10.1103/PhysRevB.67.085311
- [67] Lidzey, D. G.; Bradley, D. D. C.; Virgili, T.; Armitage, A.; Skolnick, M. S.; Walker, S. Room temperature polariton emission from strongly coupled organic semiconductor microcavities. *Phys. Rev. Lett.* 1999, 82, 3316-3319, 10.1103/PhysRevLett.82.3316
- [68] Hutchison, J. A.; Schwartz, T.; Genet, C.; Devaux, E.; Ebbesen, T. W. Modifying chemical landscapes by coupling to vacuum fields. *Angew. Chem., Int. Ed.* 2012, 51, 1592-1596, 10.1002/anie.201107033
- [69] Thomas, A.; George, J.; Shalabney, A.; Dryzhakov, M.; Varma, S. J.; Moran, J.; Chervy, T.; Zhong, X.; Devaux, E.; Genet, C. et al. Ground-state chemical reactivity under vibrational coupling to the vacuum electromagnetic field. *Angew. Chem.* 2016, 128, 11634-11638, 10.1002/ange.201605504
- [70] Pachón, L. A.; Botero, J. D.; Brumer, P. Open system perspective on incoherent excitation of light-harvesting systems. *J. Phys. B: At., Mol. Opt. Phys.* 2017, 50, 184003, 10.1088/1361-6455/aa8696
- [71] Tscherbul, T. V.; Brumer, P. Long-lived quasistationary coherences in a v-type system driven by incoherent light. *Phys. Rev. Lett.* 2014, 113, 113601, 10.1103/PhysRevLett.113.113601