H2020 McSAFE High Performance Monte Carlo for Safety

NUGENIA NUclear GENeration II & III Association

www.nugenia.org

McSAFE – High Performance Monte Carlo Methods for SAFEty Demonstration

NUGENIA Forum 2019
March, 2018 (Paris, France)

V. Sánchez (KIT), L. Mercatali (KIT), Dufek (KTH), J. Leppanen (VTT), E. Hoogenboom (DNC), R. Vocka (NRI)

Presented by Dr. F. Gabrielli on behalf of McSAFE Consortium

Contact the coordinator: Victor.sanchez@kit.edu

www.mcsafe-h2020.eu

NUGENIA is mandated by SNETP to coordinate nuclear Generation II & III R&D

SNETP Sustainable Nuclear Energy Technology Platform

www.snetp.eu

Content

- Project goals
- Structure and partners
- Status of mulit-physic tools
- Status of dynamic MC-codes
- HPC Requirements for high-fidelity simulations
- Validation approach
- Outlook
- Invitation to join the USER GROUP

Project Goals

- **McSAFE is based on innovative ideas developed within the EU 7. FP HPMC Project (2011-2014)**
  - Optimal MC/TH coupling, stable MC-based depletion, **dynamic MC**
  - Many more ideas to simulate whole cores using HPC: further optimisation, use of Stochastic implicit Euler, …

  (Proof of concept)

- **Goal: Move MC methods towards industrial applications**
  - **Generalize and optimized N/TH/TM coupling**
  - Optimize depletion simulations (stability, CPU, memory requirements)
  - **Extension of MC-codes for transient analysis e.g. RIA (Safety)**
  - **Validate MC tools using experimental data**
  - Full core simulations at pin-level using HPC
  - Provide reference solutions for low-order solvers

➔Industry-like applications

Project Structure &Partners

Key-partners:
Code developers, utilities, R&D, Universities…



Interconnected work packages

www.nugenia.org

Status of Multiphysics Tools

- **NURESIM Platform: Code coupling based on ICOCO**



- **Two coupling approaches:**
  - ICOCO-based approach
  - Internal coupling based on Multi-physics interface

MC-TH Coupling using ICOCO

- SERPENT/SUBCHANFLOW/TRANSURANUS Coupling



Coupling flowchart of Serpent, SCF and TU

- **Supervisor written in C++**
- **Class definition ICoCo API based on abstract base class**
- **Each code is linked as dynamic libraries**
- **MEDCoupling used for domain interpolation**
- **Supervision program controls the calculation and data flow**

Analysis with coupled MC/TH/TM

PWR FA: SERPENT/SCF/TU



HEX FA: SERPENT/SCF/TU



- **Difference: SERPENT/SCFTU-SERPENT/SCF:**





Dynamic Monte Carlo for transient analysis

- **Dynamic MC Codes under development**
  - dynSERPENT/SUBCHANFLOW
  - dynTRIPOLI/SUBCHANFLOW
  - dynMCNP6/SUBCHANFLOW

- **Problem:**
  - PWR 3x3 Minicore
  - Rod ejection (REA) problem



www.nugenia.org

dynSERPENT/SCF REA Analysis





X-Y power distribution at Time: 0.1 s

Power evolution after CR-ejection



X-Y power distribution at Time: 4.9 s



Fission power evolution and avg fuel temperature

www.nugenia.org

Requirements for HPC for High-Fidelity Simulations

- **Massive use of HPC required for**
  - MC-depletion with Thermla hydraulic feedback
  - pin/subchannel level MC/TH-simulations
- **Scalability of SERPENT/SCF (internal Coupling)**



- **Use of KIT infrastructure (HPC HLfor2) ~ 10 0000 processors**
- **PRACE-Application for European HPC under preparation**

Validation of Multiphysics Codes

- **Depletion problem in LWR-cores**
  - **Plant data of VVER-1000 and PWR Konvoi cores (startup cycle: criticality, rod worth, temperature feedback), Zero burnup on-power (power distribution, boron) and Fuel cycle burnup (power distribution, boron letdown)**

Plant Data	Static MC-TH Problem	Static MC-TH-TM Depletion Problem
VVER-1000	TRIPOLI SERPENT/SCF	SERPENT/SCF/TU
PWR Konvoi	TRIPOLI/SCF SERPENT/SCF MONK/SCF	SERPENT/SCF/TU

- **Dynamic capability of Monte Carlo codes coupled with TH-solvers: Experimental data of SPERT III-E REA Tests**

Codes	Organisation
DynTRIPOLI/SCF	CEA, KIT
DynMCNP/SCF	DNC, KIT
DynSERPENT/SCF	VTT, KIT

Outlook

- **Main methods and multi-physics codes development completed**

- **Next steps:**
  - Validation using plant data and tests
  - Optimization of codes/methods for HPC-simulations
  - Optimizations to reduce
    - *Problem size for full core depletion at pin-level*
    - *statistical uncertainties of MC-codes*
  - Applications to PWR, VVER and SMR

- **User Group will start the use of the codes**

McSAFE User Group

- **Any organisation is welcome to join the USER GROUP**
  - Test and apply developed codes
  - Perform code-to-code benchmarking
  - Provide feedbacks to the consortium
  - Depletion problem in LWR-cores

- **How to apply to become a UG member?**
  - Just contact the Coordinator:
    - victor.sanchez@kit.edu
  - Sign UG Agreement
  - Get access to the tools

NUGENIA
NUclear GENeration II & III Association

www.nugenia.org

Thank you for your attention!

For more information:
Victor.Sanchez@kit.edu
Mobile: +4915201547532
+4972160822283

NUGENIA is mandated by SNETP to coordinate nuclear Generation II & III R&D

SNETP
Sustainable Nuclear Energy Technology Platform

www.snetp.eu