



PUBLISHED FOR SISSA BY SPRINGER

RECEIVED: February 7, 2017

ACCEPTED: February 8, 2017

PUBLISHED: February 16, 2017

Erratum: Search for B decays to final states with the η_c meson



The BELLE collaboration

A. Vinokurova,^d A. Kuzmin,^d S. Eidelman,^d A. Abdesselam,^{bc} I. Adachi,^{n,j}
H. Aihara,^{bh} K. Arinstein,^d D.M. Asner,^{au} T. Aushev,^{ak,v} R. Ayad,^{bc} A.M. Bakich,^{bb}
V. Bansal,^{au} V. Bhardwaj,^{an} B. Bhuyan,^p A. Bobrov,^d A. Bondar,^d A. Bozek,^{aq}
M. Bračko,^{ag,w} T.E. Browder,^m V. Chekelian,^{ah} B.G. Cheon,^l K. Chilikin,^v
R. Chistov,^v K. Cho,^{aa} S.-K. Choi,^k Y. Choi,^{ba} D. Cinabro,^{bm} J. Dingfelder,^c
Z. Doležal,^e Z. Drásal,^e A. Drutskoy,^{v,aj} D. Dutta,^p D. Epifanov,^{bh} H. Farhat,^{bm}
J.E. Fast,^{au} T. Ferber,^g V. Gaur,^{bd} N. Gabyshev,^d A. Garmash,^d R. Gillard,^{bm}
Y.M. Goh,^l B. Golob,^{ae,w} J. Haba,^{n,j} K. Hayasaka,^{am} H. Hayashii,^{an} X.H. He,^{av}
W.-S. Hou,^{ap} K. Inami,^{al} A. Ishikawa,^{bg} R. Itoh,^{n,j} Y. Iwasaki,ⁿ D. Joffe,^z T. Julius,^{ai}
K.H. Kang,^{ac} E. Kato,^{bg} C. Kiesling,^{ah} D.Y. Kim,^{az} H.J. Kim,^{ac} J.H. Kim,^{aa}
K.T. Kim,^{ab} M.J. Kim,^{ac} S.H. Kim,^l Y.J. Kim,^{aa} K. Kinoshita,^f B.R. Ko,^{ab} P. Kodyš,^e
S. Korpar,^{ag,w} P. Križan,^{ae,w} P. Krokovny,^d T. Kuhr,^y T. Kumita,^{bj} Y.-J. Kwon,^{bo}
J.S. Lange,^h L. Li Gioi,^{ah} J. Libby,^q D. Liventsev,ⁿ P. Lukin,^d D. Matvienko,^d
K. Miyabayashi,^{an} H. Miyake,^{n,j} H. Miyata,^{ar} G.B. Mohanty,^{bd} A. Moll,^{ah,be} T. Mori,^{al}
R. Mussa,^u E. Nakano,^{at} M. Nakao,^{n,j} Z. Natkaniec,^{aq} C. Ng,^{bh} N.K. Nisar,^{bd}
S. Nishida,^{n,j} S. Ogawa,^{bf} S. Okuno,^x S.L. Olsen,^{ay} P. Pakhlov,^{v,aj} G. Pakhlova,^v
C.W. Park,^{ba} H. Park,^{ac} T.K. Pedlar,^{af} R. Pestotnik,^w M. Petrič,^w L.E. Piilonen,^{bl}
E. Ribežl,^w M. Ritter,^{ah} A. Rostomyan,^g Y. Sakai,^{n,j} S. Sandilya,^{bd} D. Santel,^f
L. Santelj,ⁿ T. Sanuki,^{bg} Y. Sato,^{al} V. Savinov,^{aw} O. Schneider,^{ad} G. Schnell,^{a,o}
C. Schwanda,^t D. Semmler,^h K. Senyo,^{bn} O. Seon,^{al} M.E. Sevier,^{ai} V. Shebalin,^d
C.P. Shen,^b T.-A. Shibata,^{bi} J.-G. Shiu,^{ap} B. Shwartz,^d A. Sibidanov,^{bb} F. Simon,^{ah,be}
Y.-S. Sohn,^{bo} A. Sokolov,^s E. Solovieva,^v S. Stanič,^{as} M. Starič,^w M. Steder,^g
M. Sumihama,ⁱ T. Sumiyoshi,^{bj} U. Tamponi,^{u,bk} G. Tatishvili,^{au} Y. Teramoto,^{at}
M. Uchida,^{bi} T. Uglov,^{v,ak} Y. Unno,^l S. Uno,^{n,j} C. Van Hulse,^a P. Vanhoefer,^{ah}
G. Varner,^m V. Vorobyev,^d M.N. Wagner,^h C.H. Wang,^{ao} M.-Z. Wang,^{ap} P. Wang,^r
Y. Watanabe,^x K.M. Williams,^{bl} E. Won,^{ab} J. Yamaoka,^{au} S. Yashchenko,^g Y. Yook,^{bo}
Z.P. Zhang,^{ax} V. Zhulanov,^d and A. Zupanc^w

- ^a *University of the Basque Country UPV/EHU, 48080 Bilbao, Spain*
- ^b *Beihang University, Beijing 100191, P.R. China*
- ^c *University of Bonn, 53115 Bonn, Germany*
- ^d *Budker Institute of Nuclear Physics SB RAS and Novosibirsk State University, Novosibirsk 630090, Russian Federation*
- ^e *Faculty of Mathematics and Physics, Charles University, 121 16 Prague, The Czech Republic*
- ^f *University of Cincinnati, Cincinnati, OH 45221, U.S.A.*
- ^g *Deutsches Elektronen-Synchrotron, 22607 Hamburg, Germany*
- ^h *Justus-Liebig-Universität Gießen, 35392 Gießen, Germany*
- ⁱ *Gifu University, Gifu 501-1193, Japan*
- ^j *The Graduate University for Advanced Studies, Hayama 240-0193, Japan*
- ^k *Gyeongsang National University, Chinju 660-701, South Korea*
- ^l *Hanyang University, Seoul 133-791, South Korea*
- ^m *University of Hawaii, Honolulu, HI 96822, U.S.A.*
- ⁿ *High Energy Accelerator Research Organization (KEK), Tsukuba 305-0801, Japan*
- ^o *IKERBASQUE, Basque Foundation for Science, 48013 Bilbao, Spain*
- ^p *Indian Institute of Technology Guwahati, Assam 781039, India*
- ^q *Indian Institute of Technology Madras, Chennai 600036, India*
- ^r *Institute of High Energy Physics, Chinese Academy of Sciences, Beijing 100049, P.R. China*
- ^s *Institute for High Energy Physics, Protvino 142281, Russian Federation*
- ^t *Institute of High Energy Physics, Vienna 1050, Austria*
- ^u *INFN - Sezione di Torino, 10125 Torino, Italy*
- ^v *Institute for Theoretical and Experimental Physics, Moscow 117218, Russian Federation*
- ^w *J. Stefan Institute, 1000 Ljubljana, Slovenia*
- ^x *Kanagawa University, Yokohama 221-8686, Japan*
- ^y *Institut für Experimentelle Kernphysik, Karlsruher Institut für Technologie, 76131 Karlsruhe, Germany*
- ^z *Kennesaw State University, Kennesaw GA 30144, U.S.A.*
- ^{aa} *Korea Institute of Science and Technology Information, Daejeon 305-806, South Korea*
- ^{ab} *Korea University, Seoul 136-713, South Korea*
- ^{ac} *Kyungpook National University, Daegu 702-701, South Korea*
- ^{ad} *École Polytechnique Fédérale de Lausanne (EPFL), Lausanne 1015, Switzerland*
- ^{ae} *Faculty of Mathematics and Physics, University of Ljubljana, 1000 Ljubljana, Slovenia*
- ^{af} *Luther College, Decorah, IA 52101, U.S.A.*
- ^{ag} *University of Maribor, 2000 Maribor, Slovenia*
- ^{ah} *Max-Planck-Institut für Physik, 80805 München, Germany*
- ^{ai} *School of Physics, University of Melbourne, Victoria 3010, Australia*
- ^{aj} *Moscow Physical Engineering Institute, Moscow 115409, Russian Federation*
- ^{ak} *Moscow Institute of Physics and Technology, Moscow Region 141700, Russian Federation*
- ^{al} *Graduate School of Science, Nagoya University, Nagoya 464-8602, Japan*
- ^{am} *Kobayashi-Maskawa Institute, Nagoya University, Nagoya 464-8602, Japan*
- ^{an} *Nara Women's University, Nara 630-8506, Japan*
- ^{ao} *National United University, Miao Li 36003, Taiwan*
- ^{ap} *Department of Physics, National Taiwan University, Taipei 10617, Taiwan*

- ^{aa} *H. Niewodniczanski Institute of Nuclear Physics, Krakow 31-342, Poland*
^{ar} *Niigata University, Niigata 950-2181, Japan*
^{as} *University of Nova Gorica, 5000 Nova Gorica, Slovenia*
^{at} *Osaka City University, Osaka 558-8585, Japan*
^{au} *Pacific Northwest National Laboratory, Richland, WA 99352, U.S.A.*
^{av} *Peking University, Beijing 100871, P.R. China*
^{aw} *University of Pittsburgh, Pittsburgh, PA 15260, U.S.A.*
^{ax} *University of Science and Technology of China, Hefei 230026, P.R. China*
^{ay} *Seoul National University, Seoul 151-742, South Korea*
^{az} *Soongsil University, Seoul 156-743, South Korea*
^{ba} *Sungkyunkwan University, Suwon 440-746, South Korea*
^{bb} *School of Physics, University of Sydney, NSW 2006, Australia*
^{bc} *Department of Physics, Faculty of Science, University of Tabuk, Tabuk 71451, Saudi Arabia*
^{bd} *Tata Institute of Fundamental Research, Mumbai 400005, India*
^{be} *Excellence Cluster Universe, Technische Universität München, 85748 Garching, Germany*
^{bf} *Toho University, Funabashi 274-8510, Japan*
^{bg} *Tohoku University, Sendai 980-8578, Japan*
^{bh} *Department of Physics, University of Tokyo, Tokyo 113-0033, Japan*
^{bi} *Tokyo Institute of Technology, Tokyo 152-8550, Japan*
^{bj} *Tokyo Metropolitan University, Tokyo 192-0397, Japan*
^{bk} *University of Torino, 10124 Torino, Italy*
^{bl} *CNP, Virginia Polytechnic Institute and State University, Blacksburg, VA 24061, U.S.A.*
^{bm} *Wayne State University, Detroit, MI 48202, U.S.A.*
^{bn} *Yamagata University, Yamagata 990-8560, Japan*
^{bo} *Yonsei University, Seoul 120-749, South Korea*

E-mail: vinokurovanna@gmail.com

ERRATUM TO: [JHEP06\(2015\)132](#)

ARXIV EPRINT: [1501.06351](#)




Figure 1. Corrected figure 10. The combined fit projections of the $\eta_c\eta$ invariant mass distributions in case of the $\eta \rightarrow \gamma\gamma$ (left) and $\eta \rightarrow \pi^+\pi^-\pi^0$ (right) modes corresponding to the search for the $X(3915)$ resonance.




Figure 2. Corrected figure 11. The $\eta_c\pi^0$ invariant mass distribution corresponding to the search for the $X(3915)$ resonance.

We have found an error in the fit of the $\eta_c\eta$ and $\eta_c\pi^0$ invariant masses that is used to search for the $X(3915)$ state. The corrected fits are shown in figures 1 and 2. The resonance parameters are fixed to the world average values (3918 MeV/ c^2 and 20 MeV/ c^2 for mass and width correspondingly).

The fit results are summarized in table 1.

Changes in the fits of the $X(3915)$ resonance lead to changes of the corresponding upper limits. The corrected upper limits on the $X(3915)$ production and decay branching fraction products are summarized in table 2. All other results of the paper are correct.

Decay mode	Fitting function	Efficiency, %	Yield
$X(3915) \rightarrow \eta_c \eta,$	(3.12)		
$\eta \rightarrow \gamma \gamma$		6.60 ± 0.02	7.1 ± 14.5
$\eta \rightarrow \pi^+ \pi^- \pi^0$		1.64 ± 0.01	1.0 ± 2.1
$X(3915) \rightarrow \eta_c \pi^0$	(3.11)	6.88 ± 0.02	-6.9 ± 17.3

Table 1. Corrected table 3. Fit results for the $X(3915)$ resonance.

Resonance	Decay mode	Upper limit (90% C.L.)
$X(3915)$	$\eta_c \eta$	4.7×10^{-5}
	$\eta_c \pi^0$	1.7×10^{-5}

Table 2. Corrected entry of table 8. Results of branching fraction measurements for the B decays containing intermediate $X(3915)$.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.