

RESEARCH OUTPUTS / RÉSULTATS DE RECHERCHE

An Awesome Hypothesis for Dark Energy

Fuzfa, A.; Alimi, J.-M.

Published in:

Proceedings of the Marcel Grossman International Conference

Publication date:

2007

[Link to publication](#)

Citation for pulished version (HARVARD):

Fuzfa, A & Alimi, J-M 2007, 'An Awesome Hypothesis for Dark Energy: The Abnormally Weighting Energy' Proceedings of the Marcel Grossman International Conference.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

AN AWESOME HYPOTHESIS FOR DARK ENERGY : THE ABNORMALLY WEIGHTING ENERGY

ANDRÉ FÜZFA^{1,2*}

JEAN-MICHEL ALIMI²

¹*GAMASCO, Facultés Universitaires Notre-Dame de la Paix, Namur, Belgium*

²*Laboratory Universe and Theories, CNRS UMR 8102,
Observatoire de Paris-Meudon and Université Paris VII, France*

We introduce the Abnormally Weighting Energy (AWE) hypothesis in which dark energy (DE) is presented as a consequence of the violation of the weak equivalence principle (WEP) at cosmological scales by some dark sector. Indeed, this implies a violation of the strong equivalence principle (SEP) for ordinary matter and consequent cosmic acceleration in the observable frame as well as variation of the gravitational constant. The consequent DE mechanism build upon the AWE hypothesis (i) does not require a violation of the strong energy condition $p < -\rho c^2/3$, (ii) assumes rather non-negligible direct couplings to the gravitational scalar field (iii) offers a natural convergence mechanism toward general relativity (iv) accounts fairly for supernovae data from various couplings and equations of state of the dark sector as well as density parameters very close to the ones of the concordance model Λ CDM. Finally (v), this AWE mechanism typically ends up with an Einstein-de Sitter expansion regime once the attractor is reached.

The AWE hypothesis can be seen as a generalization of many models aimed to address the DE problem. Let us begin by the heart of the concordance model: the controversial cosmological constant. The theory of gravitation behind the concordance model is the usual Einstein-Hilbert action of general relativity (GR):

$$S_{EH} = \frac{1}{2\kappa_*} \int \sqrt{-g_*} d^4x \{R^* + 2\Lambda\} + S_m[\psi_m, g_{\mu\nu}^*], \quad (1)$$

where $g_{\mu\nu}^*$ is the Einstein metric, Λ the cosmological constant, $\kappa_* = 8\pi G_*$ is the gravitational coupling constant, R^* is the curvature scalar and ψ_m are the matter fields. The cosmological constant is well-known to lead to intricate fine-tuning and coincidence problems whose possible way-out is to assume a cosmological mechanism for DE which would rule the non-trivial gravitational vacuum. Quintessence is probably the most popular of these mechanisms, and is based on a real massive scalar field rolling down some self-interaction potential. During a slow-roll phase of this massive scalar field (when its kinetic energy is much less than its self-interacting one), negative pressures are achieved, producing the desired cosmic acceleration if they violate the strong energy condition (SEC): $p < -\rho/3$. More precisely, the quintessence mechanism is implemented by the following theory:

$$S_{Quint} = \frac{1}{2\kappa_*} \int \sqrt{-g_*} d^4x \{R^* - 2g_*^{\mu\nu} \partial_\mu \varphi \partial_\nu \varphi + V(\varphi)\} + S_m[\psi_m, g_{\mu\nu}^*], \quad (2)$$

with φ the quintessence scalar field and $V(\varphi)$ its self-interaction potential. The quintessence mechanism relies strongly on an appropriate choice of this potential

*F.N.R.S. Postdoctoral Researcher

whose shapes can be quite sophisticated in order to reproduce Hubble diagram data. The cosmological constant Λ in (1) corresponds in (2) to a quintessence scalar field frozen ($\partial_\mu\varphi\partial^\mu\varphi \approx 0$) in a non-vanishing energy state $V(\varphi) > 0$. However, quintessence is a very discrete form of DE whose interactions with matter are purely gravitational. This can be extended to non-minimal couplings in order to make this field running physical constants and account for a violation of the equivalence principle (EP). This constitutes the famous tensor-scalar theories of gravitation

$$S_{TS} = \frac{1}{2\kappa_*} \int \sqrt{-g_*} d^4x \{R^* - 2g_*^{\mu\nu} \partial_\mu\varphi\partial_\nu\varphi + V(\varphi)\} + S_m [\psi_m, A_m^2(\varphi)g_{\mu\nu}^*], \quad (3)$$

where $A_m(\varphi)$ denotes the coupling function to the Einstein metric (quintessence corresponds to $A_m(\varphi) = 1$). However, if we consider that the 70% of missing energy is the whole contribution of such a non-minimally coupled scalar field, then it might be difficult to match the present tests of GR without assuming the non-minimal couplings to be *extremely* weak. Even worst, as soon as these couplings are non-vanishing, the likely endless domination of a non-minimally coupled scalar field with quintessence potential might also inescapably lead to a disastrous violation of the EP in the future.

The AWE Hypothesis¹ consists of assuming that DE does not couple to gravitation in the same way as usual matter (baryons, photons, ...). This implies a violation of the weak equivalence principle (WEP), mostly on cosmological scales, where DE dominates the energy content of the Universe. This anomalous weight also implies that the related gravitational binding energy of DE does not generate the same amount of gravity than the one of usual matter, yielding a violation of the strong equivalence principle (SEP). This results in a running gravitational coupling constant on cosmological scales whose dynamics will produce cosmic acceleration. The corresponding action can be written down :

$$S = \frac{1}{2\kappa_*} \int \sqrt{-g_*} d^4x \{R^* - 2g_*^{\mu\nu} \partial_\mu\varphi\partial_\nu\varphi\} + S_m [\psi_m, A_m^2(\varphi)g_{\mu\nu}^*] + S_{awe} [\psi_{awe}, A_{awe}^2(\varphi)g_{\mu\nu}^*], \quad (4)$$

with S_{awe} is the action for the AWE sector with fields ψ_{awe} and S_m is the usual matter sector with matter fields ψ_m ; $A_{awe}(\varphi)$ and $A_m(\varphi)$ being the coupling functions to the metric $g_{\mu\nu}^*$ for the AWE and matter sectors respectively. Usual tensor-scalar theories (3) correspond to a universal coupling $A_{awe}(\varphi) = A_m(\varphi)$. However, the action (4) is written in the so-called "Einstein frame" of the physical degrees of freedom while cosmology is expressed in the observable frame $\tilde{g}_{\mu\nu} = A_m^2(\varphi)g_{\mu\nu}^*$. This subtlety will allow to produce cosmic acceleration without violation of SEC through the acceleration of φ in $\tilde{a} = A_m(\varphi)a_*$. The AWE mechanism is based on a competition between the non-minimal couplings of the two material sectors to rule the EP. This competition is similar to the dynamics of the so-called chameleon fields³ between the self-interaction term and the non-minimal coupling. The competition ends up with the stabilization of φ on a attractor, leaving the corresponding

gravitational theory asymptotically similar to GR. During some time before the stabilization, both transient cosmic acceleration and variation of G appear allowing to explain Hubble diagram of type Ia supernovae. This mechanism has been implemented in the case of an AWE Born-Infeld gauge interaction¹ but also works with a pressureless fluid.² Figure 1 illustrates the behavior of the scale factor in different AWE cosmologies fitting the Hubble diagram of type Ia supernovae. The AWE hypothesis exhibits key features for DE (see the abstract) and we are confident that it will surely constitute a seducing alternative to the cosmological constant.




Fig. 1. Evolutions of the scale factor in some AWE models and comparison with the concordance model Λ CDM (straight line is the AWE Born-Infeld (BI) gauge interaction¹ without a variation of G ; the dashed one is the same model accounting for this variation ($(\tilde{\Omega}_{m,0}, \tilde{\Omega}_{BI,0}) \approx (0.3, 0.7)$); the bold dotted line is an AWE Dark Matter (DM) model² for which $(\tilde{\Omega}_{m,0}, \tilde{\Omega}_{DM,0}) \approx (0.04, 0.26)$ and dotted line is a $(\tilde{\Omega}_{m,0}, \tilde{\Omega}_{\Lambda,0}) \approx (0.3, 0.7)$ Λ CDM model)

References

1. A. Füzfa, J.-M. Alimi, Phys. Rev. Lett. 97, 061301 (2006);
A. Füzfa, J.-M. Alimi, Phys.Rev. D73 (2006) 023520 A. Füzfa, J.-M. Alimi, Proceedings SF2A 2006, astro-ph/0609099
2. A. Füzfa, J.-M. Alimi, "Toward a Unified Description of Dark Energy and Dark Matter from the AWE Hypothesis", in preparation.
3. J. Khoury, A. Weltman, Phys. Rev. Lett. 93, 172204 (2004);
J. Khoury, A. Weltman, Phys. Rev. D69, 044026 (2004);
P. Brax, C. van de Bruck, A.C. Davis, J. Khoury, A. Weltman, Phys. Rev. D 70, 123518 (2004)