Ministry of Agriculture and Land Reclamation Agriculture Research Center Central Lab for Agricultural Expert Systems

Verification of Mango Expert System

TR/CLAES/280/2004.4

By

Dr. Khaled Shaalan Osama Ismail

April 2004

Verification of Mango Expert System

Table of Content

1	Seminar's Notes	3
2	Data Base and Interface	6
3	Plant Care Subsystem	15
3	Diagnosis Subsystem	17
4	Treatment Subsystem	19
5	Test Cases	23
6	Final Concluding remarks	40

1- Seminar's Notes

1.1 Data Base

1- System does not include in its database the historical environmental data of Egyptian governorates. Furthermore, if we try to insert any values in the table's fields, the expert system (ES) reports the following error message, and then it crashes:





2- the same note is valid also, for both "بيانات الاستهلاك المائي" and "بيانات جهاز البخر" and "بيانات الاستهلاك المائي"

1.2 Treatment Subsystem

- 1- There is no such disease that is called "تساقط الثمار"
- 2- We were not able to check the remaining seminar's notes.

1.3 Diagnosis Subsystem

No comments

1.4 Plant Care Subsystem

1- The layout and the text in the following screen "تفاصيل العملية" needs improvements to appear elegant.



2- Sometimes system does not show the values of quantity:



3- There is no dead line for operation execution.

1.5 Mango Information

- 1- All multimedia needs revision, for example in "معلومات عن المانجو", the "فجرى كلان" does not work as expected.
- 2- All photos need revision because some of them do not have the disease name.

1.6 General suggestions


- 1- There is a need to add functionalities that calculate different operation costs.
- 2- There is a need to a have some links for gathering mango producers, consultants and exporters in Egypt.

2- Data Base and Interface:

1- The system gives three warning messages after either save or update "بيانات التربة والمياة". It must respond with only one message.



2- Despite of open the hyperlink, but there are some hyperlinks that do not change its color after navigation.



3- There is a mismatch between the bottom box "عمليات الرعاية" and its attached window called "عمليات العناية"



4 – The system gives the following error message during the course of working in the database, and then it crashes.



5 – The system gives the following error message in response to exit.




6 - After we delete a record from the database, some fields remains:





Then, after we select the button "خروج", the system gives the following illogical sequence of messages:



And, if we select "yes":



And then, select "ok"



- 7 Sometimes the system called the backward bottom "عودة" and sometimes "عودة". There must be a standard sequence of operations so that it is easy for the user to follow.
- 8 The hyperlinks of all video links needs to be revised; they do not work properly.
- 9 if we try to select "عمليات العلاج" or "بيانات المناخ" or "عمليات الرعاية" or "عمليات الرعاية" or "الأصناف "الأصناف", before the selection of farm data, the system gives the following message:



But, if we try to select either of "بيانات الاستهلاك الماثي" or "بيانات جهاز البخر" without selecting the farm data, the system accepts without complaining with a warning messages.

10 – Consider the following sequence: select "عمليات العلاج" or "عمليات الرعاية", and insert all fields (except a field called "ملاحظات"), and then select the button "save", the system crashes and gives the following message:





11- The system does not determine the unit of the following fields "متوسط الاستهلاك المائي" and "متوسط جهاز البخر". Also, the screen design needs to be improved.






12- The system does not determine the unit of the following fields:





13- When we select "الأصناف", the system gives the following error message and then it crashes:





14- If we select "عودة", the system does not go to the last navigated page



15- If we select any subsystem, and then choose exit from that subsystem, the whole system hangs.

16- If we select "save" in "بيانات التربة والمياة, system gives the following error message.






3- Plant Care Subsystem

1- The system does not give any operation in the following case: Note: machine date = 30/3/2004





2- In some cases, the system gives the following screen but sometimes it does not.



- 3- The box "العمليات الملغية" is useless.
- 4- The button "المساعدة" is useless.

4- Diagnosis Subsystem


1- If we select a farm from the database with plant date is either July or August, and then select "العلاج", the system gives the following message and then it hangs.



2- If we select a farm from the database with plant date in March, and then select "التشخيص", the system gives the following screen:



And, when we select "تأكيد الامراض"; the system gives the following meaningless screen




- 3- The button "مساعدة 'is useless.
- 4- There is a contradiction between some properties such as "تشوهات \rightarrow حالة الأوراق therefore, it is recommended that when we select a property that contradicts with another one, the system must disable the selection of the contradicted ones.

5- Treatment Subsystem

1- Despite of unselecting any disease, the system gives the following advice screen:





2- The system is limited such that it cannot treat more than one disease in the same session.







3- If we begin with selecting the Treatment Subsystem without selecting a farm, the system gives the following meaningless message:



4- if we try to close this window by pressing the cross button:



the system gives the following sequence of windows:





5- If we select either of the following disease: "اللَّا اللَّهُ اللهُ اللهُ " or "اللَّهُ اللهُ الللهُ اللهُ اللهُ اللهُ اللللهُ اللهُ اللهُ اللهُ اللللهُ




And then press "موافق"; system gives the following screen:




Therefore, if there is no advice for a disease, it is better to not showing an empty window and instead showing a message box such as "لا توجد نصيحة لهذا المرض".

6- Test Cases

Case 1: system date 20 / 3/2002




And, then select "رياح شديدة"



"از اله الافرع المكسورة" And then select




"رجوع" Then select



Result: error

Case 2: system date 20 / 3/ 2002



And, then select "تفاصيل العملية"



"موافق" And then select




Result: error

Case 3: system date 11 / 11/2002

If we select the following farm




And then select plant care.



And, then select "اعادة تشغيل; system cannot reinitialize the operations.


Case 4: system date 11/11/203

If we select "حدوث امطار", we found that system do not remove it from "الظواهر المحتملة" (الظواهر المحتملة "الظواهر المحتملة").



Case 5: system date 11/4/2002

System cannot register more than one operation in the same date.



Case 6: system date 24/12/2002


If we select the following farm



And then select plant care subsystem




"ribination" (مقاومة التشققات "And then select" مقاومة التشققات "and then select"




Then the content of the box "possible events" will disappear.

Case 7: system date 24/12/2002


If we select the following farm



And then select plant care subsystem




And then select "الرش الوقائى باكس كلور النحاس; system gives the following error message and then hangs.




Case 8: system date 24/12/2002

If we select the following farm




And then select plant care subsystem



"العمليات المؤجلة" and "العمليات المقترحة" and "العمليات المقترحة"

Case 9: system date 24/12/2002


Select the following farm:



Then select "تشخیص" subsystem




"تأكيد الامراض" Then select



No action to be done as No disease confirmed

Case 10: system date 24/12/2002

Select the following farm:



Then select "تشخیص" subsystem



Then select "تأكيد الامراض"



Then select "ok"



Then select "ok"



No action to be done as No disease confirmed

Case 11: system date 25/12/2003

Select the following farm:




"التشخيص" Then select



Case 12: system date 25/12/2003

If we select the following farm




"التشخيص" Then select



"تأكيد الامراض" Then select




Then select "العلاج"



Case 13: system date 25/12/2003

If we select the following farm



"التشخيص" Then select



And then, select "تأكيد الامراض"



If we select "حالة الجذر" from "الخصائص" and select any or all elements of الظواهر" system could not give any disorders in the box "قائمة الافات المؤكدة"

Final Concluding Remarks

The previous test for Mango system was delivered to the development department in **December 2002**. We were expecting dramatical changes. However, when we are performing the second test of the current system that was submitted to TEUES department in **March 2004** after making the required updates that solve the problems of the previous report, we found that there are some problems from the previous test were ignored. We hope that there is more serious cooperation in order to save time and efforts.