

University of Nebraska - Lincoln
DigitalCommons@University of Nebraska - Lincoln

USGS Staff -- Published Research

US Geological Survey

2013

Hawaiian Forest Birds: The Past, Present And Future Status Of An Endangered Avifauna

Dennis A. Lapointe

US Geological Survey, dennis_lapointe@usgs.gov

Carter T. Atkinson

US Geological Survey

Paul C. Banko

US Geological Survey

Richard J. Camp

University of Hawaii at Hilo

P. Marcos Gorresen

University of Hawaii at Hilo

See next page for additional authors

Follow this and additional works at: <http://digitalcommons.unl.edu/usgsstaffpub>

Lapointe, Dennis A.; Atkinson, Carter T.; Banko, Paul C.; Camp, Richard J.; Gorresen, P. Marcos; Jacobi, James D.; Pratt, Thane K.; and Samuel, Michael D., "Hawaiian Forest Birds: The Past, Present And Future Status Of An Endangered Avifauna" (2013). *USGS Staff -- Published Research*. 765.

<http://digitalcommons.unl.edu/usgsstaffpub/765>

This Article is brought to you for free and open access by the US Geological Survey at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in USGS Staff -- Published Research by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

Dennis A. Lapointe, Carter T. Atkinson, Paul C. Banko, Richard J. Camp, P. Marcos Gorresen, James D. Jacobi, Thane K. Pratt, and Michael D. Samuel

HAWAIIAN FOREST BIRDS: THE PAST, PRESENT AND FUTURE STATUS OF AN ENDANGERED AVIFAUNA

Dennis A. Lapointe^a, Carter T. Atkinson^a, Paul C. Banko^a, Richard J. Camp^b, P. Marcos Gorresen^b, James D. Jacobi^a, Thane K. Pratt^a, Michael D. Samuel^c. ^a*US Geological Survey, Pacific Island Ecosystems Research Center, Kilauea Field Station, Hawai'i Volcanoes National Park, HI 96718, USA*; ^b*Hawai'i Cooperative Studies Unit, Pacific Aquaculture and Coastal Resources Center, University of Hawai'i at Hilo, HI 96720, USA*; ^c*US Geological Survey, Wisconsin Cooperative Wildlife Research Unit, University of Wisconsin, Madison, WI 53706, USA*
E-mail address: dennis_lapointe@usgs.gov.

The Hawaiian forest birds are among the most endangered avifauna of the world. Entire bird groups have disappeared from the Hawaiian Islands, and of the more than fifty, historically-known species of Hawaiian honeycreeper, only 17 remain. Due to the extreme geographical isolation, few birds colonized the Hawaiian Islands but, released from direct competition, predation, and disease, these founders flourished and evolved amid the heterogeneous geography of the archipelago. This process of colonization and speciation is best characterized by the honeycreepers; the largest radiation of endemic forest birds in the Hawaiian Islands, or for that matter, birds on any oceanic archipelago. But this remarkable avifauna has suffered great losses since the arrival of humankind. Extinctions and population declines began with the inadvertent introduction of predatory rats, overharvesting of flightless species and destruction of lowland forest by Polynesians. Habitat destruction and degradation and predation accelerated with the arrival of Westerners and their domestic animals and pests, leading to more extinction and increasing rates of population decline. The introduction of mosquito vectors, avian disease pathogens, and vertebrate and invertebrate competitors led to the displacement of many native bird species from lowland forests. Today, on protected lands, there are apparently stable populations of only a handful of the remaining species. However, habitat degradation, predation, disease and food web disruption by invasive hymenoptera continue to impact critical populations. Additionally, climate change will likely increase habitat degradation, disease, and food web disruption further restricting remaining populations to smaller and more dispersed refuges. Although the fate of Hawaiian forest birds appears bleak, there are reasons for hope. Some

populations of Hawaii amakihi have evolved tolerance to avian malaria and are burgeoning in the once quieted lowland forests. Captive breeding and release programs have prevented the extinction of at least two species and consortiums of managed conservation lands increase the extent and suitability of remaining forest bird habitat.